R3850-1.5U 1/88

LOS

LENGTH OF STAY

CPHA PUBLICATIONS

Length of Stay by Diagnosis and Operation, Western Region, 1986

Commission on Professional and Hospital Activities
Ann Arbor, Michigan
October, 1987

LENGTH OF STAY

Copyright 1987 by The Commission on Professional and Hospital Activities (CPHA), Ann Arbor, Michigan. All rights reserved. Printed in the United States of America. This book, or parts thereof, may not be reproduced in any form without permission of the publisher.

Library of Congress Catalog Card Number: 73-173193

This volume is one of the books in the Length of Stay series:

Length of Stay by Diagnosis and Operation, United States, 1986
Length of Stay by Diagnosis and Operation, Northeastern Region, 1986
Length of Stay by Diagnosis and Operation, North Central Region, 1986
Length of Stay by Diagnosis and Operation, Southern Region, 1986
Length of Stay by Diagnosis and Operation, Western Region, 1986

Geriatric Length of Stay by Diagnosis and Operation, United States, 1986
Pediatric Length of Stay by Diagnosis and Operation, United States, 1986

The Length of Stay series was first published in 1963. Prior to 1986, Length of Stay by Diagnosis and Length of Stay by Operation were published in separate volumes for the United States and for four geographic regions. For further information, please contact CPHA Publications, 1968 Green Road, P.O. Box 1809, Ann Arbor, Michigan 48106.

CONTENTS

Preface . . . iv

About CPHA . . . v

Discussion of the Data
  Source of the Data . . . v
  Data Quality . . . v
  Geographic Coverage . . . vi
  Organization of Length of Stay Tables . . . viii
    Patient Data Assignment
    Definition of Multiple Diagnoses Patients
    Definition of Operated Patients
  Explanation of Statistics . . . viii
  Application of Length of Stay Tables . . . ix

Length of Stay Tables
  Length of Stay Tables Diagnosis Groups . . . 1
  Summary of All Patients in Diagnosis Groups . . . 2
  Summary of All Patients Except Newborn . . . 3
  Diagnosis Groups 1-398 . . . 4
  Length of Stay Tables Operation Groups . . . 205
  Summary of All Patients in Operation Groups . . . 206
  Operation Groups 501-764 . . . 207

Appendix: *ICD-9-CM* Codes for Selected Diagnosis and Operation Groups . . . 273

Indexes . . . 277
  Diagnosis Index . . . 278
  Operation Index . . . 293

PREFACE

This book is one volume of a set of seven books presenting statistics on hospital stay during 1986 in the United States. The complete set is the latest in a series of publications on length of stay in hospitals that participate in the Professional Activity Study (PAS) of the Commission on Professional and Hospital Activities. Data from several organizations contributing to CPHA from other abstracting services are included in the 1986 series.

These statistics, also available on computer-readable tape, provide a valuable perspective for physicians, administrators, utilization review professionals, and hospital planners interested in cost containment and quality care.

CPHA wishes to extend appreciation to the hospitals and state organizations that supported this publication by making their data available.

PROJECT STAFF
1986 LENGTH OF STAY BOOKS

Linda Vanek, Product Manager
Peg Eby, Product Manager
Joyce Beach, Senior Programmer
Robert Travis, Librarian
Jeanine DeLay, Assistant Director
Edward J. Kobrinski, Director

ABOUT CPHA

The Commission on Professional and Hospital Activities (CPHA) is an organization dedicated to the improvement of hospital and medical care through research, education, publishing, and systems development. Established in 1955 under grants from the W.K. Kellogg Foundation, CPHA is a nonprofit, private organization, sponsored by the American College of Physicians, the American College of Surgeons, the American Hospital Association, and the Southwestern Michigan Hospital Council.

CPHA Publications, a unit of the Research Department, is responsible for the development of issue-oriented data reference tools setting performance guidelines and comparative standards for the health care industry. CPHA Publications disseminates important research findings to support and enhance the day to day activity of health care professionals in a variety of settings.

DISCUSSION OF THE DATA

Source of the Data

Data in the Length of Stay books were compiled from individual patient discharge records submitted to CPHA by hospitals participating in the Professional Activity Study (PAS). In addition, some books contain discharge data from hospitals participating in information systems other than PAS.

The following steps describe the PAS method of storing and retrieving medical data:

1. In each participating hospital, personnel transfer data from the medical record of each discharged patient into the PAS System via PAS+ micro-computer, magnetic tape, or PAS Case Abstract.
2. The disk, tape, or abstract, is mailed to the center of PAS operations in Ann Arbor, Michigan, where it is entered into the computer system.
3. Data undergo a comprehensive editing process and errors are corrected by CPHA and contributing hospitals.
4. The computer system continually adds data to a permanent file. Participating hospitals are provided access to these data through interactive systems, in-house computers, and reports. The stored data are also available to researchers on a contractual basis.
5. Data are standardized to create an aggregated patient record base.

Annually, CPHA Publications uses these data to create the Length of Stay (LOS) series and other reference tools.

Data Quality

Data quality is one of the primary concerns of CPHA. Although the hospital has basic responsibility for the quality of PAS data, CPHA shares that responsibility in its function as an extension of the hospital's medical information network.

CPHA exerts considerable effort to prevent and correct errors in data submitted. Hospital medical records personnel are trained by CPHA in coding and abstracting methods. CPHA monitors submitted data, and meticulously checks and edits the data for errors. Over 600 computer checks are performed during the processing of each record to ensure the reasonableness of the data received. Examples of discrepancies detected by the audit are: hospital day of operative episode exceeding total stay, cesarean section with a normal delivery diagnosis, sex-specific diagnosis or operation with the wrong sex recorded, incalculable age or stay, unrecorded or invalid diagnosis. When illogical, invalid, or missing data are detected, about 40 percent of the errors are corrected by computer. The remainder are referred back to the hospital staff through computer-generated error messages.

In addition to initial data editing, the computer system that produces the length of stay tables does numerous edits to eliminate uncorrected or unusual data. The following events cause a record to be excluded as not representing a typical short-term patient:

1. death
2. stillborn
3. admission from other short-term hospital
4. discharge to other short-term hospital
5. discharge against medical advice

Geographic Coverage

Data chosen for inclusion in the Length of Stay series are from general, nonfederal, short-term hospitals in the United States. Short-term hospitals are defined as those in which the median stay is shorter than 30 days. The map indicates the boundaries of each regional book.



** Includes Alaska and Hawaii

Most of the data used in the Length of Stay books are from hospitals participating in PAS through CPHA. In addition, the following organizations have sent data to CPHA: Alabama Hospital Association, Colorado Hospital Association, Kaiser Foundation Hospitals, Kansas Hospital Association, Maine Hospital Association, Missouri Health Data Corporation, The National Association of Children's Hospitals and Related Institutions, Inc. (NACHRI), Oregon Hospital Association, Sisters of Mercy Health Corporation (SMHC), Utilization Information Service of the Hospital Association of New York State, and the Vermont Hospital Association. Several individual hospitals throughout the United States have also sent data to CPHA for special studies. These additional data expand CPHA as a national health information center. The cooperation of these organizations is appreciated.

Hospitals participating in PAS from United States Territories and Puerto Rico are excluded from the series. Data from psychiatric hospitals are excluded because these facilities are not general hospitals. Data from psychiatric units within general hospitals are included. Pediatric hospitals are also included.

Characteristics of all hospitals with data included in the Length of Stay books are displayed on the following page.

Bedsize, Region, and Census Division: Included Hospitals Compared with All Short-Term Nonfederal Hospitals[1] in the U.S. January-December 1986

	Short-Term Nonfederal Hospitals		
	U.S. Total[2]	**Number in Books**	**Percent in Books**
Hospital Category			
Bedsize			
6-24	312	71	22.8
25-49	1059	241	22.8
50-99	1264	359	28.4
100-199	1251	344	27.5
200-299	682	199	29.2
300-399	428	124	29.0
400-499	268	75	28.0
500+	381	79	20.7
Total	**5645**	**1492**	**26.4**
Region and Census Division			
Northeast	**803**	**314**	**39.1**
New England	240	124	51.7
Middle Atlantic	563	190	33.7
North Central	**1661**	**505**	**30.4**
East North Central	877	300	34.2
West North Central	784	205	26.1
South	**2127**	**319**	**15.0**
South Atlantic	809	164	20.3
East South Central	493	77	15.6
West South Central	825	78	9.5
West	**1054**	**354**	**33.6**
Mountain	371	154	41.5
Pacific	683	200	29.3
Total	**5645**	**1492**	**26.4**

The Pediatric book was compiled from the data of 1473 hospitals. The Geriatric book was compiled from the data of 1463 hospitals.

[1] Hospitals with average stay less than 30 days, excluding psychiatric hospitals.

[2] 1985 Annual Survey of Hospitals, magnetic tape, American Hospital Association.

Organization of Length of Stay Tables

The length of stay tables are organized according to CPHA's cross-clasification, a patient classification system similar to Diagnosis Related Groups (DRGs). The Diagnosis classification system is called *ICD-9-CM List A: Hospital Diagnosis Groups*.[1] Within each procedure group, patients are further stratified by single or multiple diagnoses and age. For diagnosis groups 393-395, which pertain exclusively to newborn, age is replaced by birth weight in grams. The Operation classification system is called *ICD-9-CM List B: Hospital Procedure Groups*. Within each procedure group patients are further stratified by single or multiple diagnoses and age.

Patient Data Assignment:

Patient data are assigned an *ICD-9-CM List A* group on the basis of the principal diagnosis. This is the diagnosis that after study explains why the patient was admitted to the hospital. Patient data are assigned *ICD-9-CM List B* groups on the basis of the principal procedure. "Principal procedure" is an item in the *Uniform Hospital Discharge Data Set (UHDDS)*[2] and generally is that therapeutic procedure most related to the principal diagnosis. Diagnosis and procedure information for all patient data included in this book was coded using *ICD-9-CM*. New *ICD-9-CM* codes, introduced in October 1986, are reflected in the indexes at the back of the book and in data submitted from hospitals.

Definition of Multiple Diagnoses Patients:

Patients are classified in the multiple diagnoses category if they had at least one valid secondary diagnosis in addition to the principal one. The following codes are not considered valid secondary diagnoses for purposes of this classification:

1) Manifestation codes (conditions that evolved from underlying diseases [etiology] and are in italics in *ICD-9-CM Volume 1*[3])
2) Codes V27.0-V27.9 (outcome of delivery)
3) E codes (external causes of injury and poisoning)

Definition of Operated Patients:

In the diagnosis tables, operated patients are patients who had at least one *UHDDS* Class 1 procedure. Patients with only Class 2-4 procedures are considered nonoperated. In the procedure tables, operated patients are those whose principal procedure fell into an *ICD-9-CM List B* group where at least one *UHDDS* Class 1 procedure was present. While most *List B* groups contain only Class 1 procedures, the following groups contain Class 1 procedures, and at least one procedure that is Class 2-4: 548, 557, 575, 576, 581, 587, 609, 615, 619, 626, 630, 636, 646, 654, 666, 679, 682, 686, 690, 696, 706, 758, 760, 764.

Explanation of Statistics

The *List A* diagnosis group titles and *List B* procedure group titles heading the tables are followed in parentheses by the *ICD-9-CM* diagnosis or procedure codes included in that *List A* or *List B* group.

Data are categorized by total patients (column 2), their average length of stay (column 3), the variance (column 4), and distribution percentiles (column 5 through 11). Patients are stratified by single or multiple diagnoses (dx), operation status, and age.

The computer calculates length of stay from admission and discharge dates by counting the day of admission but not the day of discharge. Patients discharged on the day of admission are counted as staying one day in the calculation of average stay and variance but as staying less than one day in the calculation of the percentiles. Thus, if more than 5 percent of the patients in a cell were discharged on the day of admission, the 5th percentile is shown as "<1."

A length of stay percentile for a group of patients is determined by arranging the individual patient stays from low to high. Counting up from the lowest stay to the point where half of the patients have been counted yields the value of the 50th percentile. Counting off one-tenth of the total patients gives the 10th percentile, and so on.

---

[1] *ICD-9-CM List A: Hospital Diagnosis Groups* and *ICD-9-CM List B: Hospital Procedure Groups* are based on the *International Classification of Diseases, 9th Revison, Clinical Modification (ICD-9-CM)*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[2] Additional information regarding UHDDS principal procedure and classes of procedures can be obtained from *UHDDS Classes of Procedures, ICD-9-CM*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

[3] *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM), Volume 1, Diseases: Tabular List*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978.

The 5th, 10th, 50th, 75th, 95th and 99th percentiles of stay are displayed in days. If, for example, the 10th percentile for a group of patients is four, it means that 10 percent of the patients stayed four days or less. The 50th percentile is the median. Any percentile with a value of 100 days or more is listed as 99+.

Patients who were hospitalized 100 days or longer are not included in Total Patients, Average Stay, or Variance categories. However, the percentiles shown do include these patients.

The variance is a measure of the spread of the data around the average. For these tables, the smallest variance is zero, indicating all lengths of stay are equal. The maximum value for the variance is 2500.

When using operation tables in which there is a large variance, and the patient group size is relatively small, the reader might note that the average stay appears high. In most cases this occurs when one or two patients with long hospitalizations fall into the multiple diagnoses group. For example, the length of stay for an amniocentesis procedure might be unusually long when a patient has a psychiatric disorder as the principal diagnosis.

A further caution is suggested when using tables which group together a number of diagnoses, e.g., Table 328: Perinatal conditions causing morbidity and mortality, (incorporating *ICD-9-CM* codes 760-779), or procedures, e.g., Table 760: Special therapies and rehabilitation (93.0-93.9). In these groupings the length of stay may appear unnecessarily long or short for the situation being reviewed due to the inclusion of patient groups of varying severities.

Data in the Length of Stay (LOS) series are sequenced by the *International Classification of Diseases, 9th Revision, Clinical Modification (ICD-9-CM)* code system. In the fall of 1986, the Health Care Financing Administration (HCFA) and the National Center for Health Statistics (NCHS) jointly announced the addition of new *ICD-9-CM* diagnosis and procedure codes effective for use with October 1986 discharges. The new codes were developed to accommodate coding of (1) acquired immune deficiency syndrome (AIDS) and related conditions; and (2) new procedures resulting from changes in technology.

The introduction of these codes affects data in the 1986 LOS in two ways:

(1) Totals for new codes reflect only three months of data (October-December 1986); thus new codes show low volumes in the 1986 edition.

(2) Totals for codes prior to the October 1986 changes show decreases in volume to the extent that new codes were used.

Application of Length of Stay Tables

The Length of Stay series can be used as a valuable reference source in a variety of health care settings. Use of stay data allows the health care professional to compare regional and national norms to their own institution or client. The LOS series assists in projecting extended stay reviews, while recommending the most effective use of patient care services. Norms from other editions of the LOS series create the opportunity to establish baselines as far back as 1964 to forecast and plan for future service demands.

The following steps are intended to provide a useful guide in situations where a health care professional wishes to determine a reasonable length of stay:

Step 1: Consult the index at the back of the appropriate Length of Stay book for the particular diagnosis or operation to be reviewed.

Step 2: Find the corresponding table in the Length of Stay book. The group number precedes the title of each table.

Step 3: Depending on the purpose of the review, find the appropriate portion of the table:

Single or Multiple Diagnoses
Not Operated or Operated (for Diagnosis groups only)
Patient's Age on Day of Admission

Step 4: Find the 50th percentile of stay for similar patients at the point where the 50th percentile column (7) of the table intersects the horizontal line containing the pertinent patient variables.

Step 5: Consult the total patient sample (Grand Total) and variance to consider the homogeneity of the data, i.e., to what extent length of stay averages are clustered or spread out within a particular patient group.

These general steps are followed, in more specific application, by health care professionals in many diverse settings. LOS tables can be used to identify candidates for utilization review, to furnish check points in patient care, to project extended stay reviews and to improve hospital care standards. Constantly increasing concern for quality care and cost containment make the Length of Stay tables an essential tool in the health care industry.

Length of Stay Tables
Diagnosis Groups

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	153380	2.2	7	<1	1	2	3	4	4	10
20-34	85868	2.5	12	<1	1	2	3	4	6	18
35-49	27650	3.7	24	<1	1	2	4	7	11	26
50-64	17314	3.8	18	1	1	3	5	8	10	23
65+	16084	4.3	22	1	1	3	5	8	11	22
B. *Operated*										
0-19 YRS	42085	2.4	6	<1	<1	2	3	5	6	12
20-34	110536	2.6	5	<1	1	2	3	5	6	10
35-49	48784	3.2	9	<1	1	2	4	7	8	14
50-64	35701	3.7	11	<1	1	3	5	8	10	15
65+	30866	4.6	17	<1	<1	3	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144930	3.9	39	1	1	2	4	6	10	39
20-34	82486	5.1	52	1	1	3	5	11	21	34
35-49	70112	5.4	43	1	1	3	6	11	19	32
50-64	99275	5.3	31	1	1	4	6	10	14	29
65+	244794	6.1	30	1	2	5	8	12	15	28
B. *Operated*										
0-19 YRS	42816	5.5	86	<1	1	3	5	12	21	62
20-34	154096	4.1	25	1	1	3	5	7	10	26
35-49	96469	5.4	39	1	1	4	6	10	15	33
50-64	102070	6.9	60	1	1	5	9	14	19	41
65+	170270	8.6	70	1	1	7	11	17	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	300296	2.6	12	<1	1	2	3	5	7	17
B. *Operated*	267972	3.1	9	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	641597	5.3	37	1	1	3	6	11	15	31
B. *Operated*	565721	6.3	55	1	1	4	8	13	19	39
1. SINGLE DX	568268	2.8	10	<1	1	2	3	5	8	15
2. MULTIPLE DX	1207318	5.7	46	1	1	4	7	12	17	35
A. NOT OPERATED	941893	4.4	31	1	1	3	5	9	13	29
B. OPERATED	833693	5.2	42	1	1	3	6	11	16	33
TOTAL 0-19 YRS	383211	3.2	29	1	1	2	3	5	8	30
20-34	432986	3.6	23	<1	1	2	4	6	10	27
35-49	243015	4.8	33	1	1	3	5	9	14	30
50-64	254360	5.6	40	1	1	4	7	11	16	32
65+	462014	6.9	46	1	1	5	9	14	18	34
GRAND TOTAL	**1775586**	**4.8**	**36**	**1**	**1**	**3**	**6**	**10**	**14**	**31**

SUMMARY OF ALL PATIENTS IN DIAGNOSIS GROUPS EXCEPT NEWBORN

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	43766	2.8	21	<1	1	2	3	5	7	24
20-34	85868	2.5	12	<1	1	2	3	4	6	18
35-49	27650	3.7	24	<1	1	2	4	7	11	26
50-64	17314	3.8	18	1	1	3	5	8	10	23
65+	16084	4.3	22	1	1	3	5	8	11	22
B. *Operated*										
0-19 YRS	42060	2.4	6	<1	<1	2	3	5	6	12
20-34	110536	2.6	5	<1	1	2	3	5	6	10
35-49	48784	3.2	9	<1	1	2	4	7	8	14
50-64	35701	3.7	11	<1	1	3	5	8	10	15
65+	30866	4.6	17	<1	<1	3	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60846	5.0	78	1	1	2	4	9	21	51
20-34	82486	5.1	52	1	1	3	5	11	21	34
35-49	70112	5.4	43	1	1	3	6	11	19	32
50-64	99275	5.3	31	1	1	4	6	10	14	29
65+	244794	6.1	30	1	2	5	8	12	15	28
B. *Operated*										
0-19 YRS	39329	4.5	46	<1	1	3	5	9	15	39
20-34	154096	4.1	25	1	1	3	5	7	10	26
35-49	96469	5.4	39	1	1	4	6	10	15	33
50-64	102070	6.9	60	1	1	5	9	14	19	41
65+	170270	8.6	70	1	1	7	11	17	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	190682	3.0	17	<1	1	2	3	6	8	22
B. *Operated*	267947	3.1	9	<1	1	2	4	6	8	14
2. MULTIPLE DX										
A. *Not Operated*	557513	5.6	40	1	1	4	7	11	16	32
B. *Operated*	562234	6.2	52	1	1	4	8	13	18	38
1. SINGLE DX	458629	3.0	12	<1	1	2	4	6	8	16
2. MULTIPLE DX	1119747	5.9	46	1	1	4	7	12	17	35
A. NOT OPERATED	748195	4.9	36	1	1	3	6	10	15	31
B. OPERATED	830181	5.2	40	1	1	3	6	11	15	32
TOTAL 0-19 YRS	186001	3.8	43	<1	1	2	4	7	12	40
20-34	432986	3.6	23	<1	1	2	4	6	10	27
35-49	243015	4.8	33	1	1	3	5	9	14	30
50-64	254360	5.6	40	1	1	4	7	11	16	32
65+	462014	6.9	46	1	1	5	9	14	18	34
GRAND TOTAL	**1578376**	**5.1**	**38**	**1**	**1**	**3**	**6**	**11**	**15**	**31**

1: Intestinal infectious disease (001-009)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	663	2.4	10	1	1	2	3	4	5	11
20-34	409	2.4	3	1	1	2	3	4	5	11
35-49	165	2.6	3	1	1	2	3	5	6	9
50-64	112	2.6	3	1	1	2	3	4	5	11
65+	94	2.8	4	1	1	2	4	5	6	12
B. *Operated*										
0-19 YRS	27	3.6	3	1	2	3	4	6	7	8
20-34	44	4.7	12	2	2	4	5	8	13	18
35-49	18	5.9	17	2	3	5	6	9	17	21
50-64	5	5.2	8	3	3	4	6	10	10	10
65+	6	6.5	18	1	1	7	10	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1647	2.8	9	1	1	2	3	5	6	12
20-34	820	2.9	5	1	1	2	4	5	7	12
35-49	541	3.4	6	1	1	3	4	6	8	12
50-64	492	3.7	7	1	1	3	4	7	9	13
65+	1055	4.4	12	1	1	4	5	9	11	18
B. *Operated*										
0-19 YRS	46	9.2	235	2	2	5	9	18	29	98
20-34	81	6.0	34	1	2	4	7	10	16	36
35-49	74	6.6	23	2	2	5	9	15	19	20
50-64	60	8.0	80	2	2	6	9	14	23	55
65+	112	10.0	124	2	2	7	13	19	23	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1443	2.5	6	1	1	2	3	4	5	11
B. *Operated*	100	4.7	11	2	2	4	6	8	11	19
2. MULTIPLE DX										
A. *Not Operated*	4555	3.4	9	1	1	3	4	6	9	14
B. *Operated*	373	8.0	92	2	2	6	9	17	20	51
1. SINGLE DX	1543	2.6	7	1	1	2	3	5	6	11
2. MULTIPLE DX	4928	3.7	17	1	1	3	4	7	9	18
A. NOT OPERATED	5998	3.2	8	1	1	2	4	6	8	14
B. OPERATED	473	7.3	77	2	2	5	8	15	19	42
TOTAL 0-19 YRS	2383	2.9	15	1	1	2	3	5	6	14
20-34	1354	3.0	7	1	1	2	4	6	8	14
35-49	798	3.6	8	1	1	3	4	7	9	16
50-64	669	3.9	14	1	1	3	4	7	10	17
65+	1267	4.8	24	1	1	4	6	9	12	22
GRAND TOTAL	**6471**	**3.5**	**15**	**1**	**1**	**3**	**4**	**6**	**9**	**17**

2: Respiratory tuberculosis (010-012)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.3	3	2	2	3	3	6	7	7
20-34	18	11.3	90	2	3	8	21	31	71	99+
35-49	6	4.7	5	1	1	5	6	7	7	7
50-64	5	11.6	191	3	3	6	16	36	36	36
65+	7	7.7	54	<1	1	6	9	20	23	23
B. *Operated*										
0-19 YRS	2	8.5	1	8	8	8	9	9	9	9
20-34	11	7.3	20	1	2	7	11	14	15	15
35-49	5	8.2	15	2	2	10	11	12	12	12
50-64	11	9.7	33	1	3	9	13	19	20	20
65+	7	10.1	44	1	2	9	15	19	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	8.2	35	1	2	7	10	17	22	22
20-34	30	9.3	63	2	2	7	12	17	29	38
35-49	33	8.5	27	2	3	8	13	15	19	20
50-64	30	7.8	60	2	3	6	8	12	17	45
65+	64	11.8	67	2	4	9	15	23	28	42
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	14	15.3	191	1	3	11	18	43	45	45
35-49	18	11.5	83	3	4	8	15	26	34	37
50-64	26	15.7	298	2	5	11	19	27	45	91
65+	53	13.9	63	4	6	13	18	25	31	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	8.5	75	1	2	6	9	24	35	99+
B. *Operated*	36	8.8	26	1	2	8	12	15	19	20
2. MULTIPLE DX										
A. *Not Operated*	168	9.7	57	2	3	8	12	18	24	42
B. *Operated*	113	13.9	135	2	4	11	18	27	36	94
1. SINGLE DX	79	8.6	52	1	2	7	10	20	24	81
2. MULTIPLE DX	281	11.4	92	2	3	9	15	22	30	45
A. NOT OPERATED	211	9.5	60	2	3	7	12	20	27	44
B. OPERATED	149	12.7	113	2	4	10	17	23	32	91
TOTAL 0-19 YRS	22	6.2	24	1	2	5	9	11	17	22
20-34	73	10.6	91	2	3	8	13	25	37	87
35-49	62	9.0	43	2	3	7	12	16	20	36
50-64	72	11.2	158	2	3	8	13	20	32	81
65+	131	12.3	65	2	4	10	17	23	29	53
GRAND TOTAL	**360**	**10.8**	**84**	**2**	**3**	**8**	**14**	**22**	**29**	**45**

354 Hospitals, Western Region, January-December 1986

3: Nonrespiratory tuberculosis (013-018)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	9.5	13	7	7	9	12	12	12	12
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64	1	24.0		24	24	24	24	24	24	24
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	3	4.7	30	1	1	2	9	11	11	11
20-34	9	5.4	21	<1	<1	3	10	12	12	12
35-49	3	5.0	16	<1	<1	5	8	9	9	9
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	9.0	128	1	1	9	17	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	4.0	9	1	1	4	6	7	7	7
35-49	2	7.0		7	7	7	7	7	7	7
50-64	7	9.1	18	2	3	9	12	15	15	15
65+	6	12.7	103	4	4	8	20	29	30	30
B. *Operated*										
0-19 YRS	4	19.8	357	<1	<1	18	35	41	41	41
20-34	14	11.5	55	1	4	9	18	22	26	27
35-49	11	9.0	27	2	4	7	11	17	21	21
50-64	16	17.8	362	1	1	13	27	36	62	73
65+	21	17.3	267	1	2	12	20	41	58	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	10.0	74	3	3	7	15	24	24	24
B. *Operated*	18	5.6	25	<1	<1	3	10	12	15	17
2. MULTIPLE DX										
A. *Not Operated*	19	8.9	47	1	2	7	10	18	25	30
B. *Operated*	66	15.0	211	1	2	11	20	34	43	72
1. SINGLE DX	23	6.5	36	<1	<1	4	11	13	19	24
2. MULTIPLE DX	85	13.6	180	1	2	9	17	30	37	71
A. NOT OPERATED	24	9.2	49	2	2	7	11	20	26	30
B. OPERATED	84	12.9	185	<1	1	9	16	30	37	71
TOTAL 0-19 YRS	9	12.4	195	<1	<1	7	16	37	41	41
20-34	28	8.2	45	<1	1	7	11	19	22	27
35-49	16	8.0	23	1	2	7	10	14	19	21
50-64	25	15.1	254	1	2	12	22	35	45	73
65+	30	15.3	218	1	2	12	19	32	51	66
GRAND TOTAL	**108**	**12.1**	**157**	**1**	**1**	**8**	**15**	**28**	**35**	**69**

4: Streptococcal sore throat and scarlet fever (034)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	76	2.1	2	1	1	2	3	3	4	8
20-34	41	2.3	1	1	1	2	3	4	5	5
35-49	15	2.7	2	1	1	3	4	4	5	5
50-64	7	2.0		1	1	2	2	3	3	3
65+										
B. *Operated*										
0-19 YRS	31	1.0		<1	1	1	1	1	1	2
20-34	12	1.6	1	<1	<1	1	2	3	4	4
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	225	2.3	2	1	1	2	3	4	5	8
20-34	146	2.8	3	1	1	3	4	4	7	9
35-49	43	3.5	9	1	2	3	4	5	6	21
50-64	21	3.4	2	1	2	3	4	6	7	7
65+	18	4.0	5	2	2	3	5	7	9	11
B. *Operated*										
0-19 YRS	33	1.3	1	<1	<1	1	1	2	3	5
20-34	6	2.0	1	1	1	2	3	3	3	3
35-49	2	7.0	2	6	6	7	8	8	8	8
50-64	2	8.5	1	8	8	8	9	9	9	9
65+	1	29.0		29	29	29	29	29	29	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	139	2.3	2	1	1	2	3	4	5	7
B. *Operated*	43	1.2		<1	1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	453	2.7	3	1	1	2	3	4	6	9
B. *Operated*	44	2.6	21	<1	1	1	2	6	8	29
1. SINGLE DX	182	2.0	2	1	1	2	3	3	4	7
2. MULTIPLE DX	497	2.7	5	1	1	2	3	4	6	10
A. NOT OPERATED	592	2.6	3	1	1	2	3	4	6	9
B. OPERATED	87	1.9	11	<1	1	1	1	3	6	22
TOTAL 0-19 YRS	365	2.1	2	1	1	2	3	4	4	7
20-34	205	2.6	2	1	1	2	3	4	5	9
35-49	60	3.4	7	1	1	3	4	5	6	20
50-64	30	3.4	4	1	2	3	4	7	8	9
65+	19	5.3	38	2	2	3	6	9	21	29
GRAND TOTAL	**679**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**6**	**9**

5: Septicemia (038)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	255	4.0	7	1	2	3	4	8	10	13
20-34	15	3.9	5	1	2	3	6	7	8	9
35-49	12	4.6	8	2	2	4	6	9	10	10
50-64	11	4.4	5	2	2	4	7	8	8	8
65+	29	5.8	9	2	2	6	8	10	11	11
B. *Operated*										
0-19 YRS	3	4.0	4	2	2	4	5	6	6	6
20-34	3	8.7	14	6	6	7	11	13	13	13
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	12.3	145	1	1	11	21	25	25	25
65+	1	11.0		11	11	11	11	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	530	5.5	23	1	2	4	7	11	13	22
20-34	205	7.5	33	2	2	6	10	13	16	34
35-49	313	8.1	40	2	3	7	10	15	18	29
50-64	666	8.6	43	3	3	7	10	15	19	33
65+	2728	9.5	41	3	4	8	11	16	21	32
B. *Operated*										
0-19 YRS	54	11.4	104	3	3	8	14	22	29	60
20-34	96	15.9	249	2	3	11	19	39	60	99+
35-49	134	13.0	76	3	4	12	17	25	31	59
50-64	279	18.0	237	4	5	13	22	39	54	85
65+	785	17.0	162	5	6	13	21	35	46	97
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	322	4.2	7	1	2	3	5	8	10	13
B. *Operated*	11	8.2	46	1	2	6	11	18	24	25
2. MULTIPLE DX										
A. *Not Operated*	4442	8.7	41	2	3	7	11	15	19	32
B. *Operated*	1348	16.5	175	4	5	13	21	34	47	93
1. SINGLE DX	333	4.3	9	1	2	3	5	9	10	14
2. MULTIPLE DX	5790	10.5	83	2	3	8	13	20	27	53
A. NOT OPERATED	4764	8.4	40	2	3	7	10	15	19	31
B. OPERATED	1359	16.4	175	4	5	13	21	34	47	93
TOTAL 0-19 YRS	842	5.4	26	1	2	4	7	10	13	23
20-34	319	9.9	112	2	2	7	12	20	33	76
35-49	460	9.4	55	2	3	7	12	18	23	42
50-64	959	11.3	117	3	4	8	13	22	32	60
65+	3543	11.2	78	3	4	9	13	20	27	52
GRAND TOTAL	**6123**	**10.2**	**81**	**2**	**3**	**8**	**12**	**19**	**26**	**52**

6: Miscellaneous bacterial diseases (020-033; 035-037; 039-041)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	6.0	15	1	2	6	9	11	12	18
20-34	40	4.9	12	1	2	4	6	10	12	16
35-49	19	6.5	37	1	1	4	7	18	22	22
50-64	8	4.3	2	2	2	4	5	6	7	7
65+	8	9.1	81	2	2	6	11	25	29	29
B. *Operated*										
0-19 YRS	6	6.0	15	2	2	5	7	12	13	13
20-34	5	9.4	177	1	1	5	12	33	33	33
35-49	10	13.3	144	3	3	8	17	34	40	40
50-64	1	9.0		9	9	9	9	9	9	9
65+	4	7.8	23	4	4	7	11	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	160	6.8	23	1	2	6	10	12	14	24
20-34	80	4.9	8	2	2	4	6	9	11	14
35-49	57	7.0	37	2	2	6	8	11	15	35
50-64	69	7.5	42	2	2	6	9	14	18	40
65+	157	9.5	86	3	3	7	11	18	21	58
B. *Operated*										
0-19 YRS	19	14.1	105	2	2	12	21	30	34	37
20-34	38	10.6	82	1	2	8	16	25	27	38
35-49	30	14.1	255	1	2	9	16	30	39	83
50-64	40	13.7	87	4	6	11	17	28	43	99+
65+	55	16.4	202	4	5	11	24	42	51	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	230	5.9	18	1	2	5	8	11	13	21
B. *Operated*	26	9.8	95	2	3	6	13	27	34	40
2. MULTIPLE DX										
A. *Not Operated*	523	7.4	46	2	3	6	9	13	17	38
B. *Operated*	182	14.0	151	2	3	11	17	33	42	94
1. SINGLE DX	256	6.3	27	1	2	5	8	11	14	29
2. MULTIPLE DX	705	9.1	81	2	3	7	11	17	26	55
A. NOT OPERATED	753	7.0	38	2	2	6	9	13	15	34
B. OPERATED	208	13.5	146	2	3	10	17	32	42	90
TOTAL 0-19 YRS	340	6.8	27	1	2	6	10	12	14	28
20-34	163	6.4	36	2	2	4	7	13	18	32
35-49	116	9.3	111	1	2	7	10	20	31	55
50-64	118	9.4	64	2	3	7	12	18	27	65
65+	224	11.2	121	3	4	7	12	22	42	60
GRAND TOTAL	**961**	**8.4**	**68**	**2**	**2**	**6**	**10**	**15**	**23**	**47**

7: Poliomyelitis and other enteroviral diseases of central nervous system (045; 047-048)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	432	3.1	3	1	1	3	4	5	6	11
20-34	359	3.1	3	1	1	3	4	5	7	9
35-49	89	3.0	3	1	1	3	4	5	6	8
50-64	16	3.8	2	1	2	4	5	6	6	6
65+	5	6.2	12	2	2	5	9	11	11	11
B. *Operated*										
0-19 YRS	9	3.1	2	2	2	3	4	5	6	6
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	3	8.0	9	5	5	8	10	11	11	11
50-64	1	4.0		4	4	4	4	4	4	4
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	257	4.1	15	1	1	3	4	7	10	23
20-34	231	4.0	10	1	1	3	5	7	9	18
35-49	83	4.3	7	1	2	4	5	8	10	13
50-64	33	6.1	17	2	2	5	8	13	16	17
65+	22	6.5	21	2	2	5	7	13	17	20
B. *Operated*										
0-19 YRS	9	6.6	68	2	2	3	6	20	28	28
20-34	12	9.1	52	2	3	7	11	18	27	29
35-49	3	5.0	9	2	2	5	7	8	8	8
50-64	3	10.3	90	1	1	10	17	20	20	20
65+	2	33.0	72	27	27	33	39	39	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	901	3.1	3	1	1	3	4	5	6	10
B. *Operated*	15	4.0	7	1	2	3	5	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	626	4.3	13	1	2	3	5	8	10	20
B. *Operated*	29	9.7	94	2	2	6	11	28	29	39
1. SINGLE DX	916	3.1	3	1	1	3	4	5	7	10
2. MULTIPLE DX	655	4.5	17	1	2	3	5	8	11	24
A. NOT OPERATED	1527	3.6	7	1	1	3	4	6	8	14
B. OPERATED	44	7.7	71	1	2	5	9	21	28	39
TOTAL 0-19 YRS	707	3.5	8	1	2	3	4	6	8	16
20-34	604	3.6	7	1	1	3	4	6	8	13
35-49	178	3.7	5	1	1	3	5	7	8	12
50-64	53	5.6	17	2	2	4	7	11	16	20
65+	29	8.3	67	2	2	5	9	18	28	39
GRAND TOTAL	**1571**	**3.7**	**9**	**1**	**1**	**3**	**4**	**6**	**8**	**17**

8: Viral diseases with exanthem (050-057)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	2.9	3	<1	1	2	4	6	7	9
20-34	55	3.7	4	1	2	4	5	6	8	11
35-49	25	3.6	5	<1	1	4	5	7	8	10
50-64	25	4.6	9	1	2	4	6	7	12	15
65+	49	4.6	8	1	1	4	6	8	9	14
B. *Operated*										
0-19 YRS	5	8.0	50	<1	<1	5	15	17	17	17
20-34	5	3.8	11	1	1	3	6	9	9	9
35-49										
50-64	3	6.3	24	3	3	4	10	12	12	12
65+	7	3.9	6	<1	1	3	4	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	284	3.5	8	1	1	3	4	6	8	16
20-34	126	4.9	9	1	2	5	6	8	11	17
35-49	70	6.6	86	1	2	4	7	9	21	53
50-64	133	6.5	25	2	2	5	8	12	14	30
65+	534	6.9	27	2	2	6	9	12	17	26
B. *Operated*										
0-19 YRS	10	6.8	19	2	2	6	10	13	15	15
20-34	17	10.2	126	1	2	7	11	28	39	43
35-49	15	8.2	16	2	3	9	10	17	75	99+
50-64	32	9.7	67	1	3	7	12	19	24	41
65+	63	12.0	135	2	3	8	13	26	32	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	3.7	6	1	1	3	5	7	8	11
B. *Operated*	20	5.3	21	<1	<1	4	7	13	15	17
2. MULTIPLE DX										
A. *Not Operated*	1147	5.8	25	1	2	5	7	11	14	26
B. *Operated*	137	10.5	98	1	3	8	12	23	31	77
1. SINGLE DX	272	3.8	7	1	1	3	5	7	8	14
2. MULTIPLE DX	1284	6.3	35	1	2	5	8	12	17	31
A. NOT OPERATED	1399	5.4	23	1	2	4	7	10	13	23
B. OPERATED	157	9.8	91	1	2	8	12	21	30	71
TOTAL 0-19 YRS	397	3.5	8	1	1	3	4	7	8	16
20-34	203	5.0	20	1	2	4	6	8	11	24
35-49	110	6.1	60	1	1	4	8	10	18	71
50-64	193	6.8	32	2	2	5	8	13	17	32
65+	653	7.2	38	1	2	6	9	13	19	31
GRAND TOTAL	**1556**	**5.9**	**31**	**1**	**2**	**4**	**7**	**11**	**15**	**30**

9: Viral hepatitis (070)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	3.3	6	1	2	3	3	6	8	13
20-34	131	3.9	5	1	2	3	5	7	8	11
35-49	41	5.7	25	2	2	5	6	10	19	25
50-64	18	5.2	6	1	2	5	7	8	10	11
65+	10	3.3	1	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	5	2.6	4	<1	<1	2	4	6	6	6
50-64	1	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	4.1	13	1	2	3	5	7	11	23
20-34	232	4.4	10	1	2	4	6	8	10	16
35-49	106	5.5	21	1	2	5	7	10	13	27
50-64	52	6.5	18	2	2	5	9	12	14	24
65+	71	7.2	22	2	3	7	9	11	16	30
B. *Operated*										
0-19 YRS	5	9.2	57	1	1	7	16	19	19	19
20-34	13	12.1	254	1	1	7	11	39	54	57
35-49	13	8.0	27	1	2	8	11	16	18	18
50-64	9	8.7	49	1	1	7	10	20	24	24
65+	7	12.4	76	4	5	10	13	28	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	4.2	9	1	2	4	5	7	9	16
B. *Operated*	13	1.7	2	<1	<1	1	2	4	6	6
2. MULTIPLE DX										
A. *Not Operated*	521	5.2	16	1	2	4	6	10	12	24
B. *Operated*	47	10.0	100	1	1	8	12	19	31	57
1. SINGLE DX	247	4.1	9	1	1	3	5	7	9	15
2. MULTIPLE DX	568	5.6	25	1	2	4	7	10	14	26
A. NOT OPERATED	755	4.9	14	1	2	4	6	9	11	23
B. OPERATED	60	8.2	91	1	1	6	10	17	27	55
TOTAL 0-19 YRS	101	4.0	14	1	1	3	4	7	12	21
20-34	381	4.5	18	1	1	4	5	8	10	16
35-49	165	5.7	22	1	2	5	7	10	15	26
50-64	80	6.4	19	1	2	5	8	11	14	24
65+	88	7.2	27	2	3	6	9	12	16	32
GRAND TOTAL	**815**	**5.1**	**20**	**1**	**2**	**4**	**6**	**10**	**12**	**24**

10: Infectious mononucleosis (075)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	108	2.6	2	1	1	2	3	4	5	7
20-34	35	3.8	4	1	2	3	5	7	8	9
35-49	7	4.9	8	2	2	4	6	9	10	10
50-64	2	5.0	2	4	4	5	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	2	7.5	5	6	6	7	9	9	9	9
35-49	2	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	335	3.3	6	1	1	3	4	6	7	14
20-34	94	3.6	7	1	1	3	4	7	8	15
35-49	25	4.0	6	1	1	4	5	7	8	11
50-64	9	6.4	33	2	2	4	9	16	20	20
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	9	5.8	32	1	1	5	6	15	20	20
20-34	4	10.5	70	2	2	9	16	22	22	22
35-49	2	14.0	128	6	6	14	22	22	22	22
50-64	2	9.0	98	2	2	9	16	16	16	16
65+	2	33.5	613	16	16	33	51	51	51	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	152	3.0	3	1	1	3	4	5	6	9
B. *Operated*	5	6.8	2	5	5	7	8	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	464	3.4	7	1	1	3	4	6	7	17
B. *Operated*	19	10.9	144	1	2	6	16	22	38	51
1. SINGLE DX	157	3.1	3	1	1	3	4	6	7	9
2. MULTIPLE DX	483	3.7	14	1	1	3	4	6	8	21
A. NOT OPERATED	616	3.3	6	1	1	3	4	6	7	12
B. OPERATED	24	10.0	116	1	2	6	13	22	31	51
TOTAL 0-19 YRS	453	3.2	6	1	1	3	4	5	7	13
20-34	135	3.9	9	1	1	3	5	7	9	19
35-49	36	4.9	14	1	2	4	6	7	11	22
50-64	13	6.6	31	2	2	4	9	17	19	20
65+	3	23.0	637	2	2	16	42	51	51	51
GRAND TOTAL	**640**	**3.6**	**11**	**1**	**1**	**3**	**4**	**6**	**7**	**20**

11: Viral warts (078.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	24	1.2		<1	<1	<1	1	2	2	3
20-34	89	1.3		<1	<1	1	1	2	3	4
35-49	33	1.4	4	<1	<1	<1	1	1	2	12
50-64	6	1.0		<1	<1	<1	1	1	1	1
65+	5	1.0		<1	<1	<1	<1	<1	<1	<1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	4	1.8	1	1	1	2	2	3	3	3
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	9	2.2	3	<1	<1	1	3	5	6	6
20-34	33	2.1	4	<1	<1	1	2	5	7	10
35-49	24	2.3	5	<1	<1	1	3	5	8	8
50-64	12	2.4	5	<1	<1	2	3	7	8	8
65+	5	3.0	20	<1	<1	1	4	11	11	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	157	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	7	2.1	1	1	1	2	3	4	4	4
B. *Operated*	83	2.3	5	<1	<1	1	2	6	8	11
1. SINGLE DX	157	1.3	1	<1	<1	1	1	2	3	4
2. MULTIPLE DX	90	2.3	5	<1	<1	1	3	5	8	11
A. NOT OPERATED	7	2.1	1	1	1	2	3	4	4	4
B. OPERATED	240	1.6	3	<1	<1	1	1	3	5	10
TOTAL 0-19 YRS	35	1.5	1	<1	<1	<1	1	3	4	6
20-34	126	1.5	2	<1	<1	1	2	2	4	8
35-49	58	1.8	4	<1	<1	1	1	4	7	12
50-64	18	1.9	4	<1	<1	1	2	5	7	8
65+	10	2.0	10	<1	<1	<1	1	6	11	11
GRAND TOTAL	**247**	**1.6**	**3**	**<1**	**<1**	**1**	**1**	**3**	**4**	**10**

12: Miscellaneous viral diseases (042-044; 046; 049; 060-066; 071-074; 076-077; 078.0; 078.2-079)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	726	2.4	2	1	1	2	3	4	5	7
20-34	180	2.7	4	1	1	2	3	5	7	11
35-49	105	2.6	3	1	1	2	3	4	6	9
50-64	36	3.8	17	1	1	2	4	8	15	19
65+	35	3.1	3	1	1	3	4	4	7	9
B. *Operated*										
0-19 YRS	22	3.0	7	<1	<1	2	4	5	10	12
20-34	13	7.7	65	1	1	5	11	19	28	30
35-49	4	3.5	7	1	1	3	5	7	7	7
50-64	4	5.8	14	<1	<1	6	8	10	10	10
65+	3	3.7	8	2	2	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1042	2.8	10	1	1	2	3	4	6	12
20-34	507	3.6	15	1	1	2	4	6	10	22
35-49	363	4.1	21	1	1	3	4	8	12	22
50-64	297	4.0	14	1	1	3	5	7	10	18
65+	554	4.4	12	1	2	4	5	8	11	19
B. *Operated*										
0-19 YRS	30	4.5	32	1	1	3	6	8	31	99+
20-34	81	7.9	48	1	2	6	11	16	26	80
35-49	48	14.2	185	2	3	10	19	37	58	99+
50-64	33	12.9	355	2	3	7	13	21	67	89
65+	34	10.4	175	2	2	8	10	18	28	77
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1082	2.5	3	1	1	2	3	4	5	9
B. *Operated*	46	4.7	26	<1	1	3	6	11	13	30
2. MULTIPLE DX										
A. *Not Operated*	2763	3.6	14	1	1	3	4	6	9	19
B. *Operated*	226	9.9	147	1	2	7	12	21	32	99+
1. SINGLE DX	1128	2.6	4	1	1	2	3	4	5	10
2. MULTIPLE DX	2989	4.0	26	1	1	3	4	8	11	25
A. NOT OPERATED	3845	3.3	11	1	1	2	4	6	8	17
B. OPERATED	272	9.0	130	1	2	6	11	20	29	97
TOTAL 0-19 YRS	1820	2.7	7	1	1	2	3	4	5	11
20-34	781	3.9	19	1	1	3	4	8	12	26
35-49	520	4.7	42	1	1	3	5	9	15	44
50-64	370	4.8	50	1	1	3	5	9	13	25
65+	626	4.7	22	1	2	4	6	9	11	23
GRAND TOTAL	**4117**	**3.7**	**21**	**1**	**1**	**3**	**4**	**7**	**10**	**22**

13: Rickettsioses and other arthropod-borne diseases (080-088)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	2.5	2	1	1	2	3	4	6	6
20-34	16	2.1	1	1	1	2	3	3	3	3
35-49	13	2.9	4	1	1	2	4	6	8	8
50-64	5	4.6	6	1	1	6	6	7	7	7
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	2.6	3	<1	<1	2	4	5	6	6
20-34	21	4.7	25	1	2	3	5	8	16	25
35-49	15	4.5	8	1	3	3	5	10	11	11
50-64	5	5.4	4	3	3	5	7	8	8	8
65+	7	4.1	5	3	3	3	4	8	9	9
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	9.5	41	5	5	9	14	14	14	14
50-64	2	18.0	2	17	17	18	19	19	19	19
65+	3	10.3	17	7	7	9	13	15	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	2.7	3	1	1	2	3	6	6	8
B. *Operated*	3	3.7	6	<1	<1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	59	4.3	13	1	2	3	5	8	10	24
B. *Operated*	8	11.5	29	5	5	11	16	18	19	19
1. SINGLE DX	50	2.8	3	1	1	2	3	6	6	8
2. MULTIPLE DX	67	5.1	20	1	2	4	6	10	15	24
A. NOT OPERATED	106	3.6	9	1	1	3	4	7	8	17
B. OPERATED	11	9.4	35	<1	2	7	15	18	19	19
TOTAL 0-19 YRS	25	2.6	2	<1	1	2	3	5	6	6
20-34	38	3.7	16	1	1	3	4	7	8	25
35-49	31	4.0	9	1	1	3	5	9	11	14
50-64	13	7.1	27	1	2	6	7	17	19	19
65+	10	6.0	16	3	3	4	9	12	15	15
GRAND TOTAL	**117**	**4.1**	**14**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

14: Syphilis and other venereal diseases (090-099)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	3.9	5	1	2	3	5	7	8	13
20-34	84	4.1	9	1	2	4	5	7	9	18
35-49	20	4.2	8	1	1	4	5	7	10	13
50-64	6	8.3	85	1	1	5	10	24	26	26
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	11	3.5	25	<1	<1	2	4	10	17	18
20-34	24	2.8	7	<1	<1	1	4	7	8	11
35-49	7	3.7	12	<1	<1	2	7	9	9	9
50-64	1	1.0		1	1	1	1	1	1	1
65+	3	3.0	4	1	1	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	4.9	10	2	2	4	6	9	12	16
20-34	115	4.4	8	2	2	4	5	7	9	17
35-49	28	6.1	27	1	1	5	7	12	20	22
50-64	8	5.5	33	1	1	3	7	16	18	18
65+	20	8.5	79	2	3	6	10	14	29	43
B. *Operated*										
0-19 YRS	12	5.1	28	<1	1	4	5	11	20	21
20-34	37	5.2	40	<1	1	4	5	8	15	37
35-49	14	5.8	18	<1	1	5	8	13	13	13
50-64	6	6.5	28	1	1	6	7	15	16	16
65+	10	15.4	587	1	1	6	16	52	81	81
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	4.2	10	1	2	3	5	7	9	18
B. *Operated*	46	3.1	11	<1	<1	2	4	7	9	18
2. MULTIPLE DX										
A. *Not Operated*	230	5.2	19	2	2	4	6	10	12	22
B. *Operated*	79	6.7	106	<1	1	4	7	14	19	68
1. SINGLE DX	226	4.0	10	<1	1	3	5	7	9	18
2. MULTIPLE DX	309	5.5	41	1	2	4	6	10	14	29
A. NOT OPERATED	410	4.7	15	1	2	4	5	8	11	21
B. OPERATED	125	5.3	74	<1	<1	3	6	12	16	48
TOTAL 0-19 YRS	151	4.4	10	1	2	4	5	8	11	18
20-34	260	4.3	13	<1	1	4	5	7	9	19
35-49	69	5.2	18	1	1	4	6	12	13	22
50-64	21	6.4	43	1	1	4	8	17	22	26
65+	34	9.9	223	1	2	5	10	17	39	81
GRAND TOTAL	**535**	**4.9**	**29**	**1**	**1**	**4**	**5**	**9**	**13**	**23**

15: Mycoses (110-118)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.7	3	1	1	2	4	6	6	6
20-34	12	3.9	7	1	1	4	5	8	10	10
35-49	34	3.2	10	1	1	2	5	7	11	12
50-64	4	3.3	5	1	1	3	5	6	6	6
65+	2	5.0	8	3	3	5	7	7	7	7
B. *Operated*										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34	11	6.8	19	<1	<1	7	9	13	15	15
35-49	17	5.9	32	<1	1	6	6	8	20	26
50-64	18	5.4	26	<1	<1	4	7	13	18	20
65+	6	8.0	7	5	5	7	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.0	5	1	1	2	4	5	8	11
20-34	40	6.3	62	<1	1	4	8	12	16	47
35-49	55	8.1	55	1	1	6	10	20	21	36
50-64	57	8.5	34	2	3	6	12	16	22	27
65+	89	8.7	81	2	2	7	9	17	22	54
B. *Operated*										
0-19 YRS	9	16.0	191	4	4	9	25	37	45	45
20-34	33	14.8	96	3	5	13	20	33	36	37
35-49	53	15.0	212	3	3	11	19	34	78	99+
50-64	43	17.4	432	1	4	9	20	44	83	99+
65+	62	16.3	237	3	5	11	24	36	52	99
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	59	3.3	8	1	1	2	5	7	9	12
B. *Operated*	54	6.1	23	<1	<1	5	8	11	15	26
2. MULTIPLE DX										
A. *Not Operated*	264	7.7	58	1	1	6	9	16	20	45
B. *Operated*	200	15.9	243	3	4	11	20	35	55	99+
1. SINGLE DX	113	4.7	17	<1	1	4	6	9	12	22
2. MULTIPLE DX	464	11.2	154	1	2	8	14	25	36	93
A. NOT OPERATED	323	6.9	52	1	1	5	8	15	19	39
B. OPERATED	254	13.9	212	1	3	9	18	34	43	99+
TOTAL 0-19 YRS	41	5.9	71	1	1	3	5	14	25	45
20-34	96	9.0	79	<1	1	7	11	20	33	42
35-49	159	9.1	115	1	1	6	12	21	33	98
50-64	122	11.0	194	1	2	7	14	22	35	96
65+	159	11.6	151	2	3	8	13	26	37	87
GRAND TOTAL	**577**	**10.0**	**134**	**1**	**1**	**7**	**12**	**22**	**34**	**89**

16: Helminthiases (120-129)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	7	2.6	4	1	1	2	4	6	6	6
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	5	3.4	2	2	2	3	4	6	6	6
20-34	1	16.0		16	16	16	16	16	16	16
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.3	37	1	1	5	11	13	13	13
20-34	12	4.8	10	1	1	4	7	9	10	10
35-49	7	5.7	21	2	2	5	7	13	15	15
50-64	4	4.0	2	3	3	4	5	6	6	6
65+	3	5.0	4	3	3	5	6	7	7	7
B. *Operated*										
0-19 YRS	10	4.3	12	2	2	3	4	9	14	14
20-34	5	5.4	31	1	1	4	7	15	15	15
35-49	3	6.0		6	6	6	6	6	6	6
50-64	4	5.0	2	3	3	5	6	6	6	6
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.9	4	<1	<1	2	4	6	7	7
B. *Operated*	6	5.5	28	2	2	3	6	15	16	16
2. MULTIPLE DX										
A. *Not Operated*	29	5.1	12	1	1	5	7	10	13	15
B. *Operated*	22	4.9	12	1	2	4	6	9	14	15
1. SINGLE DX	18	3.8	13	<1	1	3	5	7	12	16
2. MULTIPLE DX	51	5.0	12	1	2	4	6	9	14	15
A. NOT OPERATED	41	4.5	11	1	1	4	6	8	11	15
B. OPERATED	28	5.0	15	2	2	4	6	12	15	16
TOTAL 0-19 YRS	20	4.3	12	<1	1	3	5	9	13	14
20-34	25	4.8	17	1	1	4	6	10	15	16
35-49	12	5.6	13	2	2	6	7	10	14	15
50-64	8	4.5	2	3	3	4	6	6	6	6
65+	4	4.3	5	2	2	4	6	7	7	7
GRAND TOTAL	**69**	**4.7**	**12**	**1**	**1**	**4**	**6**	**9**	**14**	**16**

17: Miscellaneous infective and parasitic diseases (100-104; 130-136)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.9	6	1	1	4	6	7	7	7
20-34	18	4.0	4	2	2	3	5	7	9	10
35-49	11	5.5	19	1	1	4	7	13	15	15
50-64	6	6.0	6	3	3	6	8	9	9	9
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	2	5.0	18	2	2	5	8	8	8	8
20-34	19	2.9	8	<1	<1	2	4	7	10	11
35-49	22	2.4	6	<1	<1	1	3	5	8	11
50-64	8	4.1	10	1	1	4	6	8	9	9
65+	4	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	3.7	7	1	1	3	5	5	10	13
20-34	86	7.4	34	1	2	6	10	15	21	26
35-49	109	9.2	110	2	2	7	12	16	20	74
50-64	37	8.1	27	2	3	7	11	15	16	27
65+	44	7.9	29	2	3	6	10	15	22	23
B. *Operated*										
0-19 YRS	7	7.3	20	1	1	7	10	13	14	14
20-34	170	13.4	103	2	3	12	18	26	32	53
35-49	201	14.5	99	2	4	13	19	26	35	49
50-64	69	14.4	121	2	3	13	20	25	29	67
65+	29	12.8	70	1	2	12	19	25	28	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	4.6	9	1	2	4	6	8	11	15
B. *Operated*	55	2.8	7	<1	<1	2	4	7	9	11
2. MULTIPLE DX										
A. *Not Operated*	295	8.0	60	2	2	6	10	15	20	28
B. *Operated*	476	13.9	101	2	3	12	19	26	31	49
1. SINGLE DX	98	3.6	9	<1	1	3	5	8	10	14
2. MULTIPLE DX	771	11.6	93	2	2	9	15	23	28	47
A. NOT OPERATED	338	7.6	55	2	2	6	9	14	19	27
B. OPERATED	531	12.7	103	1	2	11	18	25	30	48
TOTAL 0-19 YRS	35	4.5	11	1	1	4	6	10	12	14
20-34	293	10.4	85	1	2	8	14	23	28	39
35-49	343	11.7	107	1	2	9	16	22	28	51
50-64	120	11.3	91	2	3	8	15	23	26	51
65+	78	9.3	52	1	2	7	12	21	24	30
GRAND TOTAL	**869**	**10.7**	**90**	**1**	**2**	**8**	**14**	**22**	**27**	**45**

18: Late effects of infectious and parasitic diseases (137-139)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	2	5.0		5	5	5	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	1	5.0		5	5	5	5	5	5	5
35-49	1	1.0		1	1	1	1	1	1	1
50-64	4	14.0	405	2	2	5	25	44	44	44
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*	4	2.5		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	3	5.3		5	5	5	6	6	6	6
B. *Operated*	7	9.4	236	1	1	4	6	37	44	44
1. SINGLE DX	6	3.2	6	1	1	2	3	8	8	8
2. MULTIPLE DX	10	8.2	162	1	1	5	6	25	44	44
A. NOT OPERATED	5	5.0	7	1	1	5	6	8	8	8
B. OPERATED	11	6.9	154	1	1	3	5	22	42	44
TOTAL 0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49	4	3.0	5	1	1	2	4	6	6	6
50-64	5	11.8	328	2	2	3	16	44	44	44
65+	3	4.7		4	4	5	5	5	5	5
GRAND TOTAL	**16**	**6.3**	**105**	**1**	**1**	**4**	**6**	**8**	**33**	**44**

354 Hospitals, Western Region, January-December 1986

19: Malignant neoplasm of lip, oral cavity, and pharynx (140-149)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	11	2.6	3	1	1	2	3	6	6	6
65+	5	4.8	24	<1	<1	4	7	13	13	13
B. *Operated*										
0-19 YRS	5	3.0	16	1	1	1	4	10	10	10
20-34	9	5.0	22	<1	<1	4	6	13	16	16
35-49	31	3.4	15	<1	<1	2	3	10	12	17
50-64	113	3.5	15	<1	<1	2	4	8	13	17
65+	113	3.9	14	<1	1	2	5	9	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	15.3	296	3	3	7	26	44	47	47
20-34	3	5.7	12	2	2	6	8	9	9	9
35-49	13	6.7	30	1	2	6	7	18	19	19
50-64	48	7.6	79	1	1	6	9	17	19	56
65+	73	6.3	21	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	4	7.8	21	2	2	8	11	13	13	13
20-34	11	6.5	41	<1	<1	5	10	17	21	21
35-49	64	8.9	59	1	1	7	14	17	21	41
50-64	306	10.1	97	1	1	7	14	24	29	41
65+	410	9.1	117	1	1	5	11	22	32	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	3.3	9	<1	<1	3	4	6	11	13
B. *Operated*	271	3.7	15	<1	<1	2	5	9	12	17
2. MULTIPLE DX										
A. *Not Operated*	144	7.2	56	1	1	5	9	15	18	48
B. *Operated*	795	9.4	103	1	1	6	13	22	30	50
1. SINGLE DX	288	3.6	14	<1	<1	2	5	9	12	17
2. MULTIPLE DX	939	9.1	96	1	1	6	12	21	29	49
A. NOT OPERATED	161	6.8	52	1	1	5	8	14	18	45
B. OPERATED	1066	8.0	87	<1	1	5	11	18	27	45
TOTAL 0-19 YRS	16	9.6	157	1	1	7	9	30	42	47
20-34	23	5.8	28	<1	1	5	8	14	18	21
35-49	109	7.0	48	<1	1	4	10	17	19	33
50-64	478	8.1	82	<1	1	5	11	19	26	40
65+	601	7.8	90	1	1	5	10	17	27	49
GRAND TOTAL	**1227**	**7.8**	**82**	**1**	**1**	**5**	**10**	**17**	**26**	**45**

20: Malignant neoplasm of esophagus (150)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64	5	5.0	39	<1	<1	2	7	16	16	16
65+	5	3.8	5	2	2	3	5	7	7	7
B. *Operated*										
0-19 YRS										
20-34										
35-49	3	15.3	121	8	8	10	23	28	28	28
50-64	23	8.3	29	<1	1	9	12	15	18	21
65+	16	4.8	18	1	1	4	5	12	14	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	6	6	6	6
35-49	5	3.8	11	1	1	2	6	9	9	9
50-64	28	5.9	20	1	1	5	8	13	15	18
65+	75	7.5	33	2	2	6	9	15	19	30
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	1	11.0		11	11	11	11	11	11	11
35-49	8	9.4	24	4	4	8	12	17	19	19
50-64	105	13.8	149	2	3	12	16	26	36	75
65+	163	13.0	165	2	3	10	17	24	39	83
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	4.1	19	<1	1	2	5	11	16	16
B. *Operated*	42	7.5	36	1	1	6	11	15	18	28
2. MULTIPLE DX										
A. *Not Operated*	110	6.9	29	1	2	6	9	14	18	27
B. *Operated*	278	13.2	154	2	3	11	16	24	37	79
1. SINGLE DX	53	6.8	34	1	1	5	10	15	16	28
2. MULTIPLE DX	388	11.4	127	2	2	9	15	22	32	76
A. NOT OPERATED	121	6.6	28	1	2	5	8	14	17	26
B. OPERATED	320	12.4	142	1	2	10	16	23	35	77
TOTAL 0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	6.3	20	2	2	6	10	11	11	11
35-49	17	8.3	48	1	1	7	10	18	25	28
50-64	161	11.4	117	1	2	10	15	21	30	71
65+	259	10.7	124	1	2	7	14	22	32	78
GRAND TOTAL	**441**	**10.8**	**118**	**1**	**2**	**8**	**14**	**21**	**30**	**75**

21: Malignant neoplasm of stomach (151)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	3	3.0	4	1	1	3	4	5	5	5
65+	4	12.5	46	5	5	12	18	20	20	20
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	11	8.3	15	2	4	8	12	14	14	14
50-64	33	9.2	11	2	6	9	11	12	14	19
65+	54	9.4	31	1	2	9	12	18	21	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	5	8.4	57	2	2	8	11	21	21	21
35-49	22	6.6	23	1	2	5	9	15	17	19
50-64	49	6.3	34	<1	1	5	8	12	20	27
65+	113	6.2	28	1	2	4	7	13	18	25
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	13	11.8	27	6	7	10	14	19	24	25
35-49	96	15.4	154	3	6	11	18	29	44	63
50-64	254	13.0	95	3	5	11	15	22	27	56
65+	588	14.8	116	3	5	12	18	27	37	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	7.9	45	1	2	5	12	19	20	20
B. *Operated*	99	9.1	23	1	3	9	11	14	19	25
2. MULTIPLE DX										
A. *Not Operated*	190	6.3	29	1	2	5	8	13	19	27
B. *Operated*	952	14.3	113	3	5	12	17	26	36	61
1. SINGLE DX	107	9.0	24	1	2	9	11	14	19	24
2. MULTIPLE DX	1142	13.0	108	2	3	11	16	24	31	60
A. NOT OPERATED	198	6.4	29	1	2	5	8	14	19	27
B. OPERATED	1051	13.8	107	3	5	11	17	24	33	61
TOTAL 0-19 YRS	2	4.0		4	4	4	4	4	4	4
20-34	19	10.3	38	1	2	9	14	19	23	25
35-49	130	13.2	132	2	4	10	15	22	43	62
50-64	339	11.6	84	2	3	10	14	21	25	50
65+	759	13.1	106	2	3	11	17	25	31	60
GRAND TOTAL	**1249**	**12.7**	**102**	**2**	**3**	**10**	**16**	**23**	**30**	**58**

22: Malignant neoplasm of small intestine (152)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	1	9.0		9	9	9	9	9	9	9
50-64	1	19.0		19	19	19	19	19	19	19
65+	3	8.7	2	7	7	9	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	3.4	11	1	1	1	7	7	7	7
50-64	4	5.3	11	1	1	5	7	9	9	9
65+	6	5.8	15	<1	<1	6	9	11	11	11
B. *Operated*										
0-19 YRS	2	8.0	8	6	6	8	10	10	10	10
20-34	5	12.0	34	5	5	10	18	18	18	18
35-49	15	10.3	25	3	5	9	12	19	20	21
50-64	32	15.9	196	4	6	10	21	30	49	69
65+	79	15.5	147	5	7	13	17	24	38	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	6	10.2	20	7	7	9	10	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	15	4.9	12	<1	1	5	7	9	11	11
B. *Operated*	133	14.7	140	5	6	11	17	23	35	71
1. SINGLE DX	7	8.9	29	1	2	9	10	17	19	19
2. MULTIPLE DX	148	13.7	136	3	5	11	16	23	32	69
A. NOT OPERATED	16	4.6	12	<1	1	5	7	9	10	11
B. OPERATED	139	14.5	136	5	6	11	17	23	34	70
TOTAL 0-19 YRS	3	7.7	4	6	6	7	9	10	10	10
20-34	5	12.0	34	5	5	10	18	18	18	18
35-49	21	8.6	28	1	1	8	10	17	20	21
50-64	37	14.8	181	3	5	10	19	30	44	69
65+	89	14.4	140	4	5	12	17	23	36	73
GRAND TOTAL	**155**	**13.5**	**132**	**2**	**5**	**10**	**16**	**23**	**32**	**69**

23: Malignant neoplasm of colon (153)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	7	2.9	6	<1	<1	1	5	7	7	7
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	11	6.5	7	2	3	7	8	10	11	11
35-49	52	8.1	11	5	6	8	9	11	12	26
50-64	180	8.2	7	5	6	8	9	11	13	17
65+	281	8.5	7	5	6	8	10	12	12	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	12.0	312	2	2	3	18	43	43	43
35-49	21	7.6	65	1	1	5	9	16	28	36
50-64	52	7.0	44	1	1	5	10	17	20	34
65+	209	6.4	27	1	1	5	9	14	16	27
B. *Operated*										
0-19 YRS	7	12.4	61	5	6	10	13	26	29	29
20-34	44	10.3	72	5	5	8	12	16	21	58
35-49	182	10.7	27	6	6	9	12	15	21	36
50-64	975	10.7	31	5	6	9	12	17	20	32
65+	3093	12.6	53	6	7	10	15	21	26	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	2.7	5	<1	<1	1	4	6	7	7
B. *Operated*	525	8.3	7	5	6	8	10	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	287	6.7	37	1	1	5	9	15	19	32
B. *Operated*	4301	12.0	48	6	7	10	14	20	25	39
1. SINGLE DX	534	8.2	8	5	6	8	9	11	12	17
2. MULTIPLE DX	4588	11.7	49	4	6	10	14	19	24	38
A. NOT OPERATED	296	6.6	36	1	1	5	9	15	18	32
B. OPERATED	4826	11.6	45	6	6	10	13	19	24	37
TOTAL 0-19 YRS	8	11.8	56	5	6	10	12	24	29	29
20-34	61	9.6	77	2	4	8	11	15	22	56
35-49	255	9.9	28	4	6	9	12	15	20	36
50-64	1208	10.1	29	5	6	9	12	16	19	31
65+	3590	11.9	51	5	6	10	14	20	25	38
GRAND TOTAL	**5122**	**11.3**	**46**	**4**	**6**	**10**	**13**	**19**	**23**	**37**

24: Malignant neoplasm of rectum, rectosigmoid junction and anus (154)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	1	3	3	3	4	4	4	4
50-64	5	3.0	3	1	1	3	4	5	5	5
65+	5	2.6	5	1	1	1	4	6	6	6
B. *Operated*										
0-19 YRS										
20-34	7	8.7	46	<1	<1	9	11	19	21	21
35-49	44	7.1	13	1	1	8	9	12	13	15
50-64	127	7.3	18	1	1	8	10	12	13	21
65+	221	7.1	18	1	2	7	10	13	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	9	8.6	72	3	3	5	10	23	29	29
50-64	50	5.1	27	1	1	4	6	14	20	99
65+	126	7.3	69	1	1	5	8	14	20	53
B. *Operated*										
0-19 YRS	3	6.3	16	2	2	7	9	10	10	10
20-34	18	12.7	200	2	3	10	12	16	47	67
35-49	115	11.3	40	2	6	10	13	18	23	38
50-64	476	11.0	44	2	5	10	13	18	23	43
65+	1167	12.8	71	3	5	11	15	23	28	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.9	3	1	1	3	4	5	6	6
B. *Operated*	399	7.2	18	1	1	8	10	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	185	6.7	58	1	1	4	8	14	20	55
B. *Operated*	1779	12.2	64	3	5	10	14	21	27	45
1. SINGLE DX	411	7.1	18	1	1	8	10	12	14	18
2. MULTIPLE DX	1964	11.7	66	2	3	10	14	20	26	46
A. NOT OPERATED	197	6.5	55	1	1	4	8	14	20	55
B. OPERATED	2178	11.3	59	2	3	10	14	19	25	42
TOTAL 0-19 YRS	3	6.3	16	2	2	7	9	10	10	10
20-34	25	11.6	156	1	2	9	12	17	32	67
35-49	170	10.0	38	1	3	9	12	17	23	33
50-64	658	9.8	42	1	2	9	12	17	21	42
65+	1519	11.5	69	2	3	10	14	20	26	44
GRAND TOTAL	**2375**	**10.9**	**60**	**2**	**3**	**10**	**13**	**19**	**25**	**43**

25: Malignant neoplasm of abdominal cavity, except specified intestinal tract and pancreas (155-156; 158-159)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	4.0		4	4	4	4	4	4	4
35-49	3	2.7		2	2	3	3	3	3	3
50-64	3	2.7	2	1	1	3	4	4	4	4
65+	6	3.5	6	2	2	3	4	8	8	8
B. *Operated*										
0-19 YRS	7	5.3	6	3	3	5	7	9	9	9
20-34	3	6.7	36	1	1	6	11	13	13	13
35-49	18	8.6	41	1	2	7	14	15	22	26
50-64	22	5.8	20	1	1	5	8	11	17	18
65+	34	7.8	25	1	1	7	12	16	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	8	5	5	7	9	9	9	9
20-34	7	4.7	13	1	1	4	7	10	11	11
35-49	12	10.7	72	2	3	9	13	25	30	31
50-64	33	8.1	70	1	2	6	11	16	28	39
65+	95	6.6	23	1	2	5	9	14	18	22
B. *Operated*										
0-19 YRS	16	8.3	25	2	2	7	10	17	19	20
20-34	14	8.4	30	1	3	7	12	17	19	19
35-49	54	14.3	159	1	3	11	20	27	37	68
50-64	143	12.3	126	1	2	10	15	24	40	54
65+	329	13.6	123	2	4	11	17	29	36	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	3.2	3	1	2	3	4	5	7	8
B. *Operated*	84	7.2	26	1	1	6	10	14	16	23
2. MULTIPLE DX										
A. *Not Operated*	149	7.2	37	1	2	6	9	14	19	31
B. *Operated*	556	13.1	123	2	3	10	17	26	36	56
1. SINGLE DX	98	6.6	25	1	1	5	9	14	16	22
2. MULTIPLE DX	705	11.8	111	2	2	9	15	24	34	53
A. NOT OPERATED	163	6.8	36	1	2	5	9	14	19	31
B. OPERATED	640	12.3	114	1	3	9	16	26	35	54
TOTAL 0-19 YRS	26	7.2	19	2	3	6	9	14	18	20
20-34	25	7.0	25	1	1	6	9	15	17	19
35-49	87	12.2	124	2	2	9	16	26	31	62
50-64	201	10.8	109	1	2	8	13	22	33	53
65+	464	11.7	104	2	3	9	15	24	34	51
GRAND TOTAL	**803**	**11.2**	**103**	**1**	**2**	**8**	**14**	**23**	**32**	**52**

26: Malignant neoplasm of pancreas (157)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	16.0		16	16	16	16	16	16	16
35-49	5	3.4	6	1	1	3	6	6	6	6
50-64	10	3.2	5	<1	<1	3	6	6	6	6
65+	15	3.7	9	<1	1	3	5	8	11	12
B. *Operated*										
0-19 YRS										
20-34	1	23.0		23	23	23	23	23	23	23
35-49	6	18.3	425	2	2	8	41	47	48	48
50-64	19	8.8	31	<1	1	9	13	16	17	18
65+	43	8.4	38	1	1	8	12	15	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	21.0		21	21	21	21	21	21	21
35-49	29	9.3	83	1	1	7	11	16	35	41
50-64	84	6.4	45	1	1	4	8	13	21	36
65+	205	6.7	25	1	2	6	9	13	18	25
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	4	16.0	197	8	8	9	23	37	37	37
35-49	71	17.1	187	5	6	14	20	30	52	71
50-64	227	15.6	178	3	5	12	18	32	45	66
65+	570	13.8	90	2	4	12	18	24	31	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	31	3.9	12	<1	1	3	6	7	12	16
B. *Operated*	69	9.6	73	1	1	8	13	18	24	47
2. MULTIPLE DX										
A. *Not Operated*	319	6.9	36	1	2	6	9	13	19	32
B. *Operated*	873	14.5	122	3	5	12	18	26	37	58
1. SINGLE DX	100	7.9	61	1	1	6	11	16	22	44
2. MULTIPLE DX	1192	12.5	110	2	3	10	16	23	32	54
A. NOT OPERATED	350	6.7	35	1	2	5	8	13	18	31
B. OPERATED	942	14.2	120	2	4	12	17	26	37	57
TOTAL 0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	7	17.7	107	8	8	16	22	34	37	37
35-49	111	14.5	177	2	3	10	18	30	48	64
50-64	340	12.6	150	1	2	10	15	24	37	59
65+	833	11.6	80	2	3	10	15	22	28	45
GRAND TOTAL	**1292**	**12.1**	**108**	**1**	**2**	**10**	**15**	**23**	**31**	**53**

27: Malignant neoplasm of bronchus, lung, and trachea (162)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	20	2.5	3	<1	<1	2	3	5	6	7
50-64	56	2.6	4	<1	1	2	3	6	7	10
65+	43	4.2	20	<1	1	3	5	8	10	28
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	7	4.6	4	2	2	5	6	7	7	7
35-49	48	5.9	16	<1	1	6	9	11	12	17
50-64	199	6.0	18	<1	1	6	8	10	12	21
65+	233	6.1	19	<1	1	6	9	11	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	3.7	5	<1	<1	4	6	6	6	6
35-49	127	6.4	56	1	1	5	8	13	17	50
50-64	666	6.5	31	1	2	5	9	14	17	30
65+	1055	6.9	37	1	2	5	9	14	17	32
B. *Operated*										
0-19 YRS	3	6.3	20	2	2	6	10	11	11	11
20-34	19	7.3	13	2	3	7	9	13	15	16
35-49	292	9.3	55	1	2	8	11	18	24	41
50-64	1504	9.5	61	1	2	8	12	17	22	38
65+	2361	10.1	60	1	2	9	13	19	24	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	119	3.2	10	<1	1	2	4	6	8	16
B. *Operated*	489	6.0	18	<1	1	6	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*	1856	6.7	36	1	2	5	8	14	17	31
B. *Operated*	4179	9.8	60	1	2	8	12	18	23	40
1. SINGLE DX	608	5.4	18	<1	1	5	8	10	12	21
2. MULTIPLE DX	6035	8.9	55	1	2	7	11	17	22	38
A. NOT OPERATED	1975	6.5	35	1	2	5	8	13	17	31
B. OPERATED	4668	9.4	57	1	2	8	12	18	22	38
TOTAL 0-19 YRS	6	5.3	13	1	1	5	7	11	11	11
20-34	33	6.0	12	1	2	6	8	10	13	16
35-49	487	7.9	53	1	1	7	10	15	20	42
50-64	2425	8.2	51	1	2	7	10	16	20	35
65+	3692	8.9	53	1	2	7	11	17	22	38
GRAND TOTAL	**6643**	**8.5**	**52**	**1**	**2**	**7**	**11**	**16**	**21**	**37**

28: Other malignant neoplasm of respiratory system and thoracic cavity (160-161; 163-165)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64	9	2.2	6	<1	<1	1	3	7	7	7
65+	7	5.9	31	<1	<1	3	10	14	15	15
B. *Operated*										
0-19 YRS	2	4.5	25	1	1	4	8	8	8	8
20-34	6	4.5	27	<1	<1	2	9	13	13	13
35-49	21	4.8	18	<1	<1	4	7	10	14	17
50-64	85	5.7	22	<1	<1	6	9	12	14	20
65+	85	5.6	28	<1	<1	4	9	13	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	3	10.0	148	2	2	4	19	24	24	24
35-49	1	2.0		2	2	2	2	2	2	2
50-64	31	3.8	9	<1	1	3	5	10	10	99+
65+	48	6.1	26	1	2	4	8	15	18	21
B. *Operated*										
0-19 YRS	5	12.6	51	4	4	15	17	22	22	22
20-34	11	13.6	229	1	1	10	14	36	53	55
35-49	40	11.7	109	<1	1	8	14	26	36	47
50-64	177	9.7	70	<1	1	8	14	19	26	42
65+	255	10.0	61	1	1	10	14	19	22	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	3.5	18	<1	<1	1	6	10	13	15
B. *Operated*	199	5.5	24	<1	<1	5	9	12	15	21
2. MULTIPLE DX										
A. *Not Operated*	85	5.3	23	1	1	4	7	11	18	73
B. *Operated*	488	10.2	72	1	1	9	14	19	25	44
1. SINGLE DX	217	5.3	24	<1	<1	4	9	12	15	20
2. MULTIPLE DX	573	9.4	67	1	1	8	14	19	24	44
A. NOT OPERATED	103	5.0	23	<1	1	3	7	11	17	59
B. OPERATED	687	8.8	62	<1	1	8	13	18	22	40
TOTAL 0-19 YRS	9	8.8	50	1	1	7	15	19	22	22
20-34	20	10.4	160	<1	1	7	13	23	39	55
35-49	64	8.9	86	<1	1	7	11	19	30	46
50-64	302	7.7	54	<1	1	6	11	16	20	40
65+	395	8.5	53	<1	1	7	13	17	21	35
GRAND TOTAL	**790**	**8.3**	**59**	**<1**	**1**	**7**	**12**	**17**	**21**	**40**

29: Malignant neoplasm of bone and connective tissue including peripheral and autonomic nerves (170-171)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.4	1	<1	<1	2	3	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	6.0	2	5	5	6	7	7	7	7
50-64	4	2.8	2	1	1	3	4	4	4	4
65+	3	8.3	60	2	2	6	14	17	17	17
B. *Operated*										
0-19 YRS	67	4.7	38	<1	1	3	6	9	12	38
20-34	43	4.9	29	<1	1	4	5	9	12	33
35-49	45	4.4	5	1	1	5	6	8	8	9
50-64	53	4.9	16	1	1	4	8	10	12	19
65+	55	4.5	21	<1	<1	3	6	9	11	26
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	65	3.8	5	1	1	4	5	7	8	12
20-34	3	6.3	20	2	2	6	10	11	11	11
35-49	9	4.0	17	1	1	2	8	10	11	11
50-64	18	8.5	57	1	1	5	15	21	23	24
65+	32	5.9	19	1	1	5	8	11	12	21
B. *Operated*										
0-19 YRS	50	7.6	41	1	2	6	9	16	24	30
20-34	23	9.7	110	1	2	6	10	31	35	36
35-49	38	8.3	49	1	2	6	11	17	22	35
50-64	91	9.4	70	1	2	7	13	20	28	41
65+	118	9.2	57	1	2	8	12	18	28	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.4	10	<1	1	3	4	6	9	17
B. *Operated*	263	4.7	22	<1	1	4	6	9	11	29
2. MULTIPLE DX										
A. *Not Operated*	127	5.1	19	1	1	4	6	11	13	22
B. *Operated*	320	8.9	61	1	2	7	11	19	28	36
1. SINGLE DX	289	4.6	21	<1	1	4	6	9	11	28
2. MULTIPLE DX	447	7.8	52	1	1	6	10	16	24	35
A. NOT OPERATED	153	4.8	18	1	1	4	6	10	13	21
B. OPERATED	583	7.0	48	1	1	5	9	14	21	35
TOTAL 0-19 YRS	198	5.0	27	1	1	4	6	9	14	30
20-34	70	6.5	59	<1	1	4	7	11	30	36
35-49	94	6.0	27	1	1	5	8	11	16	30
50-64	166	7.7	54	1	1	6	10	16	21	37
65+	208	7.4	46	<1	1	6	10	14	21	34
GRAND TOTAL	**736**	**6.6**	**43**	**1**	**1**	**5**	**9**	**14**	**20**	**35**

30: Malignant melanoma of skin, excluding genital organs (172)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	3.0	8	<1	<1	2	5	5	5	5
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	52	2.8	6	<1	<1	2	4	6	8	14
35-49	77	2.7	5	<1	<1	2	4	6	8	11
50-64	94	2.9	5	<1	<1	2	4	6	7	10
65+	84	2.9	6	<1	1	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	4.0	33	<1	<1	2	3	12	20	20
35-49	7	5.0	15	1	1	4	7	11	12	12
50-64	9	5.4	27	<1	<1	4	6	14	18	18
65+	12	5.9	37	<1	1	4	7	12	22	24
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	33	3.4	12	<1	<1	2	4	8	9	17
35-49	59	3.7	7	1	1	3	5	8	9	12
50-64	63	5.1	58	<1	1	3	6	10	12	53
65+	100	4.8	19	1	1	4	6	9	15	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.0	4	<1	<1	1	3	5	5	5
B. *Operated*	309	2.8	5	<1	<1	2	4	6	8	11
2. MULTIPLE DX										
A. *Not Operated*	38	5.1	28	<1	<1	4	6	11	19	24
B. *Operated*	256	4.4	25	1	1	3	6	9	12	20
1. SINGLE DX	313	2.8	5	<1	<1	2	4	6	8	11
2. MULTIPLE DX	294	4.5	25	<1	1	3	6	9	12	22
A. NOT OPERATED	42	4.8	26	<1	<1	3	5	9	19	24
B. OPERATED	565	3.6	15	<1	1	2	5	7	9	16
TOTAL 0-19 YRS	3	2.7	4	<1	<1	2	4	5	5	5
20-34	96	3.1	10	<1	<1	2	4	7	8	19
35-49	145	3.2	7	<1	1	2	4	7	9	12
50-64	166	3.9	27	<1	1	3	5	8	10	17
65+	197	4.0	15	1	1	3	5	9	10	22
GRAND TOTAL	**607**	**3.6**	**16**	**<1**	**1**	**2**	**5**	**7**	**9**	**19**

31: Other malignant neoplasm of skin, excluding genital organs (173)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+	1	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	7	1.3	1	1	1	1	1	3	3	3
20-34	16	3.0	5	<1	<1	3	4	7	8	8
35-49	41	1.5	1	<1	<1	1	2	3	3	3
50-64	82	1.9	5	<1	<1	1	2	4	6	13
65+	154	1.8	2	<1	<1	1	2	4	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	5.8	21	3	3	4	7	14	14	14
35-49	5	5.8	5	3	3	5	7	9	9	9
50-64	7	6.1	36	<1	1	5	7	17	19	19
65+	16	6.3	42	<1	<1	4	8	14	23	26
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	12	8.6	155	1	2	4	7	25	43	46
35-49	32	4.5	21	<1	1	3	5	10	15	22
50-64	91	4.4	72	<1	<1	2	4	8	15	54
65+	251	4.6	41	<1	1	3	6	11	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	4.0	8	2	2	4	6	6	6	6
B. *Operated*	300	1.8	3	<1	<1	1	2	3	6	8
2. MULTIPLE DX										
A. *Not Operated*	33	6.1	30	<1	<1	4	7	14	18	26
B. *Operated*	388	4.7	50	<1	1	3	5	10	15	43
1. SINGLE DX	302	1.9	3	<1	<1	1	2	3	6	8
2. MULTIPLE DX	421	4.8	49	<1	1	3	5	10	15	40
A. NOT OPERATED	35	6.0	28	<1	<1	4	7	14	18	26
B. OPERATED	688	3.4	31	<1	<1	2	3	8	11	24
TOTAL 0-19 YRS	9	1.9	3	1	1	1	2	5	6	6
20-34	33	5.5	65	<1	1	3	5	9	16	46
35-49	79	3.0	12	<1	<1	2	4	7	10	20
50-64	180	3.3	41	<1	<1	1	3	6	11	34
65+	422	3.7	29	<1	<1	2	4	8	12	20
GRAND TOTAL	**723**	**3.6**	**31**	**<1**	**<1**	**2**	**4**	**8**	**12**	**25**

32: Malignant neoplasm of breast (female) (male) (174-175)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	8	2.4	1	<1	<1	2	3	4	4	4
50-64	11	2.2	2	<1	<1	2	3	4	5	5
65+	3	1.7		1	1	2	2	2	2	2
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	122	3.1	3	<1	1	3	4	5	6	8
35-49	805	3.1	3	<1	1	3	4	5	6	8
50-64	1186	3.2	3	<1	1	3	4	5	6	8
65+	1266	3.6	3	<1	1	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	11	4.8	9	<1	<1	5	7	9	9	9
35-49	59	8.4	117	<1	1	5	9	20	23	67
50-64	98	5.5	24	<1	1	4	7	11	14	25
65+	115	6.7	38	<1	1	5	8	14	19	33
B. *Operated*										
0-19 YRS	3	2.7		2	2	3	3	3	3	3
20-34	119	3.9	8	1	2	3	5	7	10	16
35-49	944	3.9	9	1	2	3	5	6	7	13
50-64	1664	4.5	21	1	2	4	5	7	9	18
65+	2650	4.8	11	1	2	4	6	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	23	2.2	1	<1	<1	2	3	4	4	5
B. *Operated*	3380	3.3	3	<1	1	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	283	6.6	49	<1	1	5	8	14	21	34
B. *Operated*	5380	4.5	14	1	2	4	5	7	9	17
1. SINGLE DX	3403	3.3	3	<1	1	3	4	6	6	9
2. MULTIPLE DX	5663	4.6	16	1	2	4	5	8	10	20
A. NOT OPERATED	306	6.2	47	<1	1	4	8	13	20	33
B. OPERATED	8760	4.1	10	1	2	4	5	7	8	14
TOTAL 0-19 YRS	4	4.3	10	2	2	3	6	9	9	9
20-34	253	3.6	6	<1	1	3	4	6	8	14
35-49	1816	3.6	11	1	1	3	4	6	7	14
50-64	2959	4.0	14	1	1	3	5	7	8	14
65+	4034	4.5	10	1	2	4	5	7	9	16
GRAND TOTAL	**9066**	**4.1**	**11**	**1**	**1**	**4**	**5**	**7**	**9**	**15**

33: Malignant neoplasm of cervix uteri excluding carcinoma in situ (180)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	5.8	13	1	1	5	7	11	12	12
35-49	19	2.5	1	1	2	2	3	5	6	6
50-64	32	3.0	3	1	1	3	4	5	7	9
65+	7	2.6	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	40	4.9	11	<1	1	4	7	10	11	12
35-49	70	4.5	12	1	1	4	6	8	11	19
50-64	29	3.7	7	1	1	3	5	8	9	11
65+	28	2.6	3	<1	<1	2	3	4	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	4	2.5	6	<1	<1	1	4	6	6	6
35-49	37	6.8	48	1	1	4	8	17	22	30
50-64	40	4.0	7	2	2	3	5	7	10	14
65+	28	5.6	15	1	1	5	7	10	13	18
B. *Operated*										
0-19 YRS										
20-34	72	7.9	34	1	2	6	10	16	19	31
35-49	161	7.7	40	2	2	6	9	13	22	37
50-64	98	7.7	57	1	1	6	10	17	20	44
65+	80	7.2	35	1	2	6	9	13	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	3.1	4	1	2	2	4	5	7	12
B. *Operated*	169	4.1	10	<1	1	3	5	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	110	5.3	24	1	1	4	6	11	17	25
B. *Operated*	411	7.6	42	1	2	6	9	15	20	37
1. SINGLE DX	233	3.8	9	1	1	3	5	8	9	14
2. MULTIPLE DX	521	7.1	39	1	2	6	9	13	19	34
A. NOT OPERATED	174	4.5	18	1	1	3	5	9	13	22
B. OPERATED	580	6.6	35	1	1	5	8	12	18	32
TOTAL 0-19 YRS	3	5.7	4	4	4	5	7	8	8	8
20-34	122	6.6	27	<1	1	5	9	12	18	28
35-49	287	6.4	34	1	1	5	8	13	18	31
50-64	199	5.6	35	1	1	4	7	11	16	34
65+	143	5.7	27	1	1	4	8	11	16	29
GRAND TOTAL	**754**	**6.1**	**32**	**1**	**1**	**5**	**8**	**11**	**17**	**30**

34: Malignant neoplasm of corpus uteri (179; 182)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	8	2.4	1	<1	<1	2	3	4	4	4
65+	7	1.7	1	<1	<1	1	2	4	4	4
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	10	5.3	8	2	2	5	7	10	12	12
35-49	25	5.2	7	2	3	5	6	7	10	16
50-64	130	4.6	4	<1	2	5	5	6	7	11
65+	166	4.9	7	<1	1	5	6	7	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	7.3	4	5	5	8	9	9	9	9
20-34	2	3.5	1	3	3	3	4	4	4	4
35-49	4	6.8	43	<1	<1	5	12	15	15	15
50-64	17	3.1	5	<1	1	2	3	7	8	9
65+	48	4.6	14	1	1	3	6	11	12	16
B. *Operated*										
0-19 YRS										
20-34	20	5.8	28	2	2	5	6	10	19	25
35-49	123	5.3	5	2	3	5	6	8	9	14
50-64	477	6.2	25	2	3	5	7	9	11	27
65+	881	6.9	20	3	4	6	8	11	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.1	1	<1	<1	2	3	4	4	4
B. *Operated*	333	4.8	6	<1	2	5	6	7	8	15
2. MULTIPLE DX										
A. *Not Operated*	74	4.4	13	1	1	3	6	9	12	16
B. *Operated*	1501	6.5	20	2	3	6	7	10	13	24
1. SINGLE DX	348	4.7	6	<1	1	5	6	7	8	15
2. MULTIPLE DX	1575	6.4	20	2	3	6	7	10	13	24
A. NOT OPERATED	89	4.0	12	1	1	3	5	9	11	16
B. OPERATED	1834	6.2	18	2	3	5	7	9	13	23
TOTAL 0-19 YRS	5	5.6	10	1	1	5	8	9	9	9
20-34	32	5.5	20	2	2	4	6	9	14	25
35-49	152	5.3	6	2	3	5	6	8	10	15
50-64	632	5.7	20	2	3	5	6	8	11	22
65+	1102	6.5	18	2	3	6	7	10	14	23
GRAND TOTAL	**1923**	**6.1**	**18**	**2**	**3**	**5**	**7**	**9**	**13**	**23**

35: Malignant neoplasm of ovary (183.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	14.0		14	14	14	14	14	14	14
35-49	5	4.4	37	<1	<1	1	7	15	15	15
50-64	26	2.2	1	<1	1	2	2	4	5	5
65+	10	2.1	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	5	4.2	15	1	1	3	7	10	10	10
20-34	18	5.3	5	1	3	5	6	8	10	10
35-49	40	5.6	6	2	3	5	7	8	10	14
50-64	37	6.4	29	1	1	6	8	9	14	33
65+	26	7.7	13	4	4	7	8	13	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	3.7	6	1	1	4	5	6	6	6
35-49	24	7.5	68	<1	<1	4	10	15	25	38
50-64	45	5.4	43	<1	1	3	7	17	25	99+
65+	89	6.7	36	1	1	5	9	14	19	30
B. *Operated*										
0-19 YRS	8	11.5	110	4	4	6	15	29	35	35
20-34	47	6.8	11	4	4	6	7	10	14	20
35-49	156	8.4	45	4	4	7	9	15	17	49
50-64	323	9.5	31	4	5	8	12	17	20	30
65+	366	11.6	46	5	6	10	14	21	26	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	42	2.7	8	<1	1	2	3	5	9	15
B. *Operated*	126	6.2	15	1	3	6	7	10	12	22
2. MULTIPLE DX										
A. *Not Operated*	162	6.3	42	<1	1	4	9	14	21	37
B. *Operated*	900	10.0	41	4	5	8	12	18	23	36
1. SINGLE DX	168	5.3	16	1	1	5	7	9	12	18
2. MULTIPLE DX	1062	9.5	43	2	4	8	12	17	23	36
A. NOT OPERATED	204	5.6	37	<1	1	4	7	13	19	34
B. OPERATED	1026	9.6	40	4	4	8	12	17	22	35
TOTAL 0-19 YRS	14	8.2	80	1	1	5	10	18	31	35
20-34	69	6.4	11	3	4	6	7	10	14	19
35-49	225	7.7	41	2	3	6	9	13	16	43
50-64	431	8.4	35	1	2	7	11	16	20	31
65+	491	10.3	47	2	4	9	13	19	24	36
GRAND TOTAL	**1230**	**8.9**	**41**	**2**	**3**	**7**	**11**	**17**	**21**	**35**

36: Malignant neoplasm of other female genital organs (181; 183.2-183.9; 184)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	2.3	2	1	1	2	3	4	4	4
65+	4	2.5	4	<1	<1	2	4	5	5	5
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34										
35-49	7	3.9	4	<1	<1	3	6	6	6	6
50-64	9	7.8	42	1	1	6	12	18	18	18
65+	23	5.1	22	<1	1	4	8	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	7.3	14	3	3	9	10	10	10	10
50-64	4	3.8	18	1	1	2	6	10	10	10
65+	14	4.6	15	1	1	3	7	10	13	14
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	6	4.2	4	3	3	4	4	8	8	8
35-49	16	11.1	53	2	3	9	12	25	26	26
50-64	45	9.6	106	1	2	7	11	16	25	63
65+	89	8.2	43	2	2	7	11	16	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	2.4	3	<1	<1	2	4	5	5	5
B. *Operated*	40	5.6	24	<1	1	4	8	13	16	18
2. MULTIPLE DX										
A. *Not Operated*	21	4.8	15	1	1	3	8	10	12	14
B. *Operated*	157	8.7	61	2	2	7	11	16	21	37
1. SINGLE DX	47	5.1	22	<1	1	4	7	13	16	18
2. MULTIPLE DX	178	8.3	57	1	2	7	11	16	21	37
A. NOT OPERATED	28	4.2	13	1	1	3	6	10	11	14
B. OPERATED	197	8.1	55	1	2	6	11	16	20	37
TOTAL 0-19 YRS	2	8.5	5	7	7	8	10	10	10	10
20-34	6	4.2	4	3	3	4	4	8	8	8
35-49	26	8.7	45	1	2	8	11	20	26	26
50-64	61	8.6	89	1	1	6	11	16	20	60
65+	130	7.1	37	1	1	5	10	15	16	32
GRAND TOTAL	**225**	**7.6**	**51**	**1**	**1**	**6**	**10**	**15**	**19**	**36**

37: Malignant neoplasm of prostate (185)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	2.3	5	<1	<1	1	4	5	5	5
65+	14	5.0	43	<1	<1	2	5	17	21	22
B. *Operated*										
0-19 YRS										
20-34	2	3.0		3	3	3	3	3	3	3
35-49	6	3.8	11	<1	<1	3	7	8	8	8
50-64	250	5.2	14	<1	1	5	7	10	12	16
65+	727	4.3	9	<1	1	4	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	47	5.2	12	1	1	6	7	10	11	13
65+	369	6.3	34	1	1	4	8	13	18	28
B. *Operated*										
0-19 YRS	3	7.7	97	1	1	3	15	19	19	19
20-34	3	5.3	14	1	1	7	8	8	8	8
35-49	13	5.9	9	1	2	6	8	10	11	11
50-64	703	6.0	24	1	1	5	8	12	15	20
65+	3747	5.7	23	1	2	4	7	11	14	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	4.5	37	<1	<1	2	5	15	20	22
B. *Operated*	985	4.5	10	<1	1	4	6	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	417	6.1	31	1	1	4	8	12	17	28
B. *Operated*	4469	5.7	23	1	2	4	7	11	14	23
1. SINGLE DX	1002	4.5	11	<1	1	4	6	9	11	14
2. MULTIPLE DX	4886	5.7	24	1	1	4	7	11	14	24
A. NOT OPERATED	434	6.1	31	1	1	4	7	12	17	28
B. OPERATED	5454	5.5	21	1	1	4	7	10	13	22
TOTAL 0-19 YRS	3	7.7	97	1	1	3	15	19	19	19
20-34	5	4.4	9	1	1	3	7	8	8	8
35-49	20	5.1	10	<1	1	5	8	9	10	11
50-64	1003	5.7	21	1	1	5	8	11	14	19
65+	4857	5.5	22	1	1	4	7	10	13	24
GRAND TOTAL	**5888**	**5.5**	**22**	**1**	**1**	**4**	**7**	**11**	**13**	**23**

38: Malignant neoplasm of male genitalia, except prostate (186-187)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	7	3.4	3	1	1	3	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	12	2.7	6	1	1	1	4	6	7	7
20-34	112	1.7	2	1	1	1	2	3	5	9
35-49	48	1.5	2	<1	1	1	1	3	5	8
50-64	8	1.8	1	1	1	1	2	4	4	4
65+	17	2.2	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	15	6.5	47	1	1	5	7	13	24	28
35-49										
50-64	3	12.3	292	1	1	4	25	32	32	32
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	12	4.9	11	1	1	4	7	9	12	12
20-34	54	7.0	44	1	1	6	9	14	21	35
35-49	31	5.7	53	1	1	3	8	15	22	33
50-64	19	5.6	37	<1	1	3	9	16	19	21
65+	31	5.1	13	1	1	4	8	10	13	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.4	3	1	1	3	5	5	5	5
B. *Operated*	197	1.8	2	<1	1	1	2	3	6	9
2. MULTIPLE DX										
A. *Not Operated*	20	7.2	72	1	1	5	7	20	30	32
B. *Operated*	147	6.0	35	1	1	4	8	13	16	33
1. SINGLE DX	204	1.8	2	<1	1	1	2	4	5	8
2. MULTIPLE DX	167	6.1	40	1	1	4	8	13	18	33
A. NOT OPERATED	27	6.2	56	1	1	5	6	13	29	32
B. OPERATED	344	3.6	21	1	1	2	4	9	12	23
TOTAL 0-19 YRS	25	3.7	9	1	1	3	6	8	9	12
20-34	188	3.7	23	1	1	2	5	9	12	28
35-49	79	3.2	26	<1	1	1	3	8	12	30
50-64	30	5.2	52	1	1	2	5	15	21	32
65+	49	4.2	11	<1	1	3	7	9	10	13
GRAND TOTAL	**371**	**3.8**	**24**	**1**	**1**	**2**	**5**	**9**	**12**	**28**

39: Malignant neoplasm of bladder (188)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	1.5		1	1	1	2	2	2	2
65+	9	1.9	2	<1	<1	2	2	4	5	5
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	11	3.0	7	1	1	2	5	7	8	8
35-49	66	2.1	5	<1	1	2	3	3	5	13
50-64	338	2.6	10	<1	1	2	3	4	9	16
65+	670	2.5	7	<1	1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	12.7	342	<1	<1	3	26	34	34	34
50-64	31	4.2	9	1	1	3	7	9	10	10
65+	109	5.7	22	1	1	5	7	11	15	26
B. *Operated*										
0-19 YRS	4	3.8	3	2	2	3	5	6	6	6
20-34	14	2.8	4	1	1	2	4	6	7	8
35-49	69	4.6	29	1	1	2	6	11	14	28
50-64	502	5.1	42	1	1	3	7	12	16	34
65+	2229	5.3	41	1	1	3	6	12	17	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	1.8	1	<1	<1	2	2	3	5	5
B. *Operated*	1086	2.5	8	<1	1	2	3	5	8	14
2. MULTIPLE DX										
A. *Not Operated*	143	5.5	25	<1	1	5	7	10	14	27
B. *Operated*	2818	5.2	41	1	1	3	6	12	17	32
1. SINGLE DX	1099	2.5	8	<1	1	2	3	5	8	14
2. MULTIPLE DX	2961	5.2	40	1	1	3	6	12	17	32
A. NOT OPERATED	156	5.2	24	<1	1	4	7	10	14	27
B. OPERATED	3904	4.5	33	1	1	3	5	10	15	28
TOTAL 0-19 YRS	5	3.6	2	2	2	3	4	6	6	6
20-34	25	2.9	5	1	1	2	4	7	8	8
35-49	138	3.6	25	<1	1	2	3	9	13	30
50-64	875	4.0	30	1	1	2	4	10	14	25
65+	3017	4.7	34	1	1	3	5	11	16	29
GRAND TOTAL	**4060**	**4.5**	**33**	**1**	**1**	**3**	**5**	**10**	**15**	**28**

40: Malignant neoplasm of kidney and other urinary organs (189)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	8.5	1	8	8	8	9	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	4.5	5	3	3	4	6	6	6	6
65+	2	2.0	2	<1	<1	1	3	3	3	3
B. *Operated*										
0-19 YRS	15	5.7	7	1	2	6	7	8	10	11
20-34	6	6.3	1	5	5	6	7	8	8	8
35-49	33	6.3	11	1	1	7	8	10	12	14
50-64	71	6.2	10	1	1	7	8	10	11	14
65+	74	7.2	16	1	1	7	9	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.0	50	2	2	7	12	12	12	12
20-34	1	1.0		1	1	1	1	1	1	1
35-49	12	3.3	3	1	1	3	4	6	7	7
50-64	46	6.0	26	1	2	5	8	10	16	28
65+	75	5.7	25	1	1	4	7	12	16	25
B. *Operated*										
0-19 YRS	15	9.3	25	4	4	9	12	20	76	99+
20-34	18	7.3	32	<1	1	7	8	17	21	22
35-49	94	8.5	34	2	4	7	10	14	17	37
50-64	305	9.3	38	2	4	8	11	17	20	30
65+	534	10.5	56	2	4	9	13	18	23	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.4	11	<1	<1	3	7	9	9	9
B. *Operated*	199	6.6	12	1	1	7	8	11	12	17
2. MULTIPLE DX										
A. *Not Operated*	136	5.6	24	1	1	4	7	11	14	25
B. *Operated*	966	9.9	48	2	4	8	11	17	21	36
1. SINGLE DX	206	6.5	12	1	1	7	8	11	12	17
2. MULTIPLE DX	1102	9.3	47	2	3	8	11	17	21	34
A. NOT OPERATED	143	5.5	23	1	1	4	7	11	14	25
B. OPERATED	1165	9.3	43	2	3	8	11	16	20	34
TOTAL 0-19 YRS	32	7.5	19	2	2	7	10	14	20	99+
20-34	27	7.0	23	1	1	6	8	11	20	22
35-49	140	7.5	28	1	2	7	9	12	16	27
50-64	424	8.4	34	1	2	8	10	15	19	29
65+	685	9.6	51	1	2	8	11	17	21	35
GRAND TOTAL	**1308**	**8.9**	**42**	**1**	**2**	**8**	**11**	**16**	**20**	**32**

41: Malignant neoplasm of eye (190)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	11	1.8	2	<1	<1	1	2	4	5	5
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	6	3.2	2	<1	<1	4	4	4	4	4
50-64	9	3.3	10	1	1	3	4	8	11	11
65+	16	2.1	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	4	4.3	2	3	3	4	5	6	6	6
20-34										
35-49	4	4.8	7	1	1	5	6	7	7	7
50-64	5	5.2	22	1	1	3	9	12	12	12
65+	20	5.5	24	1	1	4	8	11	16	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	6.0		6	6	6	6	6	6	6
B. *Operated*	45	2.4	3	<1	<1	2	3	4	5	11
2. MULTIPLE DX										
A. *Not Operated*	4	3.3	3	<1	<1	3	4	5	5	5
B. *Operated*	33	5.2	18	1	1	4	7	11	12	20
1. SINGLE DX	46	2.5	3	<1	<1	2	3	4	5	11
2. MULTIPLE DX	37	5.0	16	1	1	4	7	11	12	20
A. NOT OPERATED	5	3.8	4	<1	<1	4	5	6	6	6
B. OPERATED	78	3.6	11	<1	1	3	4	8	11	18
TOTAL 0-19 YRS	17	2.6	4	<1	<1	2	4	6	6	6
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	10	3.8	4	<1	<1	4	5	6	7	7
50-64	15	4.0	12	1	1	3	4	11	12	12
65+	38	4.0	15	1	1	3	5	10	11	20
GRAND TOTAL	**83**	**3.6**	**11**	**<1**	**1**	**3**	**4**	**8**	**11**	**17**

42: Malignant neoplasm of brain (191)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.5	1	1	1	3	3	3	3	3
20-34	16	3.8	5	1	1	3	6	7	8	8
35-49	15	6.1	75	<1	1	2	6	21	28	31
50-64	18	5.7	17	<1	1	4	8	13	14	14
65+	16	5.7	16	<1	1	5	8	11	13	14
B. *Operated*										
0-19 YRS	49	8.6	48	2	3	7	12	15	17	43
20-34	66	7.5	18	1	1	7	10	14	16	19
35-49	89	7.7	25	2	2	7	9	14	20	26
50-64	115	7.8	22	2	3	7	9	14	17	24
65+	61	9.6	35	2	3	9	11	20	23	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	5.0	20	<1	1	3	9	11	13	16
20-34	26	8.8	172	1	2	3	10	27	37	60
35-49	54	6.3	34	1	2	5	7	12	19	30
50-64	101	7.6	93	1	2	5	9	14	20	60
65+	119	7.1	39	1	2	6	8	14	17	41
B. *Operated*										
0-19 YRS	68	15.8	286	1	2	11	19	50	61	94
20-34	74	12.5	63	2	5	10	15	23	32	38
35-49	102	11.3	109	1	3	8	12	24	32	55
50-64	149	13.6	190	2	3	9	15	28	36	86
65+	173	14.5	114	4	5	12	17	29	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	5.1	25	<1	1	3	7	11	14	29
B. *Operated*	380	8.1	28	2	3	7	10	15	18	25
2. MULTIPLE DX										
A. *Not Operated*	324	7.1	64	1	2	5	8	14	18	43
B. *Operated*	566	13.6	148	2	4	10	16	28	36	67
1. SINGLE DX	451	7.6	28	1	2	7	10	14	17	25
2. MULTIPLE DX	890	11.2	127	2	2	8	14	23	33	61
A. NOT OPERATED	395	6.7	58	1	2	5	8	13	18	42
B. OPERATED	946	11.4	107	2	3	9	14	21	32	61
TOTAL 0-19 YRS	147	11.1	172	1	2	7	13	23	46	68
20-34	182	9.4	64	1	2	8	12	18	24	37
35-49	260	8.7	67	1	2	7	10	20	25	41
50-64	383	9.9	114	2	2	7	12	17	28	71
65+	369	10.9	84	2	3	9	14	21	29	54
GRAND TOTAL	**1341**	**10.0**	**97**	**1**	**2**	**7**	**12**	**19**	**28**	**58**

43: Malignant neoplasm of other parts of nervous system (192)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64	2	2.0	2	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	4	4.0	5	1	1	4	5	6	6	6
20-34	5	6.4	11	1	1	7	8	10	10	10
35-49	5	10.0	17	7	7	8	12	17	17	17
50-64	7	12.4	75	5	5	9	19	26	27	27
65+	2	4.0	18	1	1	4	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34										
35-49	3	11.3	32	5	5	13	15	16	16	16
50-64	7	12.6	169	1	1	9	14	35	40	40
65+	16	9.0	66	1	2	6	12	20	28	32
B. *Operated*										
0-19 YRS	5	7.6	10	3	3	9	10	11	11	11
20-34	5	14.8	50	5	5	14	21	23	23	23
35-49	14	19.9	450	4	7	13	25	87	97	99+
50-64	14	17.9	210	1	1	15	32	36	47	50
65+	15	17.7	314	2	7	11	18	44	64	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*	23	8.4	39	1	1	7	10	18	24	27
2. MULTIPLE DX										
A. *Not Operated*	28	9.6	84	1	1	7	14	19	33	40
B. *Operated*	53	17.1	266	2	5	12	20	37	67	99+
1. SINGLE DX	26	7.6	39	<1	1	7	9	16	23	27
2. MULTIPLE DX	81	14.5	214	1	2	11	16	34	46	96
A. NOT OPERATED	31	8.8	81	<1	1	6	12	18	31	40
B. OPERATED	76	14.5	212	1	3	10	17	34	48	96
TOTAL 0-19 YRS	12	4.8	12	<1	<1	4	7	10	11	11
20-34	10	10.6	47	1	3	9	14	21	23	23
35-49	22	16.5	306	4	6	13	18	46	92	99+
50-64	30	14.3	162	1	1	10	16	34	40	50
65+	33	12.6	192	1	2	9	15	25	42	71
GRAND TOTAL	**107**	**12.8**	**179**	**1**	**2**	**9**	**15**	**30**	**40**	**92**

44: Malignant neoplasm of endocrine glands (193-194)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	14	2.0	2	1	1	2	2	3	5	6
35-49	15	2.1	1	1	1	2	2	4	4	4
50-64	13	2.5	2	1	1	2	3	5	5	5
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	20	5.3	37	1	1	3	5	17	20	21
20-34	106	2.5	2	1	1	2	3	5	6	8
35-49	107	2.8	4	1	1	2	3	4	5	12
50-64	52	2.7	2	1	1	2	3	4	5	9
65+	27	2.9	3	1	1	2	4	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	5.8	20	1	1	5	8	13	13	13
20-34	12	3.3	15	1	1	2	3	7	14	15
35-49	21	4.2	22	1	1	2	5	11	17	19
50-64	7	5.3	17	2	2	3	7	12	13	13
65+	20	6.2	26	1	2	5	8	11	18	24
B. *Operated*										
0-19 YRS	22	4.5	11	1	1	3	7	9	12	14
20-34	123	3.8	17	1	2	3	4	7	10	26
35-49	141	4.8	46	1	2	3	5	8	14	46
50-64	107	5.7	45	2	2	4	7	11	17	39
65+	119	7.0	30	2	2	5	9	15	20	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	49	2.1	1	1	1	2	2	4	5	6
B. *Operated*	312	2.9	5	1	1	2	3	5	6	15
2. MULTIPLE DX										
A. *Not Operated*	65	4.9	21	1	1	3	6	11	15	23
B. *Operated*	512	5.2	35	2	2	3	6	10	15	28
1. SINGLE DX	361	2.7	5	1	1	2	3	5	6	14
2. MULTIPLE DX	577	5.2	33	1	2	3	6	11	15	26
A. NOT OPERATED	114	3.7	14	1	1	2	4	8	12	21
B. OPERATED	824	4.3	25	1	2	3	5	8	13	23
TOTAL 0-19 YRS	52	4.6	21	1	1	3	6	11	15	21
20-34	255	3.2	11	1	1	2	3	5	7	17
35-49	284	3.9	27	1	1	3	4	7	9	27
50-64	179	4.6	30	1	2	3	5	9	12	23
65+	168	6.1	27	2	2	4	7	14	18	24
GRAND TOTAL	**938**	**4.3**	**24**	**1**	**1**	**3**	**5**	**8**	**13**	**22**

45: Malignant neoplasm of ill-defined and secondary sites (195-199)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	11.5	181	2	2	11	21	21	21	21
20-34	4	1.3		1	1	1	2	2	2	2
35-49	12	4.9	28	<1	1	3	6	12	19	20
50-64	31	3.7	12	1	1	3	5	8	13	15
65+	33	4.5	17	1	1	3	7	9	10	21
B. *Operated*										
0-19 YRS	9	4.0	8	<1	<1	4	6	8	8	8
20-34	17	7.8	96	<1	1	4	7	25	33	36
35-49	38	4.0	16	<1	<1	3	5	8	9	23
50-64	79	3.9	13	<1	<1	2	6	9	11	17
65+	82	4.6	28	<1	<1	3	6	10	15	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	7.0	21	1	2	6	8	12	17	21
20-34	130	5.5	20	1	1	4	7	11	15	22
35-49	510	6.3	29	1	1	5	8	14	17	27
50-64	1467	7.0	44	1	2	5	9	15	19	35
65+	2770	7.5	40	1	2	6	10	15	19	34
B. *Operated*										
0-19 YRS	36	9.5	126	2	3	7	9	17	29	65
20-34	211	7.7	55	1	1	6	9	16	27	36
35-49	766	8.7	75	1	1	7	11	18	24	46
50-64	2066	9.4	91	1	2	7	12	19	27	49
65+	3308	10.3	91	1	2	8	13	21	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	82	4.3	19	1	1	3	6	9	14	21
B. *Operated*	225	4.5	25	<1	<1	3	6	9	11	29
2. MULTIPLE DX										
A. *Not Operated*	4897	7.2	40	1	2	6	9	15	19	33
B. *Operated*	6387	9.7	89	1	2	7	12	20	28	47
1. SINGLE DX	307	4.4	24	<1	1	3	6	9	12	25
2. MULTIPLE DX	11284	8.6	69	1	2	6	11	18	24	42
A. NOT OPERATED	4979	7.1	39	1	2	5	9	14	19	33
B. OPERATED	6612	9.5	87	1	2	7	12	19	27	46
TOTAL 0-19 YRS	67	8.1	81	1	2	6	8	14	21	60
20-34	362	6.8	45	1	1	5	9	15	19	36
35-49	1326	7.6	56	1	1	6	10	15	21	39
50-64	3643	8.2	71	1	1	6	10	17	24	44
65+	6193	9.0	69	1	2	7	11	18	24	42
GRAND TOTAL	**11591**	**8.5**	**68**	**1**	**2**	**6**	**11**	**17**	**24**	**42**

46: Hodgkin's disease (201)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	4.8	31	1	1	2	8	14	14	14
35-49	12	2.1	1	<1	1	2	2	3	4	4
50-64	5	2.6	7	<1	<1	1	4	7	7	7
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	32	4.4	5	<1	1	4	6	7	9	10
20-34	89	4.1	9	1	1	4	6	8	9	15
35-49	44	3.4	6	<1	1	3	5	6	8	10
50-64	15	4.1	5	1	1	4	6	7	8	8
65+	10	3.3	8	<1	<1	2	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	3.8	7	1	1	3	6	7	8	8
20-34	20	5.6	37	<1	1	4	7	10	19	28
35-49	13	5.5	13	1	1	6	8	10	12	13
50-64	15	8.0	27	<1	2	6	12	15	18	19
65+	8	5.4	13	1	2	4	8	11	11	11
B. *Operated*										
0-19 YRS	15	8.3	25	1	2	8	11	14	19	21
20-34	79	7.0	24	1	2	6	9	12	19	26
35-49	39	9.3	46	1	2	7	12	19	23	33
50-64	32	8.5	65	1	2	6	10	18	23	42
65+	46	11.0	77	1	2	9	14	25	28	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	25	2.7	8	<1	1	2	3	6	9	14
B. *Operated*	190	3.9	7	<1	1	4	6	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	64	5.9	23	1	1	5	8	11	14	27
B. *Operated*	211	8.6	47	1	2	7	10	18	23	36
1. SINGLE DX	215	3.8	8	<1	1	3	6	7	8	14
2. MULTIPLE DX	275	8.0	43	1	2	6	10	17	21	34
A. NOT OPERATED	89	5.0	21	1	1	4	7	10	14	24
B. OPERATED	401	6.4	34	1	1	5	8	12	19	30
TOTAL 0-19 YRS	56	5.4	14	1	1	5	7	10	12	21
20-34	193	5.5	20	1	1	5	7	10	14	26
35-49	108	5.6	29	1	1	5	7	12	18	28
50-64	67	7.0	43	1	1	5	8	15	19	39
65+	66	8.8	67	1	1	7	12	19	26	39
GRAND TOTAL	**490**	**6.1**	**32**	**1**	**1**	**5**	**8**	**12**	**18**	**27**

47: Lymphoid leukemia (204)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	2.8	5	<1	<1	2	4	6	7	8
20-34	1	1.0		1	1	1	1	1	1	1
35-49	6	8.3	69	1	1	7	9	22	24	24
50-64	4	6.5	18	2	2	6	9	12	12	12
65+	6	3.0	3	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	56	5.3	18	<1	1	4	7	10	14	22
20-34	6	22.8	201	1	2	22	38	38	38	38
35-49	6	3.2	6	1	1	2	5	7	7	7
50-64	5	12.0	13	7	7	12	14	17	17	17
65+	10	5.7	30	1	1	3	8	15	18	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	141	5.4	32	<1	1	4	7	12	15	30
20-34	13	5.8	29	<1	1	5	10	15	16	16
35-49	13	6.8	29	1	2	7	9	14	19	20
50-64	24	6.3	27	1	2	5	8	13	17	24
65+	84	6.6	27	1	2	5	9	12	18	25
B. *Operated*										
0-19 YRS	94	15.0	169	2	3	11	23	29	39	61
20-34	27	23.8	370	3	5	22	34	43	71	80
35-49	18	21.1	257	3	3	20	30	42	54	61
50-64	29	17.3	274	2	2	11	30	42	50	63
65+	72	10.8	104	1	2	8	13	26	37	46
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	3.8	15	<1	<1	3	5	7	9	24
B. *Operated*	83	6.9	52	<1	1	5	8	16	21	38
2. MULTIPLE DX										
A. *Not Operated*	275	5.9	30	<1	1	5	8	12	16	25
B. *Operated*	240	15.5	205	2	2	10	23	35	43	64
1. SINGLE DX	133	5.7	40	<1	1	4	7	12	18	38
2. MULTIPLE DX	515	10.4	134	1	1	7	12	25	35	60
A. NOT OPERATED	325	5.6	28	<1	1	4	7	12	15	24
B. OPERATED	323	13.3	179	1	2	8	19	32	40	62
TOTAL 0-19 YRS	324	7.9	87	<1	1	5	9	21	26	52
20-34	47	18.2	310	1	1	14	27	38	48	80
35-49	43	12.5	178	1	2	8	20	31	40	61
50-64	62	11.9	166	1	2	8	13	32	42	61
65+	172	8.2	63	1	2	6	10	17	25	42
GRAND TOTAL	**648**	**9.4**	**118**	**1**	**1**	**6**	**11**	**24**	**32**	**55**

48: Leukemia, except lymphoid (205-208)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	5.6	16	<1	<1	6	7	11	14	14
20-34	10	2.8	4	1	1	2	5	6	6	6
35-49	5	7.8	24	2	2	6	11	15	15	15
50-64	18	6.1	55	1	2	4	6	14	26	32
65+	29	3.2	11	<1	<1	1	5	8	11	12
B. *Operated*										
0-19 YRS	17	5.8	8	<1	1	6	8	9	10	11
20-34	17	10.8	187	1	1	4	24	33	39	41
35-49	10	24.2	792	3	3	16	35	65	95	95
50-64	20	10.5	135	1	2	6	14	31	35	38
65+	18	5.3	20	1	1	4	8	13	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	52	6.9	71	<1	<1	4	9	18	23	40
20-34	22	10.1	99	<1	1	6	15	28	29	30
35-49	30	8.7	79	1	2	6	10	24	31	35
50-64	72	6.4	48	1	1	4	8	15	21	34
65+	136	8.5	79	1	1	5	11	20	25	44
B. *Operated*										
0-19 YRS	43	24.5	473	3	5	18	35	62	67	94
20-34	42	23.7	339	2	3	24	29	48	64	78
35-49	58	21.4	389	2	3	14	33	56	79	99+
50-64	97	23.2	315	2	4	22	33	47	58	98
65+	186	19.1	311	2	3	12	30	44	54	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	74	4.6	24	<1	<1	3	6	10	14	28
B. *Operated*	82	10.1	196	1	1	5	11	29	36	78
2. MULTIPLE DX										
A. *Not Operated*	312	7.9	72	1	1	5	10	20	26	40
B. *Operated*	426	21.3	343	2	3	16	33	47	61	94
1. SINGLE DX	156	7.5	121	<1	<1	4	8	17	31	41
2. MULTIPLE DX	738	15.7	272	1	2	9	25	39	49	79
A. NOT OPERATED	386	7.3	65	<1	1	5	9	18	25	40
B. OPERATED	508	19.5	336	2	2	12	31	44	58	94
TOTAL 0-19 YRS	124	12.7	267	<1	1	7	14	36	48	74
20-34	91	15.7	271	1	1	9	26	36	47	77
35-49	103	17.3	351	2	2	9	29	36	72	99+
50-64	207	14.7	246	1	2	7	26	36	46	81
65+	369	13.3	224	1	1	7	18	35	44	64
GRAND TOTAL	**894**	**14.2**	**255**	**1**	**1**	**8**	**22**	**36**	**47**	**79**

49: Lymphatic and hematopoietic neoplasm, except Hodgkin's disease and leukemia (200; 202-203)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	6	5.7	5	3	3	5	7	9	9	9
35-49	34	3.1	15	<1	<1	2	3	6	12	20
50-64	38	3.1	16	1	1	2	4	7	9	23
65+	33	4.8	18	<1	<1	4	7	10	15	17
B. *Operated*										
0-19 YRS	31	3.7	4	1	1	3	5	7	7	8
20-34	33	4.4	21	<1	1	4	6	9	10	24
35-49	55	4.4	28	<1	1	3	6	8	9	37
50-64	129	5.0	24	<1	1	3	7	10	14	26
65+	140	4.6	20	<1	1	3	7	10	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.8	35	<1	1	3	6	10	14	30
20-34	23	4.7	10	<1	1	4	6	10	12	12
35-49	85	7.6	92	1	1	5	8	14	23	52
50-64	229	7.6	51	1	2	5	10	16	21	38
65+	459	8.5	71	1	2	6	10	17	25	43
B. *Operated*										
0-19 YRS	27	10.4	91	1	1	9	15	22	31	42
20-34	48	11.8	220	1	2	7	11	28	43	82
35-49	143	10.9	116	1	2	8	13	22	32	52
50-64	347	12.8	195	1	2	8	15	29	40	73
65+	723	12.4	122	2	3	10	16	25	33	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	3.7	16	<1	<1	2	4	8	12	21
B. *Operated*	388	4.6	21	<1	1	3	6	9	12	23
2. MULTIPLE DX										
A. *Not Operated*	825	7.9	66	1	2	6	10	16	24	43
B. *Operated*	1288	12.3	144	1	2	9	15	25	36	63
1. SINGLE DX	502	4.4	20	<1	1	3	6	9	12	22
2. MULTIPLE DX	2113	10.6	118	1	2	7	13	22	32	57
A. NOT OPERATED	939	7.4	61	1	1	5	9	15	23	42
B. OPERATED	1676	10.5	126	1	1	7	13	22	32	61
TOTAL 0-19 YRS	90	6.0	48	1	1	4	7	14	18	37
20-34	110	7.8	116	1	1	5	8	13	26	65
35-49	317	8.0	91	<1	1	5	9	17	25	49
50-64	743	9.3	124	1	1	6	12	20	30	63
65+	1355	10.1	99	1	2	7	13	22	30	48
GRAND TOTAL	**2615**	**9.4**	**105**	**1**	**1**	**6**	**12**	**20**	**29**	**53**

50: Benign neoplasm of lip, oral cavity, and pharynx (210)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	28	1.9	3	<1	<1	1	2	4	7	8
20-34	102	1.7	1	1	1	1	2	3	4	6
35-49	155	1.8	2	<1	1	2	2	3	3	5
50-64	138	2.0	1	1	1	2	3	3	4	6
65+	111	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	8	2.9	4	1	1	2	5	6	6	6
20-34	25	2.2	2	1	1	2	3	4	5	7
35-49	52	2.2	2	1	1	2	3	3	4	8
50-64	84	2.1	2	<1	1	2	3	3	4	7
65+	117	2.9	15	1	1	2	3	4	5	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	534	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	286	2.5	7	1	1	2	3	4	5	8
1. SINGLE DX	535	1.9	1	1	1	2	2	3	4	6
2. MULTIPLE DX	288	2.5	7	1	1	2	3	4	5	8
A. NOT OPERATED	3	2.0	3	<1	<1	<1	3	4	4	4
B. OPERATED	820	2.1	3	1	1	2	3	3	4	7
TOTAL 0-19 YRS	36	2.1	4	<1	<1	1	2	5	7	8
20-34	128	1.8	1	1	1	2	2	3	4	7
35-49	208	1.9	2	<1	1	2	2	3	4	7
50-64	222	2.0	1	1	1	2	3	3	4	6
65+	229	2.5	8	1	1	2	3	4	4	9
GRAND TOTAL	**823**	**2.1**	**3**	**1**	**1**	**2**	**3**	**3**	**4**	**7**

51: Benign neoplasm of other parts of digestive system (211)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	2	3.0	8	<1	<1	2	5	5	5	5
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64	5	1.0		<1	<1	1	1	1	1	1
65+	6	1.2		<1	<1	<1	1	2	2	2
B. *Operated*										
0-19 YRS	12	2.6	5	<1	<1	2	4	6	8	8
20-34	26	5.8	11	<1	1	6	7	9	11	17
35-49	48	3.7	8	<1	<1	3	6	8	9	9
50-64	117	3.7	12	<1	<1	2	6	8	9	14
65+	147	3.9	14	<1	<1	2	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	3.5	13	<1	<1	3	6	6	6	6
50-64	15	4.3	7	<1	1	4	6	7	10	11
65+	43	4.4	20	<1	1	3	6	10	12	25
B. *Operated*										
0-19 YRS	9	9.1	99	<1	<1	4	15	24	29	29
20-34	41	7.2	15	2	2	7	9	12	15	17
35-49	74	5.6	28	<1	<1	4	8	12	15	29
50-64	277	5.9	41	<1	<1	5	8	12	15	47
65+	647	7.1	48	<1	<1	6	9	14	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	1.4	1	<1	<1	<1	1	3	4	5
B. *Operated*	350	3.9	12	<1	<1	2	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	63	4.3	15	<1	1	3	6	8	11	23
B. *Operated*	1048	6.7	44	<1	<1	6	9	14	18	35
1. SINGLE DX	368	3.8	12	<1	<1	2	6	8	10	14
2. MULTIPLE DX	1111	6.6	43	<1	<1	5	9	13	18	34
A. NOT OPERATED	81	3.6	14	<1	<1	2	5	7	11	21
B. OPERATED	1398	6.0	38	<1	<1	5	8	12	16	31
TOTAL 0-19 YRS	24	5.0	48	<1	<1	2	5	15	21	29
20-34	70	6.5	14	1	2	6	9	11	15	17
35-49	128	4.7	21	<1	<1	4	7	9	12	22
50-64	414	5.2	32	<1	<1	4	8	11	13	35
65+	843	6.4	42	<1	<1	5	9	13	18	30
GRAND TOTAL	**1479**	**5.9**	**37**	**<1**	**<1**	**5**	**8**	**12**	**16**	**30**

52: Benign neoplasm of respiratory system and intrathoracic organs (212)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	52	2.0	7	<1	<1	<1	1	5	9	14
20-34	36	3.1	5	<1	<1	2	5	6	7	7
35-49	35	3.7	8	1	1	3	6	7	9	9
50-64	57	3.8	6	<1	<1	4	6	7	8	9
65+	25	3.8	15	<1	<1	1	7	8	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	6.0	18	3	3	6	9	9	9	9
65+	2	4.5	25	1	1	4	8	8	8	8
B. *Operated*										
0-19 YRS	12	2.8	6	<1	<1	1	5	7	7	7
20-34	21	3.9	24	<1	<1	1	5	9	17	21
35-49	30	5.0	32	<1	<1	3	7	10	13	29
50-64	53	6.3	21	<1	1	6	9	12	16	20
65+	69	7.1	59	1	1	6	9	14	18	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	205	3.2	8	<1	<1	2	6	7	8	12
2. MULTIPLE DX										
A. *Not Operated*	4	5.3	15	1	1	5	8	9	9	9
B. *Operated*	185	5.9	38	<1	1	5	8	13	16	28
1. SINGLE DX	205	3.2	8	<1	<1	2	6	7	8	12
2. MULTIPLE DX	189	5.9	37	<1	1	5	8	12	15	28
A. NOT OPERATED	4	5.3	15	1	1	5	8	9	9	9
B. OPERATED	390	4.5	24	<1	<1	3	7	9	13	21
TOTAL 0-19 YRS	64	2.2	7	<1	<1	<1	2	6	8	13
20-34	57	3.4	12	<1	<1	2	5	6	7	20
35-49	65	4.3	19	<1	1	3	6	8	10	27
50-64	112	5.0	15	<1	<1	5	7	9	12	19
65+	96	6.2	48	<1	<1	5	8	14	15	41
GRAND TOTAL	**394**	**4.5**	**24**	**<1**	**<1**	**3**	**7**	**9**	**13**	**21**

53: Benign neoplasm of bone, muscle, and connective tissue (213-215)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49										
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	304	1.9	3	<1	<1	1	2	3	5	9
20-34	222	2.0	3	<1	<1	1	2	5	6	9
35-49	245	1.9	4	<1	<1	1	2	4	6	9
50-64	185	2.1	5	<1	<1	1	2	5	6	12
65+	91	2.5	8	<1	<1	1	3	6	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	3	2.0	3	<1	<1	<1	3	4	4	4
35-49	2	5.0	18	2	2	5	8	8	8	8
50-64	7	2.3	5	<1	<1	<1	4	6	6	6
65+	7	3.6	31	<1	<1	1	3	13	16	16
B. *Operated*										
0-19 YRS	66	3.2	16	<1	1	1	3	8	10	21
20-34	89	4.0	29	<1	<1	2	5	9	11	34
35-49	132	3.7	14	<1	<1	2	5	9	12	20
50-64	160	4.3	20	<1	1	3	6	10	13	24
65+	132	4.5	21	<1	<1	3	7	10	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	1.4	1	<1	<1	1	1	3	4	4
B. *Operated*	1047	2.0	4	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	20	2.9	14	<1	<1	1	3	7	12	16
B. *Operated*	579	4.0	20	<1	<1	2	5	9	12	22
1. SINGLE DX	1056	2.0	4	<1	<1	1	2	4	6	10
2. MULTIPLE DX	599	4.0	20	<1	<1	2	5	9	12	22
A. NOT OPERATED	29	2.4	10	<1	<1	1	2	6	8	16
B. OPERATED	1626	2.7	11	<1	<1	1	3	6	9	17
TOTAL 0-19 YRS	375	2.1	6	<1	<1	1	2	4	6	14
20-34	317	2.5	11	<1	<1	1	3	5	7	14
35-49	379	2.6	8	<1	<1	1	3	6	8	16
50-64	353	3.1	13	<1	<1	2	4	7	10	20
65+	231	3.7	17	<1	<1	2	5	9	11	19
GRAND TOTAL	**1655**	**2.7**	**11**	**<1**	**<1**	**1**	**3**	**6**	**9**	**17**

54: Benign neoplasm of skin, blood vessels, and miscellaneous sites (216; 228-229)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.8	12	<1	<1	2	7	8	8	8
20-34	3	2.0		2	2	2	2	2	2	2
35-49	3	2.3	2	1	1	2	3	4	4	4
50-64	5	2.2	3	<1	<1	1	3	5	5	5
65+	3	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-19 YRS	184	1.7	2	<1	<1	1	2	3	5	8
20-34	69	2.6	6	<1	<1	2	3	6	8	12
35-49	57	2.6	7	<1	<1	2	3	8	8	11
50-64	44	1.8	2	<1	<1	1	2	3	4	9
65+	13	2.2	7	<1	<1	1	2	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	4.1	22	<1	<1	2	8	12	12	12
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	3	3.3	6	1	1	3	5	6	6	6
50-64	2	2.5	1	2	2	2	3	3	3	3
65+	18	6.1	32	1	1	4	10	13	18	22
B. *Operated*										
0-19 YRS	42	3.9	18	<1	<1	2	4	8	13	21
20-34	50	4.0	11	<1	<1	3	6	8	9	17
35-49	48	4.5	26	<1	<1	2	6	11	17	24
50-64	44	4.6	22	<1	1	3	6	12	13	23
65+	53	7.4	57	<1	1	6	9	16	26	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	19	2.4	4	<1	<1	2	3	6	8	8
B. *Operated*	367	2.0	4	<1	<1	1	2	4	7	10
2. MULTIPLE DX										
A. *Not Operated*	33	4.8	24	<1	1	3	6	12	13	22
B. *Operated*	237	4.9	29	<1	<1	3	7	11	16	27
1. SINGLE DX	386	2.1	4	<1	<1	1	2	4	7	10
2. MULTIPLE DX	270	4.9	28	<1	<1	3	7	11	15	26
A. NOT OPERATED	52	3.9	18	<1	<1	2	5	10	13	22
B. OPERATED	604	3.2	16	<1	<1	2	4	8	10	20
TOTAL 0-19 YRS	238	2.2	6	<1	<1	1	3	5	7	13
20-34	125	3.1	8	<1	<1	2	4	8	9	13
35-49	111	3.5	16	<1	<1	2	4	8	11	20
50-64	95	3.1	13	<1	<1	2	3	8	12	19
65+	87	6.1	46	<1	<1	4	9	15	20	31
GRAND TOTAL	**656**	**3.2**	**16**	**<1**	**<1**	**2**	**4**	**8**	**11**	**21**

55: Benign neoplasm of breast (217)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	12	1.2		<1	<1	<1	1	2	3	3
20-34	38	1.0		<1	<1	<1	<1	1	1	1
35-49	39	1.0		<1	<1	<1	<1	1	1	1
50-64	39	1.2		<1	<1	<1	1	2	3	3
65+	21	2.7	43	<1	<1	<1	1	3	16	31
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	25	1.6	1	<1	<1	1	2	3	4	4
35-49	44	2.1	2	<1	<1	1	3	4	5	7
50-64	34	1.4	2	<1	<1	1	1	2	3	8
65+	44	1.8	1	<1	<1	1	2	3	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	149	1.3	6	<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	148	1.7	2	<1	<1	1	2	4	5	7
1. SINGLE DX	149	1.3	6	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	148	1.7	2	<1	<1	1	2	4	5	7
A. NOT OPERATED										
B. OPERATED	297	1.5	4	<1	<1	<1	1	3	4	7
TOTAL 0-19 YRS	13	1.2		<1	<1	<1	1	2	3	3
20-34	63	1.2		<1	<1	<1	1	2	3	4
35-49	83	1.6	2	<1	<1	<1	2	3	5	7
50-64	73	1.3	1	<1	<1	<1	1	2	3	7
65+	65	2.1	14	<1	<1	1	2	3	5	27
GRAND TOTAL	**297**	**1.5**	**4**	**<1**	**<1**	**<1**	**1**	**3**	**4**	**7**

56: Uterine leiomyoma (218)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	9	2.2	2	<1	<1	2	3	5	5	5
35-49	5	4.6	10	2	2	3	7	9	9	9
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	198	4.1	5	1	2	4	5	5	6	7
35-49	694	4.2	2	2	3	4	5	6	6	8
50-64	107	4.3	3	<1	1	4	5	6	6	9
65+	7	4.0	2	2	2	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	22	3.0	5	<1	<1	2	4	7	8	8
35-49	58	2.6	6	<1	<1	1	4	5	7	13
50-64	10	3.3	6	<1	<1	3	5	7	8	8
65+	8	3.3	7	<1	<1	2	5	7	8	8
B. *Operated*										
0-19 YRS	14	4.4	1	2	3	4	5	6	6	6
20-34	1108	4.5	3	2	3	4	5	6	7	11
35-49	6987	4.7	3	3	3	4	5	6	7	11
50-64	1280	5.1	4	3	3	5	6	7	8	13
65+	156	5.6	6	2	3	5	6	8	11	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	3.0	6	<1	<1	2	4	7	8	9
B. *Operated*	1007	4.2	2	1	3	4	5	6	6	8
2. MULTIPLE DX										
A. *Not Operated*	98	2.8	6	<1	<1	2	4	6	8	12
B. *Operated*	9545	4.7	4	3	3	4	5	6	7	11
1. SINGLE DX	1022	4.2	3	1	3	4	5	6	6	8
2. MULTIPLE DX	9643	4.7	4	3	3	4	5	6	7	11
A. NOT OPERATED	113	2.8	6	<1	<1	2	4	6	8	12
B. OPERATED	10552	4.7	4	3	3	4	5	6	7	11
TOTAL 0-19 YRS	15	4.5	1	2	3	4	5	6	6	6
20-34	1337	4.4	4	2	3	4	5	6	7	11
35-49	7744	4.6	3	3	3	4	5	6	7	11
50-64	1398	5.0	4	3	3	5	6	7	8	13
65+	171	5.5	6	2	3	5	6	8	11	14
GRAND TOTAL	**10665**	**4.7**	**4**	**3**	**3**	**4**	**5**	**6**	**7**	**11**

57: Benign neoplasm of uterus, except leiomyoma (219)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	7	3.3	2	1	1	3	4	6	6	6
35-49	15	4.3	3	<1	2	5	6	6	7	7
50-64	3	4.0	1	3	3	4	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS										
20-34	26	4.3	4	<1	1	4	5	7	9	11
35-49	135	4.6	2	3	3	4	5	6	7	10
50-64	44	4.7	4	2	3	4	5	6	9	14
65+	5	8.0	27	4	4	6	9	17	17	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	25	4.0	3	1	2	4	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*	210	4.7	3	3	3	4	5	6	7	13
1. SINGLE DX	25	4.0	3	1	2	4	5	6	7	7
2. MULTIPLE DX	212	4.7	3	3	3	4	5	6	7	13
A. NOT OPERATED	2	3.0	2	2	2	3	4	4	4	4
B. OPERATED	235	4.6	3	3	3	4	5	6	7	12
TOTAL 0-19 YRS										
20-34	33	4.1	4	<1	1	4	5	6	8	11
35-49	151	4.6	2	3	3	4	5	6	7	10
50-64	48	4.6	4	2	3	4	5	6	8	14
65+	5	8.0	27	4	4	6	9	17	17	17
GRAND TOTAL	**237**	**4.6**	**3**	**2**	**3**	**4**	**5**	**6**	**7**	**12**

58: Benign neoplasm of ovary (220)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	90	3.7	1	2	3	4	4	5	5	7
20-34	393	3.6	1	2	2	3	4	5	5	7
35-49	144	4.3	2	3	3	4	5	6	7	8
50-64	74	4.8	2	3	3	4	6	7	7	9
65+	43	5.4	5	3	4	5	6	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	4.0		4	4	4	4	4	4	4
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	9.0		9	9	9	9	9	9	9
B. *Operated*										
0-19 YRS	60	4.3	2	2	3	4	5	6	7	9
20-34	461	4.1	2	3	3	4	5	6	6	8
35-49	410	4.9	5	3	3	5	5	7	7	11
50-64	268	5.4	6	3	3	5	6	8	11	15
65+	245	6.9	12	3	4	6	8	11	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.5	1	2	2	2	3	3	3	3
B. *Operated*	744	4.0	2	2	3	4	5	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	5	4.4	8	<1	<1	4	5	9	9	9
B. *Operated*	1444	5.0	6	3	3	5	6	7	9	14
1. SINGLE DX	746	4.0	2	2	3	4	5	5	6	9
2. MULTIPLE DX	1449	5.0	6	3	3	5	6	7	9	14
A. NOT OPERATED	7	3.9	6	<1	<1	4	4	8	9	9
B. OPERATED	2188	4.7	5	3	3	4	5	7	8	13
TOTAL 0-19 YRS	151	3.9	1	2	3	4	4	5	6	8
20-34	857	3.9	2	2	3	4	4	5	6	8
35-49	556	4.7	4	3	3	4	5	6	7	10
50-64	342	5.2	5	3	3	5	6	7	9	15
65+	289	6.7	11	3	4	6	8	10	13	19
GRAND TOTAL	**2195**	**4.7**	**5**	**3**	**3**	**4**	**5**	**7**	**8**	**13**

59: Benign neoplasm of female genitalia, except uterus and ovary (221)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	6	2.7	2	<1	<1	3	4	4	4	4
35-49	10	2.5	2	<1	<1	3	4	4	4	4
50-64	2	2.0	2	<1	<1	1	3	3	3	3
65+	2	3.0	8	<1	<1	2	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	14	3.4	2	1	1	4	4	5	5	5
35-49	19	3.7	3	<1	<1	4	5	6	6	6
50-64	10	6.9	40	1	2	5	7	16	24	24
65+	12	4.5	9	<1	1	4	7	8	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	20	2.6	2	<1	<1	3	4	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	55	4.4	12	<1	1	4	5	7	8	23
1. SINGLE DX	22	2.5	2	<1	<1	3	4	4	5	5
2. MULTIPLE DX	55	4.4	12	<1	1	4	5	7	8	23
A. NOT OPERATED	2	1.5	1	1	1	1	2	2	2	2
B. OPERATED	75	3.9	10	<1	<1	4	5	6	8	20
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	21	3.1	2	<1	1	3	4	5	5	5
35-49	29	3.3	3	<1	<1	4	4	6	6	6
50-64	12	6.1	37	<1	1	5	7	13	22	24
65+	14	4.3	9	<1	<1	4	7	8	9	9
GRAND TOTAL	**77**	**3.8**	**10**	**<1**	**<1**	**4**	**5**	**6**	**8**	**20**

60: Benign neoplasm of male genital organ (222)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.7	1	<1	<1	1	2	3	3	3
20-34	8	1.4	1	1	1	1	2	3	3	3
35-49	11	1.6	1	<1	<1	1	2	3	3	3
50-64	10	2.2	5	<1	<1	1	3	6	8	8
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	8	5.5	20	<1	<1	4	9	12	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	33	1.8	2	<1	<1	1	2	3	3	8
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	18	3.2	13	<1	<1	2	3	10	12	12
1. SINGLE DX	33	1.8	2	<1	<1	1	2	3	3	8
2. MULTIPLE DX	18	3.2	13	<1	<1	2	3	10	12	12
A. NOT OPERATED										
B. OPERATED	51	2.3	6	<1	<1	1	2	4	8	12
TOTAL 0-19 YRS	5	1.8	1	<1	<1	2	2	3	3	3
20-34	10	1.3		1	1	1	1	2	3	3
35-49	13	1.5	1	<1	<1	1	2	3	3	3
50-64	14	2.0	4	<1	<1	1	2	4	7	8
65+	9	5.1	19	<1	<1	3	9	12	12	12
GRAND TOTAL	**51**	**2.3**	**6**	**<1**	**<1**	**1**	**2**	**4**	**8**	**12**

61: Benign neoplasm of urinary organ (223)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	5	5.8	14	<1	<1	5	9	10	10	10
35-49	12	4.4	7	<1	1	5	6	8	8	8
50-64	6	1.3		<1	<1	1	2	2	2	2
65+	17	2.6	6	<1	<1	2	3	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	7	6.0	30	1	1	4	8	15	17	17
35-49	14	5.4	13	1	1	6	8	9	11	12
50-64	13	5.2	19	<1	1	3	10	11	12	12
65+	55	4.5	22	1	1	3	6	10	13	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	40	3.4	8	<1	<1	2	5	8	9	10
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	90	4.9	20	1	1	3	8	11	12	21
1. SINGLE DX	40	3.4	8	<1	<1	2	5	8	9	10
2. MULTIPLE DX	90	4.9	20	1	1	3	8	11	12	21
A. NOT OPERATED										
B. OPERATED	130	4.4	17	<1	1	3	7	10	12	21
TOTAL 0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	12	5.9	21	<1	1	5	8	12	16	17
35-49	26	4.9	10	<1	1	5	8	8	10	12
50-64	19	3.9	16	<1	<1	2	7	11	12	12
65+	72	4.1	19	1	1	2	6	9	12	21
GRAND TOTAL	**130**	**4.4**	**17**	**<1**	**1**	**3**	**7**	**10**	**12**	**21**

62: Benign neoplasm of eye (224)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.2	5	<1	<1	1	3	6	6	6
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	1.0		1	1	1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	4.0		4	4	4	4	4	4	4
65+	5	2.4	3	<1	<1	2	3	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	9	1.7	3	<1	<1	1	2	4	6	6
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	8	2.5	2	<1	<1	2	4	5	5	5
1. SINGLE DX	9	1.7	3	<1	<1	1	2	4	6	6
2. MULTIPLE DX	8	2.5	2	<1	<1	2	4	5	5	5
A. NOT OPERATED										
B. OPERATED	17	2.1	3	<1	<1	1	3	5	6	6
TOTAL 0-19 YRS	5	2.2	5	<1	<1	1	3	6	6	6
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	3	2.0	3	1	1	1	3	4	4	4
65+	5	2.4	3	<1	<1	2	3	5	5	5
GRAND TOTAL	**17**	**2.1**	**3**	**<1**	**<1**	**1**	**3**	**5**	**6**	**6**

63: Benign neoplasm of central nervous system (225)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	1.3		1	1	1	2	2	2	2
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	7	2.7	7	<1	<1	2	4	7	8	8
B. *Operated*										
0-19 YRS	8	7.8	19	2	3	7	10	14	16	16
20-34	30	7.1	15	1	1	8	10	10	11	18
35-49	78	7.0	37	1	1	7	9	11	13	41
50-64	80	8.7	29	1	3	8	11	15	16	33
65+	58	9.3	21	2	4	9	11	15	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	9	3.9	4	1	1	4	6	6	6	6
50-64	17	5.3	34	<1	1	3	7	12	19	23
65+	46	7.8	130	1	2	4	8	17	25	65
B. *Operated*										
0-19 YRS	7	12.7	73	4	4	11	14	27	30	30
20-34	35	9.7	60	1	3	8	12	22	27	35
35-49	76	12.2	70	2	4	10	16	24	26	47
50-64	132	13.5	145	2	5	9	17	30	49	99+
65+	162	14.5	120	3	5	12	19	29	37	98
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.2	4	<1	1	2	3	4	7	8
B. *Operated*	254	8.1	28	1	2	8	10	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	74	6.6	91	1	1	4	8	12	19	60
B. *Operated*	412	13.3	114	2	4	10	17	27	35	99+
1. SINGLE DX	268	7.8	29	1	1	8	10	13	16	24
2. MULTIPLE DX	486	12.3	116	1	2	10	15	25	34	94
A. NOT OPERATED	88	5.9	79	1	1	3	6	11	19	58
B. OPERATED	666	11.3	88	1	3	9	13	22	30	75
TOTAL 0-19 YRS	16	9.5	49	1	2	8	12	16	26	30
20-34	66	8.4	41	1	1	8	10	15	22	34
35-49	166	9.1	58	1	2	8	10	18	24	49
50-64	233	11.0	103	1	2	9	13	21	34	99+
65+	273	11.9	108	1	2	10	14	23	31	81
GRAND TOTAL	**754**	**10.7**	**90**	**1**	**2**	**9**	**13**	**21**	**30**	**68**

64: Benign neoplasm of thyroid glands (226)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	14	2.2		1	1	2	3	3	3	3
20-34	184	2.0	1	1	1	2	3	3	4	4
35-49	236	2.1	1	1	1	2	3	3	4	4
50-64	124	2.2	1	1	1	2	3	3	4	5
65+	55	2.5	1	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+	2	7.5	25	4	4	7	11	11	11	11
B. *Operated*										
0-19 YRS	6	2.0		1	1	2	2	3	3	3
20-34	61	2.5	3	1	1	2	3	4	5	11
35-49	133	2.4	2	1	1	2	3	4	4	8
50-64	125	2.8	3	1	2	3	3	4	5	13
65+	94	4.1	24	1	2	3	4	6	9	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	1.0		1	1	1	1	1	1	1
B. *Operated*	613	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX										
A. *Not Operated*	2	7.5	25	4	4	7	11	11	11	11
B. *Operated*	419	2.9	8	1	1	2	3	4	5	15
1. SINGLE DX	614	2.1	1	1	1	2	3	3	4	5
2. MULTIPLE DX	421	2.9	8	1	1	2	3	4	5	15
A. NOT OPERATED	3	5.3	26	1	1	4	9	11	11	11
B. OPERATED	1032	2.4	4	1	1	2	3	4	4	9
TOTAL 0-19 YRS	20	2.2		1	1	2	3	3	3	3
20-34	245	2.2	1	1	1	2	3	3	4	5
35-49	369	2.2	1	1	1	2	3	3	4	5
50-64	250	2.5	2	1	1	2	3	4	4	9
65+	151	3.5	16	1	1	3	4	5	7	27
GRAND TOTAL	**1035**	**2.5**	**4**	**1**	**1**	**2**	**3**	**4**	**4**	**9**

65: Benign neoplasm of endocrine glands, except thyroid (227)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	5.5	25	2	2	5	9	9	9	9
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	4.0		4	4	4	4	4	4	4
65+										
B. *Operated*										
0-19 YRS	4	5.8	1	5	5	6	6	7	7	7
20-34	45	6.2	11	3	4	5	7	8	11	23
35-49	51	4.6	9	1	2	4	6	8	12	14
50-64	59	3.8	4	1	2	3	5	7	8	9
65+	41	4.0	4	2	2	3	6	7	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	8	7.4	53	1	1	4	13	18	20	20
35-49	5	3.8	6	2	2	3	5	8	8	8
50-64	9	4.4	12	<1	<1	5	7	10	10	10
65+	11	8.7	46	<1	2	7	12	18	24	25
B. *Operated*										
0-19 YRS	4	9.5	65	3	3	7	15	21	21	21
20-34	53	7.5	40	2	2	6	8	17	20	33
35-49	110	5.7	16	2	2	5	7	10	16	22
50-64	167	5.8	27	2	2	4	7	11	14	29
65+	151	7.3	69	2	2	4	8	16	24	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	3.5	9	1	1	3	4	9	9	9
B. *Operated*	200	4.6	8	2	2	4	6	8	8	15
2. MULTIPLE DX										
A. *Not Operated*	33	6.5	34	<1	<1	4	9	14	19	25
B. *Operated*	485	6.5	40	2	2	5	7	12	19	31
1. SINGLE DX	206	4.6	8	1	2	4	6	8	8	15
2. MULTIPLE DX	518	6.5	39	2	2	5	8	12	19	31
A. NOT OPERATED	39	6.0	31	<1	<1	4	9	14	17	25
B. OPERATED	685	5.9	31	2	2	5	7	11	16	30
TOTAL 0-19 YRS	9	6.9	33	1	2	5	7	16	21	21
20-34	108	6.9	28	2	2	5	8	13	18	31
35-49	167	5.3	14	2	2	5	7	9	14	20
50-64	237	5.2	21	2	2	4	6	10	12	29
65+	203	6.7	56	2	2	4	7	12	22	41
GRAND TOTAL	**724**	**5.9**	**31**	**2**	**2**	**4**	**7**	**11**	**16**	**30**

66: Carcinoma in situ of cervix (233.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	242	3.1	2	<1	1	3	4	5	5	7
35-49	147	3.5	3	<1	1	4	4	5	6	9
50-64	29	3.7	2	1	1	4	4	6	7	7
65+	15	3.9	3	1	1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	290	3.6	2	1	1	4	5	5	6	7
35-49	320	4.1	2	1	2	4	5	6	7	8
50-64	76	4.7	4	2	3	5	6	7	8	11
65+	53	4.9	8	1	1	5	6	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	2.0		2	2	2	2	2	2	2
B. *Operated*	436	3.3	3	<1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	6	1.7	3	<1	<1	1	1	5	5	5
B. *Operated*	740	4.0	3	1	1	4	5	6	7	8
1. SINGLE DX	437	3.3	3	<1	1	3	4	5	6	7
2. MULTIPLE DX	746	4.0	3	1	1	4	5	6	7	8
A. NOT OPERATED	7	1.7	2	<1	<1	1	2	4	5	5
B. OPERATED	1176	3.7	3	1	1	4	5	6	6	8
TOTAL 0-19 YRS	4	1.8	2	<1	<1	1	3	4	4	4
20-34	535	3.4	2	<1	1	4	4	5	6	7
35-49	469	3.9	3	1	1	4	5	6	7	8
50-64	107	4.4	4	1	2	4	6	7	7	11
65+	68	4.7	7	1	1	5	6	7	8	15
GRAND TOTAL	**1183**	**3.7**	**3**	**1**	**1**	**4**	**5**	**6**	**6**	**8**

67: Carcinoma in situ, except cervix uteri (230-233.0; 233.2-234)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34	19	4.6	8	<1	1	4	7	9	10	10
35-49	72	3.1	6	<1	<1	3	4	7	8	11
50-64	90	3.0	4	<1	<1	3	4	6	7	9
65+	90	3.4	8	<1	1	3	4	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+	5	8.0	68	1	1	4	15	20	20	20
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	18	4.4	54	<1	1	2	4	7	23	33
35-49	101	4.1	31	1	1	3	5	6	8	36
50-64	193	5.8	26	<1	1	4	8	12	14	27
65+	292	6.6	47	1	1	5	8	13	17	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*	271	3.3	6	<1	1	3	4	7	9	10
2. MULTIPLE DX										
A. *Not Operated*	6	7.0	60	1	1	3	13	19	20	20
B. *Operated*	605	5.8	38	1	1	4	7	11	16	32
1. SINGLE DX	275	3.2	6	<1	1	3	4	7	9	10
2. MULTIPLE DX	611	5.9	38	1	1	4	8	12	16	32
A. NOT OPERATED	10	5.1	40	1	1	2	4	16	20	20
B. OPERATED	876	5.0	30	<1	1	4	6	10	13	30
TOTAL 0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	37	4.5	30	<1	1	3	5	9	10	33
35-49	173	3.7	21	<1	1	3	4	6	8	17
50-64	285	4.9	21	<1	1	4	6	10	12	22
65+	389	5.8	40	1	1	4	8	12	16	32
GRAND TOTAL	**886**	**5.0**	**30**	**<1**	**1**	**4**	**6**	**10**	**13**	**30**

68: Neoplasms of uncertain behavior and unspecified nature (235-239)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	4.0	5	2	2	3	5	7	7	7
20-34	12	2.6	1	<1	1	3	3	4	4	4
35-49	11	2.7	8	<1	<1	2	3	7	11	11
50-64	19	2.6	11	<1	1	1	3	6	11	15
65+	18	2.7	5	<1	<1	2	4	6	7	8
B. *Operated*										
0-19 YRS	54	3.8	12	<1	<1	2	6	8	9	19
20-34	113	3.7	9	<1	1	2	6	8	11	12
35-49	152	3.4	10	<1	1	2	5	7	9	17
50-64	139	3.4	11	<1	1	2	5	8	9	17
65+	135	3.9	12	<1	1	2	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	1.8	1	<1	<1	1	3	4	4	4
20-34	28	2.7	2	<1	1	2	4	5	6	6
35-49	41	4.4	65	<1	<1	3	5	7	13	51
50-64	57	4.0	24	<1	<1	3	4	8	14	28
65+	210	5.4	22	<1	1	4	7	11	15	23
B. *Operated*										
0-19 YRS	45	8.4	86	1	1	6	10	23	29	41
20-34	126	5.7	31	1	1	4	7	11	14	32
35-49	160	5.8	29	1	1	5	7	10	13	20
50-64	259	6.7	56	1	1	5	8	11	16	45
65+	558	7.4	53	1	1	6	9	14	19	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	2.7	5	<1	<1	2	3	5	7	14
B. *Operated*	593	3.6	11	<1	1	2	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	357	4.6	25	<1	1	3	6	10	14	28
B. *Operated*	1148	6.9	50	1	1	5	9	13	18	40
1. SINGLE DX	657	3.5	10	<1	1	2	5	8	10	15
2. MULTIPLE DX	1505	6.3	45	1	1	5	8	12	16	39
A. NOT OPERATED	421	4.3	23	<1	1	3	6	10	13	23
B. OPERATED	1741	5.8	39	1	1	4	8	11	15	34
TOTAL 0-19 YRS	124	5.1	43	<1	<1	3	7	10	18	40
20-34	279	4.5	19	<1	1	3	6	9	11	26
35-49	364	4.5	25	<1	1	3	6	8	12	20
50-64	474	5.3	40	1	1	4	7	9	14	29
65+	921	6.4	41	1	1	5	9	13	16	35
GRAND TOTAL	**2162**	**5.5**	**36**	**<1**	**1**	**4**	**7**	**11**	**15**	**31**

69: Simple and nontoxic nodular goiter (240-241)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	22	1.6		<1	1	2	2	3	3	3
20-34	150	2.2	1	1	1	2	3	3	3	5
35-49	208	2.2	1	1	1	2	3	3	4	5
50-64	177	2.5	1	1	1	2	3	4	4	5
65+	78	2.8	2	1	1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	4	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	7	1.0		<1	<1	<1	<1	1	1	1
65+	10	5.1	10	1	1	4	8	9	10	10
B. *Operated*										
0-19 YRS	5	2.6		2	2	3	3	3	3	3
20-34	37	2.6	2	1	1	2	3	4	6	7
35-49	96	2.8	2	1	1	3	3	5	5	7
50-64	116	3.2	9	1	1	2	3	5	7	22
65+	140	3.6	6	1	2	3	5	6	8	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*	635	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX										
A. *Not Operated*	23	2.8	8	<1	<1	1	4	8	9	10
B. *Operated*	394	3.2	6	1	1	3	4	5	7	12
1. SINGLE DX	638	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX	417	3.2	6	1	1	3	4	6	7	12
A. NOT OPERATED	26	2.8	8	<1	<1	1	4	8	9	10
B. OPERATED	1029	2.7	3	1	1	2	3	4	5	8
TOTAL 0-19 YRS	28	1.8	1	<1	1	2	2	3	3	3
20-34	188	2.3	1	1	1	2	3	3	4	6
35-49	309	2.4	1	1	1	2	3	4	5	6
50-64	301	2.7	4	1	1	2	3	4	5	9
65+	229	3.4	5	1	1	3	4	6	8	12
GRAND TOTAL	**1055**	**2.7**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

70: Other diseases of thyroid gland (242-246)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.7	9	1	1	3	5	8	9	9
20-34	14	2.6	2	<1	1	2	3	5	6	6
35-49	18	3.9	13	1	1	3	4	7	12	16
50-64	3	3.7	6	1	1	4	5	6	6	6
65+	2	5.5	1	5	5	5	6	6	6	6
B. *Operated*										
0-19 YRS	26	2.7	1	1	1	3	3	4	5	5
20-34	77	2.4	1	1	1	2	3	4	5	6
35-49	115	2.3	1	1	1	2	3	4	4	6
50-64	70	2.5	1	1	1	2	3	4	4	5
65+	28	2.8	3	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.8	9	1	1	3	6	9	10	10
20-34	48	4.7	22	1	1	3	6	10	17	23
35-49	64	3.8	7	1	1	3	4	8	9	12
50-64	82	5.8	19	1	2	5	7	11	15	24
65+	185	7.1	20	2	2	6	9	14	16	21
B. *Operated*										
0-19 YRS	12	3.7	6	1	1	3	5	8	8	8
20-34	58	3.9	27	1	1	3	4	5	8	34
35-49	80	3.2	3	1	1	3	4	6	7	9
50-64	71	3.8	12	1	1	3	4	9	10	17
65+	80	7.4	80	1	2	4	7	17	25	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.5	8	1	1	3	5	6	8	16
B. *Operated*	316	2.5	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	396	5.8	19	1	2	5	8	12	16	21
B. *Operated*	301	4.6	33	1	1	3	5	9	14	31
1. SINGLE DX	360	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX	697	5.3	25	1	2	4	7	11	15	24
A. NOT OPERATED	440	5.6	18	1	2	4	7	11	15	20
B. OPERATED	617	3.5	18	1	1	3	4	6	9	23
TOTAL 0-19 YRS	62	3.3	5	1	1	3	4	7	8	10
20-34	197	3.4	15	1	1	2	4	5	8	24
35-49	277	3.0	4	1	1	3	4	5	7	11
50-64	226	4.1	12	1	1	3	5	8	11	18
65+	295	6.7	36	1	2	5	8	14	17	29
GRAND TOTAL	**1057**	**4.4**	**19**	**1**	**1**	**3**	**5**	**9**	**12**	**21**

71: Diabetes mellitus without complication (250.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	4.2	4	2	2	4	5	7	8	10
20-34	30	4.0	3	<1	1	4	5	6	7	8
35-49	24	3.1	2	<1	1	3	4	5	6	7
50-64	16	3.9	24	<1	1	3	4	7	17	21
65+	10	4.4	8	1	1	4	5	9	11	11
B. *Operated*										
0-19 YRS										
20-34	2	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+	2	1.5	1	<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	83	4.0	5	1	1	4	5	7	7	12
20-34	66	3.2	3	1	1	3	4	6	7	9
35-49	98	3.9	10	1	1	3	5	7	9	20
50-64	101	4.5	5	2	2	4	5	7	8	12
65+	93	5.8	19	2	2	5	7	10	13	26
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	2	3.0	8	1	1	3	5	5	5	5
35-49	11	11.0	92	1	3	7	14	25	35	36
50-64	10	9.2	29	1	1	9	13	16	17	17
65+	17	9.8	41	2	3	7	14	20	22	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	172	4.0	5	1	2	4	5	7	7	11
B. *Operated*	4	2.3	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	441	4.4	9	1	2	4	5	7	9	15
B. *Operated*	42	9.3	51	1	1	7	13	17	21	36
1. SINGLE DX	176	4.0	5	1	1	4	5	7	7	11
2. MULTIPLE DX	483	4.8	15	1	2	4	6	8	12	22
A. NOT OPERATED	613	4.3	8	1	2	4	5	7	9	15
B. OPERATED	46	8.7	50	1	1	7	13	17	21	36
TOTAL 0-19 YRS	177	4.1	4	1	2	4	5	7	7	10
20-34	100	3.4	3	1	1	3	5	6	7	9
35-49	133	4.4	19	1	1	3	5	8	11	27
50-64	127	4.8	11	1	2	4	6	8	11	18
65+	122	6.2	23	1	2	5	7	12	16	25
GRAND TOTAL	**659**	**4.6**	**12**	**1**	**2**	**4**	**5**	**8**	**11**	**20**

72: Diabetic acidosis or coma (250.1-250.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	511	3.0	4	1	1	2	4	5	7	12
20-34	295	2.7	2	1	1	2	3	4	5	9
35-49	125	2.9	3	1	1	2	4	5	7	8
50-64	51	3.5	2	1	1	3	5	6	6	7
65+	38	4.2	4	2	2	4	5	7	8	10
B. *Operated*										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34										
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	9.0		9	9	9	9	9	9	9
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	716	3.5	5	1	1	3	5	6	8	10
20-34	885	4.0	10	1	2	3	5	7	9	16
35-49	572	4.4	8	1	2	4	5	8	10	15
50-64	431	5.7	16	2	2	5	7	10	13	24
65+	605	7.2	24	2	3	6	9	13	17	24
B. *Operated*										
0-19 YRS	23	5.8	8	1	2	6	7	9	11	13
20-34	80	9.0	71	2	2	7	10	18	26	46
35-49	88	10.8	170	2	3	6	11	23	37	70
50-64	72	12.8	114	3	4	9	17	24	34	58
65+	80	18.6	176	5	7	13	25	38	44	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1020	3.0	3	1	1	2	4	5	6	9
B. *Operated*	6	4.5	7	2	2	4	5	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	3209	4.8	13	1	2	4	6	9	11	19
B. *Operated*	343	12.3	140	2	3	8	14	26	37	59
1. SINGLE DX	1026	3.0	4	1	1	2	4	5	6	9
2. MULTIPLE DX	3552	5.5	30	1	2	4	6	10	14	28
A. NOT OPERATED	4229	4.4	12	1	1	3	5	8	10	18
B. OPERATED	349	12.1	138	2	3	8	14	26	37	59
TOTAL 0-19 YRS	1252	3.3	5	1	1	3	4	6	7	11
20-34	1260	4.0	14	1	2	3	5	7	9	20
35-49	787	4.9	29	1	2	4	6	8	11	24
50-64	555	6.4	33	2	2	5	7	11	17	28
65+	724	8.3	53	2	3	6	10	16	21	41
GRAND TOTAL	**4578**	**4.9**	**26**	**1**	**2**	**4**	**6**	**9**	**13**	**26**

73: Other complicated diabetes mellitus (250.4-250.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	3.7	4	1	2	3	5	6	8	11
20-34	152	3.5	5	1	1	3	4	6	7	12
35-49	122	3.5	3	1	2	3	4	6	7	10
50-64	159	4.1	7	1	2	4	5	7	8	18
65+	146	3.9	4	1	2	3	5	7	8	9
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	11	3.0	22	<1	<1	1	2	9	16	17
35-49	16	3.6	19	<1	1	2	4	7	15	18
50-64	13	4.3	32	1	1	2	5	12	19	21
65+	13	3.8	11	<1	<1	3	5	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	235	3.7	7	1	1	3	5	7	9	14
20-34	675	4.6	26	1	1	4	5	8	11	23
35-49	986	4.8	12	1	2	4	6	8	11	16
50-64	1630	5.3	16	1	2	4	6	9	12	20
65+	2662	5.9	18	2	2	5	7	10	13	24
B. *Operated*										
0-19 YRS	14	7.6	46	1	2	6	10	16	25	27
20-34	323	7.5	54	1	2	5	9	15	23	43
35-49	576	9.9	88	1	2	7	13	21	30	51
50-64	1015	11.7	127	1	2	8	15	26	35	58
65+	1367	13.1	119	2	3	10	17	27	34	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	734	3.8	5	1	2	3	5	6	7	11
B. *Operated*	54	3.7	20	<1	1	2	4	9	16	21
2. MULTIPLE DX										
A. *Not Operated*	6188	5.3	17	1	2	4	7	9	12	21
B. *Operated*	3295	11.5	112	1	2	8	15	25	33	55
1. SINGLE DX	788	3.7	6	1	1	3	5	6	8	12
2. MULTIPLE DX	9483	7.5	59	1	2	5	9	15	22	41
A. NOT OPERATED	6922	5.2	16	1	2	4	6	9	12	21
B. OPERATED	3349	11.4	112	1	2	8	15	25	32	54
TOTAL 0-19 YRS	405	3.8	8	1	1	3	5	7	9	14
20-34	1161	5.2	33	1	1	4	6	10	14	30
35-49	1700	6.4	43	1	2	4	8	13	18	36
50-64	2817	7.5	65	1	2	5	9	16	22	44
65+	4188	8.2	62	2	2	6	10	17	24	41
GRAND TOTAL	**10271**	**7.2**	**56**	**1**	**2**	**5**	**8**	**15**	**21**	**39**

74: Ovarian dysfunction (256)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.7		1	1	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.4	3	<1	<1	2	3	5	5	5
20-34	37	3.1	2	<1	1	3	4	5	6	6
35-49	10	3.6	2	1	1	4	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	2.7	8	<1	<1	<1	5	6	6	6
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	9	2.9	2	1	1	3	3	5	6	6
20-34	102	4.2	2	1	2	4	5	6	6	9
35-49	36	4.6	3	3	3	4	5	7	8	12
50-64	4	5.0	5	3	3	4	6	8	8	8
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5		1	1	1	2	2	2	2
B. *Operated*	52	3.2	2	<1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	5	3.2	5	<1	<1	4	5	6	6	6
B. *Operated*	151	4.2	3	2	3	4	5	6	7	10
1. SINGLE DX	56	3.0	2	<1	1	3	4	5	5	6
2. MULTIPLE DX	156	4.2	3	1	2	4	5	6	7	10
A. NOT OPERATED	9	2.4	3	<1	<1	2	4	5	6	6
B. OPERATED	203	4.0	3	1	2	4	5	6	6	9
TOTAL 0-19 YRS	16	2.7	2	<1	<1	3	3	5	6	6
20-34	145	3.8	3	1	1	4	5	6	6	8
35-49	47	4.4	3	2	3	4	5	6	7	12
50-64	4	5.0	5	3	3	4	6	8	8	8
65+										
GRAND TOTAL	**212**	**3.9**	**3**	**1**	**2**	**4**	**5**	**6**	**6**	**9**

75: Disease of endocrine glands, except thyroid, ovary, and diabetes mellitus (251-255; 257-259)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	95	1.9	5	<1	<1	1	2	3	6	13
20-34	23	2.8	4	1	1	3	4	6	7	8
35-49	34	3.2	4	<1	1	3	4	6	7	9
50-64	28	2.5	3	<1	1	2	3	4	5	10
65+	21	2.6	5	1	1	2	3	5	8	11
B. *Operated*										
0-19 YRS	6	2.8	1	1	1	3	4	4	4	4
20-34	16	4.4	8	1	1	4	6	8	10	11
35-49	31	4.6	13	1	1	3	6	10	13	15
50-64	16	3.3	5	1	1	3	3	6	9	10
65+	12	3.9	4	1	2	4	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	2.8	23	<1	<1	1	3	5	8	30
20-34	175	3.8	26	1	1	3	4	7	10	23
35-49	193	3.3	9	1	1	2	4	7	8	15
50-64	349	4.3	14	1	1	3	5	8	11	21
65+	1179	4.9	17	1	1	4	6	9	12	20
B. *Operated*										
0-19 YRS	8	8.3	134	1	1	4	8	28	36	36
20-34	34	6.9	68	1	1	5	7	23	37	99+
35-49	61	8.1	147	2	2	5	9	16	23	79
50-64	129	7.0	78	1	1	5	8	13	20	58
65+	158	7.7	28	2	2	7	10	15	19	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	201	2.4	5	<1	<1	2	3	5	6	11
B. *Operated*	81	4.1	8	1	1	3	5	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	2038	4.4	17	1	1	3	6	8	11	20
B. *Operated*	390	7.5	68	1	2	5	9	15	20	51
1. SINGLE DX	282	2.8	6	<1	<1	2	3	6	8	12
2. MULTIPLE DX	2428	4.9	27	1	1	3	6	10	13	23
A. NOT OPERATED	2239	4.2	17	1	1	3	5	8	11	20
B. OPERATED	471	6.9	59	1	2	5	8	14	19	46
TOTAL 0-19 YRS	251	2.6	20	<1	<1	1	3	5	8	29
20-34	248	4.2	30	1	1	3	5	8	12	42
35-49	319	4.4	39	1	1	3	5	8	12	26
50-64	522	4.8	31	1	1	3	6	10	13	23
65+	1370	5.1	19	1	2	4	6	10	13	21
GRAND TOTAL	**2710**	**4.7**	**25**	**1**	**1**	**3**	**6**	**9**	**12**	**23**

76: Nutritional deficiencies (260-269)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	1	4.0		4	4	4	4	4	4	4
65+	4	5.5	7	3	3	5	7	9	9	9
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	1	9.0		9	9	9	9	9	9	9
65+	2	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	33	13.6	319	1	1	5	13	45	52	63
20-34	22	8.0	274	2	2	3	7	11	40	81
35-49	33	8.2	40	1	2	6	12	17	18	29
50-64	50	6.8	26	1	2	5	8	14	17	22
65+	234	8.1	49	2	3	6	10	15	18	36
B. *Operated*										
0-19 YRS	11	12.2	121	1	2	8	25	51	93	99+
20-34	48	8.8	232	3	4	4	8	16	57	99+
35-49	97	5.9	26	3	3	4	5	9	17	28
50-64	47	12.7	172	2	4	8	15	29	38	65
65+	109	12.9	128	2	3	10	17	27	39	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.0	6	<1	1	4	5	8	9	9
B. *Operated*	4	4.0	11	2	2	3	6	9	9	9
2. MULTIPLE DX										
A. *Not Operated*	372	8.4	84	2	2	6	10	16	21	52
B. *Operated*	312	10.0	126	3	3	5	12	25	30	76
1. SINGLE DX	13	4.0	7	<1	1	3	5	9	9	9
2. MULTIPLE DX	684	9.2	104	2	3	6	11	18	28	63
A. NOT OPERATED	381	8.3	82	2	2	6	10	16	21	52
B. OPERATED	316	10.0	125	2	3	5	12	25	30	75
TOTAL 0-19 YRS	47	12.6	255	1	1	5	18	43	53	99+
20-34	71	8.5	239	2	3	4	7	13	51	99
35-49	131	6.5	30	3	3	5	7	14	18	28
50-64	99	9.6	103	1	2	6	13	18	28	61
65+	349	9.5	78	2	3	7	12	18	27	44
GRAND TOTAL	**697**	**9.1**	**102**	**2**	**3**	**6**	**11**	**18**	**28**	**63**

77: Cystic fibrosis (277.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	113	6.8	24	<1	<1	7	10	14	14	18
20-34	15	10.5	13	5	5	11	14	15	15	15
35-49	5	10.6	17	4	4	11	14	14	14	14
50-64										
65+										
B. *Operated*										
0-19 YRS	3	13.3	34	9	9	11	18	20	20	20
20-34	1	11.0		11	11	11	11	11	11	11
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	251	11.1	40	3	4	10	14	18	21	30
20-34	125	12.0	36	2	4	13	15	18	21	32
35-49	23	12.3	23	4	6	12	14	19	21	24
50-64										
65+										
B. *Operated*										
0-19 YRS	30	14.7	111	6	7	12	16	24	25	62
20-34	17	15.8	73	9	10	13	17	21	37	46
35-49	3	13.0	133	<1	<1	14	21	24	24	24
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	7.4	24	<1	<1	8	11	14	14	17
B. *Operated*	4	12.8	24	9	9	11	16	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	399	11.4	38	3	4	11	14	18	21	30
B. *Operated*	50	15.0	95	6	7	13	17	24	25	62
1. SINGLE DX	137	7.5	25	<1	<1	9	11	14	14	20
2. MULTIPLE DX	449	11.8	46	3	4	11	14	18	22	35
A. NOT OPERATED	532	10.4	38	1	3	10	14	16	20	29
B. OPERATED	54	14.8	90	6	8	13	17	24	25	61
TOTAL 0-19 YRS	397	10.1	46	1	2	10	13	16	21	30
20-34	158	12.2	39	3	5	13	15	18	21	41
35-49	31	12.1	29	4	4	12	14	19	24	24
50-64										
65+										
GRAND TOTAL	**586**	**10.8**	**44**	**1**	**3**	**10**	**14**	**18**	**21**	**30**

78: Obesity of nonendocrine origin (278.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	24.0	968	2	2	24	46	46	46	46
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	7	5.1	1	4	4	5	6	7	7	7
20-34	58	5.4	5	2	3	5	6	8	10	15
35-49	56	7.1	61	2	2	6	7	10	15	45
50-64	5	3.8	2	2	2	4	5	5	5	5
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	16.3	423	2	2	8	30	46	46	46
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	15	5.3	33	<1	<1	3	7	13	18	20
50-64	7	6.6	25	1	1	6	9	14	15	15
65+	2	8.5	85	2	2	8	15	15	15	15
B. *Operated*										
0-19 YRS	9	6.9	47	3	3	5	6	17	25	25
20-34	153	6.3	12	4	4	6	7	8	9	12
35-49	242	7.5	52	4	4	7	7	9	13	44
50-64	57	6.9	8	4	5	6	8	9	11	22
65+	1	8.0		8	8	8	8	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	17.3	617	2	2	4	35	46	46	46
B. *Operated*	127	6.1	30	2	3	5	7	8	10	44
2. MULTIPLE DX										
A. *Not Operated*	30	7.0	83	<1	<1	3	10	15	20	46
B. *Operated*	462	7.0	33	4	4	6	7	9	11	37
1. SINGLE DX	130	6.3	42	2	3	5	7	9	11	45
2. MULTIPLE DX	492	7.0	36	3	4	6	7	9	12	40
A. NOT OPERATED	33	7.9	123	<1	1	3	11	16	42	46
B. OPERATED	589	6.8	32	3	4	6	7	9	11	40
TOTAL 0-19 YRS	20	8.2	105	2	3	5	6	19	35	46
20-34	215	6.2	17	3	4	6	7	8	10	24
35-49	314	7.3	52	3	4	6	7	9	13	45
50-64	69	6.6	9	3	4	6	8	9	11	21
65+	4	6.5	42	1	1	5	11	15	15	15
GRAND TOTAL	**622**	**6.9**	**37**	**3**	**4**	**6**	**7**	**9**	**12**	**44**

79: Miscellaneous metabolic disorders (270-273; 275; 277.1-277.9; 278.1-278.8; 279)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.1	32	<1	<1	1	3	4	10	29
20-34	33	2.2	4	<1	<1	1	3	5	7	9
35-49	16	3.3	13	<1	<1	2	4	10	12	13
50-64	8	4.0	12	<1	1	3	4	10	12	12
65+	15	2.9	4	1	1	2	4	7	7	7
B. *Operated*										
0-19 YRS	17	4.0	11	<1	<1	3	5	8	12	14
20-34	29	2.2	3	<1	<1	1	3	4	5	8
35-49	43	2.6	6	<1	<1	2	3	5	8	13
50-64	37	2.5	6	<1	<1	2	3	5	8	13
65+	8	4.1	13	1	1	3	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	136	4.1	35	<1	<1	2	4	11	15	28
20-34	137	6.6	130	<1	1	3	7	12	21	77
35-49	170	5.9	27	1	1	4	8	12	15	21
50-64	163	6.8	38	1	1	5	9	14	20	34
65+	318	6.3	24	2	2	5	8	13	15	24
B. *Operated*										
0-19 YRS	26	11.3	231	1	2	4	11	40	48	58
20-34	98	10.6	131	1	2	7	13	18	35	63
35-49	136	8.3	88	1	1	4	10	20	33	54
50-64	124	6.9	57	1	1	4	10	16	21	59
65+	130	9.0	62	1	2	7	14	18	25	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	118	2.9	16	<1	<1	2	3	6	8	28
B. *Operated*	134	2.8	6	<1	<1	2	3	5	8	13
2. MULTIPLE DX										
A. *Not Operated*	924	6.0	45	1	1	4	8	12	16	30
B. *Operated*	514	8.7	91	1	1	5	11	18	29	52
1. SINGLE DX	252	2.8	11	<1	<1	2	3	6	8	14
2. MULTIPLE DX	1438	7.0	63	1	1	4	9	15	21	45
A. NOT OPERATED	1042	5.7	43	<1	1	4	7	12	15	29
B. OPERATED	648	7.5	79	1	1	4	10	17	25	48
TOTAL 0-19 YRS	225	4.7	60	<1	<1	2	4	11	22	44
20-34	297	7.0	112	<1	1	4	8	14	22	63
35-49	365	6.3	50	1	1	4	8	14	19	42
50-64	332	6.3	43	1	1	4	8	14	17	37
65+	471	6.9	36	1	2	5	9	15	18	29
GRAND TOTAL	**1690**	**6.4**	**57**	**<1**	**1**	**4**	**8**	**14**	**19**	**42**

80: Gout (274)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	1.5	1	1	1	1	2	3	3	3
35-49	11	4.4	8	1	1	4	7	8	9	9
50-64	11	3.1	2	2	2	3	4	5	6	6
65+	10	3.7	4	1	1	3	5	7	7	7
B. *Operated*										
0-19 YRS										
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64	5	2.8	4	<1	<1	2	5	5	5	5
65+	4	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.5		2	2	2	3	3	3	3
35-49	22	3.2	3	1	1	3	5	5	6	6
50-64	50	4.5	14	1	2	3	6	9	11	23
65+	168	4.9	41	1	2	3	6	9	11	65
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	7	4.4	9	1	1	4	7	9	9	9
50-64	11	4.4	6	1	1	3	7	8	8	8
65+	41	5.6	15	1	1	5	8	11	16	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.5	5	1	1	3	5	7	8	9
B. *Operated*	14	1.9	2	<1	<1	1	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	244	4.7	32	1	2	3	6	8	11	36
B. *Operated*	60	5.2	13	1	1	5	7	10	14	91
1. SINGLE DX	50	3.0	4	<1	1	2	4	6	7	9
2. MULTIPLE DX	304	4.8	28	1	2	3	6	9	11	51
A. NOT OPERATED	280	4.5	28	1	2	3	5	8	10	31
B. OPERATED	74	4.5	12	<1	1	4	7	9	12	79
TOTAL 0-19 YRS										
20-34	12	1.8	1	<1	<1	2	3	3	3	3
35-49	42	3.7	5	1	1	3	5	7	8	9
50-64	77	4.2	11	1	2	3	5	8	10	20
65+	223	4.9	34	1	1	4	6	9	12	79
GRAND TOTAL	**354**	**4.5**	**25**	**1**	**1**	**3**	**6**	**8**	**10**	**33**

81: Disorders of fluid, electrolyte, and acid-base balance (276)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	2.1	2	1	1	2	3	4	4	7
20-34	24	2.0	2	<1	<1	2	2	4	5	5
35-49	25	2.1	3	<1	<1	2	2	4	6	9
50-64	32	2.4	3	1	1	2	3	5	5	7
65+	74	3.0	3	<1	1	3	4	5	7	7
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1743	2.6	5	1	1	2	3	4	6	12
20-34	717	3.0	11	1	1	2	3	6	8	13
35-49	800	3.6	8	1	1	3	5	7	9	16
50-64	1565	4.5	15	1	1	3	6	9	11	18
65+	7166	5.5	21	1	2	4	7	10	13	23
B. *Operated*										
0-19 YRS	37	8.8	102	1	2	4	9	23	33	46
20-34	73	7.7	102	1	1	5	8	17	24	58
35-49	110	7.5	124	1	1	4	8	16	31	89
50-64	193	9.0	142	1	1	5	11	20	32	79
65+	656	11.0	101	2	3	8	14	22	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	245	2.4	2	<1	1	2	3	5	5	7
B. *Operated*	4	1.8	2	1	1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	11991	4.7	18	1	1	4	6	9	12	21
B. *Operated*	1069	10.0	113	1	2	7	13	21	30	60
1. SINGLE DX	249	2.4	2	<1	1	2	3	5	5	7
2. MULTIPLE DX	13060	5.1	27	1	1	4	6	10	13	28
A. NOT OPERATED	12236	4.6	17	1	1	4	6	9	12	21
B. OPERATED	1073	9.9	112	1	2	7	13	21	30	60
TOTAL 0-19 YRS	1871	2.7	8	1	1	2	3	4	6	13
20-34	816	3.4	20	1	1	2	4	6	9	21
35-49	936	4.0	23	1	1	3	5	7	10	22
50-64	1790	4.9	30	1	1	3	6	10	13	30
65+	7896	6.0	30	1	2	5	7	11	15	29
GRAND TOTAL	**13309**	**5.1**	**27**	**1**	**1**	**4**	**6**	**10**	**13**	**27**

82: Iron deficiency anemia (280)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	2.3	2	<1	1	2	4	4	5	5
20-34	8	1.9	2	<1	<1	1	2	4	5	5
35-49	13	2.8	5	1	1	2	4	6	7	7
50-64	7	4.1	6	1	1	4	6	8	8	8
65+	31	2.2	2	<1	<1	2	3	4	5	6
B. *Operated*										
0-19 YRS										
20-34										
35-49	6	4.0	3	1	1	4	5	6	6	6
50-64	2	3.5	5	2	2	3	5	5	5	5
65+	3	3.7	14	1	1	2	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	2.6	4	<1	1	2	3	5	6	11
20-34	53	2.4	2	1	1	2	3	4	5	6
35-49	102	3.2	4	1	1	3	4	6	8	10
50-64	139	3.8	7	1	1	3	5	8	9	13
65+	740	4.4	13	1	1	4	6	9	11	19
B. *Operated*										
0-19 YRS	5	2.6	3	1	1	3	4	5	5	5
20-34	15	5.8	17	1	2	5	9	11	14	15
35-49	40	4.7	16	1	1	4	6	8	10	24
50-64	62	5.8	17	2	2	5	8	11	14	24
65+	229	7.0	22	2	2	6	9	13	17	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	77	2.5	3	<1	<1	2	3	5	6	8
B. *Operated*	11	3.8	5	1	1	4	5	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	1075	4.1	11	1	1	3	5	8	10	15
B. *Operated*	351	6.4	21	1	2	5	9	13	15	24
1. SINGLE DX	88	2.6	3	<1	1	2	4	5	6	8
2. MULTIPLE DX	1426	4.6	14	1	1	4	6	9	12	20
A. NOT OPERATED	1152	4.0	10	1	1	3	5	8	9	15
B. OPERATED	362	6.4	20	1	2	5	8	12	15	23
TOTAL 0-19 YRS	64	2.5	3	<1	1	2	3	5	5	10
20-34	76	3.0	7	1	1	2	4	6	9	14
35-49	161	3.6	8	1	1	3	5	7	8	11
50-64	210	4.4	11	1	1	4	6	8	10	16
65+	1003	5.0	16	1	1	4	6	9	13	21
GRAND TOTAL	**1514**	**4.5**	**14**	**1**	**1**	**4**	**6**	**9**	**12**	**20**

83: Sickle-cell anemia and trait (282.5-282.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	98	4.4	12	1	1	4	6	8	9	21
20-34	175	4.5	8	1	1	3	6	9	10	12
35-49	52	4.6	7	1	2	4	6	8	10	14
50-64	4	4.5	3	3	3	4	6	6	6	6
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	5.5	30	1	1	5	10	12	12	12
35-49	2	10.0	162	1	1	10	19	19	19	19
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	5.2	13	1	1	4	7	10	12	18
20-34	240	6.3	22	1	2	5	8	12	16	24
35-49	102	6.7	18	2	2	5	9	13	15	21
50-64	20	7.4	20	2	3	6	11	14	16	18
65+										
B. *Operated*										
0-19 YRS	5	14.8	167	5	5	9	20	37	37	37
20-34	14	8.6	36	2	2	7	14	17	21	22
35-49	7	12.0	51	4	4	10	19	22	22	22
50-64	2	19.0	8	17	17	19	21	21	21	21
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	330	4.5	9	1	1	4	6	8	9	15
B. *Operated*	7	6.1	51	1	1	1	11	18	19	19
2. MULTIPLE DX										
A. *Not Operated*	464	6.2	19	1	2	5	8	12	15	22
B. *Operated*	28	11.3	64	2	3	9	16	22	24	37
1. SINGLE DX	337	4.5	10	1	1	4	6	8	10	17
2. MULTIPLE DX	492	6.5	23	1	2	5	8	12	16	22
A. NOT OPERATED	794	5.5	16	1	2	5	7	10	13	20
B. OPERATED	35	10.3	65	1	1	8	15	21	22	37
TOTAL 0-19 YRS	206	5.0	18	1	1	4	6	9	12	21
20-34	433	5.6	18	1	2	4	8	10	14	22
35-49	163	6.3	19	1	2	5	8	12	15	22
50-64	26	7.8	28	2	3	6	12	17	19	21
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**829**	**5.7**	**19**	**1**	**2**	**5**	**7**	**11**	**14**	**22**

84: Anemia, except iron deficiency and sickle-cell (281; 282.0-282.4; 282.7-282.9; 283-285)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	2.4	5	<1	<1	1	3	5	6	13
20-34	15	3.1	7	<1	1	2	4	8	9	9
35-49	26	3.0	9	<1	<1	2	4	8	10	11
50-64	34	2.6	6	<1	<1	1	4	6	8	11
65+	82	1.8	2	<1	<1	1	2	4	5	6
B. *Operated*										
0-19 YRS	34	5.0	86	1	1	3	5	7	10	56
20-34	12	5.4	16	1	1	4	6	13	13	13
35-49	16	4.9	14	1	1	4	7	10	13	14
50-64	7	6.3	24	1	1	5	9	14	15	15
65+	17	5.4	16	1	1	4	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	220	3.3	23	<1	<1	2	3	9	11	26
20-34	106	4.0	72	<1	1	2	4	7	10	49
35-49	214	3.5	10	<1	1	2	5	8	9	16
50-64	493	3.7	14	<1	1	2	5	8	11	19
65+	1520	4.1	15	1	1	3	5	9	12	19
B. *Operated*										
0-19 YRS	55	7.7	51	1	1	6	12	16	21	96
20-34	52	6.8	25	1	1	6	9	12	17	25
35-49	93	7.7	65	1	2	6	9	17	21	48
50-64	156	8.0	73	1	1	6	9	17	25	40
65+	500	8.2	76	1	2	6	9	16	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	256	2.3	5	<1	<1	1	3	5	7	11
B. *Operated*	86	5.2	43	1	1	4	6	11	13	41
2. MULTIPLE DX										
A. *Not Operated*	2553	3.9	17	<1	1	3	5	8	11	19
B. *Operated*	856	8.0	69	1	2	6	9	16	22	42
1. SINGLE DX	342	3.0	16	<1	<1	2	4	6	9	14
2. MULTIPLE DX	3409	4.9	34	1	1	3	6	10	15	29
A. NOT OPERATED	2809	3.7	16	<1	1	2	5	8	11	19
B. OPERATED	942	7.7	67	1	2	5	9	15	21	42
TOTAL 0-19 YRS	408	3.8	30	<1	<1	2	4	9	12	40
20-34	185	4.8	51	1	1	3	6	11	13	24
35-49	349	4.7	28	<1	1	3	6	10	13	22
50-64	690	4.7	31	<1	1	3	6	10	14	30
65+	2119	5.0	32	1	1	3	6	10	14	27
GRAND TOTAL	**3751**	**4.7**	**32**	**<1**	**1**	**3**	**6**	**10**	**14**	**26**

85: Hemophilia (congenital factor VIII disorder) (286.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.9	2	<1	<1	3	4	5	5	5
20-34	5	2.0	1	1	1	2	3	3	3	3
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	7.0		7	7	7	7	7	7	7
35-49	1	12.0		12	12	12	12	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	4.6	9	1	2	4	5	8	12	14
20-34	10	5.0	19	1	1	3	5	13	14	14
35-49	5	6.4	2	4	4	7	7	8	8	8
50-64										
65+	5	4.4	20	1	1	2	7	12	12	12
B. *Operated*										
0-19 YRS	4	16.3	92	3	3	18	23	25	25	25
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	7.3	1	6	6	7	8	8	8	8
50-64	1	3.0		3	3	3	3	3	3	3
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.6	2	<1	1	3	4	4	5	5
B. *Operated*	3	7.7	16	4	4	7	11	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	37	4.9	12	1	2	4	6	11	13	14
B. *Operated*	10	9.9	64	2	2	7	16	23	25	25
1. SINGLE DX	17	3.5	7	<1	1	3	4	7	10	12
2. MULTIPLE DX	47	6.0	26	1	2	4	7	13	17	25
A. NOT OPERATED	51	4.3	10	1	1	3	5	8	12	14
B. OPERATED	13	9.4	52	2	3	7	13	22	24	25
TOTAL 0-19 YRS	30	5.7	33	<1	2	4	5	15	21	25
20-34	17	4.1	14	1	1	3	4	11	13	14
35-49	11	7.0	5	4	4	7	8	10	12	12
50-64	1	3.0		3	3	3	3	3	3	3
65+	5	4.4	20	1	1	2	7	12	12	12
GRAND TOTAL	**64**	**5.3**	**22**	**1**	**2**	**4**	**7**	**12**	**15**	**24**

86: Disease of hematopoietic system, except anemia and hemophilia (286.1-286.9; 287-289.0; 289.4-289.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	149	2.5	3	<1	<1	2	3	5	6	9
20-34	26	2.3	3	<1	<1	2	3	4	7	8
35-49	19	2.8	3	1	1	2	4	5	7	8
50-64	31	3.5	35	<1	<1	1	4	7	18	29
65+	32	2.3	4	<1	<1	1	3	5	8	9
B. *Operated*										
0-19 YRS	76	3.5	5	1	1	3	4	6	7	14
20-34	41	5.0	13	1	2	4	6	8	13	20
35-49	32	5.3	6	2	2	5	7	8	9	12
50-64	38	5.5	16	1	1	5	7	8	10	25
65+	37	6.4	20	1	2	6	8	13	17	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	199	3.7	12	<1	1	3	5	8	11	18
20-34	135	4.2	9	1	1	4	6	7	9	14
35-49	162	4.5	10	1	1	4	6	9	10	15
50-64	295	5.3	14	1	2	4	7	10	13	20
65+	710	5.6	23	1	1	4	7	10	14	23
B. *Operated*										
0-19 YRS	64	6.3	38	1	2	5	7	12	17	38
20-34	97	8.2	56	1	2	6	11	15	20	45
35-49	88	9.9	74	3	3	7	11	21	25	51
50-64	174	11.8	156	2	3	8	13	28	37	50
65+	346	9.9	58	2	3	8	13	20	25	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	257	2.6	7	<1	<1	2	3	5	7	13
B. *Operated*	224	4.9	12	1	2	4	6	8	11	20
2. MULTIPLE DX										
A. *Not Operated*	1501	5.0	18	1	1	4	7	10	13	21
B. *Operated*	769	9.8	82	2	3	7	12	20	27	45
1. SINGLE DX	481	3.7	11	<1	1	3	5	7	9	19
2. MULTIPLE DX	2270	6.6	45	1	1	5	8	13	19	35
A. NOT OPERATED	1758	4.7	17	1	1	4	6	9	12	21
B. OPERATED	993	8.7	70	1	2	6	10	18	25	42
TOTAL 0-19 YRS	488	3.7	13	<1	1	3	5	7	10	18
20-34	299	5.4	28	1	1	4	7	11	14	26
35-49	301	6.0	34	1	1	5	7	11	16	28
50-64	538	7.3	71	1	1	5	8	14	22	43
65+	1125	6.8	38	1	1	5	9	15	19	31
GRAND TOTAL	**2751**	**6.1**	**40**	**1**	**1**	**4**	**7**	**12**	**17**	**32**

87: Nonspecific mesenteric lymphadenitis (289.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	240	1.4		1	1	1	2	2	3	3
20-34	75	1.5	1	<1	1	1	2	2	3	4
35-49	18	1.7	1	1	1	1	2	3	4	5
50-64	4	1.3		<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	309	3.0	2	1	2	3	4	4	5	7
20-34	116	3.1	2	1	2	3	4	5	5	8
35-49	16	3.1	1	2	2	3	3	5	5	5
50-64	2	3.5	5	2	2	3	5	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	144	2.0	1	<1	1	2	2	4	4	6
20-34	52	2.1	1	1	1	2	2	3	4	7
35-49	15	2.6	2	1	1	2	3	4	6	7
50-64	3	2.7		2	2	3	3	3	3	3
65+	8	3.3	4	1	1	3	4	6	7	7
B. *Operated*										
0-19 YRS	130	3.3	2	1	2	3	4	4	6	10
20-34	92	3.8	3	2	2	4	5	6	8	9
35-49	15	5.7	33	2	2	4	5	13	21	24
50-64	1	12.0		12	12	12	12	12	12	12
65+	3	7.7	2	6	6	8	9	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	337	1.4		1	1	1	2	2	3	4
B. *Operated*	443	3.0	2	1	2	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	222	2.1	2	1	1	2	3	4	4	7
B. *Operated*	241	3.7	5	2	2	3	4	6	8	12
1. SINGLE DX	780	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX	463	2.9	4	1	1	3	4	5	6	9
A. NOT OPERATED	559	1.7	1	1	1	1	2	3	4	6
B. OPERATED	684	3.3	3	1	2	3	4	5	6	9
TOTAL 0-19 YRS	823	2.4	2	1	1	2	3	4	5	7
20-34	335	2.8	3	1	1	2	4	5	6	8
35-49	64	3.2	11	1	1	3	3	5	6	22
50-64	10	3.2	11	<1	<1	2	3	8	12	12
65+	11	4.5	7	1	1	4	7	8	9	9
GRAND TOTAL	**1243**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

88: Lymphatic disease, except acute lymphadenitis and mesenteric adenitis (289.1; 289.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	66	3.5	4	1	1	3	4	6	8	10
20-34	13	2.7	4	<1	<1	2	3	6	8	8
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	26	3.2	8	<1	<1	3	5	7	9	12
20-34	18	3.0	35	<1	<1	1	2	6	18	26
35-49	14	1.7	2	<1	<1	1	2	4	5	5
50-64	6	3.3	15	<1	<1	2	3	10	11	11
65+	7	1.6	1	<1	<1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	3.7	5	1	1	3	5	7	8	10
20-34	8	3.9	15	1	1	3	4	10	13	13
35-49	7	4.0	5	1	1	4	5	7	8	8
50-64	3	6.3	56	2	2	2	12	15	15	15
65+										
B. *Operated*										
0-19 YRS	31	5.4	17	<1	1	5	7	9	10	22
20-34	17	4.5	13	<1	<1	4	6	11	12	12
35-49	14	5.0	15	<1	1	4	7	12	12	12
50-64	10	2.6	2	1	1	3	4	5	5	5
65+	13	3.1	8	<1	<1	2	5	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	81	3.4	4	1	1	3	4	6	8	10
B. *Operated*	71	2.7	13	<1	<1	1	3	6	8	23
2. MULTIPLE DX										
A. *Not Operated*	63	3.9	8	1	1	3	5	7	9	15
B. *Operated*	85	4.5	13	<1	1	4	6	9	11	19
1. SINGLE DX	152	3.1	8	<1	1	2	4	6	8	12
2. MULTIPLE DX	148	4.2	11	<1	1	3	6	8	10	15
A. NOT OPERATED	144	3.6	6	1	1	3	4	7	8	13
B. OPERATED	156	3.7	14	<1	<1	2	5	8	11	21
TOTAL 0-19 YRS	168	3.8	7	1	1	3	5	7	8	12
20-34	56	3.5	18	<1	<1	2	4	8	12	25
35-49	37	3.5	9	<1	1	3	5	8	11	12
50-64	19	3.4	13	<1	1	2	4	9	13	15
65+	20	2.6	6	<1	<1	1	3	7	8	8
GRAND TOTAL	**300**	**3.6**	**10**	**<1**	**1**	**3**	**5**	**7**	**10**	**14**

89: Transient organic psychotic conditions (293)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	7.0	83	<1	<1	2	13	22	23	23
20-34	11	7.7	58	1	1	5	12	20	25	25
35-49	9	9.8	76	<1	1	9	13	24	27	27
50-64	15	9.7	306	<1	1	3	7	34	57	65
65+	22	7.0	41	<1	1	5	12	18	20	22
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	2.7		2	2	3	3	3	3	3
65+	1	12.0		12	12	12	12	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	11.1	193	1	1	4	14	36	44	46
20-34	71	6.3	38	1	2	5	7	13	18	35
35-49	57	6.8	40	1	1	4	10	17	21	26
50-64	103	6.4	47	1	1	4	8	15	23	33
65+	350	6.7	49	1	2	5	8	14	19	36
B. *Operated*										
0-19 YRS										
20-34	6	16.7	1090	1	1	4	5	76	84	84
35-49	3	7.3	5	6	6	6	9	10	10	10
50-64	17	13.9	90	2	4	13	19	30	34	35
65+	44	10.6	159	1	1	6	15	24	38	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	8.1	111	<1	1	4	12	20	26	61
B. *Operated*	4	5.0	22	2	2	3	8	12	12	12
2. MULTIPLE DX										
A. *Not Operated*	595	6.7	50	1	1	5	8	14	20	37
B. *Operated*	70	11.8	204	1	1	7	15	26	38	81
1. SINGLE DX	67	8.0	105	<1	1	4	11	20	25	60
2. MULTIPLE DX	665	7.3	68	1	1	5	9	16	23	38
A. NOT OPERATED	658	6.9	56	1	1	5	8	15	22	37
B. OPERATED	74	11.4	196	1	1	7	15	24	37	80
TOTAL 0-19 YRS	20	9.9	158	<1	1	3	13	29	40	46
20-34	88	7.2	107	1	1	5	7	15	23	66
35-49	69	7.2	43	1	1	5	10	18	23	27
50-64	138	7.6	84	1	1	4	10	19	26	40
65+	417	7.2	61	1	1	5	9	15	20	39
GRAND TOTAL	**732**	**7.3**	**72**	**1**	**1**	**5**	**9**	**16**	**23**	**39**

90: Chronic organic brain syndrome, except arteriosclerotic dementia (290.0-290.3; 290.8-290.9; 294; 310)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	2.2	21	<1	1	1	2	3	5	31
20-34	51	6.3	204	<1	<1	2	4	14	27	91
35-49	16	9.9	228	1	2	4	8	25	49	60
50-64	34	6.5	29	1	1	5	12	15	19	99+
65+	147	8.5	93	1	1	6	11	18	26	74
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	2.0	2	1	1	2	3	3	3	3
50-64										
65+	4	5.0	18	1	1	4	8	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	108	8.4	217	1	1	2	8	34	47	60
20-34	189	8.9	134	1	1	4	12	25	32	99+
35-49	141	10.0	165	1	1	6	12	26	39	72
50-64	152	8.7	68	1	2	6	12	21	28	37
65+	1505	8.0	57	2	2	6	10	16	22	46
B. *Operated*										
0-19 YRS	9	20.8	549	1	1	20	42	80	99+	99+
20-34	29	22.7	982	1	1	6	25	81	97	98
35-49	18	13.2	245	1	2	10	19	50	86	99+
50-64	17	17.7	495	2	3	11	18	56	75	82
65+	116	14.2	181	2	3	10	18	33	43	93
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	330	6.4	98	<1	1	3	8	14	22	76
B. *Operated*	6	4.0	14	1	1	2	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	2095	8.3	81	1	2	6	10	18	26	60
B. *Operated*	189	16.1	356	1	2	10	19	42	69	99+
1. SINGLE DX	336	6.4	96	<1	1	3	8	14	22	75
2. MULTIPLE DX	2284	8.9	108	1	2	6	11	20	29	70
A. NOT OPERATED	2425	8.0	83	1	1	5	10	17	26	61
B. OPERATED	195	15.7	349	1	2	10	18	42	69	99+
TOTAL 0-19 YRS	199	6.4	167	<1	1	1	3	26	41	63
20-34	269	9.9	256	1	1	4	12	26	46	99
35-49	177	10.2	176	1	1	6	12	26	42	91
50-64	203	9.1	103	1	2	6	12	21	29	71
65+	1772	8.4	71	1	2	6	10	17	23	58
GRAND TOTAL	**2620**	**8.6**	**107**	**1**	**1**	**6**	**10**	**19**	**28**	**70**

91: Arteriosclerotic dementia (290.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49										
50-64										
65+	8	10.3	122	1	2	7	13	29	35	35
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	7.0	50	2	2	7	12	12	12	12
50-64	13	13.3	143	2	4	8	16	35	40	41
65+	218	7.6	49	2	2	6	9	14	20	31
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	6.8	28	2	2	5	10	14	14	14
65+	15	10.7	18	5	5	10	14	15	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	11.3	118	1	2	9	16	29	35	35
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	233	7.9	55	2	2	6	10	15	21	35
B. *Operated*	19	9.9	21	3	4	10	14	15	17	19
1. SINGLE DX	9	11.3	118	1	2	9	16	29	35	35
2. MULTIPLE DX	252	8.0	53	2	2	6	10	15	20	34
A. NOT OPERATED	242	8.0	58	2	2	6	10	15	21	35
B. OPERATED	19	9.9	21	3	4	10	14	15	17	19
TOTAL 0-19 YRS										
20-34	1	20.0		20	20	20	20	20	20	20
35-49	2	7.0	50	2	2	7	12	12	12	12
50-64	17	11.8	121	1	2	7	14	31	39	41
65+	241	7.8	50	2	2	6	10	15	20	33
GRAND TOTAL	**261**	**8.1**	**55**	**2**	**2**	**6**	**10**	**15**	**21**	**35**

92: Alcoholic psychoses (291)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	43	3.3	18	<1	<1	2	4	9	16	99+
35-49	68	3.0	10	<1	1	2	3	6	9	19
50-64	40	5.9	150	1	1	2	4	10	27	72
65+	12	11.4	481	2	2	4	7	35	74	80
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	6.9	89	<1	<1	3	6	27	28	29
20-34	548	7.5	79	1	1	4	7	27	28	32
35-49	869	6.2	51	1	1	4	6	15	27	30
50-64	619	6.9	52	1	2	5	7	18	25	35
65+	337	7.9	48	2	2	5	10	19	22	29
B. *Operated*										
0-19 YRS										
20-34	12	11.4	207	1	1	3	23	32	42	44
35-49	34	8.9	61	1	2	6	11	21	28	34
50-64	28	15.2	94	2	3	15	23	27	29	38
65+	15	11.1	107	2	4	6	13	28	35	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	164	4.4	82	<1	1	2	4	8	14	79
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2392	6.9	58	1	1	4	7	21	27	31
B. *Operated*	89	11.6	101	1	2	8	16	27	29	42
1. SINGLE DX	164	4.4	82	<1	1	2	4	8	14	79
2. MULTIPLE DX	2481	7.1	60	1	1	4	7	21	27	32
A. NOT OPERATED	2556	6.8	60	1	1	4	7	20	27	32
B. OPERATED	89	11.6	101	1	2	8	16	27	29	42
TOTAL 0-19 YRS	20	6.7	86	<1	<1	3	6	27	28	29
20-34	603	7.3	78	1	1	4	7	27	28	32
35-49	971	6.0	49	1	1	4	6	13	26	30
50-64	687	7.2	62	1	2	5	8	19	27	39
65+	364	8.2	64	2	2	5	10	20	24	35
GRAND TOTAL	**2645**	**6.9**	**62**	**1**	**1**	**4**	**7**	**21**	**27**	**32**

93: Drug psychoses (292)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	7.2	55	<1	<1	5	12	18	22	25
20-34	43	3.7	14	<1	1	2	5	8	14	16
35-49	13	6.9	144	<1	<1	1	6	27	38	41
50-64	6	2.0	2	1	1	2	2	5	5	5
65+	11	2.7	6	1	1	2	4	6	9	9
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	91	7.6	67	1	1	5	7	22	26	39
20-34	543	8.4	71	1	2	6	8	24	28	31
35-49	230	7.1	54	1	2	5	7	16	27	38
50-64	119	7.2	61	1	1	4	10	16	27	40
65+	317	6.2	28	1	2	5	7	13	17	23
B. *Operated*										
0-19 YRS										
20-34	15	10.4	108	1	1	6	18	27	30	31
35-49	9	9.9	95	2	2	5	21	24	25	25
50-64	7	16.1	474	4	4	8	13	55	65	65
65+	23	10.3	40	1	3	8	15	18	25	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	92	4.7	41	<1	1	2	5	13	17	34
B. *Operated*	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	1300	7.5	57	1	2	5	8	20	27	31
B. *Operated*	54	11.0	117	1	2	8	15	25	27	64
1. SINGLE DX	93	4.6	40	<1	1	2	5	13	17	34
2. MULTIPLE DX	1354	7.6	60	1	2	5	8	20	27	31
A. NOT OPERATED	1392	7.3	56	1	1	5	8	19	27	31
B. OPERATED	55	10.9	117	1	1	8	15	25	27	63
TOTAL 0-19 YRS	110	7.5	65	1	1	5	8	21	25	35
20-34	601	8.1	69	1	1	5	8	24	28	31
35-49	253	7.1	60	1	1	5	7	18	27	40
50-64	132	7.5	82	1	1	5	9	15	27	45
65+	351	6.4	30	1	2	5	8	14	17	24
GRAND TOTAL	**1447**	**7.4**	**59**	**1**	**1**	**5**	**8**	**20**	**27**	**31**

94: Paranoid schizophrenia (295.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	69	14.1	230	2	2	8	16	37	53	65
20-34	957	10.2	98	1	2	7	14	23	30	51
35-49	590	10.3	107	1	2	7	13	24	29	48
50-64	164	12.0	89	3	3	9	15	29	31	42
65+	46	13.8	90	3	4	11	18	31	33	37
B. *Operated*										
0-19 YRS										
20-34	4	8.5	15	4	4	8	11	13	13	13
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	38	16.3	267	1	3	11	19	33	45	90
20-34	857	11.8	128	2	2	8	15	25	36	61
35-49	572	10.9	108	1	2	7	14	22	31	54
50-64	240	12.8	110	2	3	9	18	28	36	47
65+	82	14.2	134	2	2	11	20	35	42	82
B. *Operated*										
0-19 YRS	1	13.0		13	13	56	99+	99+	99+	99+
20-34	17	21.2	429	5	6	12	24	53	73	82
35-49	14	18.0	284	1	3	13	29	46	54	56
50-64	11	22.5	539	5	5	10	35	57	78	80
65+	3	22.0	547	8	8	9	39	49	49	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1826	10.7	106	1	2	7	14	24	30	52
B. *Operated*	6	8.3	19	3	3	8	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	1789	11.9	123	2	2	8	16	26	35	55
B. *Operated*	46	20.4	383	4	5	12	32	55	80	99+
1. SINGLE DX	1832	10.7	105	1	2	7	14	24	30	52
2. MULTIPLE DX	1835	12.1	131	2	2	8	16	26	36	57
A. NOT OPERATED	3615	11.3	115	1	2	8	15	25	32	55
B. OPERATED	52	19.0	355	3	5	12	26	50	77	99+
TOTAL 0-19 YRS	108	14.8	240	2	2	10	18	35	53	94
20-34	1835	11.1	116	1	2	8	14	25	32	56
35-49	1177	10.7	110	1	2	7	14	23	30	54
50-64	415	12.7	115	2	3	9	17	28	34	49
65+	132	14.3	123	2	3	11	19	33	38	58
GRAND TOTAL	**3667**	**11.4**	**119**	**1**	**2**	**8**	**15**	**25**	**33**	**56**

95: Acute schizophrenic episode (295.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	17.3	338	1	2	11	21	40	57	77
20-34	84	9.1	54	1	2	7	14	21	23	31
35-49	23	7.3	64	1	1	4	10	16	29	30
50-64	3	9.3	56	2	2	9	15	17	17	17
65+	4	3.0	1	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	20.6	340	2	3	13	33	51	58	64
20-34	81	9.3	55	1	2	6	14	21	23	33
35-49	25	9.4	55	2	2	9	12	17	26	34
50-64	14	11.1	116	1	1	8	17	24	36	39
65+	8	10.5	149	2	2	6	12	31	39	39
B. *Operated*										
0-19 YRS										
20-34	2	5.5	5	4	4	5	7	7	7	7
35-49	1	77.0		77	77	77	77	77	77	77
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	136	9.9	109	1	2	7	14	22	29	49
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	148	11.1	115	2	2	8	15	23	35	51
B. *Operated*	3	29.3	1706	4	4	7	59	77	77	77
1. SINGLE DX	136	9.9	109	1	2	7	14	22	29	49
2. MULTIPLE DX	151	11.5	142	2	2	8	15	23	38	64
A. NOT OPERATED	284	10.5	112	1	2	7	14	22	32	51
B. OPERATED	3	29.3	1706	4	4	7	59	77	77	77
TOTAL 0-19 YRS	42	18.8	333	1	2	13	26	46	56	77
20-34	167	9.1	54	1	2	7	14	21	23	33
35-49	49	9.8	154	1	2	7	11	21	30	77
50-64	17	10.8	101	1	1	9	17	22	33	39
65+	12	8.0	109	2	2	4	9	21	36	39
GRAND TOTAL	**287**	**10.7**	**126**	**1**	**2**	**7**	**14**	**22**	**33**	**59**

96: Miscellaneous schizophrenia (295.0-295.2; 295.5-295.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	15.2	232	2	3	10	19	42	58	99+
20-34	983	10.8	104	1	2	8	14	23	30	51
35-49	563	10.9	112	2	2	8	15	23	29	49
50-64	173	11.2	104	1	2	8	14	26	32	48
65+	38	11.6	161	1	2	7	13	39	42	46
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	17.5	313	5	5	17	30	30	30	30
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	110	18.8	388	2	3	12	26	60	72	99+
20-34	1141	12.1	138	2	2	8	16	27	35	60
35-49	759	12.0	129	2	2	9	16	26	34	63
50-64	298	13.4	188	2	3	8	17	28	41	72
65+	133	13.1	171	2	3	9	16	29	45	71
B. *Operated*										
0-19 YRS	2	15.5	365	2	2	15	29	29	29	29
20-34	34	18.4	330	4	4	13	24	32	53	97
35-49	36	18.6	218	1	2	15	28	36	41	70
50-64	15	28.7	378	7	9	26	41	49	70	77
65+	5	18.4	72	8	8	19	23	31	31	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1861	11.1	116	1	2	8	15	24	32	57
B. *Operated*	2	17.5	313	5	5	17	30	30	30	30
2. MULTIPLE DX										
A. *Not Operated*	2441	12.6	156	2	2	9	16	27	37	68
B. *Operated*	92	20.1	284	2	4	16	28	40	48	89
1. SINGLE DX	1863	11.1	116	1	2	8	15	24	32	57
2. MULTIPLE DX	2533	12.9	163	2	2	9	17	28	38	69
A. NOT OPERATED	4302	12.0	139	2	2	8	15	26	35	65
B. OPERATED	94	20.0	281	2	4	16	28	40	48	88
TOTAL 0-19 YRS	216	17.0	313	2	3	11	23	50	65	99+
20-34	2158	11.6	126	1	2	8	15	26	33	58
35-49	1358	11.7	126	2	2	8	15	25	33	59
50-64	488	13.1	172	2	3	9	17	28	38	70
65+	176	12.9	166	2	3	8	16	33	45	65
GRAND TOTAL	**4396**	**12.1**	**143**	**2**	**2**	**8**	**16**	**27**	**35**	**65**

97: Childhood psychosis (299)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	27.9	252	7	8	26	42	47	56	57
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	40.1	707	2	7	42	62	99	99+	99+
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	27.9	252	7	8	26	42	47	56	57
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	24	40.1	707	2	7	42	62	99	99+	99+
B. *Operated*										
1. SINGLE DX	12	27.9	252	7	8	26	42	47	56	57
2. MULTIPLE DX	24	40.1	707	2	7	42	62	99	99+	99+
A. NOT OPERATED	36	36.0	577	4	7	40	54	95	99+	99+
B. OPERATED										
TOTAL 0-19 YRS	36	36.0	577	4	7	40	54	95	99+	99+
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**36**	**36.0**	**577**	**4**	**7**	**40**	**54**	**95**	**99+**	**99+**

98: Major depressive psychoses (296.2-296.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	311	17.0	256	1	1	14	23	43	48	97
20-34	580	8.7	73	1	1	6	12	20	27	39
35-49	598	10.8	115	1	2	8	15	22	31	47
50-64	313	12.1	110	1	2	9	17	26	33	55
65+	311	16.5	164	1	3	14	22	34	42	62
B. *Operated*										
0-19 YRS										
20-34	2	4.0	8	2	2	4	5	6	6	6
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	2	31.5	61	26	26	31	37	37	37	37
65+	3	12.7	72	3	3	16	18	19	19	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	648	22.6	388	2	3	18	37	57	73	99+
20-34	1871	11.3	134	1	2	7	14	26	36	62
35-49	1699	12.2	131	1	2	9	16	27	34	56
50-64	1002	13.5	132	2	3	11	18	28	39	66
65+	1183	15.9	154	3	4	13	22	32	40	66
B. *Operated*										
0-19 YRS	19	19.4	359	1	2	14	32	80	99+	99+
20-34	62	19.9	296	1	2	18	28	49	68	99+
35-49	67	21.9	259	3	5	18	29	48	67	94
50-64	55	21.0	259	6	7	16	26	38	63	77
65+	88	26.0	340	7	9	22	33	50	77	96
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2113	12.2	141	1	2	9	17	27	36	61
B. *Operated*	9	13.0	155	1	1	7	21	33	37	37
2. MULTIPLE DX										
A. *Not Operated*	6403	13.9	173	2	2	10	19	31	43	76
B. *Operated*	291	22.4	300	3	6	18	30	49	68	99+
1. SINGLE DX	2122	12.2	141	1	2	9	17	27	36	61
2. MULTIPLE DX	6694	14.2	182	2	3	10	19	32	44	80
A. NOT OPERATED	8516	13.5	166	1	2	10	18	30	41	71
B. OPERATED	300	22.1	298	3	6	18	30	49	68	99+
TOTAL 0-19 YRS	978	20.7	352	1	2	16	32	53	67	99+
20-34	2515	10.9	127	1	2	7	14	25	33	61
35-49	2366	12.1	134	1	2	9	16	27	35	59
50-64	1372	13.5	135	2	2	11	18	28	37	67
65+	1585	16.6	171	2	4	14	22	33	42	68
GRAND TOTAL	**8816**	**13.7**	**173**	**1**	**2**	**10**	**19**	**31**	**42**	**75**

99: Other affective psychoses (296.0-296.1; 296.4-296.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	13.6	189	2	3	10	17	32	55	99+
20-34	610	11.3	95	1	2	9	15	25	31	46
35-49	517	10.6	110	1	2	7	13	22	30	57
50-64	224	10.2	64	1	2	8	14	21	27	37
65+	118	11.8	126	2	3	9	16	22	30	62
B. *Operated*										
0-19 YRS										
20-34	2	19.5	1	19	19	19	20	20	20	20
35-49	3	10.0	4	8	8	10	11	12	12	12
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	176	20.0	380	1	2	15	30	56	71	99+
20-34	864	12.1	135	1	2	9	16	26	33	59
35-49	834	11.7	120	2	2	8	16	26	34	54
50-64	510	14.1	154	2	3	10	19	29	36	70
65+	332	16.8	177	3	4	13	22	36	44	60
B. *Operated*										
0-19 YRS	2	28.0	1152	4	4	28	52	52	52	52
20-34	25	15.0	134	1	1	16	26	37	99+	99+
35-49	29	19.2	186	4	7	15	25	39	53	56
50-64	31	20.3	284	1	6	15	27	40	59	77
65+	18	23.4	91	7	11	26	35	99+	99+	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1541	11.0	102	1	2	8	15	24	31	53
B. *Operated*	5	13.8	29	8	8	12	19	20	20	20
2. MULTIPLE DX										
A. *Not Operated*	2716	13.5	160	2	3	10	18	29	39	67
B. *Operated*	105	19.4	198	2	4	18	28	42	77	99+
1. SINGLE DX	1546	11.1	102	1	2	8	15	24	31	53
2. MULTIPLE DX	2821	13.7	163	2	3	10	18	30	40	69
A. NOT OPERATED	4257	12.6	141	2	3	9	17	28	36	62
B. OPERATED	110	19.1	191	2	5	18	28	42	73	99+
TOTAL 0-19 YRS	250	18.2	335	2	2	13	28	49	69	99+
20-34	1501	11.8	119	1	2	9	16	26	32	56
35-49	1383	11.5	119	2	2	8	15	25	33	55
50-64	765	13.2	138	2	3	10	18	27	33	65
65+	468	15.8	168	3	3	12	21	35	44	76
GRAND TOTAL	**4367**	**12.8**	**143**	**2**	**3**	**9**	**17**	**28**	**36**	**64**

100: Miscellaneous psychoses (297; 298)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	9.7	151	<1	1	6	14	25	46	99+
20-34	232	6.8	48	1	1	5	8	15	22	33
35-49	152	6.8	27	1	2	5	10	14	17	22
50-64	84	8.1	73	1	1	5	10	18	21	49
65+	93	8.5	107	<1	1	5	10	20	22	62
B. *Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+	2	5.5	41	1	1	5	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	102	13.5	283	<1	1	8	17	38	50	95
20-34	498	7.9	81	1	1	5	10	18	27	47
35-49	269	7.6	45	1	1	6	10	15	20	37
50-64	246	7.9	76	1	2	5	11	17	23	40
65+	719	8.7	74	1	2	6	11	18	25	43
B. *Operated*										
0-19 YRS										
20-34	11	8.8	83	1	1	7	12	22	32	33
35-49	15	13.6	132	2	2	11	27	37	81	99+
50-64	26	11.9	152	2	2	8	16	25	46	51
65+	61	11.7	113	2	2	8	16	24	36	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	605	7.5	63	1	1	5	9	17	21	42
B. *Operated*	5	4.0	13	1	1	3	5	10	10	10
2. MULTIPLE DX										
A. *Not Operated*	1834	8.5	85	1	2	6	11	18	26	46
B. *Operated*	113	11.7	120	2	2	8	15	27	39	72
1. SINGLE DX	610	7.4	63	1	1	5	9	17	21	42
2. MULTIPLE DX	1947	8.7	87	1	2	6	11	18	27	49
A. NOT OPERATED	2439	8.2	80	1	1	6	10	18	24	45
B. OPERATED	118	11.4	117	2	2	8	15	27	38	70
TOTAL 0-19 YRS	147	12.3	243	1	1	7	16	34	47	99+
20-34	742	7.5	71	1	1	5	9	17	24	45
35-49	436	7.6	43	1	2	6	10	15	20	38
50-64	357	8.3	81	1	2	5	11	18	23	45
65+	875	8.9	80	1	2	6	11	19	26	45
GRAND TOTAL	**2557**	**8.4**	**82**	**1**	**1**	**6**	**10**	**18**	**25**	**47**

101: Anxiety states (300.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	6.5	69	<1	1	3	7	20	28	30
20-34	79	5.0	37	<1	<1	3	5	16	19	29
35-49	57	4.0	29	1	1	3	4	7	15	35
50-64	36	4.2	20	1	1	2	6	9	16	19
65+	17	4.3	11	1	1	3	6	8	11	13
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	13.5	272	<1	1	8	20	40	58	61
20-34	221	7.0	91	<1	1	4	8	17	25	33
35-49	227	7.1	93	1	1	3	8	20	29	54
50-64	174	5.6	31	1	1	3	8	15	19	25
65+	196	4.9	28	1	1	3	6	11	17	23
B. *Operated*										
0-19 YRS	1	15.0		15	15	15	15	15	15	15
20-34	8	11.0	115	1	1	5	23	25	25	25
35-49	8	15.8	749	<1	<1	2	19	64	78	78
50-64	9	4.8	10	2	2	4	5	10	12	12
65+	10	10.3	305	1	1	6	9	34	59	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	4.6	31	<1	1	3	5	10	17	31
B. *Operated*	2	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*	861	6.6	77	1	1	3	8	17	23	49
B. *Operated*	36	10.4	269	1	1	5	9	25	51	78
1. SINGLE DX	204	4.6	31	<1	1	3	5	10	17	31
2. MULTIPLE DX	897	6.7	85	1	1	3	8	17	24	55
A. NOT OPERATED	1063	6.2	69	1	1	3	7	17	22	43
B. OPERATED	38	9.9	259	1	1	4	9	25	49	78
TOTAL 0-19 YRS	57	11.9	228	<1	1	5	18	29	55	61
20-34	308	6.6	78	<1	1	4	7	17	25	32
35-49	294	6.7	99	1	1	3	7	18	29	55
50-64	219	5.4	29	1	1	3	7	14	19	24
65+	223	5.1	39	1	1	3	6	11	16	28
GRAND TOTAL	**1101**	**6.3**	**76**	**1**	**1**	**3**	**7**	**17**	**23**	**47**

102: Neurotic depression (300.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	124	13.6	260	<1	1	8	17	41	46	78
20-34	192	5.4	56	1	1	3	7	12	14	27
35-49	158	6.6	67	1	1	4	8	14	22	47
50-64	34	7.2	45	1	1	6	9	14	20	34
65+	27	6.1	15	2	2	5	9	12	13	16
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	476	23.3	434	1	2	18	42	56	86	99+
20-34	770	7.5	60	1	1	5	10	17	23	40
35-49	555	8.2	70	1	1	5	10	18	26	43
50-64	235	8.0	59	1	2	5	11	19	24	37
65+	212	7.8	44	2	2	6	10	15	20	37
B. *Operated*										
0-19 YRS	16	22.6	440	1	2	22	45	65	89	99+
20-34	24	19.0	428	1	1	12	25	53	70	74
35-49	14	16.0	205	2	2	11	30	37	41	42
50-64	12	13.1	144	1	3	11	14	29	44	47
65+	18	19.8	472	2	3	11	29	48	74	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	535	7.8	114	1	1	4	9	17	27	51
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	2248	11.1	180	1	2	6	13	29	43	90
B. *Operated*	84	18.5	355	1	2	12	28	50	68	95
1. SINGLE DX	536	7.8	114	1	1	4	9	17	27	51
2. MULTIPLE DX	2332	11.4	188	1	2	6	14	31	44	91
A. NOT OPERATED	2783	10.5	169	1	1	6	12	27	42	79
B. OPERATED	85	18.3	354	1	2	12	28	50	68	95
TOTAL 0-19 YRS	616	21.4	413	1	2	14	37	55	74	99+
20-34	987	7.3	72	1	1	5	9	16	23	43
35-49	727	8.0	73	1	1	5	10	18	26	43
50-64	281	8.1	62	1	2	6	11	18	24	39
65+	257	8.5	80	2	2	6	11	16	23	41
GRAND TOTAL	**2868**	**10.7**	**176**	**1**	**1**	**6**	**13**	**28**	**43**	**84**

103: Miscellaneous neuroses and personality disorders (300.1-300.3; 300.5-300.9; 301-302)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	87	8.0	168	<1	1	3	6	26	41	65
20-34	230	5.8	90	<1	1	3	7	12	17	63
35-49	88	4.4	27	<1	1	3	5	8	15	27
50-64	24	3.2	8	<1	1	2	4	7	10	12
65+	16	6.2	148	<1	<1	2	5	12	39	50
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	58	7.5	9	1	2	9	9	9	10	11
35-49	39	6.3	15	1	1	9	9	9	11	14
50-64	20	3.7	8	1	1	3	4	9	9	9
65+	8	6.1	43	2	2	3	8	17	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	254	10.2	218	<1	1	4	11	31	50	99
20-34	918	6.8	93	<1	1	4	7	17	25	50
35-49	500	7.7	105	1	1	4	8	18	27	54
50-64	151	6.0	37	1	1	4	8	14	19	32
65+	198	6.5	32	1	2	5	9	14	18	27
B. *Operated*										
0-19 YRS	9	14.8	383	2	2	8	18	48	63	63
20-34	72	9.7	129	1	2	9	10	18	49	91
35-49	47	9.8	157	1	1	8	9	22	38	65
50-64	22	7.7	96	1	1	5	9	23	33	41
65+	13	5.8	26	1	1	5	7	11	19	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	445	5.8	92	<1	1	3	6	13	21	56
B. *Operated*	126	6.4	14	1	1	9	9	9	10	16
2. MULTIPLE DX										
A. *Not Operated*	2021	7.4	103	1	1	4	8	18	27	57
B. *Operated*	163	9.4	137	1	1	7	9	21	42	65
1. SINGLE DX	571	5.9	74	<1	1	3	8	11	17	50
2. MULTIPLE DX	2184	7.5	106	1	1	4	9	18	27	59
A. NOT OPERATED	2466	7.1	101	1	1	4	8	17	27	56
B. OPERATED	289	8.1	86	1	1	8	9	12	23	61
TOTAL 0-19 YRS	351	9.7	209	<1	1	4	11	30	48	87
20-34	1278	6.8	92	<1	1	4	8	14	24	55
35-49	674	7.3	95	1	1	4	9	16	26	54
50-64	217	5.6	38	1	1	3	7	12	19	33
65+	235	6.4	39	1	1	4	8	14	19	32
GRAND TOTAL	**2755**	**7.2**	**100**	**1**	**1**	**4**	**9**	**17**	**26**	**56**

104: Alcoholic dependence syndrome (303)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	7.3	109	<1	<1	1	11	26	28	42
20-34	311	9.2	112	1	1	3	19	28	29	31
35-49	417	8.0	94	<1	1	3	9	27	28	30
50-64	170	8.6	121	1	1	3	10	28	30	35
65+	66	7.7	75	1	1	4	6	21	28	30
B. *Operated*										
0-19 YRS										
20-34										
35-49	2	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	527	27.3	320	1	2	28	42	47	59	84
20-34	2949	16.4	136	1	2	20	28	30	32	39
35-49	3069	14.2	132	1	2	11	26	29	31	37
50-64	1823	12.9	123	1	2	7	23	29	31	36
65+	1036	12.3	103	2	2	8	21	27	30	39
B. *Operated*										
0-19 YRS	6	38.2	549	3	5	42	55	65	66	66
20-34	63	18.0	96	2	4	21	27	29	31	35
35-49	61	17.2	130	1	2	19	27	30	32	40
50-64	61	17.5	91	3	5	20	25	29	31	36
65+	50	19.7	217	2	2	21	26	35	43	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1015	8.4	103	<1	1	3	12	28	29	31
B. *Operated*	2	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	9404	15.2	150	1	2	14	26	30	33	45
B. *Operated*	241	18.5	146	2	3	21	27	30	35	56
1. SINGLE DX	1017	8.4	103	<1	1	3	12	28	29	31
2. MULTIPLE DX	9645	15.2	150	1	2	14	26	30	33	45
A. NOT OPERATED	10419	14.5	149	1	2	11	26	30	32	45
B. OPERATED	243	18.4	147	2	3	21	27	30	35	56
TOTAL 0-19 YRS	584	25.6	337	1	1	27	41	46	57	81
20-34	3323	15.8	137	1	2	18	27	30	32	38
35-49	3549	13.5	132	1	2	8	25	29	31	37
50-64	2054	12.7	123	1	2	7	23	29	31	36
65+	1152	12.4	110	2	2	8	21	28	30	40
GRAND TOTAL	**10662**	**14.6**	**149**	**1**	**2**	**11**	**26**	**30**	**32**	**45**

105: Opioid dependence (304.0; 304.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	11.6	63	5	5	8	17	24	24	24
20-34	97	6.5	56	1	1	4	6	14	28	31
35-49	43	8.3	76	1	2	4	9	26	28	32
50-64	1	8.0		8	8	8	8	3	8	8
65+	2	2.5	5	1	1	2	4	4	4	4
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	30	20.2	262	2	4	22	31	39	41	68
20-34	581	13.2	135	2	2	7	25	30	35	43
35-49	280	12.4	127	2	3	7	21	29	31	45
50-64	29	12.8	91	3	4	6	20	27	28	31
65+	33	13.8	110	3	4	10	21	24	39	46
B. *Operated*										
0-19 YRS										
20-34	10	18.4	120	2	3	21	26	30	33	33
35-49	7	16.6	127	2	3	14	28	31	31	31
50-64	2	6.0	2	5	5	6	7	7	7	7
65+	1	35.0		35	35	35	35	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	148	7.1	62	1	2	4	7	22	28	31
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	953	13.2	136	2	3	7	23	30	33	45
B. *Operated*	20	17.4	128	2	3	16	27	32	34	35
1. SINGLE DX	148	7.1	62	1	2	4	7	22	28	31
2. MULTIPLE DX	973	13.2	136	2	3	7	23	30	33	45
A. NOT OPERATED	1101	12.4	130	2	2	7	21	29	32	43
B. OPERATED	20	17.4	128	2	3	16	27	32	34	35
TOTAL 0-19 YRS	35	18.9	240	3	4	15	31	39	41	68
20-34	688	12.3	129	1	2	7	22	30	33	42
35-49	330	11.9	122	2	2	6	21	29	31	43
50-64	32	12.2	86	3	4	7	19	27	28	31
65+	36	13.8	121	2	4	10	21	27	39	46
GRAND TOTAL	**1121**	**12.4**	**130**	**2**	**2**	**7**	**21**	**29**	**32**	**43**

106: Drug dependence, except opioid (304.1-304.6; 304.8-304.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	44	22.8	464	1	2	21	34	46	66	93
20-34	141	10.2	110	<1	1	5	20	28	29	32
35-49	35	8.8	95	1	1	4	14	26	28	35
50-64	5	6.4	110	1	1	1	9	25	25	25
65+	3	11.7	225	3	3	3	23	29	29	29
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	485	28.8	284	2	5	28	40	48	59	88
20-34	1440	18.8	119	2	3	21	28	30	33	38
35-49	363	17.9	128	2	3	21	28	30	32	41
50-64	62	18.6	128	2	2	21	27	31	36	40
65+	52	19.1	129	2	4	21	26	33	39	45
B. *Operated*										
0-19 YRS	5	38.0	500	14	15	37	74	97	99+	99+
20-34	32	20.8	97	3	6	24	28	30	31	42
35-49	11	20.5	176	2	3	23	27	37	47	48
50-64	7	28.4	34	21	21	28	33	36	37	37
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	228	12.3	201	1	1	5	22	29	35	64
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2402	20.7	171	2	3	22	29	35	42	59
B. *Operated*	55	23.3	158	3	6	25	29	37	46	98
1. SINGLE DX	228	12.3	201	1	1	5	22	29	35	64
2. MULTIPLE DX	2457	20.7	171	2	3	22	29	35	42	60
A. NOT OPERATED	2630	20.0	179	2	3	21	28	34	41	59
B. OPERATED	55	23.3	158	3	6	25	29	37	46	98
TOTAL 0-19 YRS	534	28.4	302	2	4	28	40	48	60	94
20-34	1613	18.1	124	2	2	21	28	30	33	38
35-49	409	17.2	132	1	2	20	28	30	32	42
50-64	74	18.7	136	1	2	21	28	31	37	40
65+	55	18.7	133	2	3	21	27	33	38	45
GRAND TOTAL	**2685**	**20.0**	**179**	**2**	**3**	**22**	**28**	**34**	**42**	**60**

107: Nondependent abuse of alcohol (305.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	155	2.1	44	<1	<1	1	1	1	2	36
20-34	67	1.3		<1	<1	1	1	2	3	4
35-49	29	3.1	21	<1	<1	1	3	6	16	21
50-64	14	2.6	18	<1	<1	1	2	5	14	17
65+	11	2.5	9	1	1	1	3	8	9	9
B. *Operated*										
0-19 YRS										
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	272	12.0	342	<1	<1	2	15	43	49	80
20-34	314	6.5	93	<1	<1	2	6	27	29	32
35-49	156	6.2	76	<1	<1	2	6	23	29	33
50-64	85	6.2	63	<1	1	3	5	21	29	32
65+	49	6.2	65	<1	1	2	8	15	31	33
B. *Operated*										
0-19 YRS	7	1.1		<1	<1	1	1	2	2	2
20-34	21	2.7	23	<1	<1	1	2	6	15	22
35-49	8	7.5	118	1	1	3	8	26	33	33
50-64	7	5.9	57	<1	<1	3	9	19	21	21
65+	7	3.1	16	1	1	1	3	10	12	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	276	2.1	29	<1	<1	1	1	2	4	34
B. *Operated*	2	3.5	13	1	1	3	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	876	8.1	169	<1	<1	2	7	29	34	55
B. *Operated*	50	3.8	39	<1	<1	1	3	11	21	33
1. SINGLE DX	278	2.1	28	<1	<1	1	1	3	4	34
2. MULTIPLE DX	926	7.9	163	<1	<1	2	7	29	33	54
A. NOT OPERATED	1152	6.6	142	<1	<1	1	4	26	32	51
B. OPERATED	52	3.8	38	<1	<1	1	3	11	20	33
TOTAL 0-19 YRS	434	8.3	252	<1	<1	1	3	35	45	67
20-34	404	5.4	77	<1	<1	1	3	23	29	31
35-49	193	5.8	70	<1	<1	2	5	21	28	33
50-64	106	5.7	57	<1	<1	3	5	17	27	32
65+	67	5.3	53	<1	1	2	6	12	22	33
GRAND TOTAL	**1204**	**6.5**	**138**	**<1**	**<1**	**1**	**4**	**25**	**32**	**50**

108: Nondependent abuse of drugs, except alcohol (305.1-305.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	63	13.5	253	<1	<1	3	28	40	44	49
20-34	79	7.1	82	<1	1	3	8	22	29	34
35-49	19	2.9	10	<1	<1	1	4	6	11	14
50-64	2	7.0	32	3	3	7	11	11	11	11
65+	3	6.7	54	1	1	4	12	15	15	15
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	271	25.7	320	1	1	28	38	49	59	93
20-34	464	13.1	117	1	1	10	21	28	30	39
35-49	133	11.3	108	1	1	6	21	27	30	35
50-64	27	11.9	83	1	2	9	20	25	28	30
65+	22	8.8	40	2	2	6	14	20	21	21
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	11	15.2	137	3	3	16	21	30	41	42
35-49	4	11.8	231	2	2	6	21	34	34	34
50-64	1	9.0		9	9	9	9	9	9	9
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	166	9.1	150	<1	1	3	13	30	35	48
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	917	16.4	209	1	1	14	27	35	45	65
B. *Operated*	17	13.2	141	2	2	9	21	31	39	42
1. SINGLE DX	166	9.1	150	<1	1	3	13	30	35	48
2. MULTIPLE DX	934	16.3	208	1	1	14	27	35	45	65
A. NOT OPERATED	1083	15.3	207	1	1	11	25	35	43	63
B. OPERATED	17	13.2	141	2	2	9	21	31	39	42
TOTAL 0-19 YRS	335	23.3	330	1	1	24	36	47	57	77
20-34	554	12.3	116	1	1	7	21	28	30	39
35-49	156	10.3	105	1	1	5	21	27	30	34
50-64	30	11.4	77	1	2	9	20	24	28	30
65+	25	8.5	40	1	2	6	14	19	21	21
GRAND TOTAL	**1100**	**15.2**	**206**	**1**	**1**	**11**	**25**	**35**	**43**	**63**

109: Psychophysiologic disorder (306; 316)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	3.1	4	1	1	4	5	6	6	6
20-34	15	2.7	6	<1	1	1	4	7	8	8
35-49	12	2.3	2	1	1	2	3	5	6	6
50-64	7	6.0	45	1	1	2	11	17	18	18
65+	10	5.2	35	1	1	3	6	16	17	17
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	8.0	50	3	3	8	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	27	3.9	26	<1	<1	2	5	9	13	25
20-34	73	4.7	41	1	1	3	5	10	19	38
35-49	68	4.5	28	1	1	3	5	12	17	29
50-64	61	3.9	14	1	1	3	4	8	10	20
65+	86	4.0	13	1	1	3	5	8	11	20
B. *Operated*										
0-19 YRS	4	4.5	14	1	1	4	7	9	9	9
20-34	5	5.6	27	1	1	4	9	14	14	14
35-49	8	3.8	8	1	1	3	5	8	9	9
50-64	8	4.3	20	1	1	3	4	12	15	15
65+	10	5.8	24	1	1	4	9	13	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	3.6	16	1	1	2	4	8	15	18
B. *Operated*	6	3.7	21	1	1	2	3	12	13	13
2. MULTIPLE DX										
A. *Not Operated*	315	4.2	24	1	1	3	4	9	14	25
B. *Operated*	35	4.8	17	1	1	3	7	13	14	15
1. SINGLE DX	57	3.6	17	1	1	2	4	8	14	18
2. MULTIPLE DX	350	4.3	23	1	1	3	5	9	14	25
A. NOT OPERATED	366	4.1	23	1	1	3	4	9	14	24
B. OPERATED	41	4.6	18	1	1	3	6	13	14	15
TOTAL 0-19 YRS	40	3.7	19	<1	<1	2	5	9	10	25
20-34	93	4.4	35	1	1	2	5	10	18	35
35-49	89	4.1	23	1	1	3	4	9	14	27
50-64	77	4.1	17	1	1	3	4	9	14	20
65+	108	4.3	16	1	1	3	5	9	14	19
GRAND TOTAL	**407**	**4.2**	**22**	**1**	**1**	**3**	**5**	**9**	**14**	**23**

110: Adjustment reactions and acute reactions to stress (308-309)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	302	7.4	105	<1	1	3	9	20	32	59
20-34	388	3.4	15	<1	1	2	4	8	10	20
35-49	252	4.5	29	<1	1	3	6	10	14	28
50-64	56	4.4	81	<1	1	2	4	8	11	62
65+	27	5.3	15	<1	1	4	8	12	13	13
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	4.0		4	4	4	4	4	4	4
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	715	10.7	201	1	1	5	13	34	43	99+
20-34	1439	5.4	44	<1	1	3	7	12	18	30
35-49	893	6.1	62	1	1	3	7	13	21	36
50-64	296	5.4	38	1	1	3	7	10	16	37
65+	233	6.1	37	1	1	4	8	14	18	29
B. *Operated*										
0-19 YRS	16	11.4	429	<1	<1	4	12	27	67	84
20-34	54	6.5	56	<1	1	4	8	16	24	39
35-49	22	5.2	35	1	1	3	8	12	19	26
50-64	7	20.9	512	3	4	8	27	59	67	67
65+	10	9.4	27	1	3	9	12	17	20	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1025	5.0	51	<1	1	3	5	11	19	37
B. *Operated*	4	2.3	2	<1	<1	2	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	3576	6.7	83	1	1	3	8	15	25	48
B. *Operated*	109	8.1	140	1	1	4	9	19	26	74
1. SINGLE DX	1029	5.0	51	<1	1	3	5	11	19	37
2. MULTIPLE DX	3685	6.7	85	1	1	4	8	15	25	48
A. NOT OPERATED	4601	6.3	76	1	1	3	7	14	23	47
B. OPERATED	113	7.9	136	<1	1	4	9	18	26	73
TOTAL 0-19 YRS	1034	9.7	178	1	1	4	11	29	41	91
20-34	1882	5.0	39	<1	1	3	6	12	17	29
35-49	1168	5.7	55	1	1	3	7	12	20	35
50-64	360	5.5	57	1	1	3	7	10	17	43
65+	270	6.2	34	1	1	4	8	13	18	29
GRAND TOTAL	**4714**	**6.3**	**78**	**1**	**1**	**3**	**7**	**15**	**23**	**47**

111: Miscellaneous mental disorders (307; 311-315)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	357	18.6	342	1	1	13	30	46	56	88
20-34	164	16.8	299	1	1	8	32	40	49	57
35-49	84	6.3	93	<1	1	3	6	16	29	52
50-64	29	5.9	91	<1	1	3	6	12	35	42
65+	19	6.5	29	2	2	5	7	14	21	24
B. *Operated*										
0-19 YRS	4	12.8	253	2	2	6	23	36	36	36
20-34	5	4.0	20	<1	<1	1	7	11	11	11
35-49	3	11.7	126	2	2	9	20	24	24	24
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1161	24.4	415	1	2	21	41	54	70	99+
20-34	840	13.9	259	1	1	6	20	39	46	69
35-49	465	9.9	165	1	1	4	12	29	39	60
50-64	191	8.6	118	1	1	4	10	23	38	49
65+	238	6.8	47	1	2	5	8	16	23	35
B. *Operated*										
0-19 YRS	20	34.9	663	2	6	41	81	99+	99+	99+
20-34	34	22.8	678	3	4	11	29	65	89	94
35-49	28	15.0	233	2	2	9	21	42	50	57
50-64	12	9.8	57	2	3	8	13	20	28	29
65+	32	11.3	114	3	4	8	12	24	28	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	653	15.7	301	1	1	8	27	42	49	80
B. *Operated*	15	7.7	99	<1	1	3	10	24	33	36
2. MULTIPLE DX										
A. *Not Operated*	2895	16.5	325	1	2	9	28	44	54	99+
B. *Operated*	126	18.8	434	3	3	11	26	61	90	99+
1. SINGLE DX	668	15.5	298	1	1	7	27	42	49	79
2. MULTIPLE DX	3021	16.6	330	1	2	9	28	45	56	99+
A. NOT OPERATED	3548	16.4	321	1	1	8	28	44	54	94
B. OPERATED	141	17.6	410	2	3	10	24	58	86	99+
TOTAL 0-19 YRS	1542	23.2	408	1	2	18	40	53	68	99+
20-34	1043	14.6	281	1	1	7	23	40	47	74
35-49	580	9.6	160	1	1	4	11	27	39	58
50-64	233	8.3	111	1	1	4	9	20	35	44
65+	291	7.3	55	1	2	5	9	16	25	42
GRAND TOTAL	**3689**	**16.4**	**324**	**1**	**1**	**8**	**28**	**44**	**54**	**98**

112: Mental retardation (317-319)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	10	7.4	35	1	1	5	14	15	15	15
35-49	3	3.3	16	1	1	1	6	8	8	8
50-64										
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS										
20-34	1	6.0		6	6	6	6	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	13.3	198	1	2	7	19	40	40	40
20-34	18	10.2	109	1	2	6	12	31	36	36
35-49	10	10.8	168	1	1	7	12	29	46	46
50-64	2	10.0	32	6	6	10	14	14	14	14
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	7.0		7	7	7	7	7	7	7
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	6.3	29	1	1	4	12	14	15	15
B. *Operated*	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	43	11.0	136	1	2	7	13	35	40	46
B. *Operated*	4	5.0	8	1	1	6	7	7	7	7
1. SINGLE DX	16	6.3	27	1	1	5	11	14	15	15
2. MULTIPLE DX	47	10.5	128	1	2	7	12	33	40	46
A. NOT OPERATED	58	9.8	112	1	1	7	13	23	38	46
B. OPERATED	5	5.2	6	1	1	6	7	7	7	7
TOTAL 0-19 YRS	14	11.6	186	1	1	6	15	40	40	40
20-34	31	9.0	75	1	2	7	13	17	34	36
35-49	14	8.8	130	1	1	6	10	16	39	46
50-64	2	10.0	32	6	6	10	14	14	14	14
65+	2	5.5	13	3	3	5	8	8	8	8
GRAND TOTAL	**63**	**9.4**	**105**	**1**	**1**	**7**	**12**	**22**	**37**	**45**

113: Inflammatory diseases of central nervous system (320-326)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	245	8.8	20	1	2	10	11	13	15	22
20-34	40	5.2	17	1	1	4	7	10	12	23
35-49	12	5.1	18	1	1	4	9	11	12	12
50-64	8	10.3	58	1	1	10	13	22	25	25
65+	10	7.6	20	1	1	8	12	13	14	14
B. *Operated*										
0-19 YRS	22	12.0	120	1	4	10	13	18	37	56
20-34	11	5.8	31	1	1	4	9	13	19	19
35-49	30	5.3	48	1	1	2	7	16	25	25
50-64	13	9.5	167	<1	1	5	11	30	41	43
65+	3	1.7	1	<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	368	10.4	23	2	4	11	12	15	18	25
20-34	55	9.1	51	1	3	7	12	22	25	96
35-49	59	9.6	73	1	1	9	12	17	30	45
50-64	42	12.2	89	2	3	11	16	21	36	43
65+	62	13.8	77	3	4	13	18	26	30	43
B. *Operated*										
0-19 YRS	71	18.0	110	7	9	15	23	30	44	53
20-34	46	16.3	184	2	4	14	21	31	35	82
35-49	64	11.9	185	1	1	8	16	29	48	96
50-64	55	16.5	346	1	1	9	23	48	69	98
65+	59	20.9	276	1	2	18	36	52	74	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	315	8.2	22	1	2	9	11	13	15	23
B. *Operated*	79	7.8	90	1	1	5	10	18	25	52
2. MULTIPLE DX										
A. *Not Operated*	586	10.7	42	2	3	10	13	17	23	38
B. *Operated*	295	16.7	221	1	2	13	24	41	53	99+
1. SINGLE DX	394	8.1	35	1	1	9	11	14	15	26
2. MULTIPLE DX	881	12.7	110	1	3	11	15	25	35	70
A. NOT OPERATED	901	9.8	36	1	3	10	12	15	20	34
B. OPERATED	374	14.8	206	1	1	11	21	36	50	99+
TOTAL 0-19 YRS	706	10.7	40	2	3	10	12	16	21	34
20-34	152	10.0	99	1	2	7	14	22	30	81
35-49	165	9.4	114	1	1	6	12	22	30	69
50-64	118	13.8	219	1	1	9	18	35	47	82
65+	134	16.2	180	1	3	13	24	39	52	99+
GRAND TOTAL	**1275**	**11.3**	**91**	**1**	**2**	**10**	**13**	**22**	**30**	**57**

114: Parkinson's disease (332)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	4.0	2	3	3	4	5	5	5	5
50-64	17	4.9	23	1	1	3	9	11	16	18
65+	43	6.8	45	1	2	4	9	16	18	35
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	5.0		5	5	5	5	5	5	5
35-49	6	9.8	51	2	2	9	13	21	22	22
50-64	65	7.3	51	1	2	6	8	14	21	44
65+	373	7.4	28	2	3	6	9	14	19	28
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	5.0		5	5	5	5	5	5	5
50-64	5	8.0	25	3	3	7	11	16	16	16
65+	46	10.6	50	3	4	9	13	21	28	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	6.2	38	1	1	4	9	16	18	33
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	446	7.4	32	2	2	6	9	14	19	28
B. *Operated*	52	10.2	48	3	4	9	12	19	25	98
1. SINGLE DX	62	6.2	38	1	1	4	9	16	18	33
2. MULTIPLE DX	498	7.7	34	2	2	6	10	15	20	33
A. NOT OPERATED	508	7.3	32	2	2	6	9	15	18	30
B. OPERATED	52	10.2	48	3	4	9	12	19	25	98
TOTAL 0-19 YRS										
20-34	2	5.0		5	5	5	5	5	5	5
35-49	9	8.0	40	2	2	5	11	18	22	22
50-64	87	6.9	45	1	1	6	9	14	19	38
65+	462	7.7	33	2	2	7	10	15	19	34
GRAND TOTAL	**560**	**7.6**	**34**	**2**	**2**	**6**	**10**	**15**	**19**	**34**

115: Multiple sclerosis (340)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	66	5.5	31	<1	<1	4	8	11	13	35
35-49	107	7.0	67	<1	<1	4	8	14	20	46
50-64	39	5.4	21	<1	<1	4	8	13	14	16
65+	5	8.0	42	1	1	8	11	18	18	18
B. *Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	12	2.2	1	1	1	2	3	4	4	4
35-49	13	2.7	11	1	1	1	2	9	11	11
50-64	7	4.4	54	1	1	2	3	17	21	21
65+	2	6.5	5	5	5	6	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	50	1	1	6	11	11	11	11
20-34	104	6.6	28	1	2	5	9	15	16	26
35-49	200	9.3	61	2	3	7	11	19	27	39
50-64	86	9.3	47	2	3	7	13	20	23	31
65+	45	8.5	27	2	3	8	11	16	20	22
B. *Operated*										
0-19 YRS										
20-34	16	11.8	153	1	1	9	20	43	82	99+
35-49	38	11.2	122	1	1	8	12	32	37	40
50-64	25	7.2	36	1	1	5	11	16	21	23
65+	13	9.9	42	1	2	8	12	21	23	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	218	6.3	47	<1	<1	4	8	13	17	41
B. *Operated*	36	3.1	15	1	1	2	3	8	10	21
2. MULTIPLE DX										
A. *Not Operated*	437	8.6	48	2	2	7	11	17	22	32
B. *Operated*	92	10.1	93	1	1	8	12	24	35	78
1. SINGLE DX	254	5.8	44	<1	1	4	8	13	16	39
2. MULTIPLE DX	529	8.8	56	1	2	7	11	19	23	39
A. NOT OPERATED	655	7.8	49	1	1	6	10	16	21	36
B. OPERATED	128	8.1	81	1	1	5	11	21	31	59
TOTAL 0-19 YRS	5	3.8	18	1	1	2	6	11	11	11
20-34	198	6.4	40	1	1	5	8	14	18	44
35-49	358	8.6	70	1	1	6	11	18	29	41
50-64	157	7.8	42	1	1	6	11	17	21	30
65+	65	8.7	30	2	2	8	11	17	20	23
GRAND TOTAL	**783**	**7.8**	**54**	**1**	**1**	**6**	**11**	**16**	**22**	**39**

116: Epilepsy (345)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	370	2.2	3	<1	1	2	3	4	5	9
20-34	249	2.1	2	<1	1	2	2	4	5	8
35-49	137	2.4	3	<1	1	2	3	5	6	8
50-64	72	2.3	2	<1	1	2	3	4	5	8
65+	78	3.1	6	1	1	2	4	5	8	14
B. *Operated*										
0-19 YRS	16	4.7	15	<1	1	4	9	11	11	11
20-34	18	4.7	16	1	1	3	9	11	11	11
35-49	6	4.2	8	2	2	4	5	9	9	9
50-64										
65+	2	5.0	2	4	4	5	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	543	3.1	16	1	1	2	3	6	8	18
20-34	589	3.7	15	1	1	3	4	7	10	19
35-49	474	3.6	11	1	1	3	4	7	10	16
50-64	502	4.3	32	1	1	3	5	8	11	23
65+	1033	5.0	18	1	1	4	6	10	13	22
B. *Operated*										
0-19 YRS	28	7.1	74	1	1	4	11	13	17	44
20-34	79	7.5	89	1	1	5	11	15	21	60
35-49	53	6.0	22	1	1	5	10	13	15	97
50-64	63	8.5	77	2	2	6	10	17	31	43
65+	108	11.2	105	2	2	8	14	24	32	85
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	906	2.3	3	<1	1	2	3	4	5	9
B. *Operated*	42	4.6	13	1	1	3	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*	3141	4.1	19	1	1	3	5	8	11	20
B. *Operated*	331	8.6	83	1	2	6	12	18	25	71
1. SINGLE DX	948	2.4	4	<1	1	2	3	5	6	11
2. MULTIPLE DX	3472	4.5	26	1	1	3	5	9	13	25
A. NOT OPERATED	4047	3.7	16	1	1	3	4	7	10	19
B. OPERATED	373	8.2	77	1	1	6	11	17	24	63
TOTAL 0-19 YRS	957	2.9	13	1	1	2	3	5	8	15
20-34	935	3.6	19	1	1	2	4	8	10	21
35-49	670	3.5	11	1	1	2	4	7	10	16
50-64	637	4.5	35	1	1	3	5	9	12	26
65+	1221	5.4	28	1	1	4	6	11	15	26
GRAND TOTAL	**4420**	**4.1**	**22**	**1**	**1**	**3**	**5**	**8**	**11**	**23**

117: Miscellaneous diseases of central nervous system (330-331; 333-336; 341-344; 347-349; 358-359)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	2.6	4	1	1	2	3	4	7	12
20-34	124	3.4	25	<1	1	2	4	6	10	27
35-49	98	3.0	8	1	1	2	4	6	8	17
50-64	65	3.3	11	1	1	2	4	6	9	20
65+	77	4.0	8	<1	1	3	5	8	10	13
B. *Operated*										
0-19 YRS	90	4.5	64	<1	1	3	5	7	8	50
20-34	120	3.3	9	1	1	2	4	7	9	16
35-49	85	4.1	27	<1	1	2	5	8	11	33
50-64	105	4.0	17	1	1	2	5	10	13	20
65+	88	5.9	31	1	1	5	8	12	17	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	6.2	84	<1	1	3	6	15	24	47
20-34	286	6.7	82	1	1	4	7	15	26	47
35-49	291	5.9	50	1	1	3	7	13	22	52
50-64	432	8.4	93	1	1	5	9	20	30	48
65+	1490	9.5	93	1	2	6	12	21	29	46
B. *Operated*										
0-19 YRS	209	8.1	133	1	1	5	8	21	36	93
20-34	262	9.6	142	1	1	5	11	30	41	99+
35-49	258	10.6	213	1	1	7	11	27	49	92
50-64	307	10.2	129	1	1	7	13	22	33	81
65+	617	12.2	153	1	2	8	16	28	37	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	3.2	13	1	1	2	4	6	9	17
B. *Operated*	488	4.3	28	1	1	3	6	8	11	24
2. MULTIPLE DX										
A. *Not Operated*	2701	8.4	88	1	1	5	10	20	28	46
B. *Operated*	1653	10.7	155	1	1	7	13	27	38	84
1. SINGLE DX	949	3.8	21	1	1	2	5	8	10	21
2. MULTIPLE DX	4354	9.2	115	1	1	6	11	22	32	59
A. NOT OPERATED	3162	7.6	80	1	1	5	9	17	26	46
B. OPERATED	2141	9.2	134	1	1	6	11	22	33	72
TOTAL 0-19 YRS	598	6.0	89	1	1	3	6	12	24	61
20-34	792	6.6	88	1	1	3	7	15	29	57
35-49	732	7.0	107	1	1	4	8	15	27	73
50-64	909	8.1	96	1	1	5	10	20	28	60
65+	2272	9.9	107	1	2	7	12	22	31	53
GRAND TOTAL	**5303**	**8.3**	**102**	**1**	**1**	**5**	**10**	**20**	**29**	**58**

118: Migraine (346)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	2.0	3	<1	<1	1	2	4	6	10
20-34	277	2.8	7	1	1	2	3	5	7	11
35-49	241	3.0	6	1	1	2	4	5	[illegible]	17
50-64	60	2.7	4	1	1	2	4	5	[illegible]	9
65+	18	1.8	2	<1	1	2	2	3	5	7
B. *Operated*										
0-19 YRS	10	1.6	2	<1	<1	1	2	4	5	5
20-34	24	1.8	1	1	1	1	3	4	4	4
35-49	17	3.5	7	1	1	3	4	7	10	11
50-64	9	2.1	4	<1	<1	2	2	5	7	7
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	82	1.9	1	<1	<1	2	2	3	4	6
20-34	362	3.5	14	1	1	2	4	6	9	21
35-49	424	3.6	10	1	1	3	4	6	9	15
50-64	147	4.2	31	1	1	3	4	7	10	33
65+	79	3.9	15	1	1	3	4	7	10	24
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	22	7.2	194	<1	1	4	7	10	35	68
35-49	30	5.6	29	1	1	4	6	13	19	24
50-64	17	4.5	17	1	1	2	7	10	13	15
65+	9	8.2	138	1	1	4	7	27	39	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	688	2.7	6	1	1	2	3	5	6	12
B. *Operated*	61	2.3	4	1	1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*	1094	3.5	14	1	1	3	4	6	9	19
B. *Operated*	81	6.0	81	1	1	4	6	10	18	59
1. SINGLE DX	749	2.7	6	1	1	2	3	5	6	12
2. MULTIPLE DX	1175	3.7	19	1	1	3	4	7	9	22
A. NOT OPERATED	1782	3.2	11	1	1	2	4	6	8	17
B. OPERATED	142	4.4	51	1	1	2	5	8	12	41
TOTAL 0-19 YRS	187	1.9	2	<1	<1	1	2	4	5	7
20-34	685	3.3	17	1	1	2	4	6	8	18
35-49	712	3.5	10	1	1	3	4	6	8	17
50-64	233	3.8	22	1	1	3	4	7	9	27
65+	107	3.9	25	1	1	2	4	7	9	32
GRAND TOTAL	**1924**	**3.3**	**14**	**1**	**1**	**2**	**4**	**6**	**8**	**18**

119: Carpal tunnel syndrome and other lesions of median nerve (354.0-354.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	2.5	1	2	2	2	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	1	2.0		2	2	2	2	2	2	2
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	170	1.1		<1	<1	<1	1	1	2	3
35-49	244	1.2		<1	<1	<1	1	1	2	4
50-64	199	1.1		<1	<1	<1	1	1	2	3
65+	91	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	6	1.7	1	<1	<1	1	2	3	3	3
35-49	7	3.6	6	1	1	2	6	7	7	7
50-64	4	5.8	57	<1	<1	2	10	17	17	17
65+	6	1.3		<1	<1	1	2	2	2	2
B. *Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	76	1.9	4	<1	<1	1	2	4	6	12
35-49	140	1.9	3	<1	<1	1	2	3	5	11
50-64	134	1.8	2	<1	<1	1	2	3	5	7
65+	137	2.0	5	<1	<1	1	2	3	6	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.9	1	1	1	2	2	4	4	4
B. *Operated*	710	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	23	2.9	12	<1	<1	2	3	6	10	17
B. *Operated*	490	1.9	3	<1	<1	1	2	3	6	11
1. SINGLE DX	718	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX	513	1.9	4	<1	<1	1	2	3	6	11
A. NOT OPERATED	31	2.6	9	<1	<1	2	2	5	7	17
B. OPERATED	1200	1.4	2	<1	<1	1	1	2	3	7
TOTAL 0-19 YRS	9	1.1		<1	<1	1	1	2	2	2
20-34	256	1.4	1	<1	<1	<1	1	2	3	7
35-49	392	1.4	2	<1	<1	<1	1	2	3	7
50-64	338	1.4	2	<1	<1	1	1	2	3	6
65+	236	1.6	3	<1	<1	1	2	3	4	11
GRAND TOTAL	**1231**	**1.5**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**7**

120: Peripheral nervous system disorder, except sciatica (337; 350-353; 354.2-354.9; 355-357)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	33	3.7	14	1	1	2	4	10	12	14
20-34	75	4.5	23	1	1	3	6	9	13	30
35-49	85	5.6	38	1	1	3	7	12	18	33
50-64	54	3.8	21	1	1	2	4	8	13	24
65+	48	3.2	7	<1	1	2	4	7	8	12
B. *Operated*										
0-19 YRS	56	2.5	8	<1	<1	2	3	5	8	16
20-34	462	2.7	14	<1	1	2	3	5	7	13
35-49	506	2.5	5	<1	<1	2	3	5	7	11
50-64	303	2.7	11	<1	<1	1	3	6	9	19
65+	185	2.5	8	<1	<1	1	3	6	8	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	12.9	480	1	1	4	7	65	72	74
20-34	107	6.4	86	1	1	3	6	16	27	49
35-49	162	5.2	29	1	1	4	6	12	16	24
50-64	207	5.2	30	1	1	4	6	10	15	31
65+	368	5.9	35	1	1	4	8	12	16	30
B. *Operated*										
0-19 YRS	64	6.0	117	<1	1	3	5	10	27	67
20-34	345	4.4	36	1	1	3	5	8	11	36
35-49	469	4.6	35	1	1	3	6	9	14	30
50-64	342	6.3	128	1	1	3	7	12	21	83
65+	326	7.2	122	1	1	4	8	16	24	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	295	4.4	24	1	1	3	6	10	13	25
B. *Operated*	1512	2.6	9	<1	<1	2	3	5	7	14
2. MULTIPLE DX										
A. *Not Operated*	878	5.9	58	1	1	4	7	12	18	42
B. *Operated*	1546	5.5	79	1	1	3	6	11	18	64
1. SINGLE DX	1807	2.9	12	<1	<1	2	3	6	8	18
2. MULTIPLE DX	2424	5.7	71	1	1	3	6	11	18	50
A. NOT OPERATED	1173	5.5	49	1	1	4	6	11	16	35
B. OPERATED	3058	4.1	46	<1	1	2	4	8	12	39
TOTAL 0-19 YRS	187	5.8	143	<1	1	2	5	10	22	72
20-34	989	3.8	31	<1	1	2	4	7	10	34
35-49	1222	3.9	23	<1	1	2	5	8	12	23
50-64	906	4.7	63	<1	1	2	5	10	15	44
65+	927	5.5	62	1	1	3	7	12	16	49
GRAND TOTAL	**4231**	**4.5**	**48**	**<1**	**1**	**3**	**5**	**9**	**14**	**36**

121: Retinal detachment and defects (361)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	3.5	13	<1	<1	3	6	6	6	6
50-64	3	2.7		2	2	3	3	3	3	3
65+	2	4.5	1	4	4	4	5	5	5	5
B. *Operated*										
0-19 YRS	60	2.4	2	1	1	2	3	4	4	7
20-34	115	3.1	5	1	1	3	4	6	7	12
35-49	160	3.0	8	1	1	3	4	5	6	9
50-64	432	2.8	3	1	1	2	4	5	6	8
65+	438	2.8	3	1	1	2	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	7	1.1		<1	<1	1	1	2	2	2
35-49	8	2.5	8	<1	<1	1	3	7	9	9
50-64	15	2.1	2	<1	<1	1	3	5	5	5
65+	23	2.6	12	<1	<1	1	3	5	9	17
B. *Operated*										
0-19 YRS	67	3.1	6	1	1	3	4	5	6	15
20-34	188	3.5	4	1	1	3	4	6	7	10
35-49	235	3.4	4	1	1	3	4	6	7	10
50-64	588	3.2	4	1	1	3	4	5	7	11
65+	881	3.4	5	1	1	3	4	5	6	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	3.2	2	<1	1	3	4	6	6	6
B. *Operated*	1205	2.8	4	1	1	2	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	54	2.2	7	<1	<1	1	3	5	5	17
B. *Operated*	1959	3.4	5	1	1	3	4	5	7	11
1. SINGLE DX	1214	2.8	4	1	1	2	4	5	6	9
2. MULTIPLE DX	2013	3.3	5	1	1	3	4	5	7	11
A. NOT OPERATED	63	2.4	6	<1	<1	1	3	5	6	16
B. OPERATED	3164	3.2	4	1	1	3	4	5	6	10
TOTAL 0-19 YRS	129	2.8	4	1	1	3	4	4	5	13
20-34	311	3.3	5	1	1	3	4	6	7	11
35-49	405	3.2	6	1	1	3	4	6	7	10
50-64	1038	3.0	4	1	1	3	4	5	6	10
65+	1344	3.2	5	1	1	3	4	5	6	10
GRAND TOTAL	**3227**	**3.1**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**10**

122: Open angle and primary closure glaucoma (365.1-365.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	1.0		1	1	1	1	1	1	1
50-64	8	1.0		<1	<1	1	1	1	1	1
65+	16	1.4	1	1	1	1	2	2	4	5
B. *Operated*										
0-19 YRS	9	1.4	1	1	1	1	2	3	3	3
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	15	1.8	2	<1	<1	1	2	4	5	6
50-64	30	1.8	3	<1	<1	1	1	4	7	9
65+	66	1.9	2	<1	<1	2	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	3	2	2	2	4	5	5	5
20-34										
35-49										
50-64	6	1.3		1	1	1	2	2	2	2
65+	26	2.5	2	<1	1	2	4	4	5	6
B. *Operated*										
0-19 YRS	8	1.5	1	<1	<1	1	2	3	4	4
20-34	3	2.7	4	1	1	2	4	5	5	5
35-49	7	3.3	7	1	1	4	4	7	8	8
50-64	39	2.7	7	1	1	2	3	7	9	12
65+	140	3.0	11	1	1	2	4	5	8	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	1.3	1	<1	1	1	1	2	3	5
B. *Operated*	122	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	35	2.3	2	1	1	2	3	4	5	6
B. *Operated*	197	2.9	9	1	1	2	4	5	8	18
1. SINGLE DX	149	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	232	2.8	8	1	1	2	4	5	8	14
A. NOT OPERATED	62	1.9	2	1	1	1	2	4	5	6
B. OPERATED	319	2.5	7	<1	1	2	3	5	7	11
TOTAL 0-19 YRS	20	1.7	1	<1	1	1	2	4	4	5
20-34	5	2.0	3	<1	<1	1	3	5	5	5
35-49	25	2.1	3	<1	<1	1	3	4	6	8
50-64	83	2.1	5	<1	<1	1	2	4	7	12
65+	248	2.6	7	1	1	2	3	5	6	11
GRAND TOTAL	**381**	**2.4**	**6**	**<1**	**1**	**2**	**3**	**5**	**7**	**11**

123: Other glaucoma (365.0; 365.3-365.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	5.0		5	5	5	5	5	5	5
50-64	3	2.0	1	1	1	2	3	3	3	3
65+	3	2.3	2	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	4	1.8		1	1	2	2	2	2	2
20-34	1	4.0		4	4	4	4	4	4	4
35-49	12	1.3		<1	<1	1	2	2	3	3
50-64	15	2.4	4	<1	<1	2	3	6	7	7
65+	22	1.6	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.0	2	2	2	3	4	4	4	4
35-49	4	10.3	73	5	5	6	15	23	23	23
50-64	1	8.0		8	8	8	8	8	8	8
65+	16	2.7	3	<1	1	2	4	5	6	7
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	12	2.5	2	1	1	2	3	4	5	5
35-49	10	3.2	5	<1	<1	3	4	6	8	8
50-64	25	5.0	23	<1	1	3	8	12	14	19
65+	94	3.4	11	1	1	2	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.9	3	<1	<1	3	5	5	5	5
B. *Operated*	54	1.8	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX										
A. *Not Operated*	23	4.3	21	<1	1	3	5	7	13	23
B. *Operated*	143	3.5	12	1	1	2	4	8	11	18
1. SINGLE DX	66	2.0	2	<1	<1	1	3	5	5	7
2. MULTIPLE DX	166	3.6	13	1	1	2	4	8	11	19
A. NOT OPERATED	35	3.8	15	<1	1	3	5	7	8	23
B. OPERATED	197	3.1	10	<1	1	2	4	7	9	18
TOTAL 0-19 YRS	7	1.7	1	<1	<1	2	2	3	3	3
20-34	16	2.6	2	1	1	2	4	4	5	5
35-49	30	3.6	18	<1	<1	2	5	6	8	23
50-64	44	4.0	16	<1	<1	2	6	9	12	19
65+	135	3.0	9	<1	1	2	4	7	8	17
GRAND TOTAL	**232**	**3.2**	**11**	**<1**	**1**	**2**	**4**	**7**	**9**	**18**

124: Senile cataract (366.1; 366.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	3	1.0		<1	<1	<1	<1	<1	<1	<1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS										
20-34										
35-49	55	1.1		<1	<1	<1	<1	1	1	6
50-64	373	1.1		<1	<1	<1	<1	1	1	3
65+	1328	1.1	1	<1	<1	<1	<1	<1	1	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	8	1.5	2	<1	<1	<1	1	4	5	5
65+	45	1.2		<1	<1	<1	1	2	3	3
B. *Operated*										
0-19 YRS										
20-34										
35-49	23	1.3		<1	<1	1	2	2	3	3
50-64	202	1.6	2	<1	<1	1	2	3	3	9
65+	922	1.6	2	<1	<1	1	2	3	4	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	1756	1.1	1	<1	<1	<1	<1	<1	1	2
2. MULTIPLE DX										
A. *Not Operated*	53	1.3	1	<1	<1	<1	1	2	3	5
B. *Operated*	1147	1.6	2	<1	<1	1	2	3	3	8
1. SINGLE DX	1760	1.1	1	<1	<1	<1	<1	<1	1	2
2. MULTIPLE DX	1200	1.6	2	<1	<1	1	2	3	3	8
A. NOT OPERATED	57	1.2	1	<1	<1	<1	1	2	3	5
B. OPERATED	2903	1.3	1	<1	<1	<1	1	2	2	5
TOTAL 0-19 YRS										
20-34										
35-49	78	1.2		<1	<1	<1	<1	1	2	5
50-64	586	1.2	1	<1	<1	<1	1	2	3	5
65+	2296	1.3	1	<1	<1	<1	1	2	2	5
GRAND TOTAL	**2960**	**1.3**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**5**

125: Cataract, except senile (366.0; 366.2-366.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34										
35-49										
50-64	1	2.0		2	2	2	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	9	1.2		<1	<1	1	1	2	2	2
20-34	6	1.8	4	<1	<1	<1	<1	5	6	6
35-49	7	1.0		<1	<1	<1	1	1	1	1
50-64	17	1.1		<1	<1	<1	1	2	2	2
65+	15	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	14	1.4	1	<1	<1	1	1	3	3	3
20-34	13	2.2	3	<1	<1	2	3	5	6	6
35-49	22	1.9	3	<1	<1	1	2	4	6	8
50-64	36	1.5	1	<1	<1	1	2	2	4	4
65+	96	1.6	1	<1	<1	1	2	2	3	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	1.3		<1	<1	1	2	2	2	2
B. *Operated*	54	1.2	1	<1	<1	<1	1	2	2	6
2. MULTIPLE DX										
A. *Not Operated*	3	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	181	1.6	1	<1	<1	1	2	3	3	6
1. SINGLE DX	57	1.2	1	<1	<1	<1	1	2	2	6
2. MULTIPLE DX	184	1.6	1	<1	<1	1	2	3	3	6
A. NOT OPERATED	6	1.2		<1	<1	<1	1	2	2	2
B. OPERATED	235	1.5	1	<1	<1	1	2	2	3	6
TOTAL 0-19 YRS	26	1.3		<1	<1	1	1	2	3	3
20-34	19	2.1	3	<1	<1	1	3	5	6	6
35-49	29	1.7	2	<1	<1	1	2	4	5	8
50-64	54	1.4	1	<1	<1	1	2	2	3	4
65+	113	1.5		<1	<1	1	2	2	3	4
GRAND TOTAL	**241**	**1.5**	**1**	**<1**	**<1**	**1**	**2**	**2**	**3**	**6**

126: Strabismus (378)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	3.6	18	1	1	2	5	11	11	11
20-34										
35-49	1	3.0		3	3	3	3	3	3	3
50-64	3	2.7	1	2	2	2	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	146	1.0		<1	<1	<1	1	1	1	2
20-34	22	1.1		<1	<1	1	1	1	2	3
35-49	25	1.2		<1	<1	1	1	2	3	3
50-64	17	1.2	1	<1	<1	<1	1	1	3	4
65+	9	1.2		<1	<1	1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.3		<1	<1	1	1	2	2	2
20-34	5	1.8	1	1	1	2	2	3	3	3
35-49	9	2.8	1	2	2	3	3	4	4	4
50-64	13	4.3	30	1	1	2	4	11	19	21
65+	19	4.8	11	1	2	4	6	11	12	12
B. *Operated*										
0-19 YRS	47	1.1		<1	<1	1	1	1	2	3
20-34	18	5.5	232	<1	<1	1	2	8	43	66
35-49	15	1.3		<1	<1	1	2	2	2	2
50-64	16	2.7	10	<1	1	2	3	5	11	14
65+	27	3.6	16	1	1	2	5	6	15	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	10	3.2	8	1	1	2	3	7	11	11
B. *Operated*	219	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	50	3.7	13	1	1	3	4	8	12	21
B. *Operated*	123	2.5	40	<1	<1	1	2	4	7	30
1. SINGLE DX	229	1.2	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX	173	2.9	32	<1	<1	1	3	5	9	20
A. NOT OPERATED	60	3.7	12	1	1	3	4	8	11	20
B. OPERATED	342	1.6	15	<1	<1	1	1	2	3	14
TOTAL 0-19 YRS	202	1.1	1	<1	<1	<1	1	1	2	3
20-34	45	2.9	94	<1	<1	1	1	3	7	66
35-49	50	1.5	1	<1	<1	1	2	3	3	4
50-64	49	2.6	12	<1	<1	1	3	5	9	21
65+	56	3.6	13	<1	1	3	4	7	12	17
GRAND TOTAL	**402**	**1.9**	**15**	**<1**	**<1**	**1**	**1**	**3**	**5**	**14**

127: Miscellaneous disorders of superficial structures of eye (370-375)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	67	2.2	3	<1	<1	1	3	4	6	9
20-34	22	3.0	4	<1	<1	2	4	6	7	7
35-49	13	2.9	8	<1	<1	2	4	6	10	11
50-64	12	3.0	4	<1	<1	3	4	6	7	7
65+	8	3.8	2	<1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	45	1.7	5	<1	<1	<1	2	2	4	15
20-34	85	1.5	1	<1	<1	1	2	3	3	4
35-49	103	1.7	1	<1	<1	1	2	3	3	6
50-64	95	1.3	1	<1	<1	1	1	2	3	5
65+	216	1.6	3	<1	<1	1	2	3	3	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	76	3.5	12	<1	1	3	4	6	7	24
20-34	24	3.6	6	<1	1	3	5	7	9	9
35-49	22	5.0	14	1	2	4	5	10	13	17
50-64	26	5.4	12	1	2	5	7	10	13	16
65+	80	5.4	18	1	2	4	6	10	14	24
B. *Operated*										
0-19 YRS	41	2.9	8	<1	<1	2	4	6	10	13
20-34	56	2.3	3	<1	1	2	3	5	7	7
35-49	67	2.0	7	<1	1	1	2	4	5	18
50-64	159	2.2	5	<1	1	1	3	4	6	11
65+	481	2.6	10	1	1	2	3	4	6	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	122	2.6	4	<1	<1	2	4	5	7	10
B. *Operated*	544	1.5	2	<1	<1	1	2	3	3	6
2. MULTIPLE DX										
A. *Not Operated*	228	4.5	14	<1	1	4	6	8	11	23
B. *Operated*	804	2.5	8	<1	1	2	3	4	6	14
1. SINGLE DX	666	1.7	2	<1	<1	1	2	3	4	8
2. MULTIPLE DX	1032	2.9	10	<1	1	2	3	6	8	17
A. NOT OPERATED	350	3.9	12	<1	<1	3	5	7	9	17
B. OPERATED	1348	2.1	6	<1	<1	1	2	4	5	12
TOTAL 0-19 YRS	229	2.7	8	<1	<1	2	3	6	7	13
20-34	187	2.2	3	<1	<1	1	3	5	6	8
35-49	205	2.2	6	<1	<1	1	3	4	6	14
50-64	292	2.2	6	<1	<1	1	3	5	6	12
65+	785	2.6	10	<1	1	2	3	5	7	17
GRAND TOTAL	**1698**	**2.5**	**8**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

128: Miscellaneous disorders of deep structures of eye (360; 362-364; 376-377; 379.0-379.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	272	3.0	3	1	1	3	4	5	6	8
20-34	30	3.3	7	1	1	3	4	6	7	15
35-49	23	3.0	2	1	1	3	4	5	6	6
50-64	17	3.1	4	<1	1	2	4	7	8	8
65+	29	3.1	5	<1	1	2	5	7	7	8
B. *Operated*										
0-19 YRS	32	3.5	10	<1	<1	2	4	9	11	12
20-34	72	1.9	6	<1	<1	<1	1	3	8	13
35-49	51	1.5	1	<1	<1	<1	2	3	4	7
50-64	75	1.9	3	<1	<1	1	2	4	6	10
65+	154	2.6	8	<1	<1	1	3	6	9	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	334	3.5	5	1	2	3	4	6	8	11
20-34	46	3.9	10	1	2	3	4	6	12	16
35-49	48	4.7	11	1	1	4	7	9	10	14
50-64	51	5.0	13	1	1	4	7	9	12	16
65+	128	4.0	10	1	1	3	6	7	9	16
B. *Operated*										
0-19 YRS	57	3.9	10	1	1	3	5	9	11	15
20-34	115	3.8	25	<1	1	3	4	7	11	27
35-49	102	3.8	26	1	1	3	4	8	9	30
50-64	215	3.2	7	<1	1	2	4	6	9	14
65+	495	3.3	11	<1	1	3	4	6	9	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	371	3.1	3	1	1	3	4	5	6	8
B. *Operated*	384	2.2	6	<1	<1	1	2	4	8	12
2. MULTIPLE DX										
A. *Not Operated*	607	3.9	8	1	1	3	5	7	9	15
B. *Operated*	984	3.4	14	<1	1	3	4	6	9	15
1. SINGLE DX	755	2.6	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX	1591	3.6	11	<1	1	3	4	7	9	15
A. NOT OPERATED	978	3.6	6	1	1	3	4	7	8	14
B. OPERATED	1368	3.1	12	<1	<1	2	4	6	9	15
TOTAL 0-19 YRS	695	3.4	5	1	1	3	4	6	8	11
20-34	263	3.2	16	<1	<1	2	4	6	11	16
35-49	224	3.4	16	<1	<1	2	4	7	9	14
50-64	358	3.2	8	<1	<1	2	4	7	9	14
65+	806	3.2	10	<1	<1	2	4	7	9	15
GRAND TOTAL	**2346**	**3.3**	**10**	**<1**	**<1**	**3**	**4**	**6**	**9**	**14**

129: Other disorders of eye (367-369; 379.5; 379.8-379.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	<1	<1	2	2	3	3	3
20-34	5	2.0	1	1	1	2	3	3	3	3
35-49	6	2.2	3	<1	<1	2	3	5	5	5
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	3.0	4	1	1	3	4	5	5	5
B. *Operated*										
0-19 YRS										
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64	5	1.4		<1	<1	1	2	2	2	2
65+	5	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.0	7	<1	1	2	4	6	10	11
20-34	15	2.7	3	<1	<1	2	4	5	6	6
35-49	11	2.2	2	1	1	2	3	4	5	5
50-64	19	3.2	6	<1	1	3	4	8	9	9
65+	33	4.4	7	1	2	4	6	8	10	12
B. *Operated*										
0-19 YRS	6	1.2		1	1	1	1	2	2	2
20-34	17	1.8	1	<1	<1	2	2	3	4	4
35-49	15	1.9	2	<1	<1	1	3	4	5	6
50-64	20	1.8	1	<1	<1	1	2	3	4	5
65+	40	2.2	4	1	1	2	2	4	7	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	22	2.0	2	<1	<1	2	3	4	5	5
B. *Operated*	16	1.3		<1	<1	1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	92	3.4	6	1	1	3	5	7	9	12
B. *Operated*	98	1.9	2	<1	<1	1	2	3	5	9
1. SINGLE DX	38	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX	190	2.6	5	<1	1	2	3	5	7	11
A. NOT OPERATED	114	3.1	5	<1	1	2	4	6	8	11
B. OPERATED	114	1.8	2	<1	<1	1	2	3	4	9
TOTAL 0-19 YRS	26	2.3	5	<1	<1	2	3	5	6	11
20-34	39	2.1	2	<1	<1	2	3	4	5	6
35-49	36	2.0	2	<1	<1	1	3	4	5	6
50-64	46	2.3	4	<1	<1	2	3	5	7	9
65+	81	3.0	6	1	1	2	4	6	9	11
GRAND TOTAL	**228**	**2.5**	**4**	**<1**	**<1**	**2**	**3**	**5**	**7**	**10**

130: Otitis media, chronic and unspecified (381.1-381.4; 382.1-382.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	2.0	1	<1	1	2	3	3	4	5
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	569	1.1	1	<1	<1	<1	<1	1	1	3
20-34	108	1.3	2	<1	<1	1	1	2	2	10
35-49	88	1.2	1	<1	1	1	1	2	2	6
50-64	92	1.3	1	<1	1	1	1	2	2	5
65+	30	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	625	2.5	3	1	1	2	3	4	5	9
20-34	24	3.6	11	<1	<1	3	4	9	11	14
35-49	20	4.4	15	<1	1	3	5	11	13	14
50-64	27	3.7	6	<1	<1	4	5	7	8	9
65+	24	4.8	33	<1	<1	3	6	9	19	27
B. *Operated*										
0-19 YRS	794	1.4	2	<1	<1	1	1	2	3	9
20-34	132	1.4	1	<1	1	1	1	2	3	9
35-49	164	1.6	4	<1	1	1	1	2	5	11
50-64	157	1.8	8	1	1	1	2	2	4	20
65+	106	2.2	7	1	1	2	2	3	5	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	181	2.0	1	<1	1	2	3	3	4	5
B. *Operated*	887	1.1	1	<1	<1	<1	1	1	2	4
2. MULTIPLE DX										
A. *Not Operated*	720	2.7	5	1	1	2	3	5	7	11
B. *Operated*	1353	1.5	3	<1	<1	1	1	2	4	10
1. SINGLE DX	1068	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	2073	1.9	4	<1	<1	1	2	4	5	11
A. NOT OPERATED	901	2.6	4	<1	1	2	3	4	6	11
B. OPERATED	2240	1.4	2	<1	<1	1	1	2	3	9
TOTAL 0-19 YRS	2162	1.7	2	<1	<1	1	2	3	4	8
20-34	266	1.6	3	<1	1	1	1	2	4	10
35-49	274	1.7	4	<1	1	1	1	3	6	12
50-64	278	1.9	6	<1	1	1	2	4	5	10
65+	161	2.4	11	<1	1	1	2	4	7	21
GRAND TOTAL	**3141**	**1.7**	**3**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

131: Other inflammation of ear and mastoid (380.0-380.2; 381.0; 381.5; 382.0; 383; 384.0-384.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.2	8	<1	1	2	4	8	9	16
20-34	25	3.3	2	1	1	3	4	6	6	7
35-49	16	3.4	2	1	1	3	4	5	6	7
50-64	11	4.9	7	2	2	5	7	9	10	10
65+										
B. *Operated*										
0-19 YRS	62	2.3	9	<1	<1	1	2	5	6	17
20-34	23	1.4	1	<1	<1	1	1	3	4	5
35-49	19	1.7	2	<1	<1	1	2	3	5	7
50-64	15	2.0	3	<1	<1	1	3	5	6	7
65+	8	7.0	225	1	1	2	3	32	44	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	113	3.7	8	1	1	3	4	7	10	17
20-34	51	4.7	18	1	2	3	5	10	14	24
35-49	48	4.5	5	1	2	4	6	8	9	9
50-64	49	5.3	36	1	2	4	7	10	13	39
65+	47	8.8	81	2	3	6	9	22	27	44
B. *Operated*										
0-19 YRS	137	3.2	22	<1	<1	1	3	8	12	23
20-34	53	2.2	10	<1	1	1	1	5	10	17
35-49	59	3.9	43	1	1	1	4	9	16	36
50-64	66	6.3	63	1	1	3	9	16	23	44
65+	53	7.2	94	1	1	3	10	18	23	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	3.4	6	1	1	3	4	7	8	13
B. *Operated*	127	2.3	19	<1	<1	1	2	4	6	23
2. MULTIPLE DX										
A. *Not Operated*	308	5.0	28	1	2	4	6	9	13	30
B. *Operated*	368	4.3	44	<1	1	1	5	12	17	37
1. SINGLE DX	225	2.8	14	<1	<1	2	3	5	7	16
2. MULTIPLE DX	676	4.6	36	<1	1	3	6	10	15	37
A. NOT OPERATED	406	4.6	23	1	1	3	5	9	11	24
B. OPERATED	495	3.8	38	<1	<1	1	4	9	15	37
TOTAL 0-19 YRS	358	3.2	14	<1	<1	2	4	7	10	18
20-34	152	3.1	12	<1	1	2	4	6	11	17
35-49	142	3.7	21	1	1	3	5	8	9	30
50-64	141	5.4	44	1	1	3	7	11	17	40
65+	108	7.9	96	1	1	5	9	20	26	46
GRAND TOTAL	**901**	**4.2**	**31**	**<1**	**1**	**2**	**5**	**9**	**13**	**32**

132: Vertiginous syndromes (386)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	2	<1	<1	1	3	5	5	5
20-34	43	2.5	5	1	1	2	3	5	7	12
35-49	86	2.2	2	<1	1	2	2	4	5	9
50-64	135	2.0	2	1	1	2	2	3	5	9
65+	161	2.3	2	1	1	2	3	4	5	8
B. *Operated*										
0-19 YRS	4	2.5	4	1	1	2	4	5	5	5
20-34	49	1.8	1	1	1	1	3	3	4	6
35-49	62	2.6	4	1	1	2	3	7	7	8
50-64	54	1.8	1	1	1	2	2	3	4	7
65+	29	1.8	1	1	1	1	2	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	2.5	5	1	1	1	3	6	8	8
20-34	88	2.8	5	1	1	2	3	5	8	13
35-49	170	2.7	4	1	1	2	3	5	7	12
50-64	434	3.0	5	1	1	2	4	6	7	13
65+	1139	3.2	5	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	6	3.8	3	1	1	4	5	6	6	6
20-34	69	4.9	32	1	1	3	6	9	16	34
35-49	65	2.8	5	1	1	2	3	6	7	11
50-64	44	4.4	26	1	1	3	6	8	12	31
65+	71	5.7	23	1	2	4	7	12	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	432	2.2	2	1	1	2	3	4	5	9
B. *Operated*	198	2.1	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	1844	3.1	5	1	1	3	4	6	7	11
B. *Operated*	255	4.5	22	1	1	3	6	9	13	26
1. SINGLE DX	630	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX	2099	3.3	8	1	1	3	4	6	8	14
A. NOT OPERATED	2276	2.9	5	1	1	2	4	5	7	11
B. OPERATED	453	3.4	15	1	1	2	4	7	9	20
TOTAL 0-19 YRS	30	2.7	4	1	1	2	4	5	6	8
20-34	249	3.1	13	1	1	2	4	6	8	18
35-49	383	2.6	4	1	1	2	3	5	7	10
50-64	667	2.8	6	1	1	2	3	6	7	13
65+	1400	3.2	6	1	1	3	4	6	7	12
GRAND TOTAL	**2729**	**3.0**	**7**	**1**	**1**	**2**	**4**	**6**	**7**	**13**

133: Otosclerosis (387)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49										
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	7	1.4		<1	<1	1	2	2	2	2
20-34	76	1.2		<1	1	1	1	2	2	3
35-49	135	1.2		<1	1	1	1	2	2	3
50-64	85	1.3		<1	1	1	1	2	2	4
65+	31	1.2		<1	1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	43	1.5	1	1	1	1	2	3	3	5
35-49	90	1.2		1	1	1	1	2	2	3
50-64	52	1.3		1	1	1	2	2	2	3
65+	38	1.4	1	1	1	1	1	2	4	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	334	1.2		<1	1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*	4	1.8	2	<1	<1	1	2	4	4	4
B. *Operated*	228	1.3		1	1	1	1	2	3	4
1. SINGLE DX	336	1.2		<1	1	1	1	2	2	3
2. MULTIPLE DX	232	1.3		1	1	1	1	2	3	4
A. NOT OPERATED	6	1.8	2	<1	<1	1	3	4	4	4
B. OPERATED	562	1.2		<1	1	1	1	2	2	3
TOTAL 0-19 YRS	13	1.3		<1	<1	1	2	2	2	2
20-34	119	1.3		<1	1	1	1	2	3	4
35-49	226	1.2		<1	1	1	1	2	2	3
50-64	139	1.3		<1	1	1	1	2	2	3
65+	71	1.4	1	<1	1	1	1	2	3	5
GRAND TOTAL	**568**	**1.3**		**<1**	**1**	**1**	**1**	**2**	**2**	**3**

134: Miscellaneous diseases of ear
(380.3-380.9; 381.6-381.9; 384.2-384.9; 385; 388-389)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4	1	<1	<1	1	2	3	3	3
20-34	7	3.6	1	3	3	3	4	6	6	6
35-49	7	3.1	2	1	1	3	4	5	5	5
50-64	11	3.7	9	1	1	3	4	7	12	12
65+	5	4.0	6	2	2	3	5	8	8	8
B. *Operated*										
0-19 YRS	250	1.1		<1	<1	1	1	1	1	2
20-34	199	1.2		<1	<1	1	1	2	2	4
35-49	176	1.1		<1	<1	1	1	1	2	3
50-64	132	1.1		<1	<1	1	1	1	2	3
65+	57	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.0	6	<1	<1	2	4	8	9	9
20-34	20	3.2	4	<1	<1	3	5	6	7	7
35-49	18	3.3	9	<1	<1	2	3	8	9	10
50-64	17	4.1	5	1	1	4	5	6	9	11
65+	28	3.9	17	<1	1	3	4	8	11	22
B. *Operated*										
0-19 YRS	264	1.2	1	<1	<1	1	1	2	2	5
20-34	206	1.5	2	<1	1	1	1	2	4	9
35-49	228	1.5	2	<1	1	1	1	2	3	7
50-64	176	1.5	2	<1	1	1	1	2	3	10
65+	101	1.7	3	<1	1	1	2	3	4	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.3	5	<1	1	3	4	5	7	12
B. *Operated*	814	1.1		<1	<1	1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	99	3.5	9	<1	1	3	4	7	9	17
B. *Operated*	975	1.4	2	<1	1	1	1	2	3	9
1. SINGLE DX	849	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	1074	1.6	3	<1	1	1	1	3	4	10
A. NOT OPERATED	134	3.5	8	<1	1	3	4	7	8	14
B. OPERATED	1789	1.3	1	<1	<1	1	1	2	2	6
TOTAL 0-19 YRS	535	1.2	1	<1	<1	1	1	1	2	6
20-34	432	1.4	2	<1	<1	1	1	3	4	7
35-49	429	1.4	2	<1	<1	1	1	2	3	8
50-64	336	1.5	2	<1	<1	1	1	3	4	10
65+	191	1.9	5	<1	1	1	2	3	4	12
GRAND TOTAL	**1923**	**1.4**	**2**	**<1**	**<1**	**1**	**1**	**2**	**3**	**8**

135: Rheumatic fever, acute (390-392)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	5.0	35	1	1	3	5	9	19	29
20-34	5	2.8	2	1	1	3	4	4	4	4
35-49	2	3.0	2	2	2	3	4	4	4	4
50-64	3	4.0	4	2	2	4	5	6	6	6
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	1	26.0		26	26	26	26	26	26	26
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	13.0		13	13	13	13	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	6.8	16	2	2	6	10	12	14	16
20-34	12	5.5	15	2	2	4	6	13	13	13
35-49	11	4.8	7	<1	1	4	6	9	10	10
50-64	14	4.6	14	1	1	4	5	9	14	16
65+	19	7.9	32	2	3	5	14	17	17	17
B. *Operated*										
0-19 YRS										
20-34	2	18.0	200	8	8	18	28	28	28	28
35-49	6	10.3	33	5	5	9	11	20	21	21
50-64	11	10.4	79	1	2	10	11	25	31	32
65+	7	12.9	42	2	3	17	18	19	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	32	4.7	26	1	1	3	5	9	11	29
B. *Operated*	4	10.5	136	1	1	7	19	26	26	26
2. MULTIPLE DX										
A. *Not Operated*	78	6.2	19	2	2	5	8	13	16	17
B. *Operated*	26	11.6	61	2	2	10	17	21	29	32
1. SINGLE DX	36	5.3	38	1	1	3	5	11	22	29
2. MULTIPLE DX	104	7.6	34	2	2	6	10	16	18	30
A. NOT OPERATED	110	5.8	21	1	2	4	7	12	16	22
B. OPERATED	30	11.5	67	1	2	10	17	23	28	32
TOTAL 0-19 YRS	44	6.4	34	1	2	4	9	12	19	29
20-34	20	5.9	38	1	2	4	6	13	21	28
35-49	20	6.1	21	<1	1	5	8	11	16	21
50-64	28	6.8	45	1	1	5	9	15	21	32
65+	28	9.5	36	2	3	8	16	17	18	19
GRAND TOTAL	**140**	**7.0**	**36**	**1**	**2**	**5**	**10**	**16**	**18**	**29**

136: Chronic rheumatic heart disease (393-398)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	2.3	1	<1	<1	3	3	3	3	3
50-64	4	3.0	2	2	2	3	4	5	5	5
65+	2	6.0		6	6	6	6	6	6	6
B. *Operated*										
0-19 YRS	6	3.2	9	1	1	2	7	7	7	7
20-34	19	4.4	14	<1	<1	2	7	10	12	13
35-49	33	3.7	13	1	1	1	8	9	9	12
50-64	52	3.3	13	<1	<1	1	6	10	11	13
65+	35	4.7	28	<1	1	1	9	13	15	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.8	15	4	4	7	10	13	13	13
20-34	9	3.2	3	1	1	3	4	6	7	7
35-49	34	4.8	63	1	1	3	5	7	7	48
50-64	91	4.9	21	1	1	4	6	8	14	28
65+	227	6.1	27	1	2	5	7	12	15	29
B. *Operated*										
0-19 YRS	7	9.3	15	3	4	9	13	14	14	14
20-34	44	9.7	79	<1	1	8	11	21	22	49
35-49	153	7.8	36	1	1	8	10	14	17	29
50-64	426	9.5	72	1	1	9	13	19	24	38
65+	448	10.8	105	1	1	10	15	22	27	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	3.8	5	<1	1	3	6	7	7	7
B. *Operated*	145	3.9	17	<1	1	2	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	365	5.7	29	1	2	4	7	11	14	28
B. *Operated*	1078	9.8	81	1	1	9	13	20	25	40
1. SINGLE DX	157	3.8	16	<1	1	2	7	10	12	16
2. MULTIPLE DX	1443	8.8	71	1	1	7	12	18	24	40
A. NOT OPERATED	377	5.6	28	1	2	4	7	10	14	28
B. OPERATED	1223	9.1	77	1	1	8	13	19	24	39
TOTAL 0-19 YRS	19	6.4	19	1	1	7	9	13	14	14
20-34	73	7.5	59	<1	1	7	9	18	21	43
35-49	223	6.7	39	1	1	7	9	13	15	33
50-64	573	8.2	63	1	1	7	12	16	23	37
65+	712	9.0	81	1	1	7	12	19	24	40
GRAND TOTAL	**1600**	**8.3**	**68**	**1**	**1**	**7**	**11**	**17**	**23**	**39**

137: Essential hypertension (401)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.1	2	1	1	2	3	5	5	5
20-34	31	2.3	1	<1	1	2	3	4	4	5
35-49	100	2.5	2	<1	1	2	3	5	5	7
50-64	110	2.7	4	1	1	2	3	5	6	11
65+	85	3.1	5	1	1	2	4	5	7	11
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	18	1.7	3	<1	<1	1	1	3	6	8
35-49	18	3.1	4	1	1	3	4	6	8	8
50-64	24	1.8	2	<1	1	1	2	3	5	6
65+	15	2.1	3	<1	1	2	3	4	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	3.4	12	1	1	3	4	4	12	16
20-34	117	3.2	13	<1	1	2	3	6	8	21
35-49	405	3.4	8	1	1	3	4	6	9	15
50-64	685	3.6	7	1	1	3	5	7	9	12
65+	1052	4.2	14	1	1	3	5	8	10	15
B. *Operated*										
0-19 YRS	8	3.9	15	1	1	2	6	10	11	11
20-34	29	6.3	48	1	1	4	6	19	23	28
35-49	79	5.0	21	1	1	4	6	9	13	27
50-64	121	5.2	35	1	1	4	6	10	16	35
65+	176	6.1	53	1	1	4	8	12	17	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	333	2.7	3	1	1	2	3	5	5	11
B. *Operated*	77	2.1	3	<1	1	1	3	4	6	8
2. MULTIPLE DX										
A. *Not Operated*	2276	3.8	11	1	1	3	5	7	10	15
B. *Operated*	413	5.6	40	1	1	4	7	11	17	30
1. SINGLE DX	410	2.6	3	1	1	2	3	5	5	10
2. MULTIPLE DX	2689	4.1	16	1	1	3	5	8	11	17
A. NOT OPERATED	2609	3.7	10	1	1	3	5	7	9	15
B. OPERATED	490	5.0	36	1	1	3	6	10	15	29
TOTAL 0-19 YRS	34	3.1	10	1	1	2	3	5	11	16
20-34	195	3.4	17	<1	1	2	3	6	9	26
35-49	602	3.5	9	1	1	3	4	7	9	16
50-64	940	3.7	10	1	1	3	5	7	9	17
65+	1328	4.4	19	1	1	3	5	9	11	17
GRAND TOTAL	**3099**	**3.9**	**14**	**1**	**1**	**3**	**5**	**8**	**10**	**17**

138: Hypertensive heart disease (402)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	2.3	1	1	1	2	3	3	3	3
50-64	17	2.7	2	1	1	2	3	4	5	6
65+	43	3.9	4	1	1	4	5	7	8	9
B. *Operated*										
0-19 YRS										
20-34										
35-49	4	1.8	1	1	1	2	2	3	3	3
50-64	6	1.5	2	1	1	1	1	4	4	4
65+	6	1.7	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	7	4.1	3	1	1	4	6	6	6	6
35-49	67	4.4	5	1	2	4	6	8	8	11
50-64	264	5.0	10	1	2	4	6	9	10	18
65+	1238	6.3	23	2	2	5	8	12	16	24
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	7	4.4	6	1	1	4	6	8	8	8
35-49	22	5.8	16	<1	1	6	8	11	14	16
50-64	88	6.9	34	1	1	5	9	15	16	29
65+	182	9.6	67	1	1	8	12	21	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	3.4	4	1	1	3	4	6	8	9
B. *Operated*	16	1.6	1	1	1	1	2	4	4	4
2. MULTIPLE DX										
A. *Not Operated*	1579	6.0	20	2	2	5	7	11	14	23
B. *Operated*	300	8.4	54	1	1	7	11	17	23	33
1. SINGLE DX	82	3.1	4	1	1	3	4	6	7	9
2. MULTIPLE DX	1879	6.4	26	1	2	5	8	12	16	25
A. NOT OPERATED	1645	5.9	20	2	2	5	7	11	14	22
B. OPERATED	316	8.1	53	1	1	6	11	17	23	33
TOTAL 0-19 YRS	4	3.8	3	2	2	3	5	6	6	6
20-34	14	4.3	4	1	1	4	6	7	8	8
35-49	99	4.5	8	1	1	4	6	8	10	14
50-64	375	5.3	16	1	2	4	7	9	14	20
65+	1469	6.6	29	1	2	5	8	13	17	25
GRAND TOTAL	**1961**	**6.2**	**26**	**1**	**2**	**5**	**8**	**12**	**16**	**25**

139: Miscellaneous hypertensive disease (403-405)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	2.0		2	2	2	2	2	2	2
35-49	8	4.5	8	1	1	4	6	9	9	9
50-64	5	4.4	5	2	2	4	5	8	8	8
65+	3	7.0	75	2	2	2	13	17	17	17
B. *Operated*										
0-19 YRS	3	5.7	32	1	1	4	10	12	12	12
20-34	8	4.0	16	<1	<1	3	5	11	13	13
35-49	22	2.4	5	<1	1	2	3	5	8	10
50-64	16	2.9	9	1	1	2	4	8	10	11
65+	12	3.8	25	<1	<1	1	5	12	15	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	4.3	14	1	1	3	5	11	13	13
20-34	24	3.4	8	<1	1	2	5	6	9	13
35-49	39	5.2	15	1	2	4	7	10	13	19
50-64	77	4.6	12	<1	1	4	6	10	12	17
65+	129	7.4	28	1	2	6	10	15	19	23
B. *Operated*										
0-19 YRS	28	8.9	88	1	1	7	14	22	49	99+
20-34	139	7.6	51	1	2	6	10	17	21	39
35-49	147	7.7	42	1	2	7	10	15	19	34
50-64	171	7.9	80	1	2	6	9	16	23	45
65+	174	10.2	70	1	2	8	15	21	27	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	4.8	15	1	2	4	5	9	14	17
B. *Operated*	61	3.2	12	<1	1	2	4	9	12	16
2. MULTIPLE DX										
A. *Not Operated*	282	5.9	22	1	1	4	8	12	16	22
B. *Operated*	659	8.5	64	1	2	6	11	18	24	39
1. SINGLE DX	79	3.5	13	<1	1	2	4	9	12	17
2. MULTIPLE DX	941	7.7	53	1	2	6	10	16	21	38
A. NOT OPERATED	300	5.8	21	1	1	4	8	12	16	21
B. OPERATED	720	8.0	62	1	1	6	10	17	23	39
TOTAL 0-19 YRS	45	7.3	64	1	1	5	10	15	29	99+
20-34	172	6.8	46	1	1	5	9	16	20	37
35-49	216	6.6	35	1	1	5	9	14	18	31
50-64	269	6.6	58	1	1	5	8	14	19	42
65+	318	8.8	54	1	2	7	12	18	23	35
GRAND TOTAL	**1020**	**7.4**	**51**	**1**	**1**	**5**	**10**	**16**	**20**	**37**

140: Acute myocardial infarction (410)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	13	5.2	8	1	2	5	6	9	11	12
35-49	296	6.5	9	1	2	7	8	10	11	16
50-64	642	6.8	7	2	3	7	8	10	11	14
65+	514	7.0	7	2	3	7	9	10	11	13
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	22	5.3	9	<1	1	6	8	9	10	11
35-49	133	6.3	8	1	2	6	8	10	11	12
50-64	244	6.7	12	1	2	7	9	11	13	16
65+	106	7.6	11	2	4	8	9	12	13	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	7.2	19	2	3	7	10	42	92	99+
20-34	64	6.4	14	1	2	6	9	11	13	16
35-49	949	7.1	9	2	3	7	9	11	12	16
50-64	3332	7.8	14	2	4	7	9	12	14	20
65+	7819	8.9	20	3	5	8	10	14	16	25
B. *Operated*										
0-19 YRS	3	11.3	70	6	6	7	17	21	21	21
20-34	74	8.4	52	1	1	7	10	16	21	40
35-49	1031	8.1	22	2	3	7	10	14	16	28
50-64	2631	9.5	42	2	4	8	11	16	19	34
65+	2623	11.9	63	3	5	10	14	20	26	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1465	6.8	8	2	3	7	9	10	11	14
B. *Operated*	506	6.7	11	1	2	7	9	11	12	16
2. MULTIPLE DX										
A. *Not Operated*	12175	8.4	18	3	4	8	10	13	15	23
B. *Operated*	6362	10.2	50	2	4	9	12	17	22	38
1. SINGLE DX	1971	6.8	9	1	3	7	9	10	11	14
2. MULTIPLE DX	18537	9.0	29	3	4	8	11	14	18	29
A. NOT OPERATED	13640	8.2	17	3	4	8	10	13	15	23
B. OPERATED	6868	10.0	48	2	4	9	12	17	21	37
TOTAL 0-19 YRS	15	8.2	26	2	3	7	11	21	76	99+
20-34	173	7.0	30	1	1	6	9	12	16	33
35-49	2409	7.4	15	2	3	7	9	12	14	21
50-64	6849	8.3	25	2	4	8	10	13	16	25
65+	11062	9.5	31	3	5	8	11	15	19	30
GRAND TOTAL	**20508**	**8.8**	**28**	**3**	**4**	**8**	**10**	**14**	**17**	**28**

141: Angina pectoris (413)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	21	2.1	1	<1	<1	2	3	3	4	4
35-49	227	2.1	1	1	1	2	3	3	4	6
50-64	426	2.2	2	1	1	2	3	4	5	7
65+	397	2.4	2	1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	9	1.3	1	<1	<1	1	2	3	3	3
35-49	107	2.0	2	<1	1	2	2	3	5	8
50-64	209	1.7	2	<1	1	1	2	3	4	7
65+	114	1.7	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	3.8	4	1	1	4	5	6	7	7
20-34	100	2.4	3	<1	1	2	3	4	5	10
35-49	891	2.6	4	1	1	2	3	5	6	9
50-64	2881	2.8	4	1	1	2	4	5	6	10
65+	5820	3.4	6	1	1	3	4	6	7	13
B. *Operated*										
0-19 YRS	3	3.0	4	<1	<1	3	4	5	5	5
20-34	42	3.1	12	<1	1	2	3	7	11	18
35-49	754	3.4	13	1	1	2	4	8	10	16
50-64	2473	4.0	18	<1	1	2	5	9	12	18
65+	2309	4.9	27	1	1	3	7	11	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1071	2.2	2	1	1	2	3	4	5	6
B. *Operated*	440	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	9701	3.1	5	1	1	3	4	6	7	12
B. *Operated*	5581	4.3	21	1	1	2	6	10	13	20
1. SINGLE DX	1511	2.1	2	1	1	2	3	4	4	7
2. MULTIPLE DX	15282	3.6	11	1	1	3	4	7	10	17
A. NOT OPERATED	10772	3.0	5	1	1	2	4	5	7	11
B. OPERATED	6021	4.1	20	<1	1	2	6	10	12	19
TOTAL 0-19 YRS	13	3.4	4	<1	<1	3	5	6	7	7
20-34	172	2.5	5	<1	1	2	3	4	7	13
35-49	1979	2.8	7	1	1	2	3	6	8	13
50-64	5989	3.2	10	1	1	2	4	7	9	15
65+	8640	3.7	12	1	1	3	4	7	10	17
GRAND TOTAL	**16793**	**3.4**	**11**	**1**	**1**	**2**	**4**	**7**	**9**	**16**

142: Other acute and subacute forms of ischemic heart disease (411)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	14	2.9	1	1	2	3	3	5	5	5
35-49	129	2.2	1	1	1	2	3	4	5	6
50-64	383	2.7	3	1	1	2	3	5	6	9
65+	455	2.8	3	1	1	2	4	5	6	9
B. *Operated*										
0-19 YRS										
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	58	3.6	9	<1	1	3	5	8	10	12
50-64	204	3.3	10	<1	1	2	4	7	10	16
65+	155	3.8	14	1	1	2	5	9	11	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.8	5	2	2	3	5	7	9	10
20-34	41	3.1	4	<1	1	3	4	5	6	10
35-49	779	3.1	5	1	1	3	4	6	7	11
50-64	2958	3.5	6	1	1	3	4	6	8	13
65+	7786	4.0	8	1	2	3	5	7	9	13
B. *Operated*										
0-19 YRS	3	4.3	4	2	2	5	6	6	6	6
20-34	37	5.5	19	1	1	4	7	10	13	23
35-49	913	5.3	17	1	1	4	8	10	12	19
50-64	3581	6.3	32	1	1	5	9	12	15	24
65+	4198	7.9	51	1	1	7	11	15	19	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	982	2.7	3	1	1	2	3	5	6	9
B. *Operated*	420	3.6	11	1	1	2	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*	11578	3.8	7	1	2	3	5	7	8	13
B. *Operated*	8732	7.0	41	1	1	6	10	14	17	31
1. SINGLE DX	1402	3.0	5	1	1	2	4	5	7	12
2. MULTIPLE DX	20310	5.2	24	1	1	4	7	10	13	22
A. NOT OPERATED	12560	3.7	7	1	1	3	5	7	8	13
B. OPERATED	9152	6.8	40	1	1	5	9	13	17	30
TOTAL 0-19 YRS	18	3.8	5	2	2	3	5	6	9	10
20-34	95	3.9	11	1	1	3	5	8	10	19
35-49	1879	4.2	12	1	1	3	5	9	11	17
50-64	7126	4.8	21	1	1	3	6	10	13	20
65+	12594	5.2	26	1	2	4	6	11	14	24
GRAND TOTAL	**21712**	**5.0**	**23**	**1**	**1**	**4**	**6**	**10**	**13**	**22**

143: Miscellaneous ischemic heart disease (412; 414)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	19	2.6	3	<1	1	2	4	5	6	7
50-64	66	2.7	5	1	1	2	3	6	7	11
65+	25	3.0	3	1	1	3	4	5	6	8
B. *Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	8	1.5	1	<1	<1	1	2	3	3	3
35-49	320	2.4	5	<1	<1	1	3	7	8	9
50-64	953	2.8	8	<1	<1	1	3	8	9	13
65+	609	3.0	12	<1	<1	1	3	8	10	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	7.0	45	3	3	4	11	17	17	17
20-34	15	2.7	2	<1	1	3	3	4	6	6
35-49	161	3.0	5	1	1	2	4	6	7	10
50-64	609	3.2	6	1	1	3	4	6	8	13
65+	1077	4.5	14	1	1	3	5	9	12	18
B. *Operated*										
0-19 YRS	8	3.4	9	1	1	2	6	8	8	8
20-34	53	3.6	14	1	1	2	4	9	12	20
35-49	1549	4.3	17	1	1	3	7	9	11	17
50-64	5483	5.1	28	1	1	3	8	11	14	22
65+	5069	6.8	51	1	1	5	10	14	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	111	2.7	4	1	1	2	3	5	7	11
B. *Operated*	1892	2.8	9	<1	<1	1	3	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	1866	3.9	11	1	1	3	5	8	10	17
B. *Operated*	12162	5.7	37	1	1	3	9	12	15	27
1. SINGLE DX	2003	2.8	9	<1	<1	1	3	8	9	13
2. MULTIPLE DX	14028	5.5	34	1	1	3	8	12	15	26
A. NOT OPERATED	1977	3.9	11	1	1	3	5	7	10	16
B. OPERATED	14054	5.3	34	1	1	3	8	12	15	26
TOTAL 0-19 YRS	14	4.1	20	1	1	2	6	9	15	17
20-34	77	3.2	11	<1	1	2	3	7	10	18
35-49	2049	3.9	15	1	1	2	6	9	10	17
50-64	7111	4.6	24	1	1	3	7	10	13	21
65+	6780	6.1	43	1	1	4	9	13	17	31
GRAND TOTAL	**16031**	**5.1**	**32**	**1**	**1**	**3**	**8**	**11**	**14**	**25**

144: Pulmonary embolism and infarction (415.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	6.2	4	4	4	6	7	9	9	9
20-34	52	7.0	8	4	4	7	9	10	12	18
35-49	66	7.1	8	2	4	7	8	11	12	17
50-64	89	7.3	8	2	5	7	9	11	12	16
65+	76	7.7	8	3	5	8	9	11	12	18
B. *Operated*										
0-19 YRS	1	9.0		9	9	9	9	9	9	9
20-34	9	8.6	11	3	5	8	10	14	14	14
35-49	13	9.2	33	2	2	8	10	20	22	22
50-64	19	7.5	6	4	5	7	9	11	12	13
65+	19	7.6	8	3	4	7	9	11	13	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	7.1	3	5	5	7	8	10	11	11
20-34	122	8.7	21	3	4	8	10	13	16	31
35-49	222	8.4	13	4	5	8	10	12	15	24
50-64	421	8.9	16	4	5	8	10	13	16	24
65+	1117	9.5	19	4	6	9	11	14	17	26
B. *Operated*										
0-19 YRS	6	8.8	26	4	4	7	11	17	18	18
20-34	43	11.1	52	3	5	10	13	18	21	46
35-49	86	9.4	18	4	5	9	11	17	18	23
50-64	152	11.6	58	4	6	10	13	20	28	58
65+	311	12.4	48	5	6	10	15	21	27	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	289	7.3	8	3	4	7	9	10	12	17
B. *Operated*	61	8.1	12	3	4	8	9	12	14	22
2. MULTIPLE DX										
A. *Not Operated*	1893	9.2	18	4	5	8	11	14	16	25
B. *Operated*	598	11.6	47	4	6	10	14	20	25	40
1. SINGLE DX	350	7.4	9	3	4	7	9	11	12	18
2. MULTIPLE DX	2491	9.8	26	4	5	9	11	15	19	31
A. NOT OPERATED	2182	8.9	17	4	5	8	10	14	16	25
B. OPERATED	659	11.3	45	4	5	10	13	19	25	39
TOTAL 0-19 YRS	24	7.4	9	4	4	7	8	11	13	18
20-34	226	8.7	25	3	4	8	10	14	17	30
35-49	387	8.4	14	4	5	8	10	13	16	23
50-64	681	9.3	26	4	5	8	11	14	18	35
65+	1523	10.0	26	4	5	9	12	16	19	30
GRAND TOTAL	**2841**	**9.5**	**25**	**4**	**5**	**9**	**11**	**15**	**18**	**30**

145: Acute and subacute endocarditis (421)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	3	7.7	97	1	1	3	15	19	19	19
35-49	5	10.8	121	2	2	8	14	30	30	30
50-64	3	4.3	4	2	2	5	6	6	6	6
65+	2	15.0	98	8	8	15	22	22	22	22
B. *Operated*										
0-19 YRS										
20-34										
35-49	1	6.0		6	6	6	6	6	6	6
50-64										
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	18.3	174	1	2	16	28	38	40	41
20-34	56	15.5	144	2	3	14	18	32	42	53
35-49	54	14.2	167	2	3	8	20	34	43	48
50-64	50	17.3	128	3	3	16	25	31	38	48
65+	112	20.0	148	6	7	17	29	36	44	54
B. *Operated*										
0-19 YRS	10	23.8	243	10	10	16	35	49	56	56
20-34	36	25.6	133	10	12	25	33	42	46	48
35-49	50	22.7	199	5	6	19	30	44	46	66
50-64	49	27.0	284	6	7	26	38	52	69	99+
65+	83	24.9	238	4	8	22	34	51	57	87
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	8.9	75	1	2	6	8	23	28	30
B. *Operated*	3	3.3	6	1	1	3	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*	286	17.5	152	3	4	14	26	35	42	52
B. *Operated*	228	24.9	221	6	8	22	33	47	56	82
1. SINGLE DX	17	7.9	66	1	1	6	8	21	27	30
2. MULTIPLE DX	514	20.8	196	3	5	17	29	42	48	65
A. NOT OPERATED	300	17.1	151	2	4	14	25	34	42	51
B. OPERATED	231	24.7	225	6	8	22	33	46	56	81
TOTAL 0-19 YRS	25	19.9	204	2	2	16	29	41	46	56
20-34	95	19.1	164	3	3	15	28	42	44	52
35-49	110	17.8	196	2	4	14	29	42	45	59
50-64	102	21.6	229	3	4	18	29	43	51	88
65+	199	21.8	193	5	7	18	29	44	52	60
GRAND TOTAL	**531**	**20.4**	**197**	**3**	**5**	**17**	**29**	**42**	**48**	**64**

146: Paroxysmal supraventricular tachycardia (427.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.8	1	1	1	1	3	4	4	4
20-34	12	1.3		<1	<1	1	2	2	3	3
35-49	36	1.5	1	<1	1	1	2	2	3	5
50-64	61	1.6	1	<1	<1	1	2	3	4	6
65+	47	2.6	18	<1	1	1	2	5	8	29
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	3	2.7	4	1	1	2	4	5	5	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	2.0	2	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	4.2	28	<1	1	2	5	8	13	28
20-34	39	3.3	94	<1	1	1	2	4	5	62
35-49	90	2.2	2	1	1	2	3	4	5	7
50-64	285	2.6	5	1	1	2	3	5	6	9
65+	694	3.8	9	1	1	3	5	7	10	15
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	8	2.8	3	1	1	2	4	5	5	5
50-64	24	4.5	17	1	1	4	5	7	15	20
65+	40	8.0	97	1	1	6	10	13	19	62
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	180	1.8	6	<1	1	1	2	3	4	8
B. *Operated*	8	2.0	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*	1137	3.3	11	1	1	2	4	6	8	14
B. *Operated*	73	6.2	63	1	1	5	7	12	16	53
1. SINGLE DX	188	1.8	5	<1	1	1	2	3	4	8
2. MULTIPLE DX	1210	3.5	15	1	1	3	4	7	9	16
A. NOT OPERATED	1317	3.1	11	1	1	2	4	6	8	14
B. OPERATED	81	5.8	58	1	1	4	6	11	15	49
TOTAL 0-19 YRS	53	3.1	17	1	1	2	4	6	8	28
20-34	53	2.8	70	<1	<1	1	2	3	4	60
35-49	137	2.1	2	1	1	2	3	4	5	6
50-64	372	2.5	6	1	1	2	3	5	6	11
65+	783	3.9	15	1	1	3	5	8	11	16
GRAND TOTAL	**1398**	**3.3**	**14**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

147: Atrial fibrillation and flutter (427.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.3		<1	<1	1	2	2	2	2
20-34	67	1.4		<1	<1	1	2	2	3	4
35-49	151	1.4		<1	<1	1	2	2	3	3
50-64	280	1.6	4	<1	<1	1	2	3	3	6
65+	370	2.1	3	<1	<1	1	2	4	5	8
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	1	1	1	2	2	2	2
50-64	7	1.7	2	<1	<1	1	2	4	5	5
65+	13	2.2	4	<1	<1	1	3	5	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	3.4	7	<1	<1	3	5	8	10	10
20-34	116	1.8	1	<1	1	1	2	3	5	6
35-49	358	2.5	5	<1	1	2	3	5	7	11
50-64	1564	3.1	7	<1	1	2	4	6	8	13
65+	5176	4.0	13	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	7	1.9	1	1	1	2	3	3	3	3
20-34	9	3.4	6	1	1	3	5	7	8	8
35-49	32	4.3	26	1	1	2	6	9	13	27
50-64	148	5.1	17	1	1	4	7	11	12	22
65+	448	8.1	49	1	2	6	11	17	22	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	874	1.7	3	<1	<1	1	2	3	4	7
B. *Operated*	23	1.9	3	<1	<1	1	2	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	7237	3.7	12	1	1	3	5	7	10	17
B. *Operated*	644	7.1	42	1	1	5	9	15	20	35
1. SINGLE DX	897	1.8	3	<1	<1	1	2	3	4	7
2. MULTIPLE DX	7881	4.0	15	1	1	3	5	8	11	20
A. NOT OPERATED	8111	3.5	11	<1	1	3	4	7	9	16
B. OPERATED	667	6.9	41	1	1	5	9	14	20	34
TOTAL 0-19 YRS	36	2.8	6	<1	<1	2	3	6	9	10
20-34	193	1.7	1	<1	<1	1	2	3	4	7
35-49	543	2.3	5	<1	1	2	2	5	6	11
50-64	1999	3.0	8	<1	1	2	4	6	8	14
65+	6007	4.2	17	1	1	3	5	8	11	21
GRAND TOTAL	**8778**	**3.8**	**14**	**<1**	**1**	**3**	**5**	**8**	**10**	**19**

148: Other arrhythmia and conduction disorders (426; 427.1-427.2; 427.4-427.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.3	4	1	1	2	3	4	5	13
20-34	74	2.6	9	<1	<1	2	3	5	9	17
35-49	129	2.0	2	<1	1	2	2	4	5	8
50-64	200	2.2	2	<1	1	2	3	4	5	6
65+	220	2.6	4	1	1	2	3	5	7	11
B. *Operated*										
0-19 YRS	10	3.7	17	1	1	2	6	10	13	13
20-34	19	5.8	22	1	1	3	9	13	15	16
35-49	41	2.7	4	1	1	2	4	6	7	9
50-64	77	2.7	5	<1	1	2	3	5	7	11
65+	227	3.2	5	1	1	2	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	77	4.2	28	1	1	2	5	8	14	29
20-34	258	2.7	8	<1	1	2	3	5	7	12
35-49	617	3.0	16	1	1	2	4	6	8	11
50-64	1647	3.7	12	1	1	3	4	7	10	17
65+	5308	4.5	14	1	1	3	6	8	11	19
B. *Operated*										
0-19 YRS	28	6.1	48	1	1	3	8	19	24	25
20-34	64	4.5	12	1	1	4	6	9	11	17
35-49	156	6.3	77	1	1	4	7	13	25	51
50-64	618	6.1	44	1	1	4	7	12	18	40
65+	3215	6.3	37	1	2	5	8	12	16	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	674	2.4	4	<1	1	2	3	4	6	10
B. *Operated*	374	3.2	6	1	1	2	4	7	8	13
2. MULTIPLE DX										
A. *Not Operated*	7907	4.1	14	1	1	3	5	8	11	19
B. *Operated*	4081	6.3	40	1	2	5	8	12	16	32
1. SINGLE DX	1048	2.6	5	1	1	2	3	5	7	11
2. MULTIPLE DX	11988	4.9	24	1	1	4	6	10	13	24
A. NOT OPERATED	8581	4.0	13	1	1	3	5	8	10	18
B. OPERATED	4455	6.0	38	1	1	4	7	12	16	32
TOTAL 0-19 YRS	166	3.9	25	1	1	2	4	8	13	28
20-34	415	3.1	10	<1	1	2	4	7	9	17
35-49	943	3.4	26	1	1	2	4	6	9	25
50-64	2542	4.2	20	1	1	3	5	8	12	23
65+	8970	5.1	23	1	1	4	6	10	13	24
GRAND TOTAL	**13036**	**4.7**	**22**	**1**	**1**	**3**	**6**	**9**	**12**	**24**

149: Heart failure (428)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	4.3	7	1	1	4	6	8	9	9
20-34	1	3.0		3	3	3	3	3	3	3
35-49	16	3.8	5	<1	1	3	5	7	8	8
50-64	78	3.5	5	1	1	3	5	6	8	11
65+	385	4.2	11	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	3	1.7	1	<1	<1	1	2	3	3	3
50-64	4	1.5		<1	<1	1	2	2	2	2
65+	9	4.6	19	1	1	2	8	12	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	96	5.4	26	1	1	4	7	11	15	28
20-34	107	5.0	15	1	1	4	7	10	12	20
35-49	517	5.3	17	1	2	4	7	9	13	25
50-64	3294	5.7	18	1	2	5	7	11	13	21
65+	17990	6.3	21	2	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	22	9.4	157	2	2	6	12	15	34	62
20-34	47	4.2	14	<1	1	3	5	9	12	17
35-49	141	7.7	73	1	1	5	10	15	22	43
50-64	600	9.1	64	1	2	7	12	18	25	41
65+	1991	11.2	84	2	3	9	15	22	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	488	4.1	10	1	1	3	5	8	9	17
B. *Operated*	18	3.0	12	<1	<1	2	3	9	12	13
2. MULTIPLE DX										
A. *Not Operated*	22004	6.2	21	2	2	5	8	11	14	23
B. *Operated*	2801	10.4	80	1	2	8	14	21	27	46
1. SINGLE DX	506	4.0	10	1	1	3	5	8	10	17
2. MULTIPLE DX	24805	6.7	29	2	2	5	8	13	16	28
A. NOT OPERATED	22492	6.1	20	2	2	5	8	11	14	23
B. OPERATED	2819	10.4	80	1	2	8	14	21	27	46
TOTAL 0-19 YRS	127	6.0	49	1	1	4	7	13	15	40
20-34	156	4.7	15	<1	1	4	6	10	12	17
35-49	677	5.8	29	1	2	4	7	11	15	31
50-64	3976	6.2	27	1	2	5	8	12	15	27
65+	20375	6.8	29	2	2	5	8	13	16	28
GRAND TOTAL	**25311**	**6.6**	**29**	**2**	**2**	**5**	**8**	**12**	**16**	**28**

150: Miscellaneous diseases of heart (415.0; 416-420; 422-425; 429.0-429.1; 429.3-429.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	3.0	10	<1	1	2	3	5	11	16
20-34	126	2.3	2	<1	1	2	3	4	5	6
35-49	182	2.3	2	<1	1	2	3	4	5	8
50-64	116	2.6	12	<1	1	2	3	4	5	17
65+	109	2.2	3	<1	<1	1	3	4	6	9
B. *Operated*										
0-19 YRS	35	3.8	18	<1	<1	2	6	9	11	22
20-34	42	3.6	11	<1	<1	2	7	9	10	12
35-49	103	3.1	11	<1	<1	1	4	8	10	15
50-64	183	3.6	18	<1	1	1	5	10	11	18
65+	143	3.5	18	<1	<1	1	4	11	13	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	3.9	13	1	1	3	5	8	13	16
20-34	254	3.4	8	1	1	3	4	7	8	15
35-49	521	3.8	8	1	1	3	5	8	9	14
50-64	1044	5.3	17	1	2	4	7	10	14	20
65+	1897	6.2	24	1	2	5	8	12	15	24
B. *Operated*										
0-19 YRS	52	6.0	86	<1	<1	3	8	13	16	61
20-34	128	8.2	73	1	1	5	11	20	28	43
35-49	379	6.8	55	1	1	4	9	16	23	30
50-64	1087	7.5	72	1	1	5	10	16	21	37
65+	1615	9.1	77	1	1	8	13	19	24	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	558	2.4	5	<1	<1	2	3	4	5	8
B. *Operated*	506	3.5	16	<1	<1	1	5	10	11	16
2. MULTIPLE DX										
A. *Not Operated*	3784	5.4	19	1	2	4	7	11	14	21
B. *Operated*	3261	8.2	73	1	1	7	12	18	23	40
1. SINGLE DX	1064	2.9	10	<1	<1	2	3	7	10	14
2. MULTIPLE DX	7045	6.7	46	1	1	5	9	14	19	31
A. NOT OPERATED	4342	5.0	18	1	1	4	6	10	13	21
B. OPERATED	3767	7.6	68	1	1	6	11	17	21	38
TOTAL 0-19 YRS	180	4.3	35	<1	1	3	5	10	15	21
20-34	550	4.3	27	1	1	3	5	9	13	29
35-49	1185	4.5	25	1	1	3	6	10	13	27
50-64	2430	6.0	43	1	1	4	8	13	17	29
65+	3764	7.2	49	1	1	5	10	15	20	33
GRAND TOTAL	**8109**	**6.2**	**43**	**1**	**1**	**4**	**8**	**14**	**18**	**30**

151: Cardiovascular disease, unspecified (429.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	4.0		4	4	4	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	4.8	9	<1	<1	5	7	8	8	8
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	10	2.8	3	<1	<1	3	4	5	5	5
50-64	42	4.0	11	1	1	3	5	8	10	18
65+	90	4.7	15	1	1	4	6	10	12	19
B. *Operated*										
0-19 YRS										
20-34	2	7.0	8	5	5	7	9	9	9	9
35-49	8	5.8	43	1	1	3	9	17	19	19
50-64	49	6.2	176	1	1	2	7	13	15	92
65+	45	7.8	44	1	1	7	10	17	20	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1	4.0		4	4	4	4	4	4	4
B. *Operated*	4	4.8	9	<1	<1	5	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*	142	4.4	13	1	1	3	6	9	11	18
B. *Operated*	104	6.9	104	1	1	5	9	15	18	58
1. SINGLE DX	5	4.6	7	<1	<1	4	6	8	8	8
2. MULTIPLE DX	246	5.4	53	1	1	3	7	11	16	21
A. NOT OPERATED	143	4.3	13	1	1	3	6	9	11	18
B. OPERATED	108	6.8	101	1	1	5	9	15	18	56
TOTAL 0-19 YRS										
20-34	3	6.0	7	4	4	5	8	9	9	9
35-49	18	4.1	21	<1	1	3	5	10	16	19
50-64	95	5.2	96	1	1	3	6	10	14	59
65+	135	5.7	26	1	1	4	8	12	17	22
GRAND TOTAL	**251**	**5.4**	**52**	**1**	**1**	**4**	**7**	**11**	**16**	**21**

152: Subarachnoid hemorrhage without paralysis (430)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	4.7	14	2	2	3	7	9	9	9
35-49	3	2.3	1	1	1	3	3	3	3	3
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	4	5.5	20	1	1	5	9	11	11	11
B. *Operated*										
0-19 YRS	5	9.4	91	1	1	7	14	25	25	25
20-34	21	9.5	76	1	1	9	12	18	29	39
35-49	33	10.4	64	1	1	9	13	22	26	39
50-64	34	9.4	54	1	1	8	16	19	24	27
65+	8	8.1	27	1	1	8	13	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	8	6.8	103	1	1	2	9	25	29	29
35-49	6	10.5	164	2	2	5	14	33	35	35
50-64	17	8.6	73	1	2	7	12	15	29	36
65+	47	13.0	143	3	3	10	14	24	30	74
B. *Operated*										
0-19 YRS	7	19.9	289	2	4	14	43	85	99+	99+
20-34	24	19.6	288	3	4	15	27	66	99+	99+
35-49	67	19.7	200	3	4	17	27	39	46	70
50-64	87	25.4	344	6	9	19	31	57	80	99+
65+	72	20.8	175	3	6	19	28	41	44	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	3.6	11	<1	1	3	4	9	11	11
B. *Operated*	101	9.7	59	1	1	9	13	19	25	39
2. MULTIPLE DX										
A. *Not Operated*	79	11.1	125	1	2	9	14	24	32	66
B. *Operated*	257	21.9	255	3	6	18	30	47	63	99+
1. SINGLE DX	114	9.0	57	1	1	8	13	17	25	39
2. MULTIPLE DX	336	19.4	245	2	4	15	27	43	56	99+
A. NOT OPERATED	92	10.0	116	1	2	8	13	20	29	62
B. OPERATED	358	18.5	230	1	3	15	25	41	52	99+
TOTAL 0-19 YRS	14	13.6	210	1	2	11	23	49	87	99+
20-34	56	13.2	195	1	1	10	17	37	65	99+
35-49	109	15.9	174	1	3	13	21	35	42	60
50-64	140	19.1	300	1	2	15	26	47	63	99+
65+	131	16.7	171	2	4	13	23	36	43	61
GRAND TOTAL	**450**	**16.7**	**218**	**1**	**2**	**13**	**23**	**38**	**49**	**99**

153: Subarachnoid hemorrhage with paralysis (430 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	16.0	242	5	5	16	27	27	27	27
65+	6	24.8	260	7	7	22	41	45	45	45
B. *Operated*										
0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	4	27.5	196	12	12	26	36	46	46	46
35-49	6	29.2	507	9	10	22	30	69	73	73
50-64	19	27.8	399	12	14	20	32	58	81	89
65+	11	23.1	106	13	15	20	24	36	51	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	8	22.6	237	5	6	21	35	44	45	45
B. *Operated*	41	26.6	290	12	13	21	27	48	72	89
1. SINGLE DX										
2. MULTIPLE DX	49	25.9	279	9	12	21	28	46	72	89
A. NOT OPERATED	8	22.6	237	5	6	21	35	44	45	45
B. OPERATED	41	26.6	290	12	13	21	27	48	72	89
TOTAL 0-19 YRS	1	21.0		21	21	21	21	21	21	21
20-34	4	27.5	196	12	12	26	36	46	46	46
35-49	6	29.2	507	9	10	22	30	69	73	73
50-64	21	26.7	384	9	13	20	29	50	80	89
65+	17	23.7	148	8	11	20	27	44	50	52
GRAND TOTAL	**49**	**25.9**	**279**	**9**	**12**	**21**	**28**	**46**	**72**	**89**

154: Intracerebral hemorrhage without paralysis (431-432)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	2.0	2	<1	<1	1	3	4	4	4
20-34	3	10.3	74	1	1	12	16	18	18	18
35-49	6	2.7	2	<1	<1	2	3	5	5	5
50-64	13	5.7	18	<1	1	5	7	13	15	15
65+	59	7.6	38	1	2	6	11	13	17	37
B. *Operated*										
0-19 YRS	5	9.2	40	1	1	8	13	18	18	18
20-34	13	6.6	72	1	1	4	8	15	30	33
35-49	19	5.1	10	1	1	5	8	9	11	11
50-64	20	7.0	22	1	1	7	9	14	16	16
65+	65	8.9	49	2	3	7	10	14	27	34
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	6.3	21	<1	2	6	8	14	16	17
20-34	10	9.1	73	1	1	8	10	22	30	30
35-49	35	8.3	64	<1	1	6	10	16	30	37
50-64	114	8.6	75	1	2	7	10	16	19	55
65+	559	9.6	63	2	3	8	12	19	22	42
B. *Operated*										
0-19 YRS	26	12.2	92	3	3	10	16	21	28	50
20-34	29	11.8	107	1	4	8	16	23	26	53
35-49	58	14.8	189	1	3	11	19	27	43	78
50-64	126	14.5	180	4	5	11	18	30	43	99+
65+	353	16.0	145	4	5	13	22	30	43	82
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	85	6.8	34	1	1	5	10	13	16	33
B. *Operated*	122	7.7	41	1	2	7	9	13	23	33
2. MULTIPLE DX										
A. *Not Operated*	733	9.3	64	2	3	7	12	18	22	43
B. *Operated*	592	15.2	153	3	5	12	20	29	42	89
1. SINGLE DX	207	7.4	38	1	1	6	9	13	18	34
2. MULTIPLE DX	1325	11.9	112	2	3	9	15	24	31	61
A. NOT OPERATED	818	9.1	62	1	2	7	11	18	22	42
B. OPERATED	714	13.9	142	2	4	10	18	28	38	81
TOTAL 0-19 YRS	50	9.3	68	1	2	7	12	18	21	50
20-34	55	10.0	91	1	1	7	13	22	29	52
35-49	118	10.7	131	1	2	8	14	24	29	61
50-64	273	11.1	127	2	3	8	13	22	33	90
65+	1036	11.6	98	2	3	9	14	23	30	55
GRAND TOTAL	**1532**	**11.3**	**105**	**2**	**3**	**8**	**14**	**23**	**30**	**58**

155: Intracerebral hemorrhage with paralysis (431-432 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	9.0		9	9	9	9	9	9	9
35-49	9	8.6	19	3	3	10	11	14	16	16
50-64	69	12.7	119	3	4	9	15	31	38	51
65+	222	11.8	68	3	5	10	14	20	26	48
B. *Operated*										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	9	30.9	545	5	7	16	55	64	65	65
35-49	16	23.2	343	5	9	15	31	49	64	71
50-64	42	20.0	324	6	6	15	23	67	84	99+
65+	95	20.2	182	5	7	17	26	39	48	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	301	11.9	78	3	4	9	14	21	28	49
B. *Operated*	163	21.0	253	5	7	16	26	49	64	96
1. SINGLE DX										
2. MULTIPLE DX	464	15.1	158	4	5	12	18	30	46	71
A. NOT OPERATED	301	11.9	78	3	4	9	14	21	28	49
B. OPERATED	163	21.0	253	5	7	16	26	49	64	96
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	10	28.7	532	5	7	16	53	63	65	65
35-49	25	17.9	272	3	4	13	17	48	54	71
50-64	111	15.5	207	4	5	11	20	36	54	99+
65+	317	14.3	116	3	5	11	18	27	35	63
GRAND TOTAL	**464**	**15.1**	**158**	**4**	**5**	**12**	**18**	**30**	**46**	**71**

156: Precerebral artery occlusion without paralysis (433)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	12	2.5	4	<1	<1	2	3	5	8	8
65+	22	1.8	2	<1	<1	1	2	4	5	7
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	5.7	40	2	2	2	10	13	13	13
35-49	32	3.6	8	1	1	3	5	7	10	13
50-64	311	3.3	4	1	1	3	4	5	7	10
65+	738	3.8	7	1	1	3	5	6	8	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	4.0		4	4	4	4	4	4	4
35-49	10	2.1	2	<1	<1	2	3	4	4	4
50-64	55	4.1	17	<1	1	3	5	8	11	24
65+	270	4.3	9	1	1	4	6	7	9	18
B. *Operated*										
0-19 YRS	3	3.7	9	1	1	3	6	7	7	7
20-34	5	2.2	3	1	1	1	4	4	4	4
35-49	99	4.3	13	1	1	3	5	9	11	20
50-64	1039	4.7	17	1	1	4	5	9	11	24
65+	3096	5.3	20	1	2	4	6	10	13	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	2.0	3	<1	<1	1	2	4	6	8
B. *Operated*	1085	3.6	6	1	1	3	5	6	8	13
2. MULTIPLE DX										
A. *Not Operated*	337	4.2	10	1	1	4	5	7	10	18
B. *Operated*	4242	5.1	19	1	2	4	6	9	13	22
1. SINGLE DX	1120	3.6	6	1	1	3	4	6	8	13
2. MULTIPLE DX	4579	5.1	19	1	2	4	6	9	12	22
A. NOT OPERATED	372	4.0	10	<1	1	3	5	7	9	18
B. OPERATED	5327	4.8	17	1	1	4	6	9	12	21
TOTAL 0-19 YRS	5	2.6	7	1	1	1	4	7	7	7
20-34	10	3.3	13	1	1	2	4	9	13	13
35-49	141	4.0	11	1	1	3	5	8	10	18
50-64	1417	4.4	15	1	1	4	5	8	10	20
65+	4126	4.9	17	1	1	4	6	9	12	21
GRAND TOTAL	**5699**	**4.8**	**17**	**1**	**1**	**4**	**6**	**9**	**12**	**21**

157: Procerebral artery occlusion with paralysis (433 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	10	7.3	47	1	1	4	10	18	23	23
65+	40	9.1	42	1	2	8	12	17	24	26
B. *Operated*										
0-19 YRS	3	5.7	12	2	2	6	8	9	9	9
20-34	2	10.0	18	7	7	10	13	13	13	13
35-49	13	15.5	420	1	2	8	14	55	66	69
50-64	77	9.6	119	1	2	6	11	19	28	57
65+	148	8.4	82	2	3	6	11	15	20	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	50	8.7	42	1	2	8	12	17	24	26
B. *Operated*	243	9.1	111	2	2	6	11	17	22	60
1. SINGLE DX										
2. MULTIPLE DX	293	9.1	99	1	2	6	11	17	23	56
A. NOT OPERATED	50	8.7	42	1	2	8	12	17	24	26
B. OPERATED	243	9.1	111	2	2	6	11	17	22	60
TOTAL 0-19 YRS	3	5.7	12	2	2	6	8	9	9	9
20-34	2	10.0	18	7	7	10	13	13	13	13
35-49	13	15.5	420	1	2	8	14	55	66	69
50-64	87	9.3	111	1	2	6	11	19	26	57
65+	188	8.5	73	2	2	7	11	16	20	26
GRAND TOTAL	**293**	**9.1**	**99**	**1**	**2**	**6**	**11**	**17**	**23**	**56**

158: Occlusion of cerebral arteries, thrombosis and embolism without paralysis (434)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	6.5	61	1	1	6	12	12	12	12
20-34	6	4.0	16	1	1	3	5	10	11	11
35-49	22	3.9	12	1	1	3	5	6	11	17
50-64	90	5.1	14	1	2	4	7	9	13	20
65+	224	6.1	17	2	2	5	8	12	14	21
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	6	8.5	31	3	3	8	13	16	16	16
35-49	19	6.8	16	1	2	6	9	13	14	14
50-64	26	4.7	18	1	1	4	6	9	16	17
65+	39	5.2	23	1	1	4	7	10	15	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	9.3	106	2	3	6	11	16	37	43
20-34	24	4.6	22	1	1	3	6	10	42	99+
35-49	160	6.6	29	1	2	5	8	11	14	43
50-64	844	6.6	32	2	2	5	8	12	16	32
65+	4290	7.8	39	2	3	6	10	14	18	33
B. *Operated*										
0-19 YRS	4	6.5	23	2	2	5	10	13	13	13
20-34	21	8.4	54	3	3	5	10	16	25	35
35-49	56	9.2	89	2	2	6	12	24	30	97
50-64	204	9.8	93	2	2	7	13	21	28	77
65+	581	11.4	105	2	3	8	14	23	32	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	344	5.7	16	1	2	5	7	11	14	20
B. *Operated*	92	5.6	20	1	1	5	8	12	16	21
2. MULTIPLE DX										
A. *Not Operated*	5332	7.5	38	2	2	6	9	13	17	33
B. *Operated*	866	10.8	100	2	3	8	14	22	31	59
1. SINGLE DX	436	5.7	17	1	2	5	7	11	14	20
2. MULTIPLE DX	6198	8.0	48	2	2	6	10	14	19	37
A. NOT OPERATED	5676	7.4	37	2	2	6	9	13	17	33
B. OPERATED	958	10.3	95	1	2	7	13	21	29	57
TOTAL 0-19 YRS	22	8.2	74	1	2	6	11	13	25	43
20-34	57	6.3	36	1	1	5	8	15	21	95
35-49	257	6.9	41	1	2	5	9	13	17	56
50-64	1164	7.0	43	2	2	5	9	14	18	39
65+	5134	8.1	47	2	3	6	10	14	19	35
GRAND TOTAL	**6634**	**7.8**	**46**	**2**	**2**	**6**	**10**	**14**	**19**	**36**

159: Occlusion of cerebral arteries, thrombosis and embolism with paralysis (434 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. Operated										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	4	7.5	9	5	5	7	10	11	11	11
20-34	8	7.8	80	1	2	5	8	23	29	29
35-49	53	8.1	52	2	2	6	11	16	18	45
50-64	440	10.3	137	2	3	7	11	19	29	73
65+	2491	9.3	46	3	3	8	11	17	22	36
B. Operated										
0-19 YRS	1	13.0		13	13	13	13	13	13	13
20-34	10	8.6	13	3	4	8	12	14	15	15
35-49	36	11.3	107	2	3	7	13	23	38	45
50-64	66	12.7	126	4	4	9	16	34	41	92
65+	314	14.1	107	4	5	11	17	25	37	53
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated										
B. Operated										
2. MULTIPLE DX										
A. Not Operated	2996	9.5	59	3	3	8	11	17	22	41
B. Operated	427	13.5	108	4	5	10	17	25	40	53
1. SINGLE DX										
2. MULTIPLE DX	3423	10.0	67	3	3	8	12	18	24	45
A. NOT OPERATED	2996	9.5	59	3	3	8	11	17	22	41
B. OPERATED	427	13.5	108	4	5	10	17	25	40	53
TOTAL 0-19 YRS	5	8.6	13	5	5	9	11	13	13	13
20-34	18	8.2	40	2	3	7	10	14	23	29
35-49	89	9.4	76	2	3	6	12	19	24	46
50-64	506	10.7	136	2	3	8	12	21	32	78
65+	2805	9.9	55	3	3	8	12	18	23	41
GRAND TOTAL	**3423**	**10.0**	**67**	**3**	**3**	**8**	**12**	**18**	**24**	**45**

160: Transient cerebral ischemia without paralysis (435)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	11	2.5	2	<1	<1	2	3	5	6	6
35-49	55	2.2	2	1	1	2	3	4	5	6
50-64	163	2.1	2	1	1	2	3	4	5	6
65+	397	2.5	2	1	1	2	3	5	6	8
B. Operated										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	9	2.3	4	1	1	1	3	6	7	7
35-49	21	2.7	4	<1	1	2	4	6	7	7
50-64	74	2.7	5	<1	1	2	4	5	7	11
65+	92	2.9	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	11	2.2	1	1	1	2	3	4	4	4
20-34	42	2.4	2	1	1	2	3	5	5	6
35-49	166	3.2	10	1	1	2	4	6	7	18
50-64	910	3.1	5	1	1	3	4	6	7	10
65+	4416	4.0	11	1	1	3	5	7	9	14
B. Operated										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34	11	4.7	15	1	1	4	5	11	15	15
35-49	65	5.0	21	1	1	4	6	9	17	23
50-64	329	4.4	21	1	1	3	6	9	12	18
65+	844	5.6	33	1	1	4	7	11	15	31
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	628	2.4	2	1	1	2	3	5	5	7
B. Operated	198	2.8	5	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. Not Operated	5545	3.8	10	1	1	3	5	7	9	14
B. Operated	1251	5.2	29	1	1	4	6	10	15	26
1. SINGLE DX	826	2.5	3	1	1	2	3	5	6	8
2. MULTIPLE DX	6796	4.0	14	1	1	3	5	7	10	17
A. NOT OPERATED	6173	3.6	9	1	1	3	5	7	8	14
B. OPERATED	1449	4.9	27	1	1	4	6	9	13	24
TOTAL 0-19 YRS	17	2.0	1	1	1	2	3	4	4	4
20-34	73	2.7	5	1	1	2	3	5	6	13
35-49	307	3.4	11	1	1	2	4	6	8	20
50-64	1476	3.3	8	1	1	3	4	6	8	14
65+	5749	4.1	14	1	1	3	5	8	10	17
GRAND TOTAL	**7622**	**3.9**	**13**	**1**	**1**	**3**	**5**	**7**	**9**	**17**

161: Acute, but ill-defined, cerebrovascular disease without paralysis (436)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	4	5.0	10	2	2	4	7	9	9	9
35-49	13	3.7	4	1	1	4	5	7	8	8
50-64	62	3.9	7	<1	1	3	5	7	10	12
65+	207	5.9	26	1	2	5	8	12	16	27
B. *Operated*										
0-19 YRS										
20-34	3	7.0	1	6	6	7	8	8	8	8
35-49	6	3.7	11	1	1	2	8	8	8	8
50-64	18	5.3	26	1	1	3	8	15	16	16
65+	25	6.0	31	1	1	4	7	14	18	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	5.9	17	1	1	5	8	12	13	13
20-34	13	2.8	2	1	1	2	4	5	6	6
35-49	87	5.7	26	1	2	4	7	11	14	32
50-64	465	5.7	29	1	2	4	7	11	15	27
65+	2723	7.3	45	2	2	6	9	13	17	32
B. *Operated*										
0-19 YRS	1	16.0		16	16	16	16	16	16	16
20-34	6	7.5	34	1	1	6	9	17	18	18
35-49	22	9.9	178	1	2	6	9	21	41	64
50-64	92	7.2	42	1	2	5	9	16	21	72
65+	327	10.6	84	2	3	9	13	21	29	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	5.3	21	1	2	4	7	10	12	25
B. *Operated*	52	5.5	25	1	1	4	8	13	16	25
2. MULTIPLE DX										
A. *Not Operated*	3296	7.0	43	2	2	6	8	13	17	32
B. *Operated*	448	9.9	81	2	3	7	12	20	29	51
1. SINGLE DX	340	5.4	22	1	1	4	7	10	13	25
2. MULTIPLE DX	3744	7.4	48	2	2	6	9	14	18	37
A. NOT OPERATED	3584	6.9	41	2	2	5	8	12	17	31
B. OPERATED	500	9.4	77	1	2	7	12	19	27	46
TOTAL 0-19 YRS	11	6.2	24	1	1	5	9	14	16	16
20-34	26	4.7	14	1	1	4	6	9	11	18
35-49	128	6.1	52	1	2	4	7	11	15	43
50-64	637	5.8	29	1	2	4	7	11	16	31
65+	3282	7.5	49	2	2	6	9	14	19	35
GRAND TOTAL	**4084**	**7.2**	**46**	**2**	**2**	**6**	**9**	**13**	**18**	**35**

162: Acute, but ill-defined, cerebrovascular disease with paralysis (436 plus 342 or 344)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	6	4.0	8	1	1	3	7	8	8	8
35-49	39	6.8	53	1	2	4	8	12	17	44
50-64	188	8.1	70	2	2	6	9	16	22	65
65+	1173	8.8	57	2	3	7	11	16	21	41
B. *Operated*										
0-19 YRS										
20-34	1	7.0		7	7	7	7	7	7	7
35-49	12	8.4	27	2	2	7	12	16	18	18
50-64	34	9.3	73	1	3	7	12	21	39	99+
65+	125	13.6	110	3	4	10	17	28	36	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	1407	8.6	58	2	3	7	11	16	21	42
B. *Operated*	172	12.3	100	3	4	9	16	25	36	56
1. SINGLE DX										
2. MULTIPLE DX	1579	9.0	64	2	3	7	11	17	22	45
A. NOT OPERATED	1407	8.6	58	2	3	7	11	16	21	42
B. OPERATED	172	12.3	100	3	4	9	16	25	36	56
TOTAL 0-19 YRS	1	8.0		8	8	8	8	8	8	8
20-34	7	4.4	8	1	1	3	7	8	8	8
35-49	51	7.2	47	1	2	5	9	14	18	44
50-64	222	8.3	70	2	2	6	10	17	24	87
65+	1298	9.3	64	2	3	7	11	17	23	44
GRAND TOTAL	**1579**	**9.0**	**64**	**2**	**3**	**7**	**11**	**17**	**22**	**45**

163: Other and ill-defined cerebrovascular disease (437-438)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	6	2.2	3	1	1	2	3	5	5	5
35-49	31	2.4	2	1	1	2	4	4	6	6
50-64	39	3.3	4	1	1	3	4	6	8	9
65+	53	3.4	7	1	1	3	4	7	8	12
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	10	3.8	15	1	1	2	7	10	12	12
35-49	27	5.3	31	<1	1	2	8	15	18	21
50-64	37	3.7	14	1	1	2	6	10	11	15
65+	28	3.0	11	1	1	2	3	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	2.8	9	<1	<1	2	2	7	11	11
20-34	21	3.3	6	1	1	3	4	6	9	12
35-49	124	3.8	9	1	1	3	5	7	9	41
50-64	272	4.3	12	1	1	3	5	9	11	17
65+	1060	5.4	24	1	2	4	7	10	13	24
B. *Operated*										
0-19 YRS	4	7.0	115	<1	<1	2	13	23	23	23
20-34	23	9.1	61	1	1	9	12	17	26	34
35-49	52	8.0	81	1	1	5	12	18	20	55
50-64	128	10.2	163	1	1	6	13	22	35	64
65+	192	8.0	88	1	1	6	9	16	25	55
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	131	3.0	5	1	1	2	4	6	8	12
B. *Operated*	103	3.9	18	1	1	2	6	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	1487	5.1	21	1	2	4	6	9	12	22
B. *Operated*	399	8.7	110	1	1	6	11	18	28	56
1. SINGLE DX	234	3.4	11	1	1	2	4	8	10	16
2. MULTIPLE DX	1886	5.8	42	1	2	4	7	11	16	33
A. NOT OPERATED	1618	4.9	20	1	1	4	6	9	12	22
B. OPERATED	502	7.7	95	1	1	5	10	16	23	54
TOTAL 0-19 YRS	17	3.6	31	<1	<1	2	3	10	19	23
20-34	60	5.5	36	1	1	3	8	12	16	33
35-49	234	4.7	30	1	1	3	6	10	16	27
50-64	476	5.8	59	1	1	4	6	12	16	38
65+	1333	5.7	34	1	2	4	7	10	15	29
GRAND TOTAL	**2120**	**5.6**	**39**	**1**	**1**	**4**	**7**	**11**	**15**	**31**

164: Atherosclerosis (440)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	6	1.3	1	1	1	1	1	3	3	3
B. *Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34										
35-49	28	3.0	8	<1	1	2	4	8	9	10
50-64	95	3.8	10	<1	1	2	6	8	9	15
65+	132	3.8	13	<1	1	2	6	9	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	1.0		<1	<1	<1	1	1	1	1
50-64	24	3.0	5	<1	<1	2	4	7	7	8
65+	97	5.8	25	<1	1	4	8	14	16	24
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	10	9.0	33	1	1	9	15	16	17	17
35-49	117	7.2	61	1	1	6	8	14	24	42
50-64	707	8.1	68	1	1	7	10	15	22	47
65+	1728	9.2	80	1	1	8	12	18	24	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.2		<1	<1	1	1	2	3	3
B. *Operated*	256	3.7	11	<1	1	2	6	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	126	5.1	22	<1	1	4	7	11	16	21
B. *Operated*	2564	8.8	76	1	1	7	11	17	24	48
1. SINGLE DX	268	3.6	11	<1	1	2	6	8	10	15
2. MULTIPLE DX	2690	8.6	74	1	1	7	11	17	23	47
A. NOT OPERATED	138	4.7	21	<1	<1	3	6	10	15	20
B. OPERATED	2820	8.3	72	1	1	7	10	16	23	46
TOTAL 0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	11	8.4	34	1	1	8	14	16	17	17
35-49	153	6.1	52	<1	1	4	8	12	22	37
50-64	828	7.5	62	1	1	6	9	14	20	44
65+	1963	8.6	75	1	1	7	11	17	23	46
GRAND TOTAL	**2958**	**8.2**	**70**	**1**	**1**	**7**	**10**	**16**	**22**	**45**

165: Aortic aneurysm (441)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	8	4.8	25	<1	<1	3	7	13	14	14
B. *Operated*										
0-19 YRS										
20-34	1	8.0		8	8	8	8	8	8	8
35-49	8	6.5	22	1	1	7	9	13	14	14
50-64	65	8.5	8	5	6	8	10	11	13	18
65+	141	8.2	13	1	1	8	10	12	14	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	5.0		5	5	5	5	5	5	5
50-64	20	3.9	16	<1	1	3	4	11	13	15
65+	169	4.9	21	1	1	3	7	10	14	28
B. *Operated*										
0-19 YRS	4	11.5	6	9	9	11	13	14	14	14
20-34	5	11.6	70	3	3	8	18	24	24	24
35-49	41	10.5	47	1	2	10	13	17	24	37
50-64	423	11.4	82	2	5	9	12	18	26	64
65+	1549	12.8	110	1	5	10	14	22	31	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	9	4.3	23	<1	<1	2	6	13	14	14
B. *Operated*	215	8.2	12	1	3	8	10	12	14	18
2. MULTIPLE DX										
A. *Not Operated*	191	4.8	21	1	1	3	6	10	14	27
B. *Operated*	2022	12.5	103	1	5	10	14	21	30	63
1. SINGLE DX	224	8.1	13	1	2	8	10	12	14	18
2. MULTIPLE DX	2213	11.8	100	1	3	10	13	21	29	62
A. NOT OPERATED	200	4.8	21	1	1	3	6	10	14	26
B. OPERATED	2237	12.1	96	1	5	10	13	21	28	62
TOTAL 0-19 YRS	4	11.5	6	9	9	11	13	14	14	14
20-34	7	9.6	63	1	1	8	14	22	24	24
35-49	50	9.7	44	1	2	8	13	16	22	37
50-64	509	10.7	72	1	4	9	12	17	23	62
65+	1867	11.7	101	1	2	10	13	21	29	59
GRAND TOTAL	**2437**	**11.5**	**93**	**1**	**3**	**9**	**13**	**20**	**28**	**59**

166: Aneurysm except aortic (442)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	4	3.0	11	1	1	2	5	8	8	8
20-34	6	4.7	13	<1	<1	4	9	9	9	9
35-49	12	4.6	26	1	1	2	6	14	16	16
50-64	26	3.8	7	<1	1	4	5	6	8	14
65+	44	4.9	8	1	1	5	7	9	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	3	11.0	112	3	3	7	19	23	23	23
50-64	4	3.3	2	1	1	4	4	4	4	4
65+	13	4.2	10	<1	1	3	6	9	11	11
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	16	10.1	143	1	1	5	14	17	40	50
35-49	38	6.7	41	1	1	4	10	19	24	99+
50-64	107	8.1	87	1	1	6	9	16	20	59
65+	280	9.0	75	1	2	7	11	15	23	59
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*	92	4.5	11	1	1	4	6	9	10	15
2. MULTIPLE DX										
A. *Not Operated*	20	5.1	25	<1	1	4	6	10	17	23
B. *Operated*	442	8.6	77	1	2	7	11	15	23	67
1. SINGLE DX	95	4.4	10	1	1	4	6	9	10	15
2. MULTIPLE DX	462	8.5	75	1	1	7	10	15	22	65
A. NOT OPERATED	23	4.7	22	<1	1	4	5	9	15	23
B. OPERATED	534	7.9	68	1	1	6	10	14	20	53
TOTAL 0-19 YRS	5	4.8	25	1	1	2	9	12	12	12
20-34	22	8.6	111	<1	1	5	10	16	30	50
35-49	53	6.4	41	1	1	4	10	17	24	97
50-64	139	7.1	72	1	1	5	8	13	18	53
65+	338	8.3	66	1	2	7	10	14	19	44
GRAND TOTAL	**557**	**7.8**	**67**	**1**	**1**	**6**	**10**	**14**	**20**	**51**

167: Arterial embolism and thrombosis (444)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	3	3.7	2	2	2	4	5	5	5	5
35-49	8	5.5	11	1	1	5	8	10	11	11
50-64	19	3.7	11	<1	<1	2	6	9	10	10
65+	27	3.6	14	<1	<1	2	5	9	12	16
B. *Operated*										
0-19 YRS	3	3.7	5	1	1	5	5	5	5	5
20-34	16	4.2	12	1	1	4	6	8	12	14
35-49	55	5.4	17	<1	1	5	8	11	12	20
50-64	180	4.5	11	<1	1	4	7	9	11	15
65+	196	4.8	12	1	1	5	8	9	11	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	7.5	1	7	7	7	8	8	8	8
20-34	5	10.8	4	9	9	10	12	14	14	14
35-49	27	6.4	16	1	1	6	8	11	15	16
50-64	65	4.9	14	<1	1	4	7	10	11	19
65+	189	5.5	17	1	1	5	8	10	11	20
B. *Operated*										
0-19 YRS	5	9.8	24	5	5	9	13	17	17	17
20-34	32	7.7	27	1	2	6	10	14	20	22
35-49	237	7.9	55	1	1	7	10	15	19	47
50-64	972	8.0	39	1	1	7	10	14	19	32
65+	2114	8.9	51	1	1	8	11	16	22	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	3.9	12	<1	<1	3	6	9	10	16
B. *Operated*	450	4.7	12	1	1	5	7	9	11	14
2. MULTIPLE DX										
A. *Not Operated*	288	5.5	16	<1	1	5	8	10	11	19
B. *Operated*	3360	8.6	48	1	1	7	11	16	21	35
1. SINGLE DX	508	4.6	12	<1	1	4	7	9	11	15
2. MULTIPLE DX	3648	8.3	46	1	1	7	10	15	21	34
A. NOT OPERATED	346	5.3	16	<1	1	5	8	10	11	17
B. OPERATED	3810	8.1	45	1	1	7	10	15	20	34
TOTAL 0-19 YRS	11	7.4	18	1	3	6	9	14	17	17
20-34	56	6.7	23	1	1	6	10	13	15	22
35-49	327	7.3	45	1	1	6	9	14	17	40
50-64	1236	7.2	35	1	1	6	9	13	18	30
65+	2526	8.3	47	1	1	7	10	16	21	33
GRAND TOTAL	**4156**	**7.9**	**43**	**1**	**1**	**7**	**10**	**15**	**20**	**33**

168: Miscellaneous diseases of arteries (443; 446-448)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	37	4.2	11	1	1	3	5	7	8	20
20-34	11	5.3	17	1	1	4	7	11	16	16
35-49	13	2.2	2	1	1	2	3	4	6	6
50-64	14	3.2	6	<1	1	2	6	7	7	7
65+	23	3.1	10	<1	<1	2	4	7	10	14
B. *Operated*										
0-19 YRS	8	2.6	4	1	1	2	4	5	6	6
20-34	38	2.6	6	<1	<1	2	4	6	7	12
35-49	52	3.2	8	<1	<1	2	5	8	9	12
50-64	128	3.1	9	<1	1	2	5	7	8	16
65+	131	3.2	10	<1	<1	2	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	5.0	16	1	2	4	6	10	13	20
20-34	33	6.3	33	1	1	5	8	11	14	32
35-49	60	4.7	18	1	1	4	7	9	14	23
50-64	107	4.0	18	<1	1	3	6	8	11	26
65+	238	5.5	26	1	1	4	7	11	16	26
B. *Operated*										
0-19 YRS	13	7.1	14	1	2	7	9	12	14	14
20-34	62	8.0	102	1	1	5	10	14	26	62
35-49	134	7.0	93	1	1	4	8	15	22	80
50-64	470	6.8	62	1	1	4	9	15	22	40
65+	870	7.8	68	1	1	5	10	17	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	3.6	10	<1	1	3	5	7	8	18
B. *Operated*	357	3.1	9	<1	1	2	4	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	474	5.1	23	1	1	4	7	10	14	26
B. *Operated*	1549	7.4	69	1	1	5	10	16	23	42
1. SINGLE DX	455	3.2	9	<1	1	2	5	7	9	15
2. MULTIPLE DX	2023	6.9	59	1	1	5	9	15	22	39
A. NOT OPERATED	572	4.8	21	1	1	3	6	9	14	25
B. OPERATED	1906	6.6	61	1	1	4	9	15	21	40
TOTAL 0-19 YRS	94	4.7	14	1	1	4	6	9	12	20
20-34	144	6.0	59	1	1	4	8	11	17	35
35-49	259	5.5	57	1	1	3	7	13	18	55
50-64	719	5.7	47	1	1	3	7	12	19	35
65+	1262	6.8	55	1	1	5	9	15	21	36
GRAND TOTAL	**2478**	**6.2**	**52**	**1**	**1**	**4**	**8**	**14**	**20**	**36**

169: Phlebitis and thrombophlebitis (451)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	4.5	7	1	1	4	7	8	9	9
20-34	122	5.9	12	1	1	6	8	10	11	19
35-49	184	6.1	10	2	2	6	7	10	11	18
50-64	172	6.2	7	2	3	6	8	10	11	13
65+	198	6.4	6	2	3	6	8	10	10	12
B. *Operated*										
0-19 YRS	10	8.7	13	3	4	8	12	13	14	14
20-34	55	5.9	9	1	2	6	8	10	11	13
35-49	101	5.3	10	1	1	6	7	9	10	14
50-64	87	6.7	12	1	2	7	8	11	13	18
65+	85	6.7	10	2	3	7	9	11	12	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	7.1	23	2	3	6	8	11	19	22
20-34	132	7.5	15	2	3	7	9	12	14	22
35-49	284	7.4	42	2	3	7	9	11	13	27
50-64	569	7.3	13	3	3	7	9	11	14	19
65+	1140	7.5	15	3	4	7	9	11	13	19
B. *Operated*										
0-19 YRS	12	10.8	71	2	4	9	13	21	32	34
20-34	111	7.8	27	2	2	7	10	14	17	28
35-49	183	7.7	18	2	3	7	10	13	16	22
50-64	386	8.6	28	2	3	8	10	15	20	26
65+	706	8.8	33	3	4	8	10	14	19	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	687	6.1	8	2	2	6	8	10	11	14
B. *Operated*	338	6.2	11	1	2	6	8	11	12	14
2. MULTIPLE DX										
A. *Not Operated*	2139	7.4	18	3	3	7	9	11	13	20
B. *Operated*	1398	8.5	30	2	3	8	10	14	18	28
1. SINGLE DX	1025	6.2	9	1	2	6	8	10	11	14
2. MULTIPLE DX	3537	7.9	23	2	3	7	9	12	15	25
A. NOT OPERATED	2826	7.1	16	2	3	7	9	11	13	19
B. OPERATED	1736	8.1	27	2	3	7	10	13	17	27
TOTAL 0-19 YRS	47	7.8	33	2	2	7	9	14	16	34
20-34	420	6.9	17	1	2	7	9	12	14	21
35-49	752	6.9	25	2	2	6	8	11	13	22
50-64	1214	7.5	17	2	3	7	9	12	15	23
65+	2129	7.8	21	3	4	7	9	12	14	25
GRAND TOTAL	**4562**	**7.5**	**20**	**2**	**3**	**7**	**9**	**12**	**14**	**24**

170: Varicose veins of lower extremities (454)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.7	6	<1	<1	4	5	6	6	6
35-49	6	3.7	10	2	2	3	3	9	10	10
50-64	10	5.4	50	<1	1	3	4	16	25	25
65+	16	7.6	33	2	3	6	10	16	20	22
B. *Operated*										
0-19 YRS	7	2.0		1	1	2	2	3	3	3
20-34	315	1.9	1	1	1	2	2	3	4	5
35-49	557	2.1	4	1	1	2	2	3	4	9
50-64	348	2.3	3	1	1	2	3	4	5	9
65+	132	4.8	38	1	1	3	4	10	20	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34	5	5.6	43	<1	<1	3	8	17	17	17
35-49	27	5.7	23	<1	<1	5	7	10	15	23
50-64	50	6.9	22	1	2	6	9	13	14	27
65+	213	8.5	48	2	3	7	11	14	19	40
B. *Operated*										
0-19 YRS	5	2.4	2	1	1	2	4	4	4	4
20-34	94	3.5	24	1	1	2	3	8	11	31
35-49	211	4.4	59	1	1	2	4	10	14	30
50-64	249	5.8	88	1	1	3	5	12	21	50
65+	260	10.7	120	1	2	7	15	25	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	6.0	32	<1	2	4	7	15	20	25
B. *Operated*	1359	2.4	7	1	1	2	3	4	5	16
2. MULTIPLE DX										
A. *Not Operated*	296	7.9	42	1	2	6	10	13	17	35
B. *Operated*	819	6.7	90	1	1	3	8	17	25	50
1. SINGLE DX	1394	2.5	8	1	1	2	3	4	5	18
2. MULTIPLE DX	1115	7.1	78	1	1	4	9	15	24	47
A. NOT OPERATED	331	7.7	41	1	2	6	10	13	17	33
B. OPERATED	2178	4.0	43	1	1	2	4	8	15	33
TOTAL 0-19 YRS	13	3.1	12	1	1	2	3	6	13	14
20-34	417	2.3	7	1	1	2	3	4	5	14
35-49	801	2.8	20	1	1	2	3	5	8	24
50-64	657	4.0	41	1	1	2	4	8	12	42
65+	621	8.6	80	1	2	6	11	19	26	44
GRAND TOTAL	**2509**	**4.5**	**44**	**1**	**1**	**2**	**4**	**10**	**15**	**33**

171: Hemorrhoids (455)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	15	2.2	1	<1	<1	2	3	4	5	5
35-49	27	3.1	6	<1	<1	3	4	6	8	12
50-64	18	1.5	2	<1	<1	<1	1	4	5	5
65+	14	2.3	4	<1	<1	1	3	4	7	8
B. *Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34	135	2.5	1	1	1	2	3	4	5	6
35-49	240	2.6	2	1	1	2	3	5	5	7
50-64	164	2.6	2	1	1	2	3	4	5	7
65+	53	2.6	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	3	1	1	2	4	5	5	5
20-34	22	2.5	5	<1	1	2	3	6	8	10
35-49	73	3.2	9	<1	1	3	4	6	8	19
50-64	61	2.5	4	<1	<1	2	3	5	7	10
65+	122	4.5	49	1	1	3	4	7	10	49
B. *Operated*										
0-19 YRS	12	2.7	1	1	1	3	4	4	4	4
20-34	602	3.1	5	1	1	3	4	5	6	8
35-49	1234	3.1	3	1	1	3	4	5	6	9
50-64	967	3.3	4	1	1	3	4	5	7	11
65+	559	3.9	9	1	2	3	5	7	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	75	2.4	4	<1	<1	2	3	5	6	11
B. *Operated*	597	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	283	3.5	25	<1	1	2	4	6	8	21
B. *Operated*	3374	3.3	4	1	1	3	4	5	7	11
1. SINGLE DX	672	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	3657	3.3	6	1	1	3	4	5	7	11
A. NOT OPERATED	358	3.3	21	<1	<1	2	4	6	8	21
B. OPERATED	3971	3.2	4	1	1	3	4	5	6	10
TOTAL 0-19 YRS	23	2.3	2	<1	1	2	4	4	5	5
20-34	774	3.0	5	1	1	3	4	5	6	8
35-49	1574	3.0	3	1	1	3	4	5	6	9
50-64	1210	3.1	4	1	1	3	4	5	7	10
65+	748	3.9	15	1	1	3	5	6	9	15
GRAND TOTAL	**4329**	**3.2**	**6**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

172: Miscellaneous diseases of veins and circulatory system (452-453; 456-459)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	34	5.3	11	1	1	6	7	9	12	13
20-34	88	5.8	8	1	2	6	8	9	11	14
35-49	96	5.5	9	1	2	5	7	10	10	17
50-64	113	5.3	8	1	1	6	7	8	10	12
65+	117	5.1	11	1	1	5	7	9	10	18
B. *Operated*										
0-19 YRS	31	3.3	18	<1	1	1	4	9	10	21
20-34	125	4.4	14	<1	<1	4	7	9	10	19
35-49	116	5.5	13	<1	1	6	8	11	12	14
50-64	92	6.3	14	1	1	7	8	11	13	17
65+	69	6.3	14	1	1	7	8	10	12	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	3.8	36	<1	1	2	5	7	9	38
20-34	186	5.5	13	1	1	5	8	10	11	19
35-49	325	5.2	13	1	1	4	7	10	12	18
50-64	720	5.5	15	1	1	5	8	10	12	19
65+	2014	5.5	15	1	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	40	6.9	117	<1	<1	3	8	15	31	57
20-34	237	6.5	61	<1	1	5	8	13	17	43
35-49	280	7.2	37	1	1	6	9	14	18	28
50-64	445	8.9	50	1	2	7	10	17	23	40
65+	875	8.7	53	1	2	7	10	15	21	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	448	5.4	9	1	1	5	7	9	10	15
B. *Operated*	433	5.3	15	<1	1	5	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*	3286	5.4	15	1	1	5	7	10	12	19
B. *Operated*	1877	8.2	53	1	1	7	10	15	21	38
1. SINGLE DX	881	5.4	12	1	1	5	7	9	11	17
2. MULTIPLE DX	5163	6.4	31	1	1	6	8	11	15	28
A. NOT OPERATED	3734	5.4	14	1	1	5	7	10	12	19
B. OPERATED	2310	7.7	47	1	1	7	10	14	20	34
TOTAL 0-19 YRS	146	4.9	50	<1	1	2	7	10	12	39
20-34	636	5.7	31	<1	1	5	8	10	13	23
35-49	817	6.0	21	1	1	5	8	11	14	21
50-64	1370	6.7	28	1	2	6	8	12	15	29
65+	3075	6.4	28	1	2	6	8	11	14	26
GRAND TOTAL	**6044**	**6.3**	**28**	**1**	**1**	**5**	**8**	**11**	**14**	**26**

173: Acute URI except streptococcal (460-465)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1208	1.9	1	<1	1	2	2	3	4	6
20-34	172	2.6	2	1	1	2	3	5	5	8
35-49	84	2.8	2	1	1	3	4	4	5	7
50-64	40	2.4	2	<1	<1	2	3	5	6	7
65+	17	2.4	2	1	1	3	3	4	5	5
B. *Operated*										
0-19 YRS	112	1.7	3	<1	<1	1	1	3	7	9
20-34	51	1.7	2	<1	1	1	2	4	5	5
35-49	23	3.3	11	<1	<1	2	4	9	11	13
50-64	13	2.6	5	<1	<1	1	5	6	7	7
65+	5	1.4	1	1	1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2103	2.7	6	1	1	2	3	5	6	10
20-34	475	2.9	3	1	1	3	4	5	6	10
35-49	323	3.3	4	1	1	3	4	6	7	11
50-64	271	4.4	13	1	2	3	5	8	11	24
65+	460	4.8	10	2	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	176	2.4	22	<1	<1	1	2	6	7	25
20-34	137	3.2	9	1	1	2	5	7	9	14
35-49	53	4.8	24	1	1	3	6	12	19	97
50-64	63	5.5	43	<1	1	4	6	13	22	33
65+	60	6.2	34	1	1	4	8	14	19	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1521	2.1	2	<1	1	2	3	4	4	6
B. *Operated*	204	1.9	4	<1	<1	1	2	5	6	10
2. MULTIPLE DX										
A. *Not Operated*	3632	3.2	7	1	1	3	4	6	7	13
B. *Operated*	489	3.8	25	<1	1	2	5	8	13	27
1. SINGLE DX	1725	2.1	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	4121	3.2	9	1	1	3	4	6	8	15
A. NOT OPERATED	5153	2.8	6	1	1	2	3	5	7	12
B. OPERATED	693	3.2	19	<1	1	1	4	7	11	25
TOTAL 0-19 YRS	3599	2.4	5	<1	1	2	3	4	5	9
20-34	835	2.8	4	1	1	2	3	5	6	11
35-49	483	3.4	6	1	1	3	4	6	8	14
50-64	387	4.3	17	1	1	3	5	8	13	25
65+	542	4.8	12	1	2	4	6	9	12	19
GRAND TOTAL	**5846**	**2.9**	**7**	**1**	**1**	**2**	**3**	**5**	**7**	**13**

174: Bronchitis and bronchiolitis, acute (466)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1271	2.6	3	1	1	2	3	5	6	9
20-34	70	2.8	1	1	2	3	4	5	5	5
35-49	81	2.9	2	1	1	3	4	5	6	6
50-64	56	3.7	5	1	2	3	4	6	8	13
65+	67	4.4	9	1	1	4	6	8	11	15
B. *Operated*										
0-19 YRS	5	2.6	13	1	1	1	3	9	9	9
20-34										
35-49	2	14.0	162	5	5	14	23	23	23	23
50-64	3	5.0	9	2	2	5	7	8	8	8
65+	2	3.0	2	2	2	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2363	3.4	6	1	1	3	4	6	8	11
20-34	319	3.8	10	1	1	3	4	7	9	16
35-49	572	4.5	15	1	2	4	6	8	10	15
50-64	1909	5.3	15	2	2	4	7	9	12	18
65+	5270	6.0	17	2	2	5	7	11	13	20
B. *Operated*										
0-19 YRS	21	7.7	55	<1	1	7	10	24	59	99+
20-34	32	5.3	9	<1	1	5	7	10	11	11
35-49	41	5.9	18	1	2	5	8	11	15	19
50-64	153	9.7	92	2	3	7	13	24	30	99
65+	341	10.6	76	2	4	8	13	20	28	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1545	2.8	3	1	1	2	4	5	6	10
B. *Operated*	12	5.2	39	1	1	3	7	13	22	23
2. MULTIPLE DX										
A. *Not Operated*	10433	5.2	15	1	2	4	6	9	12	18
B. *Operated*	588	9.7	74	2	3	7	12	19	27	74
1. SINGLE DX	1557	2.8	4	1	1	2	4	5	6	10
2. MULTIPLE DX	11021	5.4	19	1	2	4	7	10	13	22
A. NOT OPERATED	11978	4.9	14	1	2	4	6	9	11	18
B. OPERATED	600	9.6	74	2	3	7	12	19	27	72
TOTAL 0-19 YRS	3660	3.1	5	1	1	3	4	6	7	11
20-34	421	3.8	9	1	1	3	4	7	9	15
35-49	696	4.4	14	1	2	4	5	8	10	18
50-64	2121	5.6	21	2	2	4	7	10	13	25
65+	5680	6.3	21	2	2	5	8	11	14	23
GRAND TOTAL	**12578**	**5.1**	**18**	**1**	**2**	**4**	**6**	**9**	**12**	**20**

175: Deviated nasal septum (470)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	116	1.1		<1	<1	1	1	1	2	3
20-34	270	1.1		<1	<1	1	1	1	2	3
35-49	197	1.1		<1	<1	1	1	1	1	3
50-64	99	1.1		<1	<1	1	1	2	2	4
65+	35	1.1		<1	<1	1	1	1	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	3	1	1	2	4	4	4	4
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	4	1.3		<1	<1	1	1	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*										
0-19 YRS	303	1.2		<1	1	1	1	2	2	3
20-34	813	1.3	1	<1	1	1	1	2	2	4
35-49	670	1.3	1	<1	1	1	1	2	3	4
50-64	379	1.5	1	1	1	1	2	3	3	5
65+	139	1.5	1	<1	1	1	2	3	3	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	2.0	2	1	1	2	3	3	3	3
B. *Operated*	717	1.1		<1	<1	1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	14	1.6	1	<1	<1	1	2	4	4	4
B. *Operated*	2304	1.3	1	<1	1	1	1	2	3	4
1. SINGLE DX	719	1.1		<1	<1	1	1	1	2	3
2. MULTIPLE DX	2318	1.3	1	<1	1	1	1	2	3	4
A. NOT OPERATED	16	1.7	1	<1	<1	1	2	4	4	4
B. OPERATED	3021	1.3	1	<1	1	1	1	2	3	4
TOTAL 0-19 YRS	423	1.2		<1	1	1	1	2	2	4
20-34	1087	1.2		<1	1	1	1	2	2	4
35-49	871	1.3	1	<1	1	1	1	2	3	4
50-64	480	1.5	1	<1	1	1	2	3	3	5
65+	176	1.4	1	<1	1	1	2	3	3	4
GRAND TOTAL	**3037**	**1.3**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**	**4**

176: Nasal polyp (471)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	10	1.0		<1	<1	1	1	1	1	1
20-34	25	1.2		<1	<1	1	1	1	2	4
35-49	35	1.3	1	<1	<1	1	1	2	3	4
50-64	25	1.2		<1	<1	1	1	2	2	3
65+	12	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	3.0		3	3	3	3	3	3	3
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	32	1.6	1	<1	<1	1	2	3	4	6
20-34	79	1.5	1	1	1	1	2	3	3	7
35-49	109	1.4	1	<1	1	1	2	2	3	6
50-64	119	1.6	1	<1	1	1	2	3	3	6
65+	55	1.9	4	1	1	1	2	3	4	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	107	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	4	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	394	1.6	1	<1	1	1	2	3	3	7
1. SINGLE DX	109	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	398	1.6	1	<1	1	1	2	3	3	7
A. NOT OPERATED	6	1.3	1	<1	<1	1	1	3	3	3
B. OPERATED	501	1.5	1	<1	1	1	2	2	3	6
TOTAL 0-19 YRS	42	1.5	1	<1	<1	1	2	3	4	6
20-34	105	1.4	1	<1	1	1	2	3	3	6
35-49	147	1.4	1	<1	1	1	2	2	3	5
50-64	145	1.6	1	<1	<1	1	2	2	3	5
65+	68	1.8	3	<1	1	1	2	3	3	12
GRAND TOTAL	**507**	**1.5**	**1**	**<1**	**1**	**1**	**2**	**2**	**3**	**6**

177: Chronic disease of tonsils and adenoids (474)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.8	1	<1	<1	1	3	3	4	4
20-34	9	2.0	2	1	1	1	3	4	4	4
35-49	2	4.0		4	4	4	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	4636	1.1		<1	<1	1	1	1	2	2
20-34	1298	1.1		<1	1	1	1	1	2	3
35-49	200	1.2		<1	1	1	1	2	2	4
50-64	29	1.4	1	<1	1	1	1	3	3	5
65+	4	1.0		<1	<1	<1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	56	1.4	1	<1	<1	<1	2	2	3	9
20-34	14	1.9	2	<1	<1	1	3	4	5	5
35-49	7	1.6	1	<1	<1	<1	2	4	4	4
50-64	3	1.3		1	1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	3161	1.1		<1	<1	1	1	1	2	3
20-34	521	1.2		<1	1	1	1	2	2	4
35-49	91	1.2		1	1	1	1	2	2	5
50-64	10	1.9	3	<1	<1	1	2	4	6	6
65+	6	1.5		<1	<1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	2.0	2	<1	<1	1	3	4	4	4
B. *Operated*	6167	1.1		<1	<1	1	1	1	2	2
2. MULTIPLE DX										
A. *Not Operated*	80	1.5	1	<1	<1	1	2	3	4	8
B. *Operated*	3789	1.1		<1	<1	1	1	1	2	3
1. SINGLE DX	6191	1.1		<1	<1	1	1	1	2	3
2. MULTIPLE DX	3869	1.1		<1	<1	1	1	1	2	3
A. NOT OPERATED	104	1.6	1	<1	<1	1	2	3	4	7
B. OPERATED	9956	1.1		<1	<1	1	1	1	2	3
TOTAL 0-19 YRS	7866	1.1		<1	<1	1	1	1	2	3
20-34	1842	1.2		<1	1	1	1	2	2	3
35-49	300	1.2		<1	1	1	1	2	2	4
50-64	42	1.5	1	<1	1	1	2	3	4	6
65+	10	1.3		<1	<1	1	2	2	2	2
GRAND TOTAL	**10060**	**1.1**		**<1**	**<1**	**1**	**1**	**1**	**2**	**3**

178: Miscellaneous diseases of upper respiratory system (472-473; 475-478)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	231	2.1	2	<1	1	2	3	4	4	7
20-34	149	2.4	2	1	1	2	3	4	5	8
35-49	68	2.2	2	1	1	2	3	4	5	9
50-64	25	2.4	3	<1	1	2	3	5	7	7
65+	14	2.6	2	<1	<1	2	4	5	5	5
B. *Operated*										
0-19 YRS	311	1.8	2	<1	1	1	2	4	4	7
20-34	393	1.7	2	<1	<1	1	2	3	4	7
35-49	333	1.5	2	<1	<1	1	2	3	3	7
50-64	246	1.6	3	<1	<1	1	2	3	3	7
65+	170	1.6	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	243	2.8	4	1	1	2	4	5	6	12
20-34	161	3.2	8	1	1	2	4	6	8	14
35-49	106	3.6	9	<1	1	3	5	8	10	14
50-64	104	3.9	26	<1	1	3	4	7	10	30
65+	86	4.1	7	1	1	3	6	8	9	12
B. *Operated*										
0-19 YRS	439	2.6	29	<1	1	1	3	5	7	20
20-34	750	2.2	8	1	1	1	2	4	6	17
35-49	753	2.1	8	1	1	1	2	4	6	16
50-64	597	2.4	11	1	1	1	2	5	7	15
65+	388	3.7	25	1	1	2	4	8	13	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	487	2.3	2	<1	1	2	3	4	5	8
B. *Operated*	1453	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	700	3.3	10	1	1	3	4	6	9	13
B. *Operated*	2927	2.5	14	1	1	1	2	5	7	18
1. SINGLE DX	1940	1.8	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	3627	2.6	13	1	1	2	3	5	8	18
A. NOT OPERATED	1187	2.9	7	<1	1	2	3	5	7	12
B. OPERATED	4380	2.2	10	<1	1	1	2	4	6	16
TOTAL 0-19 YRS	1224	2.4	12	<1	1	2	3	4	6	12
20-34	1453	2.2	6	<1	1	1	3	4	6	13
35-49	1260	2.1	6	<1	1	1	2	4	6	13
50-64	972	2.3	11	<1	1	1	2	5	7	14
65+	658	3.1	17	<1	1	2	3	7	10	24
GRAND TOTAL	**5567**	**2.4**	**10**	**<1**	**1**	**1**	**3**	**5**	**6**	**14**

179: Pneumonia (480-486)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2257	3.2	4	1	1	3	4	5	6	10
20-34	702	3.6	4	1	2	3	5	6	7	10
35-49	533	4.1	4	1	2	4	5	7	8	12
50-64	444	4.5	6	2	2	4	6	7	8	11
65+	786	5.3	9	2	2	5	7	9	11	16
B. *Operated*										
0-19 YRS	14	4.6	20	<1	<1	3	6	10	15	16
20-34	28	5.5	13	1	1	5	7	11	12	15
35-49	30	5.4	17	1	1	4	7	10	17	18
50-64	27	7.4	19	2	2	8	9	14	17	19
65+	44	8.8	21	2	3	8	12	15	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4792	4.0	9	1	2	3	5	7	10	15
20-34	1357	4.9	11	2	2	4	6	9	11	17
35-49	1741	5.5	12	2	2	5	7	10	12	18
50-64	3750	6.5	20	2	3	6	8	11	14	22
65+	15995	7.6	25	3	3	7	9	13	16	26
B. *Operated*										
0-19 YRS	136	12.8	174	1	2	10	15	24	37	82
20-34	198	11.8	121	3	4	9	15	22	28	97
35-49	310	13.0	188	3	4	9	15	24	36	96
50-64	604	13.7	109	4	4	11	16	26	36	56
65+	1947	14.7	132	4	5	12	18	27	36	72
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4722	3.8	5	1	2	3	5	7	8	12
B. *Operated*	143	6.8	20	1	2	6	9	13	16	19
2. MULTIPLE DX										
A. *Not Operated*	27635	6.6	22	2	2	5	8	12	15	23
B. *Operated*	3195	14.1	135	4	5	11	17	26	36	75
1. SINGLE DX	4865	3.9	6	1	2	3	5	7	8	13
2. MULTIPLE DX	30830	7.4	39	2	2	6	9	14	18	31
A. NOT OPERATED	32357	6.2	21	2	2	5	8	11	14	22
B. OPERATED	3338	13.8	132	3	4	11	17	26	35	74
TOTAL 0-19 YRS	7199	3.9	12	1	1	3	5	7	9	16
20-34	2285	5.1	23	1	2	4	6	9	13	24
35-49	2614	6.1	38	2	2	5	7	11	15	27
50-64	4825	7.3	36	2	3	6	9	13	17	33
65+	18772	8.3	40	3	3	7	10	15	19	33
GRAND TOTAL	**35695**	**6.9**	**36**	**2**	**2**	**5**	**8**	**13**	**17**	**30**

180: Influenza (487)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	2.2	2	<1	1	2	3	4	4	8
20-34	85	2.6	1	1	1	2	3	4	5	6
35-49	62	2.6	3	<1	1	2	3	4	6	11
50-64	40	3.4	3	1	1	3	4	5	7	10
65+	37	3.7	11	1	1	3	5	6	8	19
B. *Operated*										
0-19 YRS										
20-34	2	4.0	2	3	3	4	5	5	5	5
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	250	2.7	5	1	1	2	3	5	6	13
20-34	242	2.5	2	1	1	2	3	5	6	8
35-49	241	3.3	4	1	2	3	4	6	8	11
50-64	272	3.9	6	1	1	3	5	7	9	13
65+	764	4.9	9	2	2	4	6	9	11	16
B. *Operated*										
0-19 YRS	6	9.0	119	2	2	5	7	29	31	31
20-34	9	4.1	20	<1	<1	2	5	11	15	15
35-49	8	4.9	5	2	2	4	6	8	8	8
50-64	11	16.5	333	1	1	14	24	42	61	63
65+	34	8.9	36	3	3	8	12	17	19	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	2.7	3	1	1	2	3	5	6	10
B. *Operated*	4	3.3	2	2	2	3	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	1769	3.9	7	1	1	3	5	7	9	13
B. *Operated*	68	9.0	94	1	2	6	12	18	28	57
1. SINGLE DX	310	2.8	3	1	1	2	3	5	6	10
2. MULTIPLE DX	1837	4.1	12	1	1	3	5	8	10	16
A. NOT OPERATED	2075	3.7	7	1	1	3	5	7	9	13
B. OPERATED	72	8.7	90	1	2	5	11	18	28	56
TOTAL 0-19 YRS	338	2.7	6	1	1	2	3	5	6	13
20-34	338	2.6	3	1	1	2	3	5	6	8
35-49	312	3.2	4	1	1	3	4	6	8	11
50-64	323	4.2	21	1	1	3	5	7	10	26
65+	836	5.0	11	2	2	4	6	9	11	17
GRAND TOTAL	**2147**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**15**

181: Bronchitis, chronic and unspecified (490-491)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	162	2.1	2	<1	1	2	3	4	5	6
20-34	29	3.4	9	1	1	2	5	6	8	16
35-49	28	3.5	4	1	1	3	5	7	7	8
50-64	63	4.0	4	1	2	4	5	6	8	12
65+	76	4.8	6	2	2	4	6	8	10	13
B. *Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	3	2.7	4	<1	<1	2	4	5	5	5
35-49	8	5.1	40	<1	<1	3	5	16	20	20
50-64	6	1.8	3	<1	<1	<1	2	5	5	5
65+	7	3.1	10	<1	<1	1	5	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	279	2.9	5	1	1	2	3	5	7	14
20-34	78	3.8	11	1	1	3	4	9	12	16
35-49	144	4.3	8	1	2	4	5	8	9	16
50-64	488	5.3	11	2	2	5	6	10	12	17
65+	1282	6.1	16	2	2	5	8	11	13	21
B. *Operated*										
0-19 YRS	3	10.7	66	5	5	7	17	20	20	20
20-34	19	5.6	9	1	2	5	8	10	11	11
35-49	24	5.3	14	<1	1	5	8	11	12	14
50-64	55	8.3	38	1	2	8	10	18	21	28
65+	117	10.3	119	<1	2	8	12	23	31	90
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	358	3.2	5	1	1	3	4	6	7	11
B. *Operated*	26	3.2	17	<1	<1	1	5	6	11	20
2. MULTIPLE DX										
A. *Not Operated*	2271	5.4	14	1	2	4	7	10	12	19
B. *Operated*	218	8.9	79	1	2	7	11	19	25	60
1. SINGLE DX	384	3.2	6	<1	1	3	4	6	7	12
2. MULTIPLE DX	2489	5.7	21	1	2	5	7	11	13	23
A. NOT OPERATED	2629	5.1	13	1	2	4	6	10	12	18
B. OPERATED	244	8.3	75	<1	1	7	10	18	24	51
TOTAL 0-19 YRS	446	2.7	5	1	1	2	3	5	6	14
20-34	129	4.0	11	1	1	3	5	8	11	16
35-49	204	4.4	10	1	1	4	6	8	10	18
50-64	612	5.4	14	1	2	5	7	10	12	19
65+	1482	6.4	25	2	2	5	8	11	14	26
GRAND TOTAL	**2873**	**5.4**	**19**	**1**	**2**	**4**	**7**	**10**	**13**	**22**

182: Emphysema (492)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	5	4.4	11	1	1	4	6	10	10	10
50-64	39	4.6	10	1	1	4	6	9	10	15
65+	72	4.4	5	2	2	4	6	8	8	10
B. *Operated*										
0-19 YRS	3	7.0	28	1	1	9	10	11	11	11
20-34	4	6.8	25	3	3	5	10	14	14	14
35-49	5	9.6	21	6	6	7	14	16	16	16
50-64	3	7.7	17	3	3	9	10	11	11	11
65+	2	2.5	5	1	1	2	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	5	2.6	1	2	2	2	3	4	4	4
35-49	38	4.9	12	1	1	4	7	10	12	15
50-64	348	6.4	34	2	2	5	8	11	16	25
65+	872	6.7	28	2	2	6	8	12	17	25
B. *Operated*										
0-19 YRS	5	10.0	41	4	4	10	13	20	20	20
20-34	8	15.4	480	4	4	7	12	52	69	69
35-49	21	14.8	188	2	4	13	16	28	47	65
50-64	48	12.0	83	3	3	10	16	28	42	99+
65+	81	13.0	171	2	4	9	15	26	33	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	116	4.5	6	1	2	4	6	8	9	12
B. *Operated*	17	7.3	21	1	2	6	11	14	15	16
2. MULTIPLE DX										
A. *Not Operated*	1263	6.6	29	2	2	5	8	12	16	25
B. *Operated*	163	13.0	155	2	3	10	15	26	36	98
1. SINGLE DX	133	4.8	9	1	2	4	6	9	10	15
2. MULTIPLE DX	1426	7.3	47	2	2	6	9	14	19	36
A. NOT OPERATED	1379	6.4	28	2	2	5	8	12	15	25
B. OPERATED	180	12.4	145	2	3	9	15	25	35	95
TOTAL 0-19 YRS	8	8.9	34	1	2	9	11	17	20	20
20-34	17	9.6	249	2	2	5	8	14	50	69
35-49	69	8.2	85	1	1	6	10	16	21	59
50-64	438	6.9	40	1	2	5	8	13	18	43
65+	1027	7.1	41	2	2	6	8	13	18	31
GRAND TOTAL	**1559**	**7.1**	**45**	**2**	**2**	**5**	**8**	**13**	**18**	**34**

183: Asthma (493)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3569	2.3	2	1	1	2	3	4	5	6
20-34	1136	2.9	3	1	1	3	4	5	6	9
35-49	952	3.4	4	1	1	3	4	6	7	11
50-64	783	3.8	5	1	1	3	5	6	8	11
65+	516	4.2	7	1	2	4	5	7	9	12
B. *Operated*										
0-19 YRS	23	2.8	7	1	1	2	3	8	9	10
20-34	10	3.1	4	1	1	2	4	6	8	8
35-49	13	4.1	12	<1	<1	3	6	10	11	11
50-64	6	5.2	30	1	1	3	5	15	16	16
65+	4	6.3	26	1	1	6	10	12	12	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3028	2.8	4	1	1	2	3	5	6	9
20-34	1296	3.8	8	1	2	3	5	7	8	14
35-49	1689	4.3	8	1	2	4	5	8	9	14
50-64	2626	5.0	12	1	2	4	6	9	11	18
65+	3820	5.8	15	2	2	5	7	10	12	19
B. *Operated*										
0-19 YRS	25	6.3	34	<1	1	4	10	16	18	20
20-34	44	8.1	87	1	2	5	11	17	34	43
35-49	59	9.2	123	2	2	7	11	18	34	97
50-64	114	9.7	62	2	3	7	12	18	20	46
65+	155	11.6	113	2	3	8	13	26	31	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6956	2.9	4	1	1	2	4	5	6	9
B. *Operated*	56	3.7	11	1	1	2	4	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	12459	4.5	11	1	2	4	6	8	10	17
B. *Operated*	397	10.0	94	1	2	7	12	19	30	49
1. SINGLE DX	7012	2.9	4	1	1	2	4	5	6	10
2. MULTIPLE DX	12856	4.7	15	1	2	4	6	9	11	18
A. NOT OPERATED	19415	3.9	9	1	1	3	5	7	9	15
B. OPERATED	453	9.2	88	1	2	7	12	18	27	47
TOTAL 0-19 YRS	6645	2.6	3	1	1	2	3	4	5	8
20-34	2486	3.5	7	1	1	3	4	6	8	13
35-49	2713	4.1	10	1	1	3	5	7	9	14
50-64	3529	4.9	13	1	2	4	6	9	11	18
65+	4495	5.8	19	2	2	5	7	10	13	23
GRAND TOTAL	**19868**	**4.0**	**12**	**1**	**1**	**3**	**5**	**8**	**10**	**16**

184: Miscellaneous obstructive lung diseases (494-496)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	2	2	2	3	4	5	5	5
20-34	9	3.7	16	1	1	3	3	10	14	14
35-49	26	4.0	5	1	1	4	6	7	8	10
50-64	246	4.8	9	1	2	4	6	8	10	14
65+	371	5.0	9	1	2	5	6	8	11	17
B. *Operated*										
0-19 YRS	5	3.8	12	<1	<1	2	7	8	8	8
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	5.3	2	3	3	6	6	6	6	6
50-64	8	4.6	9	<1	<1	5	7	8	8	8
65+	9	5.4	13	<1	<1	6	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	6.7	16	1	2	6	10	12	14	14
20-34	40	5.1	13	1	1	4	7	10	12	16
35-49	180	5.9	15	1	2	5	8	11	13	19
50-64	1704	6.2	25	2	2	5	8	11	15	26
65+	4608	6.5	23	2	2	5	8	12	15	23
B. *Operated*										
0-19 YRS	6	12.0	48	4	4	11	19	21	21	21
20-34	7	6.6	9	3	3	7	9	10	10	10
35-49	32	8.3	37	1	2	7	12	15	19	31
50-64	170	10.8	152	2	3	7	13	24	34	99+
65+	366	12.0	111	2	3	9	16	23	29	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	656	4.9	9	1	2	4	6	8	10	15
B. *Operated*	27	4.9	9	<1	<1	6	7	8	10	11
2. MULTIPLE DX										
A. *Not Operated*	6550	6.4	24	2	2	5	8	12	15	24
B. *Operated*	581	11.4	118	2	3	8	15	23	30	76
1. SINGLE DX	683	4.9	9	1	2	4	6	8	10	15
2. MULTIPLE DX	7131	6.8	33	2	2	5	8	13	16	28
A. NOT OPERATED	7206	6.3	22	2	2	5	8	11	14	23
B. OPERATED	608	11.1	115	2	3	8	14	22	30	76
TOTAL 0-19 YRS	33	6.8	26	<1	1	5	9	13	18	21
20-34	57	5.1	13	1	2	4	7	10	13	16
35-49	242	6.0	17	1	2	5	8	11	13	20
50-64	2128	6.4	35	2	2	5	8	12	15	31
65+	5354	6.8	31	2	2	5	8	13	16	26
GRAND TOTAL	**7814**	**6.6**	**31**	**2**	**2**	**5**	**8**	**12**	**16**	**27**

185: Spontaneous pneumothorax (512)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	6	1	1	2	3	7	9	10
20-34	67	3.4	10	1	1	2	4	8	11	14
35-49	20	3.1	2	<1	1	3	4	5	6	6
50-64	10	3.8	2	2	2	4	5	6	6	6
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	88	6.0	22	2	2	5	8	10	13	29
20-34	366	5.0	10	2	2	4	7	9	11	16
35-49	145	5.9	16	2	2	5	7	11	13	20
50-64	37	6.6	15	2	3	5	9	12	13	20
65+	29	5.9	20	1	1	5	7	13	17	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	3.2	3	1	2	2	5	5	7	7
20-34	21	3.5	10	1	1	2	5	10	10	10
35-49	22	5.0	41	1	1	3	4	12	24	25
50-64	15	3.3	1	2	2	3	4	5	5	5
65+	51	5.3	15	1	2	4	8	10	14	18
B. *Operated*										
0-19 YRS	42	8.5	55	3	4	6	9	17	21	45
20-34	163	8.3	27	3	3	7	11	16	19	23
35-49	129	7.4	28	2	2	6	10	15	19	29
50-64	170	10.2	76	2	3	8	13	19	29	38
65+	279	10.9	100	2	3	8	14	22	32	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	114	3.3	7	1	1	2	4	7	10	14
B. *Operated*	665	5.5	14	2	2	4	7	10	13	19
2. MULTIPLE DX										
A. *Not Operated*	123	4.4	16	1	1	3	5	9	11	24
B. *Operated*	783	9.5	67	2	3	7	12	18	24	43
1. SINGLE DX	779	5.1	13	1	2	4	7	10	12	19
2. MULTIPLE DX	906	8.8	63	2	2	7	11	17	22	40
A. NOT OPERATED	237	3.9	12	1	1	3	5	8	10	19
B. OPERATED	1448	7.7	47	2	2	6	9	15	19	36
TOTAL 0-19 YRS	159	6.1	31	1	2	5	8	11	15	35
20-34	617	5.7	17	1	2	4	7	11	14	20
35-49	316	6.3	23	2	2	5	8	13	16	24
50-64	232	8.9	64	2	3	6	12	17	23	38
65+	361	9.7	86	2	2	7	12	19	27	49
GRAND TOTAL	**1685**	**7.1**	**43**	**2**	**2**	**5**	**9**	**14**	**19**	**35**

186: Miscellaneous lung and pleural diseases (500-511; 513-519)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	174	2.5	4	<1	1	2	3	5	6	10
20-34	118	2.5	5	<1	1	2	3	5	6	12
35-49	87	2.5	3	1	1	2	3	4	6	10
50-64	83	3.0	10	1	1	2	4	6	7	21
65+	97	3.9	12	1	1	3	5	7	11	20
B. *Operated*										
0-19 YRS	33	4.6	29	<1	<1	2	6	12	17	23
20-34	33	6.5	38	1	1	5	8	13	16	32
35-49	84	5.4	26	<1	1	4	7	12	16	25
50-64	106	4.7	12	<1	1	4	7	9	12	16
65+	87	4.5	11	1	1	5	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	475	5.0	55	1	1	3	5	10	15	37
20-34	279	4.5	17	1	1	3	6	9	12	28
35-49	421	4.6	13	1	1	4	6	9	11	20
50-64	1024	5.5	25	1	2	4	7	10	14	26
65+	3466	7.2	36	2	2	6	9	14	18	30
B. *Operated*										
0-19 YRS	105	8.9	84	1	1	6	13	22	28	71
20-34	210	10.2	91	1	2	7	13	23	32	48
35-49	359	10.4	137	1	2	7	12	22	31	70
50-64	698	10.2	133	1	1	7	13	21	32	69
65+	1407	12.2	138	1	3	9	15	25	34	75
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	559	2.8	7	1	1	2	3	6	7	12
B. *Operated*	343	5.0	19	<1	1	4	6	10	13	23
2. MULTIPLE DX										
A. *Not Operated*	5665	6.4	34	1	2	5	8	12	16	30
B. *Operated*	2779	11.2	132	1	2	8	14	24	32	70
1. SINGLE DX	902	3.6	13	<1	1	2	5	7	10	17
2. MULTIPLE DX	8444	8.0	71	1	2	6	10	16	23	45
A. NOT OPERATED	6224	6.0	33	1	1	4	8	12	16	29
B. OPERATED	3122	10.5	123	1	2	7	13	22	30	66
TOTAL 0-19 YRS	787	4.9	50	1	1	3	5	11	16	37
20-34	640	6.1	49	1	1	4	7	14	20	40
35-49	951	6.7	69	1	1	4	8	14	20	43
50-64	1911	7.1	69	1	1	5	8	14	20	45
65+	5057	8.5	69	1	2	6	10	17	23	44
GRAND TOTAL	**9346**	**7.5**	**67**	**1**	**1**	**5**	**9**	**16**	**22**	**44**

187: Disease of teeth and jaws (520-526)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.4	2	1	1	2	3	5	5	5
20-34	14	2.9	13	<1	<1	2	3	8	13	14
35-49	14	6.4	61	1	2	4	7	12	28	32
50-64	8	5.0	9	2	2	4	5	10	12	12
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	488	2.1	3	<1	1	2	3	3	4	6
20-34	933	2.4	2	1	1	2	3	4	5	10
35-49	510	2.3	2	1	1	2	3	4	4	7
50-64	142	2.1	2	<1	1	2	3	4	4	7
65+	51	2.4	8	<1	1	2	2	4	9	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	3.0	13	<1	<1	2	4	5	5	24
20-34	52	3.5	11	<1	1	3	4	7	12	17
35-49	38	4.0	22	<1	1	3	5	8	13	26
50-64	28	4.5	13	1	1	3	5	8	11	19
65+	37	5.0	36	<1	1	3	6	9	17	33
B. *Operated*										
0-19 YRS	531	2.6	6	1	1	2	3	4	5	8
20-34	688	2.8	4	1	1	2	3	5	5	11
35-49	482	2.9	4	1	1	3	4	5	7	10
50-64	256	3.1	11	1	1	2	3	6	8	20
65+	206	3.7	38	1	1	2	3	7	14	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	4.0	23	1	1	3	4	7	12	31
B. *Operated*	2124	2.3	2	1	1	2	3	4	4	8
2. MULTIPLE DX										
A. *Not Operated*	197	3.9	19	<1	1	3	5	7	11	25
B. *Operated*	2163	2.9	9	1	1	2	3	5	6	14
1. SINGLE DX	2178	2.4	3	1	1	2	3	4	4	8
2. MULTIPLE DX	2360	3.0	10	1	1	2	3	5	7	16
A. NOT OPERATED	251	3.9	19	<1	1	3	5	7	11	26
B. OPERATED	4287	2.6	6	1	1	2	3	4	5	11
TOTAL 0-19 YRS	1078	2.4	5	<1	1	2	3	4	4	7
20-34	1687	2.6	3	1	1	2	3	4	5	11
35-49	1044	2.7	4	1	1	2	3	5	6	10
50-64	434	2.9	9	1	1	2	3	5	7	15
65+	295	3.6	32	1	1	2	3	7	11	31
GRAND TOTAL	**4538**	**2.7**	**6**	**1**	**1**	**2**	**3**	**4**	**5**	**12**

188: Disease of mouth, except dental (527-529)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.6	2	1	1	2	3	4	5	7
20-34	39	3.3	2	1	1	3	4	5	6	7
35-49	23	3.8	4	1	2	3	6	7	7	7
50-64	13	2.9	2	1	1	3	4	5	5	5
65+	9	4.1	3	3	3	4	4	7	8	8
B. *Operated*										
0-19 YRS	69	1.4		<1	<1	1	2	2	3	4
20-34	89	2.3	5	1	1	1	3	6	7	10
35-49	105	1.6	1	<1	1	1	2	3	5	6
50-64	81	2.0	3	<1	1	2	2	4	5	11
65+	71	1.9	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	118	3.3	4	1	2	3	4	6	7	11
20-34	47	3.6	7	1	1	3	4	7	9	14
35-49	50	3.9	9	1	1	3	5	7	8	18
50-64	59	5.6	18	1	2	4	7	10	16	21
65+	120	6.7	26	1	2	5	8	12	16	29
B. *Operated*										
0-19 YRS	63	2.9	8	<1	<1	2	3	8	10	13
20-34	91	3.2	10	1	1	2	4	7	10	16
35-49	116	3.8	17	1	1	2	4	10	13	19
50-64	137	2.9	8	1	1	2	4	7	9	15
65+	177	4.8	59	1	1	2	5	10	14	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	126	3.2	2	1	1	3	4	6	7	8
B. *Operated*	415	1.9	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	394	4.8	16	1	2	4	6	9	13	21
B. *Operated*	584	3.7	26	1	1	2	4	8	12	21
1. SINGLE DX	541	2.2	3	<1	1	2	3	4	6	8
2. MULTIPLE DX	978	4.2	22	1	1	3	5	9	12	21
A. NOT OPERATED	520	4.4	13	1	2	3	5	8	11	20
B. OPERATED	999	2.9	17	<1	1	2	3	6	10	17
TOTAL 0-19 YRS	292	2.7	4	<1	<1	2	3	5	7	11
20-34	266	3.0	7	1	1	2	4	6	7	14
35-49	294	3.0	10	1	1	2	4	6	10	17
50-64	290	3.2	10	1	1	2	4	7	9	16
65+	377	4.8	39	1	1	3	6	10	14	30
GRAND TOTAL	**1519**	**3.4**	**16**	**1**	**1**	**2**	**4**	**7**	**10**	**18**

189: Diseases of esophagus (530)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	132	2.5	3	1	1	2	3	5	6	10
20-34	66	2.0	2	<1	1	2	2	4	4	7
35-49	100	2.1	2	<1	<1	2	3	4	5	9
50-64	84	2.3	2	<1	<1	2	3	4	5	7
65+	58	2.2	2	<1	1	2	3	4	5	9
B. *Operated*										
0-19 YRS	39	3.6	10	<1	1	2	6	7	9	15
20-34	43	3.6	6	<1	<1	4	5	7	8	10
35-49	64	4.6	9	<1	1	4	6	8	9	15
50-64	88	3.4	14	<1	<1	2	5	7	8	22
65+	93	4.7	98	<1	<1	3	6	8	10	60
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	284	3.6	14	1	1	3	4	7	9	22
20-34	297	3.2	8	1	1	2	4	6	8	14
35-49	562	2.9	5	1	1	2	4	5	6	13
50-64	751	3.3	6	1	1	3	4	6	8	11
65+	1196	4.2	15	1	1	3	5	8	10	18
B. *Operated*										
0-19 YRS	116	9.6	108	1	1	7	10	23	35	53
20-34	164	6.1	30	1	2	5	7	10	15	46
35-49	332	6.4	39	1	2	5	8	11	16	36
50-64	456	5.9	33	<1	1	5	8	11	15	31
65+	973	7.0	43	1	2	5	9	15	18	37
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	440	2.2	2	<1	1	2	3	4	5	8
B. *Operated*	327	4.0	35	<1	<1	3	6	8	9	15
2. MULTIPLE DX										
A. *Not Operated*	3090	3.6	11	1	1	3	4	7	8	16
B. *Operated*	2041	6.8	43	1	1	5	8	13	18	38
1. SINGLE DX	767	3.0	17	<1	<1	2	4	6	7	12
2. MULTIPLE DX	5131	4.9	26	1	1	3	6	9	13	29
A. NOT OPERATED	3530	3.4	10	1	1	3	4	6	8	15
B. OPERATED	2368	6.4	43	<1	1	5	8	12	17	37
TOTAL 0-19 YRS	571	4.5	36	1	1	3	5	9	13	36
20-34	570	3.9	15	1	1	3	5	8	9	21
35-49	1058	4.0	18	1	1	3	5	8	10	26
50-64	1379	4.1	17	<1	1	3	5	8	10	21
65+	2320	5.4	32	1	1	4	7	10	15	30
GRAND TOTAL	**5898**	**4.6**	**25**	**1**	**1**	**3**	**6**	**9**	**12**	**27**

190: Gastric ulcer without complication (531.30; 531.70; 531.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	<1	<1	1	2	3	3	3
20-34	29	2.1	1	<1	1	2	3	4	4	5
35-49	50	3.1	5	1	1	3	3	6	7	14
50-64	34	2.9	2	1	1	3	3	5	5	7
65+	18	3.6	5	1	2	3	4	7	9	10
B. *Operated*										
0-19 YRS	1	7.0		7	7	7	7	7	7	7
20-34	16	5.9	8	<1	<1	7	7	10	10	10
35-49	37	5.5	9	<1	1	6	8	9	11	12
50-64	28	5.9	11	<1	<1	6	9	10	10	11
65+	23	5.7	30	<1	<1	5	7	10	16	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	5.8	8	3	3	5	8	9	9	9
20-34	50	3.6	3	1	2	3	5	5	6	11
35-49	118	3.7	4	2	2	3	4	6	7	14
50-64	163	4.4	41	1	2	3	5	6	9	22
65+	270	4.8	10	2	2	4	6	8	10	19
B. *Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	52	6.3	15	<1	1	6	9	10	15	17
35-49	113	6.8	19	<1	2	6	9	12	15	22
50-64	143	6.7	25	<1	2	6	9	13	17	24
65+	290	6.6	19	1	2	6	9	12	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	2.9	3	1	1	3	3	5	6	11
B. *Operated*	105	5.7	14	<1	<1	6	8	10	10	19
2. MULTIPLE DX										
A. *Not Operated*	605	4.4	17	1	2	4	5	8	9	16
B. *Operated*	599	6.6	20	<1	2	6	9	12	15	22
1. SINGLE DX	240	4.1	10	<1	1	3	6	8	10	12
2. MULTIPLE DX	1204	5.5	20	1	2	4	7	10	13	21
A. NOT OPERATED	740	4.1	15	1	2	3	5	7	9	14
B. OPERATED	704	6.5	19	<1	2	6	9	12	15	22
TOTAL 0-19 YRS	10	4.0	8	<1	<1	3	7	8	9	9
20-34	147	4.5	10	<1	1	4	7	9	10	16
35-49	318	4.9	13	1	2	4	6	9	12	18
50-64	368	5.3	31	1	2	4	6	10	12	24
65+	601	5.7	15	1	2	5	7	10	13	20
GRAND TOTAL	**1444**	**5.3**	**18**	**1**	**2**	**4**	**7**	**10**	**12**	**20**

191: Gastric ulcer with hemorrhage or perforation (531.00; 531.10; 531.20; 531.40; 531.50; 531.60)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.8	1	1	1	2	2	3	3	3
20-34	26	2.8	2	1	1	3	3	5	6	8
35-49	69	3.3	3	2	2	3	4	6	6	9
50-64	81	3.4	4	1	2	3	4	5	7	13
65+	116	3.8	3	1	2	4	5	6	7	9
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	20	6.2	8	2	3	6	8	9	12	14
35-49	47	6.3	9	2	3	6	8	10	12	15
50-64	50	5.7	10	2	2	6	8	10	11	14
65+	79	6.2	12	2	3	5	9	11	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	11	6.1	55	1	1	4	6	17	26	27
20-34	79	3.9	6	1	2	3	5	7	9	15
35-49	194	4.1	7	1	2	3	5	7	9	16
50-64	410	4.4	7	2	2	4	5	7	10	14
65+	1095	5.4	13	2	2	5	7	9	12	20
B. *Operated*										
0-19 YRS	9	6.1	34	2	2	4	7	16	18	18
20-34	56	8.8	40	3	3	7	10	14	24	35
35-49	166	7.2	38	2	2	6	9	13	17	37
50-64	402	8.8	75	2	3	6	11	17	27	46
65+	1153	9.0	58	2	3	7	11	17	23	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	296	3.5	3	1	2	3	4	6	7	9
B. *Operated*	198	6.1	10	2	2	6	8	10	13	16
2. MULTIPLE DX										
A. *Not Operated*	1789	5.0	11	2	2	4	6	9	11	18
B. *Operated*	1786	8.8	60	2	3	7	11	17	23	43
1. SINGLE DX	494	4.5	8	2	2	4	6	8	10	14
2. MULTIPLE DX	3575	6.9	39	2	2	5	8	13	18	35
A. NOT OPERATED	2085	4.8	10	2	2	4	6	8	10	17
B. OPERATED	1984	8.5	55	2	3	6	10	16	22	41
TOTAL 0-19 YRS	26	5.2	36	1	1	3	5	14	20	27
20-34	181	5.5	22	1	2	4	7	10	13	29
35-49	476	5.3	20	2	2	4	6	10	13	19
50-64	943	6.2	41	2	2	4	7	12	16	36
65+	2443	7.1	37	2	3	5	8	13	18	34
GRAND TOTAL	**4069**	**6.6**	**36**	**2**	**2**	**5**	**8**	**12**	**17**	**34**

192: Nongastric peptic ulcer without complication (532.30; 532.70; 532.90; 533.30; 533.70; 533.90; 534.30; 534.70; 534.90)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	19	2.6	3	1	1	2	3	6	7	7
20-34	107	2.6	3	1	1	2	3	5	6	10
35-49	112	2.5	3	1	1	2	3	4	6	8
50-64	68	2.5	2	<1	1	2	3	4	5	7
65+	42	3.5	6	1	1	3	4	7	9	13
B. *Operated*										
0-19 YRS	3	4.3	4	2	2	5	6	6	6	6
20-34	25	6.7	5	2	3	7	8	9	10	11
35-49	39	6.5	6	2	3	6	8	10	11	11
50-64	22	7.9	8	3	4	8	10	12	13	14
65+	10	10.9	149	<1	1	6	8	33	37	37
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.0	3	1	1	2	4	5	6	8
20-34	182	3.1	4	1	1	3	3	5	8	10
35-49	321	3.4	5	1	1	3	4	6	7	11
50-64	332	3.6	5	1	1	3	4	6	8	13
65+	559	4.5	8	1	2	4	6	8	10	14
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	46	7.5	14	3	3	7	9	12	14	20
35-49	115	7.7	49	2	3	7	9	11	16	47
50-64	76	7.0	18	2	2	7	9	11	15	23
65+	131	8.4	39	2	3	7	10	16	20	31
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	348	2.7	3	1	1	2	3	5	6	10
B. *Operated*	99	7.2	21	2	3	7	8	10	12	34
2. MULTIPLE DX										
A. *Not Operated*	1425	3.8	6	1	1	3	5	7	9	13
B. *Operated*	369	7.8	35	2	3	7	9	14	18	34
1. SINGLE DX	447	3.7	11	1	1	3	5	7	9	12
2. MULTIPLE DX	1794	4.6	15	1	2	4	6	9	11	18
A. NOT OPERATED	1773	3.6	6	1	1	3	4	7	8	13
B. OPERATED	468	7.7	32	2	3	7	9	13	17	35
TOTAL 0-19 YRS	54	3.0	3	1	1	2	5	5	6	8
20-34	360	3.7	8	1	1	3	5	8	9	12
35-49	587	4.3	17	1	1	3	5	8	10	17
50-64	498	4.2	9	1	2	3	5	8	10	16
65+	742	5.2	18	1	2	4	7	10	13	21
GRAND TOTAL	**2241**	**4.4**	**14**	**1**	**1**	**3**	**6**	**8**	**11**	**18**

193: Nongastric peptic ulcer with hemorrhage or perforation (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	2.8	2	1	1	2	3	6	6	6
20-34	113	2.9	1	1	2	3	4	4	5	6
35-49	156	3.2	2	1	2	3	4	5	6	8
50-64	163	3.1	2	1	2	3	4	5	6	7
65+	120	3.7	2	2	2	3	4	6	6	8
B. *Operated*										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34	85	6.9	12	3	4	6	8	10	14	20
35-49	104	6.6	7	3	4	7	8	9	10	17
50-64	67	7.2	12	3	3	7	9	11	14	19
65+	65	8.5	17	3	3	9	10	14	18	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	3.7	4	1	1	3	5	7	8	9
20-34	201	3.5	3	1	2	3	5	6	6	9
35-49	362	3.9	4	1	2	3	5	6	8	11
50-64	591	4.1	6	2	2	4	5	7	8	12
65+	1473	5.3	13	2	2	4	6	9	11	19
B. *Operated*										
0-19 YRS	5	7.2	10	4	4	6	10	11	11	11
20-34	88	9.0	33	2	3	8	11	16	19	33
35-49	192	8.5	39	2	3	7	10	15	20	43
50-64	285	9.4	55	3	3	8	11	16	24	59
65+	714	11.9	103	3	4	9	14	23	32	69
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	568	3.2	2	1	2	3	4	5	6	8
B. *Operated*	322	7.2	12	3	3	7	9	11	14	19
2. MULTIPLE DX										
A. *Not Operated*	2663	4.7	10	2	2	4	6	8	10	15
B. *Operated*	1284	10.6	80	3	3	8	13	20	28	64
1. SINGLE DX	890	4.6	9	2	2	4	6	8	10	18
2. MULTIPLE DX	3947	6.6	40	2	2	5	8	12	17	35
A. NOT OPERATED	3231	4.4	9	2	2	4	5	8	9	15
B. OPERATED	1606	9.9	68	3	3	8	11	18	25	54
TOTAL 0-19 YRS	58	3.8	5	1	1	3	5	7	9	11
20-34	487	5.0	15	2	2	4	6	9	12	20
35-49	814	5.2	17	2	2	4	7	9	12	21
50-64	1106	5.5	24	2	2	4	7	10	13	29
65+	2372	7.3	49	2	3	5	8	14	19	40
GRAND TOTAL	**4837**	**6.3**	**35**	**2**	**2**	**5**	**7**	**11**	**16**	**33**

194: Peptic ulcer with obstruction (531-534, with 5th digit of 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	4.7	2	3	3	5	6	6	6	6
20-34	6	4.8	9	2	2	4	6	10	10	10
35-49	13	4.4	2	2	3	4	5	6	7	7
50-64	11	3.2	2	1	1	3	4	5	6	6
65+	14	4.0	7	1	1	3	6	8	9	10
B. *Operated*										
0-19 YRS										
20-34	7	9.0	41	4	4	5	16	18	18	18
35-49	15	8.3	11	2	5	8	10	12	15	16
50-64	17	9.1	28	3	4	9	10	12	22	27
65+	18	8.7	14	4	5	8	9	16	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	18	3	3	6	9	9	9	9
20-34	10	4.0	5	1	1	4	6	7	8	8
35-49	30	5.5	10	2	2	5	7	9	12	16
50-64	59	4.9	11	1	2	4	6	9	13	17
65+	133	6.0	16	2	3	5	7	11	14	20
B. *Operated*										
0-19 YRS	2	22.5	545	6	6	22	39	39	39	39
20-34	23	12.7	43	5	7	10	16	23	26	29
35-49	71	12.2	66	3	4	10	15	24	27	42
50-64	100	14.0	143	4	6	11	16	22	31	73
65+	195	13.9	117	3	5	11	18	26	35	76
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	4.1	4	1	1	3	5	7	8	10
B. *Operated*	57	8.7	20	3	4	8	10	16	17	26
2. MULTIPLE DX										
A. *Not Operated*	234	5.6	14	2	2	5	7	10	14	18
B. *Operated*	391	13.6	111	3	5	11	17	25	33	69
1. SINGLE DX	104	6.6	18	1	3	6	9	11	16	22
2. MULTIPLE DX	625	10.6	90	2	3	8	13	21	27	51
A. NOT OPERATED	281	5.3	13	1	2	4	6	10	13	18
B. OPERATED	448	13.0	102	3	5	10	16	23	30	66
TOTAL 0-19 YRS	7	10.1	166	3	3	6	8	33	39	39
20-34	46	9.2	43	2	2	8	13	18	23	29
35-49	129	9.4	50	2	3	7	11	19	25	36
50-64	187	10.1	102	2	3	7	13	19	23	70
65+	360	10.3	86	2	3	7	13	21	27	48
GRAND TOTAL	**729**	**10.0**	**81**	**2**	**3**	**7**	**13**	**20**	**25**	**48**

195: Gastritis and duodenitis (535)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	97	1.8	1	<1	<1	2	2	3	4	6
20-34	234	2.1	2	<1	1	2	3	4	5	7
35-49	164	2.3	3	1	1	2	3	4	5	7
50-64	105	2.5	2	1	1	2	3	5	5	8
65+	83	2.5	3	<1	1	2	3	4	6	8
B. *Operated*										
0-19 YRS	3	3.3	4	1	1	4	5	5	5	5
20-34	20	2.3	2	<1	<1	2	3	5	5	6
35-49	37	3.7	12	<1	<1	3	5	7	10	18
50-64	27	3.7	22	<1	<1	2	5	7	11	24
65+	28	2.6	6	<1	<1	<1	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	280	2.3	3	1	1	2	3	4	5	9
20-34	803	2.9	5	1	1	2	3	5	7	12
35-49	964	3.4	6	1	1	3	4	6	8	12
50-64	1009	3.7	9	1	1	3	5	6	8	15
65+	1735	4.5	15	1	2	4	5	8	11	20
B. *Operated*										
0-19 YRS	20	5.5	13	1	2	4	8	11	13	14
20-34	90	6.1	76	<1	1	4	7	10	14	60
35-49	197	6.9	96	<1	1	4	7	14	20	61
50-64	251	6.7	55	<1	1	5	7	13	17	44
65+	423	6.7	42	<1	1	5	8	12	18	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	683	2.2	2	<1	1	2	3	4	5	7
B. *Operated*	115	3.2	11	<1	<1	2	4	6	8	20
2. MULTIPLE DX										
A. *Not Operated*	4791	3.7	10	1	1	3	5	7	9	15
B. *Operated*	981	6.6	58	<1	1	5	8	13	18	45
1. SINGLE DX	798	2.4	4	<1	<1	2	3	4	5	8
2. MULTIPLE DX	5772	4.2	19	1	1	3	5	8	10	21
A. NOT OPERATED	5474	3.5	9	1	1	3	4	6	8	15
B. OPERATED	1096	6.3	54	<1	<1	5	7	12	17	44
TOTAL 0-19 YRS	400	2.4	3	<1	1	2	3	4	6	10
20-34	1147	3.0	11	1	1	2	4	5	7	13
35-49	1362	3.8	20	1	1	3	4	7	9	18
50-64	1392	4.2	19	1	1	3	5	7	10	22
65+	2269	4.8	20	1	1	4	6	9	12	25
GRAND TOTAL	**6570**	**4.0**	**18**	**1**	**1**	**3**	**5**	**7**	**10**	**20**

196: Disease of stomach and duodenum, except ulcer and inflammation (536-537)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	29	2.2	2	1	1	2	3	4	5	6
20-34	43	2.4	4	1	1	2	3	4	7	10
35-49	48	2.9	3	1	1	2	4	5	6	11
50-64	39	2.9	9	1	1	2	3	5	8	18
65+	28	1.8	2	<1	<1	1	2	3	4	9
B. *Operated*										
0-19 YRS	26	3.0	1	2	2	3	4	4	6	6
20-34	9	8.3	28	3	3	6	13	16	18	18
35-49	9	7.8	35	<1	1	8	11	16	20	20
50-64	19	6.3	19	<1	<1	7	9	12	13	14
65+	10	9.4	18	<1	2	9	12	15	16	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	90	2.7	4	1	1	2	3	6	7	9
20-34	154	4.0	16	1	1	3	5	8	11	20
35-49	189	3.9	13	1	1	3	5	7	9	21
50-64	226	4.2	19	1	1	3	5	8	11	25
65+	442	4.6	33	1	1	3	6	9	12	23
B. *Operated*										
0-19 YRS	26	9.2	236	1	2	5	8	17	31	81
20-34	41	11.3	105	1	2	10	14	20	38	48
35-49	75	10.7	111	2	3	9	12	20	35	91
50-64	150	13.8	136	2	3	10	16	27	36	63
65+	218	12.6	128	2	3	10	16	27	35	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	187	2.5	4	<1	1	2	3	4	6	11
B. *Operated*	73	6.0	20	<1	1	4	9	12	14	20
2. MULTIPLE DX										
A. *Not Operated*	1101	4.1	22	1	1	3	5	8	11	22
B. *Operated*	510	12.4	132	2	3	10	15	25	35	64
1. SINGLE DX	260	3.5	11	<1	1	2	4	8	11	18
2. MULTIPLE DX	1611	6.8	72	1	1	4	8	15	22	48
A. NOT OPERATED	1288	3.9	20	1	1	3	5	7	10	21
B. OPERATED	583	11.6	123	1	2	9	14	24	34	64
TOTAL 0-19 YRS	171	3.6	43	1	1	2	4	6	8	18
20-34	247	5.1	37	1	1	3	6	11	15	34
35-49	321	5.4	44	1	1	4	7	11	16	45
50-64	434	7.5	80	1	1	4	9	16	25	44
65+	698	7.1	76	1	1	4	8	15	23	50
GRAND TOTAL	**1871**	**6.3**	**65**	**1**	**1**	**4**	**7**	**14**	**20**	**43**

197: Acute appendicitis without peritonitis (540.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	1.9	1	<1	<1	2	2	3	4	4
20-34	21	2.4	2	<1	<1	2	3	5	5	6
35-49	5	1.2		<1	<1	1	1	2	2	2
50-64	5	1.8	2	1	1	1	2	4	4	4
65+										
B. *Operated*										
0-19 YRS	4165	2.7	1	1	2	3	3	4	5	7
20-34	3329	2.9	1	1	2	3	3	4	5	7
35-49	1224	3.2	2	2	2	3	4	5	6	7
50-64	399	3.6	3	2	2	3	4	6	7	10
65+	104	3.7	2	2	2	4	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.8		1	1	2	2	3	3	3
20-34	12	3.1	13	<1	<1	2	3	7	13	14
35-49	6	5.2	36	1	1	4	4	16	17	17
50-64	3	1.7		1	1	2	2	2	2	2
65+	10	3.5	2	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS	842	3.7	6	2	2	3	4	6	8	13
20-34	825	3.9	5	2	2	3	5	6	7	12
35-49	386	4.5	7	2	2	4	5	8	10	15
50-64	197	5.2	11	2	2	4	7	9	11	19
65+	172	6.1	14	2	3	5	7	10	15	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	51	2.0	2	<1	<1	2	3	4	4	6
B. *Operated*	9221	2.9	2	1	2	3	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	40	3.1	10	<1	1	2	4	5	10	17
B. *Operated*	2422	4.2	7	2	2	3	5	7	9	16
1. SINGLE DX	9272	2.9	2	1	2	3	3	4	5	7
2. MULTIPLE DX	2462	4.2	7	2	2	3	5	7	9	16
A. NOT OPERATED	91	2.5	5	<1	1	2	3	4	5	16
B. OPERATED	11643	3.2	3	1	2	3	4	5	6	10
TOTAL 0-19 YRS	5036	2.9	2	1	2	3	3	4	5	8
20-34	4187	3.1	2	1	2	3	4	5	6	8
35-49	1621	3.5	3	2	2	3	4	5	6	11
50-64	604	4.1	6	2	2	3	5	7	8	15
65+	286	5.1	11	2	3	4	6	9	11	20
GRAND TOTAL	**11734**	**3.2**	**3**	**1**	**2**	**3**	**4**	**5**	**6**	**10**

198: Acute appendicitis with peritonitis (540.0-540.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	5.7	8	1	1	6	9	9	9	9
20-34	5	7.6	11	4	4	7	9	13	13	13
35-49	7	5.4	21	<1	<1	5	8	12	13	13
50-64	4	6.3	4	5	5	6	7	9	9	9
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	868	5.6	7	2	3	5	7	9	10	14
20-34	616	5.3	7	2	2	5	7	8	10	13
35-49	379	5.8	6	2	3	5	7	9	10	13
50-64	248	6.6	10	3	3	6	8	11	13	18
65+	94	6.7	6	3	4	6	8	10	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.3	6	<1	<1	3	5	6	6	6
20-34	4	7.8	13	5	5	6	10	13	13	13
35-49	5	4.4	7	2	2	4	6	8	8	8
50-64	5	8.2	13	4	4	9	11	12	12	12
65+	8	10.6	14	6	6	11	13	15	16	16
B. *Operated*										
0-19 YRS	693	8.1	21	3	4	7	9	14	17	25
20-34	505	7.5	19	3	4	7	8	12	15	25
35-49	378	8.1	21	4	4	7	9	12	15	22
50-64	410	9.7	50	4	5	8	11	15	19	42
65+	365	10.8	52	4	5	9	12	18	25	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	27	6.3	11	1	1	6	9	11	13	13
B. *Operated*	2205	5.7	7	2	3	5	7	9	10	14
2. MULTIPLE DX										
A. *Not Operated*	25	7.6	17	1	2	6	11	13	14	16
B. *Operated*	2351	8.7	32	3	4	7	10	14	17	31
1. SINGLE DX	2232	5.7	7	2	3	5	7	9	10	14
2. MULTIPLE DX	2376	8.6	32	3	4	7	10	14	17	31
A. NOT OPERATED	52	6.9	14	1	2	6	9	13	13	16
B. OPERATED	4556	7.2	22	3	3	6	8	11	15	25
TOTAL 0-19 YRS	1574	6.7	15	2	3	6	8	11	14	22
20-34	1130	6.3	14	2	3	6	7	10	12	19
35-49	769	6.9	15	3	3	6	8	10	12	19
50-64	667	8.5	37	3	4	7	10	13	17	31
65+	468	9.9	44	4	5	8	11	16	21	40
GRAND TOTAL	**4608**	**7.2**	**22**	**3**	**3**	**6**	**8**	**12**	**15**	**25**

199: Disease of appendix, except acute appendicitis (541-543)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.6	2	<1	<1	1	2	2	4	8
20-34	23	2.7	7	<1	1	2	4	5	8	12
35-49	5	1.4	1	1	1	1	2	3	3	3
50-64	2	3.0	2	2	2	3	4	4	4	4
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS	244	2.7	1	1	2	3	3	4	4	7
20-34	216	3.1	2	2	2	3	4	5	6	8
35-49	63	3.1	2	1	1	3	4	5	6	7
50-64	22	4.3	7	1	1	4	5	8	9	11
65+	11	5.2	5	3	3	4	7	8	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	1.3		1	1	1	2	2	2	2
20-34	23	2.3	4	<1	<1	2	2	5	8	9
35-49	6	2.2	1	1	1	2	3	3	3	3
50-64	2	8.0	32	4	4	8	12	12	12	12
65+	4	3.8	4	1	1	4	5	6	6	6
B. *Operated*										
0-19 YRS	145	3.6	7	1	2	3	4	5	7	16
20-34	161	4.2	5	2	2	4	5	7	8	14
35-49	49	5.1	8	2	2	4	6	9	11	14
50-64	27	4.6	5	2	2	4	6	8	9	9
65+	14	7.9	32	2	2	6	10	16	21	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	2.1	4	<1	<1	1	2	5	6	12
B. *Operated*	556	3.0	2	1	2	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	53	2.2	5	<1	1	1	2	4	7	12
B. *Operated*	396	4.2	7	2	2	4	5	7	9	15
1. SINGLE DX	611	2.9	2	1	1	3	3	5	6	8
2. MULTIPLE DX	449	4.0	7	1	2	3	5	7	9	15
A. NOT OPERATED	108	2.2	4	<1	1	1	2	5	6	12
B. OPERATED	952	3.5	5	2	2	3	4	6	7	11
TOTAL 0-19 YRS	431	2.9	3	1	1	3	3	4	5	8
20-34	423	3.5	4	1	2	3	4	6	7	10
35-49	123	3.8	5	1	1	3	5	6	8	14
50-64	53	4.5	6	1	2	4	6	8	9	12
65+	30	6.2	19	2	2	5	8	11	15	22
GRAND TOTAL	**1060**	**3.4**	**5**	**1**	**2**	**3**	**4**	**6**	**7**	**12**

200: Inguinal hernia without complication (550.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5		<1	<1	1	2	2	2	2
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49	4	1.0		1	1	1	1	1	1	1
50-64	5	1.2		<1	<1	1	1	2	2	2
65+	6	1.8	3	<1	<1	1	2	5	5	5
B. *Operated*										
0-19 YRS	562	1.2		<1	<1	1	1	2	2	3
20-34	883	1.5	1	<1	<1	1	2	3	3	5
35-49	1048	1.5	1	<1	<1	1	2	3	3	5
50-64	1404	1.6	1	<1	<1	1	2	3	3	5
65+	1002	1.7	1	<1	<1	1	2	3	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	1.1		<1	<1	1	1	2	2	2
20-34	8	1.6	1	<1	<1	1	2	3	4	4
35-49	7	1.4	1	<1	<1	<1	1	3	4	4
50-64	16	2.1	3	<1	<1	1	3	5	6	7
65+	47	2.7	10	<1	<1	1	3	7	10	16
B. *Operated*										
0-19 YRS	407	1.6	9	<1	<1	1	1	2	3	9
20-34	392	1.8	1	<1	1	1	2	3	4	7
35-49	605	1.9	1	<1	1	2	2	3	4	6
50-64	1221	2.2	3	1	1	2	3	4	5	8
65+	1971	2.7	10	1	1	2	3	5	7	12
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	1.5	1	<1	<1	1	2	3	4	5
B. *Operated*	4899	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	100	2.1	6	<1	<1	1	2	4	7	13
B. *Operated*	4596	2.3	6	<1	1	2	3	4	6	10
1. SINGLE DX	4920	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	4696	2.3	6	<1	1	2	3	4	6	10
A. NOT OPERATED	121	2.0	5	<1	<1	1	2	4	6	12
B. OPERATED	9495	1.9	4	<1	<1	1	2	3	4	7
TOTAL 0-19 YRS	995	1.3	4	<1	<1	1	1	2	3	5
20-34	1285	1.6	1	<1	1	1	2	3	3	5
35-49	1664	1.7	1	<1	1	1	2	3	4	6
50-64	2646	1.9	2	<1	1	1	2	3	4	7
65+	3026	2.4	7	<1	1	2	3	4	6	11
GRAND TOTAL	**9616**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

201: Inguinal hernia, complicated (550.0-550.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.2		<1	<1	1	1	2	2	2
20-34										
35-49										
50-64	3	1.3		1	1	1	2	2	2	2
65+	9	2.0	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	224	1.4	1	<1	<1	1	2	2	3	4
20-34	87	2.0	1	1	1	2	2	4	4	5
35-49	61	1.9	1	1	1	2	2	3	4	4
50-64	100	2.3	2	1	1	2	3	4	6	8
65+	165	3.0	7	1	1	2	3	5	6	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.1		<1	<1	1	1	2	2	2
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.5	1	<1	<1	1	2	2	2	2
50-64	6	2.5	2	1	1	2	4	4	4	4
65+	30	2.8	4	<1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	123	1.7	1	<1	1	1	2	3	4	7
20-34	48	2.5	2	1	1	2	3	5	5	7
35-49	51	2.7	2	1	1	2	3	5	6	7
50-64	114	3.8	17	1	1	3	5	6	8	24
65+	495	5.5	30	1	1	4	7	11	16	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.6	1	<1	<1	1	2	3	4	4
B. *Operated*	637	2.1	3	<1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	47	2.4	3	<1	<1	2	4	5	6	7
B. *Operated*	831	4.3	23	1	1	3	5	9	13	25
1. SINGLE DX	654	2.1	3	<1	1	2	2	4	5	8
2. MULTIPLE DX	878	4.2	22	1	1	3	5	8	12	25
A. NOT OPERATED	64	2.2	3	<1	<1	2	3	5	6	7
B. OPERATED	1468	3.3	16	1	1	2	4	7	9	19
TOTAL 0-19 YRS	360	1.5	1	<1	<1	1	2	2	3	4
20-34	136	2.2	1	1	1	2	3	4	4	6
35-49	114	2.3	2	1	1	2	3	4	5	7
50-64	223	3.0	10	1	1	2	4	5	7	17
65+	699	4.7	25	1	1	3	5	9	14	26
GRAND TOTAL	**1532**	**3.3**	**15**	**1**	**1**	**2**	**4**	**7**	**9**	**19**

202: Umbilical hernia without complication (553.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	6.0	50	1	1	6	11	11	11	11
50-64	1	1.0		1	1	1	1	1	1	1
65+										
B. *Operated*										
0-19 YRS	56	1.3	2	<1	<1	<1	1	2	3	10
20-34	47	1.7	1	<1	<1	1	2	3	4	4
35-49	70	1.4	1	<1	<1	1	2	2	3	5
50-64	75	1.5	1	<1	<1	1	2	3	4	5
65+	25	1.8	1	<1	<1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.0		<1	<1	<1	1	1	1	1
35-49	1	2.0		2	2	2	2	2	2	2
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	6	3.5	4	<1	<1	3	5	6	6	6
B. *Operated*										
0-19 YRS	15	1.9	4	<1	<1	1	2	4	7	8
20-34	43	2.6	5	<1	1	2	3	4	7	13
35-49	98	2.8	4	<1	1	2	3	5	7	10
50-64	100	2.8	7	<1	1	2	3	6	9	13
65+	82	3.2	7	1	1	2	4	7	9	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	3.0	20	1	1	1	4	11	11	11
B. *Operated*	273	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	12	2.3	3	<1	<1	1	3	5	6	6
B. *Operated*	338	2.8	6	<1	1	2	3	5	8	12
1. SINGLE DX	278	1.5	1	<1	<1	1	2	3	3	5
2. MULTIPLE DX	350	2.8	5	<1	1	2	3	5	8	12
A. NOT OPERATED	17	2.5	7	<1	<1	1	3	6	9	11
B. OPERATED	611	2.2	4	<1	<1	1	3	4	6	11
TOTAL 0-19 YRS	73	1.4	2	<1	<1	<1	1	2	4	10
20-34	93	2.1	3	<1	<1	1	3	4	4	11
35-49	171	2.3	3	<1	<1	2	3	4	6	10
50-64	178	2.2	4	<1	<1	1	3	4	7	12
65+	113	2.9	5	<1	1	2	3	6	8	12
GRAND TOTAL	**628**	**2.2**	**4**	**<1**	**<1**	**1**	**3**	**4**	**6**	**11**

203: Ventral hernia without complication (553.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	3.5	5	2	2	3	5	5	5	5
50-64	1	2.0		2	2	2	2	2	2	2
65+	3	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	32	1.2		<1	<1	<1	1	2	3	4
20-34	130	2.2	2	<1	<1	2	3	4	5	7
35-49	368	2.9	4	<1	1	2	4	5	6	8
50-64	389	3.0	4	1	1	3	4	5	6	8
65+	286	3.2	4	1	1	3	4	6	7	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	2.0		2	2	2	2	2	2	2
35-49	12	4.0	14	<1	1	3	5	9	13	14
50-64	16	1.8	1	<1	<1	1	2	3	4	4
65+	27	2.5	4	<1	<1	2	4	6	7	8
B. *Operated*										
0-19 YRS	19	2.3	2	<1	<1	2	3	4	5	5
20-34	139	3.8	6	1	1	3	5	7	9	13
35-49	401	4.1	8	1	1	4	5	7	9	15
50-64	651	4.6	13	1	1	4	6	8	10	19
65+	813	5.1	21	1	1	4	6	9	12	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.7	2	1	1	2	4	5	5	5
B. *Operated*	1205	2.9	4	<1	1	2	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	57	2.6	5	<1	<1	2	3	6	7	14
B. *Operated*	2023	4.6	15	1	1	4	6	8	10	19
1. SINGLE DX	1211	2.9	3	<1	1	2	4	5	6	8
2. MULTIPLE DX	2080	4.6	14	1	1	4	6	8	10	19
A. NOT OPERATED	63	2.6	5	<1	<1	2	3	5	7	13
B. OPERATED	3228	4.0	11	1	1	3	5	7	9	16
TOTAL 0-19 YRS	52	1.6	1	<1	<1	1	2	3	4	5
20-34	270	3.0	5	<1	1	2	4	6	7	12
35-49	783	3.5	6	1	1	3	4	6	7	14
50-64	1057	4.0	10	1	1	3	5	7	9	17
65+	1129	4.6	17	1	1	4	6	8	10	19
GRAND TOTAL	**3291**	**3.9**	**11**	**1**	**1**	**3**	**5**	**7**	**9**	**16**

204: Diaphragmatic hernia without complication (553.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.5	1	1	1	1	2	2	2	2
35-49	11	2.1	1	<1	<1	2	3	3	3	3
50-64	19	2.2	2	<1	1	2	3	4	5	6
65+	11	2.3	1	<1	<1	2	3	4	4	4
B. *Operated*										
0-19 YRS	2	6.0	2	5	5	6	7	7	7	7
20-34	6	4.2	3	2	2	4	6	6	6	6
35-49	10	4.7	2	2	2	5	6	7	7	7
50-64	16	7.2	16	2	3	6	9	14	15	15
65+	12	6.3	7	1	2	7	8	9	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.8	3	1	1	2	4	5	5	5
20-34	26	2.9	4	<1	1	3	3	4	7	10
35-49	109	2.7	4	1	1	2	3	4	6	13
50-64	187	2.9	4	1	1	2	4	5	6	10
65+	360	3.6	6	1	1	3	4	7	8	11
B. *Operated*										
0-19 YRS	6	14.7	61	7	7	13	18	27	28	28
20-34	35	5.8	3	2	4	6	7	8	9	9
35-49	120	6.3	9	2	3	6	7	9	11	18
50-64	187	6.8	17	2	3	6	8	11	14	19
65+	236	8.9	51	1	3	7	11	17	23	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	43	2.2	1	<1	1	2	3	3	4	6
B. *Operated*	46	6.0	9	2	3	5	8	10	13	15
2. MULTIPLE DX										
A. *Not Operated*	686	3.2	5	1	1	3	4	6	7	11
B. *Operated*	584	7.6	30	2	3	6	9	14	18	33
1. SINGLE DX	89	4.1	9	1	1	3	6	8	10	15
2. MULTIPLE DX	1270	5.2	21	1	1	4	7	9	13	25
A. NOT OPERATED	729	3.2	5	1	1	3	4	6	7	10
B. OPERATED	630	7.4	29	2	3	6	8	13	17	30
TOTAL 0-19 YRS	12	9.3	62	1	2	7	13	21	27	28
20-34	69	4.5	5	1	2	4	6	7	8	10
35-49	250	4.5	9	1	1	4	6	8	9	17
50-64	409	4.8	14	1	1	4	6	9	11	18
65+	619	5.7	30	1	1	4	7	11	15	28
GRAND TOTAL	**1359**	**5.2**	**21**	**1**	**1**	**4**	**7**	**9**	**13**	**24**

205: Other hernia of abdominal cavity without complication (553.0; 553.8-553.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	1.0		1	1	1	1	1	1	1
35-49	2	4.5	13	2	2	4	7	7	7	7
50-64	1	3.0		3	3	3	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	5	3.2	15	<1	<1	1	5	10	10	10
20-34	28	1.6	1	<1	<1	1	2	3	3	4
35-49	31	1.9	1	<1	1	2	3	4	5	5
50-64	28	2.0	2	<1	1	1	2	4	5	7
65+	31	2.2	4	1	1	2	3	4	4	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	2	2.0	2	<1	<1	1	3	3	3	3
35-49										
50-64	3	2.3		2	2	2	3	3	3	3
65+	7	5.1	26	1	1	4	6	14	16	16
B. *Operated*										
0-19 YRS	2	4.0	18	<1	<1	3	7	7	7	7
20-34	19	3.3	7	<1	<1	2	6	7	8	9
35-49	31	2.8	7	1	1	2	4	5	6	14
50-64	46	3.7	9	1	1	2	5	9	10	11
65+	75	4.6	24	1	1	3	6	9	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.8	6	1	1	2	4	7	7	7
B. *Operated*	123	2.0	3	<1	1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	13	3.8	16	<1	1	3	4	8	14	16
B. *Operated*	173	3.9	15	1	1	3	5	8	10	21
1. SINGLE DX	128	2.0	3	<1	1	1	2	4	5	10
2. MULTIPLE DX	186	3.9	15	1	1	3	5	8	10	21
A. NOT OPERATED	18	3.5	13	<1	1	2	4	7	12	16
B. OPERATED	296	3.1	11	<1	1	2	4	7	9	18
TOTAL 0-19 YRS	8	3.3	12	<1	<1	2	5	9	10	10
20-34	51	2.2	4	<1	<1	1	3	5	7	9
35-49	64	2.4	4	<1	1	2	3	5	6	13
50-64	78	3.0	6	1	1	2	4	7	9	11
65+	113	4.0	19	1	1	3	4	8	11	24
GRAND TOTAL	**314**	**3.1**	**11**	**<1**	**1**	**2**	**4**	**7**	**9**	**18**

206: Complicated hernia of abdominal cavity, except inguinal (551-552)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	7	2.9	6	1	1	2	3	7	8	8
65+	9	2.7	3	1	1	2	3	6	6	6
B. *Operated*										
0-19 YRS	22	2.2	3	<1	<1	2	3	5	7	7
20-34	89	2.4	5	<1	1	2	3	5	9	11
35-49	134	2.4	3	1	1	2	3	4	6	8
50-64	180	3.4	5	1	1	3	5	7	8	10
65+	175	3.9	8	1	1	3	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	<1	<1	1	3	3	3	3
20-34	6	2.2	8	1	1	1	1	7	8	8
35-49	7	4.7	43	1	1	2	5	16	19	19
50-64	21	3.7	7	<1	1	3	5	7	9	11
65+	73	4.1	11	1	1	3	5	9	11	20
B. *Operated*										
0-19 YRS	14	6.9	47	1	1	5	9	20	22	22
20-34	67	4.5	14	1	1	4	6	9	10	21
35-49	177	5.3	17	1	2	4	6	11	13	22
50-64	302	6.9	39	1	2	5	9	12	19	40
65+	707	8.6	45	2	2	7	11	16	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	2.4	4	<1	1	2	3	5	7	8
B. *Operated*	600	3.1	6	1	1	2	4	7	8	11
2. MULTIPLE DX										
A. *Not Operated*	109	3.9	12	1	1	3	5	8	11	20
B. *Operated*	1267	7.5	40	1	2	6	9	15	20	35
1. SINGLE DX	620	3.1	6	1	1	2	4	7	8	11
2. MULTIPLE DX	1376	7.2	39	1	2	6	9	14	20	34
A. NOT OPERATED	129	3.7	11	1	1	3	4	8	10	19
B. OPERATED	1867	6.1	33	1	1	5	8	13	17	29
TOTAL 0-19 YRS	39	3.9	23	<1	<1	2	4	8	17	22
20-34	163	3.2	10	<1	1	2	4	8	9	13
35-49	320	4.0	13	1	1	3	5	8	11	19
50-64	510	5.5	28	1	1	4	7	10	14	34
65+	964	7.4	39	1	2	6	9	15	20	33
GRAND TOTAL	**1996**	**5.9**	**32**	**1**	**1**	**4**	**8**	**12**	**16**	**29**

207: Intestinal obstruction without mention of hernia (560.0-560.2; 560.8-560.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	114	2.3	3	<1	1	2	3	5	6	8
20-34	220	3.0	4	1	1	2	4	6	6	11
35-49	340	3.2	5	1	1	3	4	6	7	12
50-64	395	3.2	4	1	1	3	4	6	7	10
65+	514	3.5	5	1	1	3	4	6	8	11
B. *Operated*										
0-19 YRS	102	5.4	8	2	2	5	7	9	10	17
20-34	158	7.6	15	3	4	7	9	11	14	23
35-49	180	7.7	14	4	4	7	9	12	14	20
50-64	191	8.8	16	5	5	8	10	13	16	22
65+	165	10.0	21	4	6	9	12	16	20	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	121	3.2	6	1	1	3	4	6	8	15
20-34	297	4.2	16	1	1	4	5	8	9	19
35-49	566	4.3	14	1	1	3	5	7	10	18
50-64	958	4.8	19	1	2	4	6	8	11	24
65+	2895	5.4	18	1	2	4	7	10	13	22
B. *Operated*										
0-19 YRS	156	9.1	97	2	3	7	10	16	22	57
20-34	274	11.5	114	4	5	9	12	20	35	67
35-49	416	11.7	63	4	5	9	13	21	27	47
50-64	705	13.1	93	4	6	10	16	23	32	54
65+	1854	13.9	84	5	6	12	16	24	32	56
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1583	3.2	4	1	1	3	4	6	7	10
B. *Operated*	796	8.1	17	3	4	7	10	13	15	23
2. MULTIPLE DX										
A. *Not Operated*	4837	5.0	17	1	2	4	6	9	12	21
B. *Operated*	3405	13.1	88	4	5	11	16	23	31	56
1. SINGLE DX	2379	4.9	14	1	1	4	7	9	12	19
2. MULTIPLE DX	8242	8.3	62	2	2	6	11	17	22	41
A. NOT OPERATED	6420	4.6	15	1	1	4	6	8	11	19
B. OPERATED	4201	12.1	78	4	5	10	14	22	28	52
TOTAL 0-19 YRS	493	5.3	42	1	1	4	6	10	14	29
20-34	949	6.6	53	1	2	5	8	12	16	39
35-49	1502	6.5	37	1	2	5	8	13	18	30
50-64	2249	7.5	56	1	2	5	9	15	21	36
65+	5428	8.3	57	2	2	6	11	17	22	40
GRAND TOTAL	**10621**	**7.6**	**53**	**1**	**2**	**6**	**10**	**15**	**21**	**38**

208: Noninfectious gastroenteritis and colitis (558)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1216	1.8	1	<1	1	1	2	3	4	5
20-34	819	1.9	3	<1	1	2	2	3	4	7
35-49	376	2.1	2	<1	1	2	3	4	5	7
50-64	250	2.3	3	<1	1	2	3	4	5	8
65+	203	2.6	3	1	1	2	3	5	6	9
B. *Operated*										
0-19 YRS	54	3.2	3	1	1	3	4	5	7	10
20-34	99	3.8	6	1	1	3	5	6	8	14
35-49	47	4.3	5	<1	1	4	5	8	9	9
50-64	27	4.1	9	<1	<1	4	5	7	10	14
65+	13	7.6	32	<1	2	6	10	18	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3107	2.4	2	1	1	2	3	4	5	8
20-34	1391	2.4	3	1	1	2	3	4	6	9
35-49	1062	2.9	5	1	1	2	4	5	7	11
50-64	1109	3.4	6	1	1	3	4	6	8	13
65+	2720	4.2	10	1	1	3	5	8	10	17
B. *Operated*										
0-19 YRS	72	5.6	102	1	1	3	5	9	17	64
20-34	145	5.8	48	1	2	4	7	11	14	28
35-49	154	7.3	47	1	2	5	9	16	23	32
50-64	147	6.8	27	2	3	5	8	13	16	29
65+	326	9.7	74	2	3	7	13	19	26	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2864	2.0	2	<1	1	2	2	4	4	7
B. *Operated*	240	4.0	8	<1	1	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	9389	3.1	6	1	1	2	4	6	7	13
B. *Operated*	844	7.7	61	2	2	5	9	16	22	44
1. SINGLE DX	3104	2.1	3	<1	1	2	3	4	5	8
2. MULTIPLE DX	10233	3.5	12	1	1	3	4	6	9	17
A. NOT OPERATED	12253	2.8	5	1	1	2	3	5	7	12
B. OPERATED	1084	6.9	52	1	2	5	8	14	19	39
TOTAL 0-19 YRS	4449	2.3	4	1	1	2	3	4	5	8
20-34	2454	2.5	7	1	1	2	3	5	6	11
35-49	1639	3.2	10	1	1	2	4	6	8	16
50-64	1533	3.6	9	1	1	3	4	7	9	15
65+	3262	4.7	19	1	1	3	5	9	12	22
GRAND TOTAL	**13337**	**3.2**	**10**	**1**	**1**	**2**	**4**	**6**	**8**	**16**

209: Diverticula of intestine (562)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	41	4.1	6	1	2	3	5	7	9	13
35-49	274	4.2	4	1	2	4	5	7	8	10
50-64	409	4.1	5	1	2	4	5	7	8	11
65+	358	4.2	5	<1	2	4	5	7	8	11
B. *Operated*										
0-19 YRS	2	4.0	2	3	3	4	5	5	5	5
20-34	35	7.0	9	2	4	7	8	12	13	14
35-49	93	7.6	6	3	5	7	9	10	12	15
50-64	171	8.2	8	2	5	8	9	11	13	16
65+	103	9.2	12	1	6	9	11	13	16	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	6.0	19	3	3	4	9	11	11	11
20-34	34	4.3	5	2	2	4	6	7	8	11
35-49	229	4.9	8	1	2	5	6	8	10	14
50-64	742	4.6	6	1	2	4	6	8	10	13
65+	2605	5.3	12	2	2	4	7	9	12	18
B. *Operated*										
0-19 YRS	9	8.7	32	2	2	7	14	16	17	17
20-34	76	8.5	18	4	5	8	10	14	17	25
35-49	263	10.2	33	5	6	9	12	16	20	29
50-64	681	10.8	47	4	6	9	12	18	23	39
65+	1354	12.5	82	3	4	10	15	22	30	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1082	4.1	5	1	2	4	5	7	8	11
B. *Operated*	404	8.2	9	3	5	8	10	11	14	17
2. MULTIPLE DX										
A. *Not Operated*	3613	5.1	11	2	2	4	6	9	11	16
B. *Operated*	2383	11.6	66	3	5	10	13	20	26	46
1. SINGLE DX	1486	5.2	9	1	2	5	7	9	11	15
2. MULTIPLE DX	5996	7.7	43	2	2	6	10	14	19	34
A. NOT OPERATED	4695	4.9	10	1	2	4	6	8	10	16
B. OPERATED	2787	11.1	59	3	5	9	13	19	25	43
TOTAL 0-19 YRS	14	7.4	26	2	3	5	12	15	16	17
20-34	186	6.5	15	2	2	6	8	12	13	18
35-49	859	6.6	21	2	2	6	8	11	14	22
50-64	2003	6.9	29	2	2	6	9	12	16	27
65+	4420	7.5	44	2	2	6	9	14	18	35
GRAND TOTAL	**7482**	**7.2**	**37**	**2**	**2**	**6**	**9**	**13**	**17**	**31**

210: Anal fissure, fistula, and abscess (565-566)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.8	1	<1	<1	1	2	4	4	4
20-34	9	2.0	2	<1	<1	2	2	4	5	5
35-49	10	2.5	3	1	1	2	4	5	5	5
50-64	12	2.5	3	<1	<1	2	3	5	6	6
65+	4	1.0		<1	<1	1	1	1	1	1
B. *Operated*										
0-19 YRS	50	1.8	1	<1	<1	1	2	3	4	7
20-34	456	2.0	2	1	1	2	2	4	4	7
35-49	483	2.0	2	<1	1	2	2	3	4	8
50-64	264	2.3	6	<1	1	2	3	4	6	9
65+	82	2.4	13	<1	1	2	2	4	5	25
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	4.7	47	<1	1	2	5	8	23	28
20-34	18	3.2	6	1	1	2	5	8	8	8
35-49	29	3.0	4	<1	<1	2	4	6	6	8
50-64	19	4.9	60	<1	1	3	4	8	24	36
65+	38	5.5	20	1	1	4	7	12	16	20
B. *Operated*										
0-19 YRS	40	5.3	68	1	1	3	6	11	16	50
20-34	396	2.9	12	1	1	2	3	5	8	17
35-49	605	2.6	11	1	1	2	3	5	6	10
50-64	463	3.4	17	1	1	2	4	7	10	25
65+	327	5.3	41	1	1	3	6	13	19	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.1	2	<1	<1	2	3	5	5	6
B. *Operated*	1335	2.1	4	<1	1	2	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	119	4.4	24	<1	1	3	5	9	11	30
B. *Operated*	1831	3.4	20	1	1	2	4	7	9	23
1. SINGLE DX	1376	2.1	3	<1	1	2	2	4	5	8
2. MULTIPLE DX	1950	3.5	21	1	1	2	4	7	10	24
A. NOT OPERATED	160	3.8	19	<1	1	3	4	8	10	27
B. OPERATED	3166	2.9	14	1	1	2	3	5	7	19
TOTAL 0-19 YRS	111	3.4	33	<1	1	2	3	7	9	37
20-34	879	2.4	7	1	1	2	3	4	6	10
35-49	1127	2.3	7	<1	1	2	3	4	6	10
50-64	758	3.1	14	1	1	2	3	5	8	20
65+	451	4.8	35	1	1	3	5	10	17	32
GRAND TOTAL	**3326**	**2.9**	**14**	**1**	**1**	**2**	**3**	**5**	**8**	**19**

211: Miscellaneous diseases of intestine and peritoneum (555-557; 560.3; 564; 567-569)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	165	2.5	5	<1	1	2	3	5	7	11
20-34	306	4.2	17	1	1	3	5	9	11	21
35-49	230	3.8	9	1	1	3	5	8	9	14
50-64	145	3.6	10	<1	1	3	4	7	8	15
65+	223	3.1	7	<1	1	2	4	6	8	13
B. *Operated*										
0-19 YRS	97	5.2	30	1	1	4	6	11	13	35
20-34	278	6.0	28	1	1	5	8	11	16	25
35-49	232	5.8	21	<1	1	5	8	11	14	24
50-64	170	5.4	18	<1	1	4	8	11	13	21
65+	162	5.8	19	<1	1	5	8	11	12	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	271	3.9	20	<1	1	2	5	8	11	24
20-34	717	4.3	12	1	1	4	5	8	11	18
35-49	749	4.6	13	1	1	4	6	9	11	18
50-64	777	4.9	19	1	1	4	6	9	12	20
65+	2322	5.1	21	1	1	4	6	10	13	22
B. *Operated*										
0-19 YRS	200	9.1	72	1	2	7	10	19	29	48
20-34	725	8.3	63	1	2	6	10	16	23	44
35-49	877	9.1	82	1	2	7	11	18	25	46
50-64	942	11.1	126	2	3	8	13	23	34	72
65+	1895	11.8	116	2	3	9	14	24	32	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1069	3.5	11	<1	1	3	4	7	9	16
B. *Operated*	939	5.7	23	<1	1	5	8	11	14	25
2. MULTIPLE DX										
A. *Not Operated*	4836	4.8	18	1	1	4	6	9	12	21
B. *Operated*	4639	10.5	103	1	2	8	13	21	29	53
1. SINGLE DX	2008	4.6	18	<1	1	3	6	9	12	22
2. MULTIPLE DX	9475	7.6	68	1	2	5	9	16	22	44
A. NOT OPERATED	5905	4.6	17	1	1	4	6	9	12	21
B. OPERATED	5578	9.7	93	1	2	7	12	19	28	51
TOTAL 0-19 YRS	733	5.2	38	<1	1	3	6	11	17	35
20-34	2026	6.0	37	1	1	4	7	12	16	32
35-49	2088	6.5	47	1	1	5	8	13	18	32
50-64	2034	7.7	78	1	2	5	9	16	23	48
65+	4602	7.8	71	1	2	5	10	16	23	43
GRAND TOTAL	**11483**	**7.0**	**60**	**1**	**1**	**5**	**9**	**15**	**21**	**41**

212: Alcoholic liver disease (571.0-571.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	10	3.5	6	1	1	3	5	7	8	8
35-49	12	4.3	7	2	2	3	6	8	9	9
50-64	11	3.7	3	<1	1	4	5	6	7	7
65+	3	3.3	4	1	1	4	5	5	5	5
B. *Operated*										
0-19 YRS										
20-34	4	7.8	98	<1	<1	4	14	22	22	22
35-49	12	4.0	11	1	1	3	6	9	11	11
50-64	17	3.4	7	<1	1	2	6	7	8	8
65+	9	4.9	10	1	1	4	6	10	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	142	6.7	41	1	2	5	8	12	21	34
35-49	407	7.8	56	2	2	6	9	16	23	41
50-64	512	8.3	44	2	2	6	10	17	23	32
65+	246	8.1	31	2	2	7	10	16	19	27
B. *Operated*										
0-19 YRS										
20-34	48	10.1	100	1	2	7	13	20	32	54
35-49	164	12.4	156	1	3	8	14	33	43	53
50-64	197	10.8	105	2	3	8	12	22	32	52
65+	121	10.2	74	2	3	8	14	20	28	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.8	5	1	1	4	5	8	8	9
B. *Operated*	42	4.3	16	<1	1	3	6	8	11	22
2. MULTIPLE DX										
A. *Not Operated*	1307	7.9	45	2	2	6	10	16	22	33
B. *Operated*	530	11.1	114	1	3	8	13	23	34	53
1. SINGLE DX	78	4.1	11	1	1	3	6	8	9	19
2. MULTIPLE DX	1837	8.8	67	2	2	6	11	18	25	44
A. NOT OPERATED	1343	7.8	44	2	2	6	10	16	22	33
B. OPERATED	572	10.6	109	1	2	7	13	22	33	53
TOTAL 0-19 YRS										
20-34	204	7.4	56	1	2	5	9	15	22	38
35-49	595	8.9	86	2	2	6	11	18	29	47
50-64	737	8.8	61	1	2	7	10	18	25	38
65+	379	8.6	45	2	2	7	11	17	21	33
GRAND TOTAL	**1915**	**8.6**	**65**	**1**	**2**	**6**	**10**	**18**	**25**	**43**

213: Other cirrhosis and chronic liver disease (571.4-571.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	7	1.9	1	<1	<1	1	3	4	4	4
35-49	10	3.7	6	<1	<1	3	7	7	7	7
50-64	11	3.5	12	<1	<1	1	6	9	10	10
65+	5	4.2	11	<1	<1	4	7	8	8	8
B. *Operated*										
0-19 YRS	11	1.3		1	1	1	2	2	2	2
20-34	31	1.4	1	<1	<1	1	1	2	5	6
35-49	52	2.0	3	<1	1	1	2	5	6	7
50-64	45	2.1	7	<1	1	1	2	6	7	16
65+	24	3.4	24	<1	<1	1	4	9	14	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.8	6	<1	1	3	6	7	8	8
20-34	37	6.9	27	1	2	5	9	15	17	26
35-49	87	6.0	28	1	2	4	8	13	18	25
50-64	152	6.4	34	1	2	5	7	12	17	29
65+	235	7.2	30	2	2	6	9	13	16	27
B. *Operated*										
0-19 YRS	13	8.0	457	1	1	2	4	19	68	79
20-34	42	5.7	59	1	1	2	6	19	25	29
35-49	108	5.6	54	<1	1	2	7	15	18	40
50-64	148	8.2	120	1	1	5	10	18	29	40
65+	197	9.1	80	1	1	7	13	20	24	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	3.2	7	<1	<1	2	5	7	9	10
B. *Operated*	163	2.0	7	<1	1	1	2	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	523	6.7	30	1	2	5	8	13	17	27
B. *Operated*	508	7.7	95	1	1	5	10	19	24	44
1. SINGLE DX	198	2.3	7	<1	<1	1	2	6	7	13
2. MULTIPLE DX	1031	7.2	62	1	1	5	9	16	21	37
A. NOT OPERATED	558	6.4	30	1	2	5	8	13	16	27
B. OPERATED	671	6.4	80	1	1	3	8	17	22	39
TOTAL 0-19 YRS	38	4.4	158	1	1	2	4	6	8	79
20-34	117	4.7	35	<1	1	2	6	11	18	29
35-49	257	4.9	35	<1	1	3	6	13	17	28
50-64	356	6.5	69	1	1	4	8	14	20	39
65+	461	7.7	53	1	1	6	10	17	21	32
GRAND TOTAL	**1229**	**6.4**	**57**	**1**	**1**	**4**	**8**	**15**	**20**	**34**

214: Miscellaneous diseases of liver (570; 572-573)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	25	2.9	4	<1	1	3	3	4	6	12
20-34	75	3.6	6	1	2	3	5	6	8	13
35-49	34	3.9	10	1	2	3	4	7	10	18
50-64	31	3.5	6	1	1	3	4	7	9	11
65+	17	4.1	9	<1	1	3	6	9	10	11
B. *Operated*										
0-19 YRS	10	3.9	10	1	1	3	7	8	9	9
20-34	19	3.5	9	1	1	2	6	9	10	10
35-49	24	7.7	96	<1	1	3	11	20	30	41
50-64	16	5.1	32	<1	1	2	9	15	18	19
65+	18	4.3	21	<1	<1	2	6	9	15	19
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	4.3	21	1	1	3	5	6	14	24
20-34	141	5.0	20	1	1	4	6	10	14	28
35-49	222	6.6	33	1	2	5	8	13	19	25
50-64	392	6.6	29	2	2	5	8	13	17	26
65+	424	7.5	50	2	2	5	9	14	18	41
B. *Operated*										
0-19 YRS	28	6.1	31	1	1	4	9	15	19	21
20-34	48	13.0	214	1	1	8	17	29	33	85
35-49	113	11.5	134	1	2	8	14	23	37	82
50-64	147	10.4	109	1	1	8	13	22	36	99+
65+	169	12.1	115	1	2	9	17	27	30	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	182	3.6	6	1	1	3	4	7	8	14
B. *Operated*	87	5.2	41	<1	1	3	7	12	19	35
2. MULTIPLE DX										
A. *Not Operated*	1224	6.6	36	1	2	5	8	13	17	29
B. *Operated*	505	11.2	124	1	1	8	15	25	30	69
1. SINGLE DX	269	4.1	18	1	1	3	5	8	11	19
2. MULTIPLE DX	1729	8.0	66	1	2	5	10	17	22	48
A. NOT OPERATED	1406	6.2	34	1	2	5	8	13	17	26
B. OPERATED	592	10.3	116	1	1	7	14	22	30	65
TOTAL 0-19 YRS	108	4.4	20	1	1	3	5	9	12	23
20-34	283	5.9	59	1	1	4	7	12	18	31
35-49	393	7.8	69	1	2	5	10	16	22	47
50-64	586	7.4	51	1	2	5	9	15	20	48
65+	628	8.6	71	1	2	6	11	18	24	45
GRAND TOTAL	**1998**	**7.5**	**61**	**1**	**2**	**5**	**9**	**15**	**22**	**44**

215: Gallbladder disease with calculus (574.0-574.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.5		<1	<1	1	2	3	3	3
20-34	160	2.0	2	<1	<1	2	2	4	5	7
35-49	177	2.0	2	<1	<1	1	2	4	5	7
50-64	173	2.3	2	<1	1	2	3	5	6	7
65+	128	2.6	4	1	1	2	3	5	7	11
B. *Operated*										
0-19 YRS	190	4.3	3	2	3	4	5	6	7	10
20-34	2280	4.4	2	2	3	4	5	6	7	9
35-49	2227	4.6	3	3	3	4	5	6	8	10
50-64	1755	4.9	3	3	3	5	6	7	8	10
65+	913	5.6	4	3	3	5	7	9	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.1	3	<1	<1	3	4	6	6	6
20-34	189	2.5	4	<1	1	2	3	5	6	10
35-49	213	3.1	4	<1	1	3	4	6	7	11
50-64	365	3.2	5	<1	1	3	4	6	7	11
65+	893	4.4	13	1	1	4	6	8	11	18
B. *Operated*										
0-19 YRS	176	5.5	7	2	3	5	6	9	10	16
20-34	2282	5.5	8	3	3	5	6	8	10	16
35-49	3130	5.8	14	3	3	5	7	9	11	19
50-64	3812	6.4	16	3	4	6	7	10	12	20
65+	4951	8.6	31	4	4	7	10	14	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	650	2.2	3	<1	1	2	3	4	5	8
B. *Operated*	7365	4.7	3	3	3	4	5	7	8	10
2. MULTIPLE DX										
A. *Not Operated*	1676	3.8	9	1	1	3	5	7	9	14
B. *Operated*	14351	6.9	21	3	4	6	8	11	14	24
1. SINGLE DX	8015	4.5	4	2	3	4	5	7	8	10
2. MULTIPLE DX	16027	6.6	21	2	3	6	8	11	14	23
A. NOT OPERATED	2326	3.3	8	<1	1	3	4	7	8	14
B. OPERATED	21716	6.1	16	3	3	5	7	10	12	21
TOTAL 0-19 YRS	394	4.7	5	2	2	4	5	8	9	14
20-34	4911	4.7	5	2	3	4	6	7	8	13
35-49	5747	5.1	10	2	3	5	6	8	9	15
50-64	6105	5.7	12	2	3	5	7	9	11	18
65+	6885	7.6	28	2	3	7	9	13	16	27
GRAND TOTAL	**24042**	**5.9**	**16**	**2**	**3**	**5**	**7**	**10**	**12**	**21**

216: Gallbladder disease without mention of calculus (575)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	2	1	1	2	4	4	4	4
20-34	79	2.3	4	<1	<1	2	3	4	6	13
35-49	71	2.4	2	<1	1	2	3	4	5	8
50-64	66	2.8	5	<1	1	2	3	5	7	13
65+	47	2.9	3	<1	1	2	4	5	7	7
B. *Operated*										
0-19 YRS	16	3.9	2	1	2	4	5	6	7	7
20-34	191	4.7	4	3	3	4	5	7	8	12
35-49	211	4.8	4	2	3	5	6	8	9	11
50-64	125	5.3	4	3	3	5	6	8	9	12
65+	65	6.3	7	3	4	6	8	10	12	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	2.7	3	<1	1	2	3	5	6	7
20-34	70	3.5	6	<1	1	3	4	7	9	14
35-49	107	3.3	5	1	1	3	5	6	7	11
50-64	148	4.2	14	<1	1	3	5	8	11	20
65+	293	5.5	17	1	1	5	7	11	14	22
B. *Operated*										
0-19 YRS	24	5.8	5	3	4	5	7	9	10	11
20-34	317	5.9	11	3	3	5	7	10	11	19
35-49	431	6.3	12	3	3	5	7	10	13	20
50-64	376	7.8	56	3	4	6	9	12	15	53
65+	482	9.9	38	4	5	8	12	16	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	269	2.5	4	<1	1	2	3	5	6	10
B. *Operated*	608	5.0	5	3	3	5	6	8	9	13
2. MULTIPLE DX										
A. *Not Operated*	633	4.5	13	1	1	4	6	9	12	18
B. *Operated*	1630	7.6	32	3	4	6	9	13	16	28
1. SINGLE DX	877	4.3	6	1	1	4	5	7	9	13
2. MULTIPLE DX	2263	6.8	29	2	3	6	8	12	15	25
A. NOT OPERATED	902	4.0	11	1	1	3	5	8	10	16
B. OPERATED	2238	6.9	26	3	3	6	8	11	14	25
TOTAL 0-19 YRS	61	4.2	5	1	1	4	6	8	9	11
20-34	657	4.9	9	1	2	4	6	8	10	16
35-49	820	5.2	10	1	2	5	6	9	11	18
50-64	715	6.2	37	1	2	5	7	10	13	27
65+	887	7.8	32	1	2	7	10	14	17	28
GRAND TOTAL	**3140**	**6.1**	**24**	**1**	**2**	**5**	**7**	**11**	**14**	**23**

217: Diseases of bile ducts with calculus (574.3-574.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	1	2	2	3	4	4	4	4
20-34	16	2.3	2	1	1	2	3	4	6	7
35-49	10	1.5	1	<1	<1	1	2	3	4	4
50-64	15	2.3	4	<1	1	2	3	3	8	9
65+	23	3.6	4	<1	1	4	5	7	8	8
B. *Operated*										
0-19 YRS	12	6.1	4	3	3	6	8	9	9	9
20-34	70	5.3	7	1	2	6	7	8	9	13
35-49	85	5.7	10	1	2	5	7	10	12	15
50-64	85	5.8	22	1	1	5	8	10	11	29
65+	122	6.0	22	1	1	6	9	11	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34	15	3.5	6	<1	1	3	5	7	8	9
35-49	16	2.6	3	1	1	2	3	4	6	7
50-64	41	3.6	5	1	1	3	5	7	8	9
65+	145	5.1	12	1	1	4	6	9	11	20
B. *Operated*										
0-19 YRS	14	8.6	9	5	6	7	11	13	15	16
20-34	103	7.8	42	2	3	7	8	12	17	44
35-49	138	7.8	24	3	4	7	9	12	14	26
50-64	264	8.5	37	2	3	7	10	15	18	38
65+	747	10.4	56	2	4	9	13	18	23	36
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	2.6	4	1	1	2	4	5	7	9
B. *Operated*	374	5.8	16	1	1	6	8	10	12	16
2. MULTIPLE DX										
A. *Not Operated*	219	4.5	10	1	1	4	6	8	10	19
B. *Operated*	1266	9.5	43	2	4	8	11	16	21	39
1. SINGLE DX	442	5.3	15	1	1	5	7	10	11	16
2. MULTIPLE DX	1485	8.8	46	2	3	8	11	15	20	35
A. NOT OPERATED	287	4.1	9	1	1	3	5	7	9	17
B. OPERATED	1640	8.7	43	1	3	8	11	15	20	35
TOTAL 0-19 YRS	32	6.6	10	2	3	6	8	11	12	16
20-34	204	6.2	27	1	2	6	8	9	13	32
35-49	249	6.5	20	1	2	6	8	11	13	22
50-64	405	7.2	33	1	2	6	9	13	16	36
65+	1037	9.0	50	1	2	8	11	16	21	33
GRAND TOTAL	**1927**	**8.0**	**41**	**1**	**2**	**7**	**10**	**14**	**19**	**33**

218: Diseases of bile ducts without mention of calculus (576)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	11	5.6	9	<1	1	5	8	10	11	11
20-34	15	2.5	3	<1	1	2	4	6	6	6
35-49	19	3.9	4	<1	1	4	5	7	8	8
50-64	29	3.0	3	1	1	3	4	6	7	7
65+	21	3.5	6	<1	1	3	5	7	8	9
B. *Operated*										
0-19 YRS	3	4.7	21	2	2	2	8	10	10	10
20-34	12	4.6	10	<1	<1	5	7	8	9	9
35-49	33	3.7	25	1	1	1	5	11	17	21
50-64	24	5.5	43	<1	1	2	7	15	23	25
65+	18	6.7	28	1	1	6	9	12	18	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	43	7.0	35	2	2	6	8	13	16	37
20-34	19	3.9	4	1	2	4	5	7	9	10
35-49	44	5.0	13	<1	1	4	7	9	13	18
50-64	71	5.5	11	1	2	5	7	10	12	14
65+	221	5.9	15	1	2	5	8	10	13	19
B. *Operated*										
0-19 YRS	26	14.7	205	3	4	11	15	38	46	62
20-34	29	9.1	55	2	3	6	11	22	24	33
35-49	91	9.5	86	1	2	7	11	19	23	55
50-64	126	9.3	81	1	2	7	12	19	23	51
65+	286	11.4	95	2	3	9	13	21	29	52
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	95	3.5	5	<1	1	3	5	7	8	10
B. *Operated*	90	4.9	28	1	1	2	7	11	18	24
2. MULTIPLE DX										
A. *Not Operated*	398	5.7	16	1	2	5	7	10	13	18
B. *Operated*	558	10.7	94	1	2	8	13	21	28	53
1. SINGLE DX	185	4.2	17	1	1	3	6	9	11	22
2. MULTIPLE DX	956	8.6	68	1	2	7	10	16	22	48
A. NOT OPERATED	493	5.3	15	1	2	4	7	10	12	18
B. OPERATED	648	9.9	89	1	2	8	12	20	25	51
TOTAL 0-19 YRS	83	9.1	97	2	2	7	10	15	34	55
20-34	75	5.7	32	1	1	4	7	11	19	31
35-49	187	6.8	56	1	1	5	9	14	19	44
50-64	250	7.1	53	1	1	5	9	14	20	32
65+	546	8.7	65	1	2	7	10	17	22	48
GRAND TOTAL	**1141**	**7.9**	**62**	**1**	**2**	**6**	**10**	**15**	**21**	**45**

219: Diseases of pancreas (577)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	59	4.5	13	1	2	4	5	7	8	26
20-34	205	4.0	6	1	2	4	5	7	8	13
35-49	265	5.0	36	1	2	4	6	9	12	35
50-64	187	4.7	9	1	2	4	6	8	10	17
65+	113	4.4	6	1	2	4	6	8	10	12
B. *Operated*										
0-19 YRS	7	7.6	17	1	2	8	10	13	13	13
20-34	29	8.4	46	1	2	6	10	21	25	25
35-49	37	8.2	38	1	2	7	10	14	23	30
50-64	28	6.3	29	1	1	6	8	13	20	21
65+	26	8.2	45	<1	1	7	11	19	22	27
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	5.6	23	1	2	5	7	10	13	30
20-34	715	5.5	17	2	2	4	7	10	12	20
35-49	1140	5.9	18	2	2	5	7	11	13	22
50-64	884	5.9	17	2	2	5	7	10	13	24
65+	1008	6.4	21	2	2	5	8	12	15	26
B. *Operated*										
0-19 YRS	24	11.8	95	1	3	10	17	20	30	46
20-34	181	15.2	212	3	3	10	18	37	45	64
35-49	279	14.3	181	2	3	10	18	29	43	76
50-64	337	15.6	213	3	4	11	18	33	48	92
65+	356	14.0	156	2	4	11	17	27	39	68
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	829	4.6	17	1	2	4	6	8	10	17
B. *Operated*	127	7.8	38	1	1	7	10	16	22	28
2. MULTIPLE DX										
A. *Not Operated*	3821	5.9	19	2	2	5	7	11	13	23
B. *Operated*	1177	14.7	185	2	4	11	18	31	44	70
1. SINGLE DX	956	5.0	21	1	2	4	6	9	12	23
2. MULTIPLE DX	4998	8.0	72	2	2	6	9	15	22	46
A. NOT OPERATED	4650	5.7	19	2	2	5	7	10	13	22
B. OPERATED	1304	14.0	175	2	3	10	17	29	43	69
TOTAL 0-19 YRS	164	6.2	35	1	2	5	7	12	18	31
20-34	1130	6.8	61	2	2	5	7	12	19	44
35-49	1721	7.2	58	2	2	5	8	13	20	42
50-64	1436	8.0	80	2	2	6	9	15	23	52
65+	1503	8.1	63	2	2	6	10	15	22	42
GRAND TOTAL	**5954**	**7.5**	**65**	**2**	**2**	**5**	**9**	**14**	**21**	**44**

220: Gastrointestinal hemorrhage (578)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	2.3	2	<1	<1	2	3	5	6	6
20-34	63	2.4	3	<1	1	2	3	4	6	10
35-49	87	2.7	4	<1	1	2	3	5	6	10
50-64	112	2.8	14	1	1	2	3	4	6	20
65+	152	3.2	4	1	1	3	4	6	7	10
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	10	4.7	23	<1	<1	3	5	13	16	16
35-49	13	5.5	17	1	1	4	7	13	14	14
50-64	15	4.9	19	<1	1	3	6	11	15	17
65+	17	4.1	10	<1	1	3	5	8	11	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	130	3.5	37	1	1	2	4	6	8	28
20-34	394	3.2	13	1	1	2	4	6	8	11
35-49	643	3.6	7	1	1	3	4	6	8	18
50-64	1133	4.2	10	1	2	3	5	7	10	16
65+	3849	5.1	14	1	2	4	6	9	12	18
B. *Operated*										
0-19 YRS	13	5.8	18	2	2	3	8	12	14	15
20-34	77	6.5	31	1	2	4	9	15	21	24
35-49	129	6.5	30	1	2	5	9	13	17	29
50-64	286	7.2	53	2	2	5	9	13	19	35
65+	967	8.0	63	2	2	6	10	16	22	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	461	2.8	6	<1	1	2	4	5	6	10
B. *Operated*	57	4.7	15	<1	1	3	6	11	14	17
2. MULTIPLE DX										
A. *Not Operated*	6149	4.6	14	1	2	4	6	8	11	18
B. *Operated*	1472	7.6	56	2	2	6	9	15	21	37
1. SINGLE DX	518	3.0	8	<1	1	2	4	6	7	13
2. MULTIPLE DX	7621	5.2	23	1	2	4	6	10	13	24
A. NOT OPERATED	6610	4.5	13	1	2	4	5	8	11	18
B. OPERATED	1529	7.5	55	2	2	5	9	15	20	37
TOTAL 0-19 YRS	192	3.4	27	<1	1	2	4	6	8	19
20-34	544	3.6	16	1	1	3	4	7	10	21
35-49	872	4.0	12	1	1	3	5	7	10	19
50-64	1546	4.7	20	1	2	4	6	9	12	22
65+	4985	5.6	25	1	2	4	7	10	14	25
GRAND TOTAL	**8139**	**5.0**	**23**	**1**	**2**	**4**	**6**	**9**	**13**	**23**

221: Intestinal malabsorption (579)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.4	2	<1	<1	2	3	5	5	5
20-34	1	6.0		6	6	6	6	6	6	6
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	3	4.3	12	<1	<1	4	7	8	8	8
65+	1	8.0		8	8	8	8	8	8	8
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34										
35-49	3	14.3	217	3	3	9	25	31	31	31
50-64	3	7.7	32	3	3	6	12	14	14	14
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.4	14	1	1	2	4	7	11	20
20-34	11	6.5	37	2	2	4	7	16	22	23
35-49	21	6.6	79	1	1	4	8	25	65	99+
50-64	16	5.3	12	2	2	4	5	12	13	13
65+	55	6.5	21	2	3	5	9	12	17	22
B. *Operated*										
0-19 YRS	10	13.8	229	2	2	9	12	41	46	46
20-34	8	9.0	138	<1	<1	4	11	29	36	36
35-49	25	13.4	116	1	2	9	21	29	35	40
50-64	23	12.7	169	1	2	8	15	39	40	40
65+	33	19.7	351	3	5	13	26	46	67	80
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	24	3.0	5	<1	<1	3	4	6	8	8
B. *Operated*	8	8.9	96	2	2	5	11	26	31	31
2. MULTIPLE DX										
A. *Not Operated*	163	5.3	27	1	1	4	6	11	16	38
B. *Operated*	99	15.0	225	1	2	10	17	38	43	75
1. SINGLE DX	32	4.5	32	<1	1	3	5	8	13	31
2. MULTIPLE DX	262	8.9	124	1	1	5	10	22	37	67
A. NOT OPERATED	187	5.0	25	1	1	4	6	10	16	34
B. OPERATED	107	14.6	217	2	2	10	17	37	41	74
TOTAL 0-19 YRS	89	4.3	45	1	1	3	4	9	15	42
20-34	20	7.5	72	<1	1	4	9	17	29	36
35-49	51	10.2	110	1	2	7	13	30	39	99
50-64	45	9.2	105	1	2	5	10	15	39	40
65+	89	11.4	181	2	3	7	12	24	41	76
GRAND TOTAL	**294**	**8.5**	**116**	**1**	**1**	**5**	**10**	**21**	**35**	**62**

222: Chronic glomerulonephritis and nephrotic syndrome (581-583)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	3.1	4	1	1	3	4	6	8	8
20-34	12	2.3	3	<1	<1	2	3	5	6	6
35-49	6	4.7	25	1	1	2	11	11	11	11
50-64	5	5.2	19	2	2	2	10	10	10	10
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	54	1.9	2	1	1	2	2	3	4	8
20-34	48	1.6	1	1	1	1	2	2	3	6
35-49	24	2.0	1	<1	1	2	2	3	5	6
50-64	26	2.1	2	<1	<1	2	2	4	6	8
65+	12	4.5	43	<1	<1	1	5	16	20	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	4.2	7	1	1	4	6	8	10	11
20-34	24	4.8	10	1	1	4	6	8	12	13
35-49	31	4.9	12	<1	1	4	6	10	13	15
50-64	30	6.2	15	1	2	5	9	12	14	15
65+	41	6.7	15	1	2	6	8	13	14	16
B. *Operated*										
0-19 YRS	47	5.7	29	1	1	4	8	14	16	24
20-34	84	4.0	20	1	1	2	5	11	14	21
35-49	59	5.3	107	1	1	2	5	13	20	67
50-64	95	6.3	98	1	1	3	6	16	26	54
65+	99	7.4	86	1	1	4	10	17	24	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	3.4	7	<1	1	2	4	8	10	11
B. *Operated*	164	2.0	5	1	1	2	2	3	5	13
2. MULTIPLE DX										
A. *Not Operated*	185	5.3	12	1	1	4	7	10	13	15
B. *Operated*	384	5.9	72	1	1	3	7	14	20	47
1. SINGLE DX	230	2.4	6	1	1	2	2	5	8	12
2. MULTIPLE DX	569	5.7	52	1	1	3	7	13	16	39
A. NOT OPERATED	251	4.8	11	1	1	4	7	10	11	15
B. OPERATED	548	4.7	55	1	1	2	5	12	17	39
TOTAL 0-19 YRS	202	3.7	12	1	1	2	5	8	10	17
20-34	168	3.3	13	1	1	2	4	8	11	17
35-49	120	4.5	58	1	1	2	5	10	14	44
50-64	156	5.5	66	1	1	3	6	13	19	39
65+	153	7.0	63	1	1	5	9	14	20	49
GRAND TOTAL	**799**	**4.7**	**41**	**1**	**1**	**2**	**6**	**11**	**15**	**31**

223: Miscellaneous nephritis and functional disorders (580; 587; 593.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.5	4	1	1	3	5	7	8	8
20-34	3	1.7		1	1	2	2	2	2	2
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	6	5.3	39	1	1	2	8	16	17	17
20-34	5	2.0	2	1	1	2	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	4.1	6	1	2	3	5	7	10	10
20-34	6	4.3	2	2	2	4	5	6	6	6
35-49	12	6.8	25	2	2	5	10	14	17	18
50-64	14	6.2	22	2	2	5	6	14	18	19
65+	24	6.8	11	2	3	7	9	11	14	15
B. *Operated*										
0-19 YRS	8	5.4	35	<1	<1	3	8	15	18	18
20-34	10	6.8	16	1	2	7	9	12	14	14
35-49	10	9.0	25	2	2	9	14	15	16	16
50-64	16	10.4	51	<1	1	9	14	23	24	25
65+	26	12.6	107	2	2	11	15	25	32	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	20	3.2	4	1	1	2	4	6	7	8
B. *Operated*	13	3.4	20	1	1	2	3	10	16	17
2. MULTIPLE DX										
A. *Not Operated*	91	5.5	13	2	2	5	7	10	13	19
B. *Operated*	70	9.9	65	1	2	9	14	18	25	46
1. SINGLE DX	33	3.2	10	1	1	2	4	7	8	17
2. MULTIPLE DX	161	7.4	40	1	2	6	10	15	18	28
A. NOT OPERATED	111	5.1	12	1	2	4	7	10	12	18
B. OPERATED	83	8.9	64	1	1	8	13	18	24	43
TOTAL 0-19 YRS	65	4.2	11	1	1	3	5	8	10	18
20-34	24	4.5	12	1	1	4	6	9	12	14
35-49	23	7.5	26	1	2	7	11	15	17	18
50-64	30	8.5	41	1	2	6	10	19	23	25
65+	52	9.5	68	2	2	8	12	17	25	50
GRAND TOTAL	**194**	**6.7**	**38**	**1**	**2**	**5**	**9**	**14**	**18**	**27**

224: Chronic renal failure (585)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	3	1.3		1	1	1	2	2	2	2
35-49										
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	11	6.4	46	<1	1	3	11	17	22	23
20-34	24	5.6	53	<1	<1	2	7	21	22	23
35-49	33	5.2	35	<1	<1	2	9	13	21	22
50-64	37	3.6	18	1	1	2	4	9	12	22
65+	35	4.3	66	1	1	2	4	8	12	48
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	9.3	237	<1	<1	2	13	34	49	49
20-34	29	4.1	8	<1	<1	3	6	8	10	11
35-49	53	3.7	8	<1	1	3	5	8	11	14
50-64	76	6.1	37	1	1	4	8	14	17	33
65+	222	7.5	35	2	2	6	9	14	18	34
B. *Operated*										
0-19 YRS	70	10.3	79	2	2	7	16	23	32	88
20-34	238	8.6	69	1	1	6	12	20	26	37
35-49	292	8.4	75	1	1	6	11	20	25	55
50-64	405	8.2	91	1	1	5	11	17	21	58
65+	436	10.7	107	1	2	8	14	24	31	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.8	1	1	1	2	2	4	4	4
B. *Operated*	140	4.7	42	<1	1	2	6	12	21	26
2. MULTIPLE DX										
A. *Not Operated*	390	6.5	37	1	1	5	8	13	17	34
B. *Operated*	1441	9.2	89	1	2	6	12	20	27	50
1. SINGLE DX	146	4.6	40	<1	1	2	6	12	21	24
2. MULTIPLE DX	1831	8.6	79	1	2	6	11	19	25	45
A. NOT OPERATED	396	6.4	36	1	1	5	8	13	17	34
B. OPERATED	1581	8.8	87	1	1	6	12	20	26	48
TOTAL 0-19 YRS	93	9.6	91	1	2	6	13	23	31	78
20-34	294	7.8	63	1	1	5	11	19	25	36
35-49	378	7.5	65	1	1	5	10	18	22	50
50-64	518	7.6	79	1	1	5	10	16	21	50
65+	694	9.3	85	1	2	6	12	20	28	43
GRAND TOTAL	**1977**	**8.3**	**78**	**1**	**1**	**5**	**11**	**19**	**24**	**45**

225: Other renal failure (584; 586)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	2	2.0		2	2	2	2	2	2	2
35-49	4	3.5	9	<1	<1	3	6	7	7	7
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	3.3	2	2	2	3	4	5	5	5
B. *Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	5	2.8	6	1	1	2	4	7	7	7
35-49	4	3.3	7	<1	<1	2	5	7	7	7
50-64	6	2.5	4	<1	<1	1	4	6	6	6
65+	9	6.1	46	1	1	4	7	17	23	23
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	5.8	123	1	1	2	5	14	37	42
20-34	30	6.6	35	1	1	4	9	15	20	24
35-49	33	7.6	46	1	2	5	9	19	24	29
50-64	113	7.6	33	2	2	6	10	14	20	30
65+	618	8.2	38	2	3	7	10	15	19	29
B. *Operated*										
0-19 YRS	17	13.2	108	3	3	12	16	30	37	40
20-34	40	10.8	157	1	2	8	12	19	34	71
35-49	69	9.1	44	2	3	7	12	18	22	31
50-64	133	12.2	91	2	3	10	16	24	30	45
65+	360	15.9	140	4	5	13	20	30	40	63
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	2.7	4	<1	<1	2	4	6	7	7
B. *Operated*	26	4.0	20	<1	<1	3	6	7	11	23
2. MULTIPLE DX										
A. *Not Operated*	807	8.0	39	2	2	7	10	15	19	30
B. *Operated*	619	13.9	125	2	3	11	18	27	33	63
1. SINGLE DX	38	3.6	15	<1	<1	2	5	7	8	23
2. MULTIPLE DX	1426	10.6	85	2	3	8	14	21	27	43
A. NOT OPERATED	819	7.9	38	1	2	6	10	15	19	30
B. OPERATED	645	13.5	124	2	3	11	17	26	33	63
TOTAL 0-19 YRS	34	9.1	115	1	1	5	13	25	38	42
20-34	77	8.4	102	1	1	6	10	18	23	63
35-49	110	8.2	44	1	2	6	11	18	22	30
50-64	253	9.8	69	1	2	7	13	21	25	38
65+	990	11.0	89	2	3	8	14	22	28	48
GRAND TOTAL	**1464**	**10.4**	**84**	**2**	**3**	**8**	**13**	**21**	**27**	**43**

226: Acute pyelonephritis (590.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	208	3.0	2	1	1	3	4	5	5	8
20-34	333	3.3	2	1	2	3	4	5	6	9
35-49	112	3.3	3	1	2	3	4	5	6	10
50-64	50	3.4	4	1	1	3	5	7	7	8
65+	31	4.7	7	2	2	4	6	9	10	12
B. *Operated*										
0-19 YRS	6	3.3	1	2	2	3	4	5	5	5
20-34	6	6.5	10	3	3	7	8	11	11	11
35-49										
50-64										
65+	2	5.5	5	4	4	5	7	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	472	3.6	3	2	2	3	4	6	7	11
20-34	973	4.0	5	2	2	4	5	7	8	11
35-49	454	4.7	6	2	2	4	6	8	9	13
50-64	468	5.1	9	2	2	4	6	8	10	18
65+	1078	6.1	14	2	3	5	7	10	13	21
B. *Operated*										
0-19 YRS	30	5.4	8	2	3	5	6	9	13	13
20-34	75	8.2	104	3	3	6	8	12	21	70
35-49	32	8.0	15	3	4	8	10	12	15	21
50-64	70	10.1	149	3	4	7	10	16	19	81
65+	142	12.3	165	2	4	9	16	20	30	84
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	734	3.3	3	1	2	3	4	5	6	10
B. *Operated*	14	5.0	7	2	2	4	7	9	10	11
2. MULTIPLE DX										
A. *Not Operated*	3445	4.9	9	2	2	4	6	8	10	16
B. *Operated*	349	10.0	126	3	3	7	11	18	23	84
1. SINGLE DX	748	3.3	3	1	2	3	4	5	6	10
2. MULTIPLE DX	3794	5.3	22	2	2	4	6	9	12	20
A. NOT OPERATED	4179	4.6	8	2	2	4	6	8	10	16
B. OPERATED	363	9.8	122	3	3	7	11	18	22	84
TOTAL 0-19 YRS	716	3.5	3	1	2	3	4	6	7	11
20-34	1387	4.1	11	2	2	3	5	7	8	12
35-49	598	4.6	7	2	2	4	6	8	10	14
50-64	588	5.5	28	2	2	4	6	9	12	20
65+	1253	6.8	35	2	3	5	8	12	16	26
GRAND TOTAL	**4542**	**5.0**	**20**	**2**	**2**	**4**	**6**	**9**	**11**	**19**

227: Miscellaneous kidney infections (590.0; 590.2-590.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	171	2.9	2	1	1	3	4	5	6	7
20-34	238	3.1	2	1	2	3	4	5	6	9
35-49	83	3.5	3	1	2	3	5	6	7	7
50-64	32	3.8	3	2	2	4	5	6	8	9
65+	25	4.6	7	1	2	4	5	8	11	12
B. *Operated*										
0-19 YRS	6	6.7	21	2	2	6	9	13	14	14
20-34	14	5.3	9	<1	2	5	6	8	13	14
35-49	3	4.0	7	<1	<1	5	6	6	6	6
50-64	7	6.6	10	<1	1	7	9	10	10	10
65+	3	6.3	34	2	2	4	11	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	265	3.6	4	1	2	3	4	6	7	11
20-34	528	4.0	11	2	2	3	5	6	8	11
35-49	256	4.5	9	1	2	4	6	8	10	15
50-64	257	5.2	14	2	2	4	6	9	11	17
65+	444	6.1	17	2	3	5	7	11	14	22
B. *Operated*										
0-19 YRS	41	6.1	17	1	2	5	7	11	13	24
20-34	67	7.8	55	2	2	7	10	13	20	45
35-49	67	11.1	131	3	3	7	13	19	34	64
50-64	73	11.2	61	3	4	9	14	20	31	38
65+	114	12.0	89	3	4	9	14	24	33	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	549	3.2	3	1	2	3	4	5	6	9
B. *Operated*	33	5.8	12	<1	1	5	7	11	14	14
2. MULTIPLE DX										
A. *Not Operated*	1750	4.7	12	2	2	4	6	8	10	16
B. *Operated*	362	10.3	80	2	3	7	12	19	30	47
1. SINGLE DX	582	3.4	4	1	2	3	4	6	7	10
2. MULTIPLE DX	2112	5.7	28	2	2	4	7	10	14	30
A. NOT OPERATED	2299	4.4	10	1	2	4	5	7	10	15
B. OPERATED	395	9.9	76	2	3	7	12	18	28	47
TOTAL 0-19 YRS	483	3.6	5	1	2	3	4	6	8	13
20-34	847	4.1	13	1	2	3	5	7	8	14
35-49	409	5.4	34	1	2	4	6	9	12	30
50-64	369	6.3	28	2	2	5	7	12	15	32
65+	586	7.2	36	2	3	5	9	13	18	32
GRAND TOTAL	**2694**	**5.2**	**24**	**1**	**2**	**4**	**6**	**9**	**13**	**28**

228: Calculus of kidney (592.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	1.8	1	<1	1	2	2	3	4	4
20-34	248	1.6	1	<1	<1	1	2	3	3	5
35-49	332	1.6	1	<1	<1	1	2	3	3	7
50-64	186	1.6	1	<1	1	1	2	3	3	6
65+	81	1.8	2	1	1	1	2	4	5	8
B *Operated*										
0-19 YRS	10	3.2	5	1	1	3	4	6	8	8
20-34	142	3.7	8	1	1	3	5	7	10	13
35-49	171	3.4	10	<1	1	3	4	7	9	15
50-64	159	3.3	9	1	1	2	4	7	10	15
65+	86	3.7	6	1	1	3	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	29	2.2	2	1	1	2	3	5	6	6
20-34	204	2.0	2	<1	1	2	2	4	5	9
35-49	258	2.5	13	<1	1	2	3	4	6	23
50-64	257	2.4	4	1	1	2	3	5	6	10
65+	219	2.7	6	1	1	2	3	6	8	13
B. *Operated*										
0-19 YRS	14	8.7	34	2	2	8	12	15	20	22
20-34	160	5.5	19	1	1	5	7	9	12	26
35-49	232	5.8	36	1	1	4	8	11	14	30
50-64	316	6.4	64	1	1	5	8	13	17	28
65+	281	6.7	30	1	1	6	9	13	16	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	870	1.6	1	<1	<1	1	2	3	4	6
B. *Operated*	568	3.5	9	1	1	3	5	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	967	2.4	6	<1	1	2	3	5	6	11
B. *Operated*	1003	6.2	41	1	1	5	8	12	15	26
1. SINGLE DX	1438	2.4	5	<1	1	1	3	5	7	11
2. MULTIPLE DX	1970	4.4	27	1	1	3	6	10	12	22
A. NOT OPERATED	1837	2.0	4	<1	1	1	2	4	5	10
B. OPERATED	1571	5.3	31	1	1	4	7	10	13	23
TOTAL 0-19 YRS	76	3.4	14	1	1	2	4	8	12	20
20-34	754	2.9	9	<1	1	2	4	7	8	13
35-49	993	3.1	16	<1	1	2	4	7	9	21
50-64	918	3.8	29	1	1	2	5	8	11	18
65+	667	4.4	19	1	1	3	6	10	12	22
GRAND TOTAL	**3408**	**3.5**	**19**	**<1**	**1**	**2**	**4**	**8**	**10**	**18**

229: Calculus of ureter (592.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	90	1.6	1	<1	1	1	2	3	4	5
20-34	993	1.5	1	<1	<1	1	2	2	3	5
35-49	1437	1.5	1	<1	<1	1	2	2	3	4
50-64	808	1.6	1	<1	1	1	2	3	4	5
65+	282	1.7	1	<1	1	1	2	3	4	7
B. *Operated*										
0-19 YRS	50	2.8	6	<1	1	2	4	5	7	16
20-34	622	3.1	4	1	1	2	4	6	8	10
35-49	890	3.1	5	1	1	2	4	6	8	11
50-64	566	3.2	7	1	1	2	4	6	8	12
65+	223	3.6	9	1	1	3	5	7	8	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	2.2	8	<1	1	1	2	3	5	16
20-34	377	2.0	2	<1	1	2	2	4	5	7
35-49	644	1.9	3	<1	1	1	2	3	4	8
50-64	518	2.0	2	1	1	2	2	4	5	8
65+	431	2.5	4	1	1	2	3	5	6	11
B. *Operated*										
0-19 YRS	38	4.2	17	1	1	3	5	7	11	24
20-34	361	4.1	13	1	1	3	5	8	10	16
35-49	615	4.2	10	1	1	3	6	9	10	15
50-64	608	4.9	17	1	1	4	7	10	12	21
65+	614	5.8	29	1	1	4	8	11	15	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3610	1.5	1	<1	<1	1	2	3	3	5
B. *Operated*	2351	3.1	6	1	1	2	4	6	8	12
2. MULTIPLE DX										
A. *Not Operated*	1998	2.1	3	1	1	2	2	4	5	9
B. *Operated*	2236	4.8	18	1	1	4	6	10	12	21
1. SINGLE DX	5961	2.2	3	<1	1	1	3	4	6	9
2. MULTIPLE DX	4234	3.5	13	1	1	2	4	8	10	16
A. NOT OPERATED	5608	1.7	2	<1	1	1	2	3	4	6
B. OPERATED	4587	3.9	13	1	1	3	5	8	10	16
TOTAL 0-19 YRS	206	2.5	7	<1	1	2	3	5	6	16
20-34	2353	2.4	5	<1	1	2	3	5	6	10
35-49	3586	2.4	5	<1	1	2	3	5	7	11
50-64	2500	2.8	8	1	1	2	3	6	8	14
65+	1550	3.8	17	1	1	2	5	8	11	20
GRAND TOTAL	**10195**	**2.7**	**8**	**<1**	**1**	**2**	**3**	**6**	**8**	**13**

230: Miscellaneous diseases of kidney and ureter (588-589; 591; 593.0-593.5; 593.7; 593.8-593.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	3.3	39	<1	1	1	2	6	20	26
20-34	28	1.6	1	<1	<1	1	2	3	3	4
35-49	28	1.8	2	<1	1	1	2	4	5	7
50-64	6	1.2		<1	<1	1	1	2	2	2
65+	9	2.1	2	1	1	2	2	5	6	6
B. *Operated*										
0-19 YRS	216	4.9	5	<1	2	5	7	8	8	10
20-34	92	4.5	6	1	1	5	6	8	9	11
35-49	75	4.2	11	<1	1	4	7	8	10	16
50-64	57	3.5	9	<1	1	2	6	8	9	13
65+	52	3.8	13	<1	1	2	5	8	11	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	2.6	5	<1	<1	2	3	5	7	13
20-34	69	2.9	9	1	1	2	3	5	7	19
35-49	45	3.7	11	<1	1	2	5	8	12	14
50-64	77	3.8	10	1	1	3	5	9	10	13
65+	216	5.3	13	1	2	4	7	9	12	19
B. *Operated*										
0-19 YRS	294	5.8	16	<1	1	5	7	10	13	20
20-34	242	5.7	34	1	2	6	8	11	14	29
35-49	279	6.7	28	1	1	6	8	13	18	29
50-64	310	7.3	41	1	1	6	9	15	20	28
65+	530	7.0	31	1	1	6	10	14	17	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	87	2.0	8	<1	1	1	2	3	5	19
B. *Operated*	492	4.4	7	<1	1	4	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	452	4.2	12	1	1	3	6	9	11	19
B. *Operated*	1655	6.8	30	1	1	6	9	13	17	27
1. SINGLE DX	579	4.1	8	<1	1	4	6	7	8	12
2. MULTIPLE DX	2107	6.2	27	1	1	5	8	12	16	26
A. NOT OPERATED	539	3.9	12	1	1	3	5	8	11	19
B. OPERATED	2147	6.2	26	1	1	5	8	12	15	26
TOTAL 0-19 YRS	571	5.1	12	<1	1	5	7	9	11	17
20-34	431	5.3	25	1	1	5	7	10	12	21
35-49	427	5.6	24	1	1	5	7	12	14	29
50-64	450	6.1	34	1	1	5	8	13	17	26
65+	807	6.3	26	1	1	5	8	13	16	24
GRAND TOTAL	**2686**	**5.8**	**24**	**1**	**1**	**5**	**8**	**11**	**15**	**24**

231: Urinary calculus, except kidney and ureter (592.9; 594)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0		2	2	2	2	2	2	2
20-34	35	2.1	4	<1	1	1	2	4	5	12
35-49	62	1.6	1	<1	<1	1	2	3	4	6
50-64	34	1.3	1	<1	<1	1	1	2	2	5
65+	10	2.0	2	1	1	2	2	4	5	5
B. *Operated*										
0-19 YRS	6	2.2	3	<1	<1	1	4	5	5	5
20-34	17	1.8	1	1	1	1	2	4	4	4
35-49	24	2.9	5	<1	<1	2	4	6	7	8
50-64	23	2.6	3	<1	1	2	3	5	7	8
65+	35	2.6	6	<1	1	2	3	6	7	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	20	2.4	2	1	1	2	3	4	5	5
35-49	37	1.9	2	<1	1	1	2	5	5	6
50-64	30	1.8	1	<1	<1	1	2	4	5	5
65+	30	3.2	8	1	1	2	4	8	11	11
B. *Operated*										
0-19 YRS	5	2.2	2	1	1	2	3	4	4	4
20-34	41	5.7	24	1	1	4	7	11	14	27
35-49	33	4.6	46	<1	1	2	5	11	14	37
50-64	85	5.1	31	1	1	3	6	12	14	32
65+	230	4.3	12	1	1	3	6	9	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	1.7	2	<1	<1	1	2	3	4	6
B. *Operated*	105	2.5	4	<1	1	2	3	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	119	2.3	4	<1	1	2	3	5	5	11
B. *Operated*	394	4.6	20	1	1	3	6	10	12	22
1. SINGLE DX	248	2.0	3	<1	<1	1	2	4	6	8
2. MULTIPLE DX	513	4.1	17	1	1	3	5	9	11	21
A. NOT OPERATED	262	2.0	3	<1	<1	1	2	4	5	10
B. OPERATED	499	4.2	18	1	1	3	6	9	11	21
TOTAL 0-19 YRS	15	2.2	2	<1	<1	2	3	4	5	5
20-34	113	3.4	13	1	1	2	4	7	10	20
35-49	156	2.5	13	<1	<1	1	3	5	7	15
50-64	172	3.4	19	<1	1	2	4	8	12	22
65+	305	3.9	11	1	1	3	5	9	10	15
GRAND TOTAL	**761**	**3.4**	**14**	**<1**	**1**	**2**	**4**	**8**	**10**	**16**

232: Cystitis (595)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.4	1	1	1	2	3	4	4	4
20-34	14	3.5	9	<1	1	3	4	8	10	11
35-49	13	2.8	2	<1	<1	3	4	5	6	6
50-64	5	3.0	4	1	1	4	4	5	5	5
65+	4	2.8	2	1	1	3	4	4	4	4
B. *Operated*										
0-19 YRS	9	2.3	3	<1	<1	2	3	5	6	6
20-34	22	2.0	3	<1	<1	1	3	4	6	8
35-49	46	2.0	3	<1	<1	1	2	5	7	8
50-64	39	2.0	3	<1	<1	1	2	5	5	10
65+	49	1.8	3	<1	<1	1	2	3	6	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	32	2.7	2	1	1	2	3	5	6	6
20-34	57	3.5	8	1	1	3	4	8	10	14
35-49	43	3.7	5	1	1	3	6	7	8	8
50-64	73	5.1	15	1	2	4	7	10	15	19
65+	234	4.9	10	1	2	4	6	9	11	15
B. *Operated*										
0-19 YRS	10	2.9	6	<1	<1	2	5	7	8	8
20-34	51	5.1	53	1	1	3	6	10	12	43
35-49	80	3.8	11	1	1	2	5	9	11	14
50-64	122	3.9	16	<1	1	3	5	9	13	21
65+	338	5.4	55	1	1	3	7	12	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	44	3.0	4	<1	1	3	4	5	7	11
B. *Operated*	165	1.9	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX										
A. *Not Operated*	439	4.5	10	1	1	4	6	9	11	15
B. *Operated*	601	4.8	41	1	1	3	6	11	13	29
1. SINGLE DX	209	2.2	3	<1	<1	1	3	4	6	10
2. MULTIPLE DX	1040	4.7	28	1	1	3	6	10	12	22
A. NOT OPERATED	483	4.3	10	1	1	3	6	8	11	15
B. OPERATED	766	4.2	34	<1	1	2	5	9	12	27
TOTAL 0-19 YRS	59	2.6	3	<1	<1	2	3	5	6	8
20-34	144	3.9	24	<1	1	3	4	8	10	33
35-49	182	3.2	8	<1	1	2	4	7	9	13
50-64	239	3.9	15	<1	1	3	5	9	12	20
65+	625	4.9	34	1	1	3	6	10	13	25
GRAND TOTAL	**1249**	**4.3**	**24**	**<1**	**1**	**3**	**5**	**9**	**12**	**20**

233: Urethral stricture (598)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	16.0		16	16	16	16	16	16	16
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	61	1.1		<1	<1	<1	1	1	2	4
20-34	87	1.9	12	<1	<1	1	2	3	5	23
35-49	64	1.6	2	<1	<1	1	2	3	5	7
50-64	52	1.4	1	<1	<1	1	1	2	3	6
65+	67	1.9	2	<1	<1	1	2	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	1	1	1	1
20-34	3	4.3	9	1	1	5	6	7	7	7
35-49	3	2.0		2	2	2	2	2	2	2
50-64	2	2.0		2	2	2	2	2	2	2
65+	16	5.5	68	<1	1	3	5	10	27	35
B. *Operated*										
0-19 YRS	88	1.3	1	<1	<1	<1	1	2	3	6
20-34	112	2.3	16	<1	1	1	2	4	6	26
35-49	105	2.2	5	<1	1	1	2	5	6	13
50-64	142	2.9	9	<1	1	2	4	6	8	16
65+	394	3.3	9	1	1	2	4	7	10	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	4.8	56	<1	<1	1	9	16	16	16
B. *Operated*	331	1.6	4	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	26	4.3	44	<1	1	3	4	8	15	35
B. *Operated*	841	2.8	9	<1	<1	2	3	6	8	15
1. SINGLE DX	335	1.7	5	<1	<1	1	2	3	4	8
2. MULTIPLE DX	867	2.8	10	<1	<1	2	3	6	8	16
A. NOT OPERATED	30	4.4	44	<1	<1	2	4	9	16	35
B. OPERATED	1172	2.5	8	<1	<1	1	3	5	7	15
TOTAL 0-19 YRS	151	1.2	1	<1	<1	<1	1	2	3	5
20-34	202	2.2	14	<1	<1	1	2	4	6	26
35-49	174	2.0	4	<1	<1	1	2	4	6	11
50-64	197	2.6	8	<1	<1	2	3	6	7	16
65+	478	3.2	11	<1	1	2	4	7	9	17
GRAND TOTAL	**1202**	**2.5**	**9**	**<1**	**<1**	**1**	**3**	**5**	**7**	**15**

234: Miscellaneous urinary diseases (596-597; 599)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	144	2.3	2	<1	1	2	3	4	5	7
20-34	95	2.5	13	<1	<1	2	3	4	5	24
35-49	53	2.9	5	<1	1	2	4	6	8	11
50-64	53	2.7	3	1	1	2	4	5	6	9
65+	87	3.2	3	1	1	3	4	6	7	8
B. *Operated*										
0-19 YRS	84	1.9	3	<1	<1	1	2	4	7	8
20-34	76	2.0	2	<1	<1	1	3	4	5	7
35-49	96	2.4	8	<1	<1	1	3	5	8	17
50-64	131	2.0	3	<1	<1	1	2	4	5	9
65+	185	2.2	4	<1	<1	2	3	5	6	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	561	3.6	8	1	1	3	4	6	9	14
20-34	569	4.1	10	1	1	3	5	8	10	16
35-49	498	4.8	15	1	2	4	6	9	12	20
50-64	828	5.2	15	1	2	4	6	9	11	19
65+	4257	6.5	24	2	2	5	8	11	15	24
B. *Operated*										
0-19 YRS	179	4.5	31	<1	<1	2	6	10	12	32
20-34	195	6.0	94	1	1	3	7	13	21	75
35-49	257	5.9	65	<1	1	4	7	12	16	46
50-64	545	5.9	61	1	1	4	7	12	17	49
65+	1889	7.0	60	1	1	5	9	15	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	432	2.6	5	<1	1	2	3	5	6	9
B. *Operated*	572	2.1	4	<1	<1	1	3	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	6713	5.8	21	1	2	5	7	11	14	23
B. *Operated*	3065	6.5	61	1	1	4	8	14	19	46
1. SINGLE DX	1004	2.3	4	<1	<1	2	3	5	6	10
2. MULTIPLE DX	9778	6.0	34	1	2	5	7	11	15	29
A. NOT OPERATED	7145	5.6	20	1	2	4	7	10	13	23
B. OPERATED	3637	5.8	55	<1	1	3	7	13	18	39
TOTAL 0-19 YRS	968	3.4	11	<1	<1	3	4	7	9	16
20-34	935	4.2	29	1	1	3	5	8	11	24
35-49	904	4.7	29	1	1	3	6	10	13	25
50-64	1557	5.1	31	1	1	4	6	10	13	34
65+	6418	6.5	34	1	2	5	8	12	16	29
GRAND TOTAL	**10782**	**5.7**	**32**	**1**	**1**	**4**	**7**	**11**	**15**	**28**

235: Hyperplasia of prostate (600)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64	4	1.8	1	<1	<1	1	2	3	3	3
65+	3	1.7		<1	<1	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	30	2.4	2	<1	<1	2	3	4	4	6
50-64	872	3.3	3	<1	1	3	4	5	6	8
65+	1595	3.6	3	1	2	3	4	6	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	6	4.0	11	1	1	3	5	9	10	10
50-64	64	2.6	5	<1	<1	2	3	6	7	10
65+	251	3.8	14	<1	<1	3	5	8	12	17
B. *Operated*										
0-19 YRS	8	3.9	4	1	1	4	6	6	6	6
20-34	4	2.0	1	<1	<1	2	3	3	3	3
35-49	87	3.7	4	1	2	3	5	6	7	11
50-64	2699	3.8	5	1	2	3	4	6	8	11
65+	9198	4.7	11	2	2	4	5	8	10	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.7	1	<1	<1	2	2	3	3	3
B. *Operated*	2500	3.5	3	1	1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	321	3.6	12	<1	<1	2	5	8	11	16
B. *Operated*	11996	4.5	10	1	2	4	5	7	10	16
1. SINGLE DX	2507	3.5	3	1	1	3	4	5	6	9
2. MULTIPLE DX	12317	4.4	10	1	2	4	5	7	10	16
A. NOT OPERATED	328	3.5	12	<1	<1	2	5	8	10	16
B. OPERATED	14496	4.3	9	1	2	4	5	7	9	15
TOTAL 0-19 YRS	8	3.9	4	1	1	4	6	6	6	6
20-34	7	1.9	1	<1	<1	1	3	3	3	3
35-49	123	3.4	4	<1	1	3	4	6	7	11
50-64	3639	3.6	4	1	2	3	4	6	7	11
65+	11047	4.5	10	1	2	4	5	8	10	16
GRAND TOTAL	**14824**	**4.3**	**9**	**1**	**2**	**4**	**5**	**7**	**9**	**15**

236: Diseases of the prostate, except hypertrophy (601-602)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	14	2.9	3	1	1	2	4	5	7	7
35-49	30	3.1	4	1	2	3	3	5	8	11
50-64	30	3.6	3	1	2	3	5	6	7	7
65+	11	2.9	5	1	1	2	4	6	7	7
B. *Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	3	1.7		1	1	2	2	2	2	2
35-49	6	2.5	6	<1	<1	1	3	7	7	7
50-64	10	2.6	6	<1	<1	2	3	7	8	8
65+	10	2.0	1	1	1	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.0		3	3	3	3	3	3	3
20-34	42	3.4	3	1	1	3	5	6	6	6
35-49	82	3.9	4	1	2	4	5	6	7	12
50-64	131	4.2	5	1	2	4	6	7	8	11
65+	129	4.6	7	2	2	4	6	8	11	15
B. *Operated*										
0-19 YRS										
20-34	13	4.8	17	<1	1	4	6	9	16	17
35-49	26	3.3	9	<1	<1	3	3	8	11	14
50-64	82	4.5	14	<1	<1	3	6	9	13	18
65+	160	5.1	18	1	1	4	6	10	13	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.2	3	1	1	3	4	6	7	10
B. *Operated*	31	2.3	3	<1	<1	2	3	4	7	8
2. MULTIPLE DX										
A. *Not Operated*	386	4.2	5	1	2	4	5	7	8	13
B. *Operated*	281	4.7	16	<1	1	4	6	10	13	18
1. SINGLE DX	117	3.0	4	1	1	3	4	6	7	9
2. MULTIPLE DX	667	4.4	10	1	1	4	5	8	10	15
A. NOT OPERATED	472	4.0	5	1	2	4	5	7	8	12
B. OPERATED	312	4.5	15	<1	1	3	6	9	13	18
TOTAL 0-19 YRS	5	2.6	1	1	1	3	3	3	3	3
20-34	72	3.5	5	1	1	3	5	6	7	15
35-49	144	3.6	5	1	1	3	4	6	8	12
50-64	253	4.1	8	1	1	3	5	7	9	15
65+	310	4.7	13	1	1	4	6	9	12	16
GRAND TOTAL	**784**	**4.2**	**9**	**1**	**1**	**3**	**5**	**7**	**10**	**15**

237: Hydrocele (603)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	73	1.3		<1	<1	1	1	2	3	4
20-34	34	1.2		<1	<1	1	1	2	2	3
35-49	43	1.3	1	<1	<1	1	1	2	3	5
50-64	71	1.3	1	<1	<1	1	1	2	3	5
65+	34	1.4		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.6	2	<1	<1	<1	2	4	4	4
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64	4	8.8	184	<1	<1	2	16	29	29	29
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	69	1.2		<1	<1	1	1	2	2	5
20-34	31	1.7	1	<1	1	1	2	3	4	5
35-49	46	1.7	1	<1	1	1	2	3	4	6
50-64	60	1.8	1	<1	1	1	2	3	4	6
65+	102	2.8	31	1	1	2	3	4	9	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	1.3		<1	<1	1	2	2	2	2
B. *Operated*	255	1.3		<1	<1	1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*	12	4.0	63	<1	<1	1	3	12	26	29
B. *Operated*	308	2.0	11	<1	1	1	2	3	4	10
1. SINGLE DX	262	1.3		<1	<1	1	1	2	3	4
2. MULTIPLE DX	320	2.1	13	<1	<1	1	2	3	5	10
A. NOT OPERATED	19	3.0	41	<1	<1	1	2	4	18	29
B. OPERATED	563	1.7	6	<1	<1	1	2	3	3	9
TOTAL 0-19 YRS	153	1.3		<1	<1	1	1	2	2	4
20-34	66	1.5	1	<1	<1	1	2	3	3	5
35-49	90	1.5	1	<1	<1	1	2	3	3	6
50-64	135	1.7	6	<1	<1	1	2	3	4	9
65+	138	2.5	24	<1	1	2	2	3	7	16
GRAND TOTAL	**582**	**1.7**	**8**	**<1**	**<1**	**1**	**2**	**3**	**4**	**9**

238: Orchitis and epididymitis (604)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	31	4.0	3	1	2	4	5	7	7	8
20-34	81	3.6	3	1	2	3	5	6	7	10
35-49	53	3.5	2	1	2	3	4	6	6	7
50-64	30	4.4	4	2	2	4	6	8	8	9
65+	25	4.8	15	1	2	4	5	7	17	17
B. *Operated*										
0-19 YRS	22	1.9	1	<1	<1	2	2	4	4	5
20-34	26	2.5	6	<1	1	2	3	4	9	11
35-49	34	2.4	5	<1	1	2	3	7	8	9
50-64	23	3.4	15	<1	1	1	5	9	12	16
65+	11	1.8	1	<1	<1	2	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	3.5	7	1	1	3	4	8	10	10
20-34	46	3.9	5	1	1	4	5	7	7	13
35-49	46	5.1	11	1	2	4	6	10	12	17
50-64	81	5.5	10	2	2	5	7	9	13	17
65+	124	5.4	9	2	2	5	7	9	11	15
B. *Operated*										
0-19 YRS	14	3.1	10	<1	1	2	4	6	11	13
20-34	36	5.6	87	<1	1	3	6	10	14	56
35-49	27	3.8	20	<1	1	2	4	13	16	16
50-64	49	5.8	25	1	1	4	9	11	13	23
65+	102	6.4	31	1	1	5	9	13	17	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	220	3.9	5	1	2	4	5	6	7	12
B. *Operated*	116	2.5	6	<1	1	2	3	6	9	13
2. MULTIPLE DX										
A. *Not Operated*	307	5.1	9	1	2	4	6	9	11	16
B. *Operated*	228	5.6	36	1	1	4	8	12	16	27
1. SINGLE DX	336	3.4	6	1	1	3	4	6	8	12
2. MULTIPLE DX	535	5.3	21	1	1	4	7	10	13	21
A. NOT OPERATED	527	4.6	8	1	2	4	6	8	10	16
B. OPERATED	344	4.6	28	1	1	3	6	10	14	26
TOTAL 0-19 YRS	77	3.2	5	1	1	3	4	6	7	12
20-34	189	3.9	21	1	1	3	5	7	9	15
35-49	160	3.8	9	1	1	3	5	7	9	16
50-64	183	5.1	14	1	1	4	7	9	12	20
65+	262	5.6	19	1	1	5	7	10	14	25
GRAND TOTAL	**871**	**4.6**	**16**	**1**	**1**	**4**	**6**	**9**	**11**	**18**

239: Redundant prepuce and phimosis (605)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	123	1.0		<1	<1	<1	<1	1	1	3
20-34	11	1.1		<1	<1	<1	<1	1	2	2
35-49	13	1.2		<1	<1	<1	1	2	2	2
50-64	12	1.0		<1	<1	<1	1	1	1	1
65+	14	1.1		<1	<1	<1	1	1	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	1.0		<1	<1	<1	<1	<1	<1	<1
65+	3	5.7	32	1	1	4	10	12	12	12
B. *Operated*										
0-19 YRS	45	1.2		<1	<1	1	1	2	3	3
20-34	7	1.0		<1	<1	1	1	1	1	1
35-49	15	1.1		<1	<1	<1	1	2	2	2
50-64	17	1.2		<1	<1	1	1	2	2	2
65+	26	2.0	3	<1	<1	1	3	5	6	6
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.5	1	<1	<1	1	2	3	3	3
B. *Operated*	173	1.1		<1	<1	<1	<1	1	1	3
2. MULTIPLE DX										
A. *Not Operated*	13	2.2	9	<1	<1	<1	1	6	11	12
B. *Operated*	110	1.4	1	<1	<1	1	1	2	3	6
1. SINGLE DX	177	1.1		<1	<1	<1	<1	1	1	3
2. MULTIPLE DX	123	1.4	2	<1	<1	1	1	2	4	8
A. NOT OPERATED	17	2.0	7	<1	<1	1	2	4	9	12
B. OPERATED	283	1.2		<1	<1	<1	1	1	2	5
TOTAL 0-19 YRS	175	1.1		<1	<1	<1	1	1	2	3
20-34	19	1.1		<1	<1	<1	1	1	2	2
35-49	32	1.2		<1	<1	<1	1	2	2	3
50-64	30	1.1		<1	<1	1	1	2	2	2
65+	44	2.0	4	<1	<1	1	2	5	6	12
GRAND TOTAL	**300**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**5**

240: Miscellaneous diseases of male genital organs (606-608)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.6		1	1	2	2	3	3	3
20-34	9	2.9	4	<1	<1	2	4	6	7	7
35-49	6	2.7	1	<1	<1	3	3	4	4	4
50-64	5	1.6	1	<1	<1	1	2	3	3	3
65+	8	3.4	7	1	1	2	4	8	9	9
B. *Operated*										
0-19 YRS	367	1.2		<1	<1	1	1	2	3	5
20-34	177	1.6	1	<1	<1	1	2	3	3	7
35-49	125	2.0	3	<1	<1	1	3	4	5	8
50-64	190	2.0	2	<1	1	2	2	4	5	7
65+	137	1.9	1	<1	1	1	2	3	5	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.1	1	<1	1	2	3	3	4	5
20-34	16	3.4	4	<1	<1	3	5	5	7	8
35-49	26	5.0	27	<1	<1	4	6	13	18	22
50-64	22	5.1	23	<1	<1	3	8	13	14	14
65+	40	5.0	26	<1	<1	4	6	10	13	29
B. *Operated*										
0-19 YRS	148	1.9	7	<1	<1	1	2	3	4	10
20-34	148	2.5	8	<1	1	2	3	5	7	16
35-49	206	3.2	13	<1	1	2	4	7	10	20
50-64	415	2.9	14	1	1	2	3	5	7	26
65+	392	3.3	32	1	1	2	3	6	10	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	38	2.4	3	<1	1	2	3	5	7	9
B. *Operated*	996	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	122	4.4	20	<1	<1	3	5	10	13	24
B. *Operated*	1309	2.9	18	1	1	2	3	5	8	21
1. SINGLE DX	1034	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1431	3.0	18	<1	1	2	3	6	9	22
A. NOT OPERATED	160	3.9	17	<1	<1	3	5	8	13	21
B. OPERATED	2305	2.4	11	<1	1	1	3	4	6	16
TOTAL 0-19 YRS	543	1.4	2	<1	<1	1	1	2	3	6
20-34	350	2.1	5	<1	<1	1	2	4	6	10
35-49	363	2.9	11	<1	1	2	3	6	8	20
50-64	632	2.7	11	1	1	2	3	5	6	14
65+	577	3.1	24	1	1	2	3	6	10	21
GRAND TOTAL	**2465**	**2.5**	**12**	**<1**	**1**	**1**	**3**	**5**	**7**	**17**

241: Benign mammary dysplasia (610)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	3	2.0	3	<1	<1	<1	3	4	4	4
50-64	7	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	16	1.5	2	<1	<1	<1	1	4	5	6
20-34	124	1.7	2	<1	<1	<1	2	4	4	6
35-49	398	1.7	2	<1	<1	<1	2	4	5	7
50-64	265	1.4	1	<1	<1	<1	1	3	3	5
65+	106	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	2	3.5	13	<1	<1	3	6	6	6	6
35-49	3	2.7	2	<1	<1	3	4	4	4	4
50-64	4	2.5	9	<1	<1	1	4	7	7	7
65+	2	4.0	18	<1	<1	3	7	7	7	7
B. *Operated*										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	100	2.8	3	<1	<1	3	4	5	6	10
35-49	380	2.6	3	<1	<1	2	4	5	6	7
50-64	286	2.4	3	<1	<1	2	3	5	6	9
65+	187	2.3	2	<1	<1	2	3	5	6	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	12	1.3	1	<1	<1	<1	1	3	4	4
B. *Operated*	909	1.6	1	<1	<1	<1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	11	3.0	7	<1	<1	1	5	7	7	7
B. *Operated*	957	2.5	3	<1	<1	2	3	5	6	8
1. SINGLE DX	921	1.6	1	<1	<1	<1	2	3	4	6
2. MULTIPLE DX	968	2.5	3	<1	<1	2	3	5	6	8
A. NOT OPERATED	23	2.1	4	<1	<1	<1	3	6	7	7
B. OPERATED	1866	2.1	2	<1	<1	1	3	4	5	7
TOTAL 0-19 YRS	20	1.5	2	<1	<1	<1	1	3	5	6
20-34	227	2.2	3	<1	<1	1	3	4	5	7
35-49	784	2.2	2	<1	<1	1	3	4	5	7
50-64	562	1.9	2	<1	<1	1	2	4	5	7
65+	296	2.0	2	<1	<1	1	2	4	5	7
GRAND TOTAL	**1889**	**2.1**	**2**	**<1**	**<1**	**1**	**3**	**4**	**5**	**7**

242: Miscellaneous diseases of breast (611)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.9	5	<1	<1	2	3	7	8	8
20-34	39	2.6	1	<1	1	3	3	4	5	6
35-49	12	2.8	6	<1	<1	2	3	6	9	10
50-64	7	3.4	5	<1	<1	3	5	7	7	7
65+	3	1.7	1	<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	211	2.0	1	1	1	2	3	3	4	6
20-34	439	2.1	1	<1	1	2	3	3	4	6
35-49	294	2.3	3	<1	<1	2	3	4	4	8
50-64	236	2.1	1	<1	<1	2	3	4	4	6
65+	92	2.0	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.0	2	1	1	3	3	5	5	5
20-34	25	3.1	2	1	1	3	4	6	6	7
35-49	28	3.3	4	<1	<1	3	5	7	7	7
50-64	16	4.9	21	<1	<1	3	8	11	15	17
65+	15	3.4	14	<1	<1	2	5	7	13	15
B. *Operated*										
0-19 YRS	57	2.5	3	1	1	2	3	4	5	12
20-34	238	2.6	3	1	1	2	3	4	5	7
35-49	363	2.8	4	<1	1	2	3	5	6	9
50-64	307	2.8	4	1	1	3	3	5	6	7
65+	164	2.8	5	<1	1	2	3	5	6	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	2.7	3	<1	<1	2	3	5	6	10
B. *Operated*	1272	2.1	2	<1	<1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	90	3.5	8	<1	<1	3	4	7	8	16
B. *Operated*	1129	2.7	4	1	1	2	3	5	5	9
1. SINGLE DX	1340	2.2	2	<1	<1	2	3	4	4	7
2. MULTIPLE DX	1219	2.8	4	<1	1	2	3	5	6	11
A. NOT OPERATED	158	3.2	6	<1	<1	3	4	6	8	15
B. OPERATED	2401	2.4	3	<1	1	2	3	4	5	8
TOTAL 0-19 YRS	281	2.2	2	1	1	2	3	3	4	8
20-34	741	2.3	2	<1	1	2	3	4	4	7
35-49	697	2.6	3	<1	1	2	3	4	6	9
50-64	566	2.6	4	<1	<1	2	3	4	5	8
65+	274	2.6	5	<1	<1	2	3	5	6	15
GRAND TOTAL	**2559**	**2.5**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

243: Ovarian cyst (620.0-620.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	156	1.6	1	<1	1	1	2	3	3	4
20-34	315	1.8	1	<1	1	2	2	3	4	5
35-49	81	1.7	1	<1	1	1	2	3	4	6
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS	294	2.9	2	1	1	3	4	5	5	8
20-34	922	3.1	3	<1	1	3	4	5	6	8
35-49	222	3.7	3	1	1	4	5	5	6	10
50-64	43	4.7	2	3	3	5	6	6	7	7
65+	19	5.1	3	1	3	5	6	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	104	2.0	2	<1	1	2	3	4	5	6
20-34	269	2.2	2	1	1	2	3	4	5	7
35-49	65	2.2	2	<1	1	2	3	4	5	7
50-64	4	3.3	4	<1	<1	3	5	5	5	5
65+	5	7.0	104	1	1	2	10	25	25	25
B. *Operated*										
0-19 YRS	298	3.7	4	1	1	3	4	6	8	10
20-34	1993	4.0	4	1	2	4	5	6	7	10
35-49	1013	4.7	4	2	3	4	5	7	8	12
50-64	183	5.4	8	3	3	5	6	8	11	15
65+	132	6.6	12	3	4	6	8	11	14	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	557	1.7	1	<1	1	1	2	3	4	4
B. *Operated*	1500	3.2	3	<1	1	3	4	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	447	2.3	3	<1	1	2	3	4	5	7
B. *Operated*	3619	4.3	5	1	2	4	5	7	8	12
1. SINGLE DX	2057	2.8	3	<1	1	3	4	5	6	8
2. MULTIPLE DX	4066	4.1	5	1	1	4	5	6	8	11
A. NOT OPERATED	1004	2.0	2	<1	1	2	2	4	4	6
B. OPERATED	5119	4.0	4	1	1	4	5	6	8	11
TOTAL 0-19 YRS	852	2.9	3	1	1	3	4	5	6	9
20-34	3499	3.4	4	1	1	3	4	5	7	9
35-49	1381	4.2	5	1	2	4	5	7	8	11
50-64	233	5.2	7	3	3	5	6	8	10	14
65+	158	6.4	13	2	3	5	8	10	14	23
GRAND TOTAL	**6123**	**3.7**	**5**	**1**	**1**	**4**	**5**	**6**	**7**	**11**

244: Pelvic inflammatory disease (614)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	541	3.4	3	1	1	3	4	5	7	9
20-34	1276	3.5	3	1	2	3	4	6	7	9
35-49	196	4.0	5	1	2	4	5	7	8	14
50-64	9	4.6	7	2	2	4	5	9	10	10
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	121	3.7	3	<1	1	3	5	6	7	9
20-34	578	3.7	5	<1	1	3	4	6	7	12
35-49	179	3.9	5	<1	<1	4	5	7	8	10
50-64	24	4.5	3	2	3	4	5	7	8	10
65+	2	4.0	8	2	2	4	6	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	376	3.9	4	1	2	4	5	6	8	11
20-34	1110	4.0	4	1	2	4	5	7	8	11
35-49	211	4.7	9	2	2	4	5	8	10	15
50-64	15	4.5	7	<1	2	4	6	8	10	11
65+	13	5.8	7	2	3	5	8	10	11	11
B. *Operated*										
0-19 YRS	218	5.1	11	1	2	4	6	9	12	18
20-34	2726	4.5	7	1	2	4	5	7	9	15
35-49	1306	5.1	10	1	3	4	6	8	11	17
50-64	138	6.7	21	2	3	5	8	12	16	26
65+	46	6.7	12	3	4	6	8	11	15	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2024	3.5	3	1	2	3	4	6	7	9
B. *Operated*	904	3.7	4	<1	1	4	5	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	1725	4.1	5	1	2	4	5	7	8	11
B. *Operated*	4434	4.8	9	1	2	4	5	8	10	17
1. SINGLE DX	2928	3.6	4	1	1	3	4	6	7	10
2. MULTIPLE DX	6159	4.6	8	1	2	4	5	7	10	16
A. NOT OPERATED	3749	3.8	4	1	2	3	5	6	7	10
B. OPERATED	5338	4.6	8	1	2	4	5	7	10	16
TOTAL 0-19 YRS	1256	3.9	5	1	2	3	5	6	8	12
20-34	5690	4.1	6	1	2	4	5	6	8	13
35-49	1892	4.9	9	1	2	4	6	8	10	17
50-64	186	6.1	17	2	3	5	7	10	15	24
65+	63	6.3	11	2	3	5	8	11	12	18
GRAND TOTAL	**9087**	**4.3**	**7**	**1**	**2**	**4**	**5**	**7**	**9**	**14**

245: Endometriosis (617)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	7	<1	<1	2	5	7	7	7
20-34	20	1.8	1	<1	<1	2	2	3	4	4
35-49	8	1.6	1	<1	<1	1	2	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	27	2.9	3	<1	<1	3	5	5	6	6
20-34	408	3.3	3	<1	<1	4	4	5	6	8
35-49	270	4.0	3	1	2	4	5	6	6	8
50-64	30	4.4	2	2	3	4	5	6	6	9
65+	5	5.0	11	1	1	4	7	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	42	2.9	3	<1	1	3	4	5	6	8
35-49	17	2.9	5	<1	<1	2	4	7	7	7
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	46	3.2	5	<1	<1	3	4	5	7	12
20-34	2715	4.2	3	1	3	4	5	6	7	10
35-49	3855	4.6	4	3	3	4	5	6	7	11
50-64	440	5.0	5	3	3	5	6	7	8	11
65+	56	5.9	7	3	4	5	7	9	13	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	1.9	2	<1	<1	1	2	3	4	7
B. *Operated*	740	3.6	3	<1	<1	4	5	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	61	3.0	3	<1	<1	3	4	6	7	8
B. *Operated*	7112	4.5	4	2	3	4	5	6	7	11
1. SINGLE DX	774	3.5	3	<1	<1	4	5	5	6	8
2. MULTIPLE DX	7173	4.5	4	2	3	4	5	6	7	11
A. NOT OPERATED	95	2.6	3	<1	<1	2	4	5	6	8
B. OPERATED	7852	4.4	4	2	3	4	5	6	7	11
TOTAL 0-19 YRS	78	3.1	4	<1	<1	3	4	5	7	11
20-34	3185	4.1	3	1	2	4	5	6	7	10
35-49	4150	4.6	4	3	3	4	5	6	7	11
50-64	472	4.9	5	3	3	5	6	7	8	11
65+	62	5.8	8	2	3	5	7	9	13	14
GRAND TOTAL	**7947**	**4.4**	**4**	**1**	**3**	**4**	**5**	**6**	**7**	**11**

246: Inflammatory disease of cervix uteri (616.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	11	2.6	3	<1	<1	3	4	5	6	6
35-49	14	2.3	2	<1	<1	2	4	4	5	5
50-64	7	2.3	3	<1	<1	1	4	5	5	5
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	1	1	1	2	3	4	4	4
20-34	8	2.4	2	<1	<1	2	3	4	5	5
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	4	2.8	2	1	1	3	4	4	4	4
20-34	164	4.6	3	2	3	4	5	6	8	12
35-49	169	4.2	2	<1	2	4	5	6	6	9
50-64	24	4.7	12	<1	<1	4	6	8	14	16
65+	8	5.0	7	2	2	4	7	9	9	9
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*	32	2.4	3	<1	<1	2	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	14	2.6	2	<1	1	2	3	5	5	5
B. *Operated*	369	4.4	3	1	3	4	5	6	7	12
1. SINGLE DX	35	2.4	2	<1	<1	2	4	5	5	6
2. MULTIPLE DX	383	4.4	3	1	2	4	5	6	7	12
A. NOT OPERATED	17	2.6	2	<1	1	2	3	5	5	5
B. OPERATED	401	4.3	4	<1	2	4	5	6	7	12
TOTAL 0-19 YRS	10	2.7	1	1	1	3	4	4	4	4
20-34	184	4.4	4	1	2	4	5	6	7	12
35-49	185	4.1	2	<1	1	4	5	6	6	8
50-64	31	4.1	11	<1	<1	4	5	7	13	16
65+	8	5.0	7	2	2	4	7	9	9	9
GRAND TOTAL	**418**	**4.2**	**4**	**<1**	**2**	**4**	**5**	**6**	**7**	**12**

247: Inflammatory disease of vulva, vagina, and uterus, except cervix (615; 616.1-616.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	2.5	1	1	2	2	3	4	4	4
20-34	63	2.9	3	1	1	2	3	5	6	10
35-49	13	2.8	3	<1	1	2	4	5	7	7
50-64	1	1.0		1	1	1	1	1	1	1
65+	4	5.3	7	3	3	4	7	9	9	9
B. *Operated*										
0-19 YRS	14	1.4	1	<1	<1	1	2	3	3	3
20-34	82	1.8	4	<1	<1	1	2	4	5	12
35-49	33	1.8	2	<1	<1	1	2	4	5	6
50-64	14	1.5	1	<1	<1	1	2	3	4	4
65+	6	1.5		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	35	3.2	3	1	1	3	4	6	7	8
20-34	104	3.4	2	1	2	3	4	5	6	8
35-49	29	3.7	7	1	1	3	4	9	10	11
50-64	17	5.5	13	2	3	5	6	8	14	18
65+	9	7.8	66	3	3	4	7	21	29	29
B. *Operated*										
0-19 YRS	16	3.1	6	<1	1	3	4	7	9	10
20-34	154	3.6	7	<1	1	3	5	6	7	16
35-49	101	3.7	7	<1	1	3	5	7	9	14
50-64	35	4.1	24	<1	1	2	5	8	18	22
65+	20	9.0	213	<1	<1	4	10	19	46	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	98	2.9	3	1	1	2	3	5	6	10
B. *Operated*	149	1.7	2	<1	<1	1	2	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	194	3.8	8	1	2	3	5	6	8	15
B. *Operated*	326	4.0	23	<1	1	3	5	7	10	22
1. SINGLE DX	247	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	520	3.9	17	<1	1	3	5	7	8	21
A. NOT OPERATED	292	3.5	6	1	1	3	4	6	7	11
B. OPERATED	475	3.3	17	<1	<1	2	4	6	7	19
TOTAL 0-19 YRS	82	2.7	3	<1	1	3	3	5	6	9
20-34	403	3.1	5	<1	1	3	4	5	6	10
35-49	176	3.3	6	<1	<1	3	4	6	8	12
50-64	67	3.9	18	<1	<1	2	5	7	12	22
65+	39	7.2	129	<1	<1	4	7	11	28	66
GRAND TOTAL	**767**	**3.3**	**13**	**<1**	**1**	**3**	**4**	**6**	**7**	**16**

248: Genital prolapse (618)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	4	3.3	7	<1	<1	3	5	6	6	6
65+	1	3.0		3	3	3	3	3	3	3
B. *Operated*										
0-19 YRS										
20-34	168	3.8	5	1	2	4	5	6	6	8
35-49	355	4.1	3	2	2	4	5	6	7	8
50-64	489	4.2	3	2	2	4	5	6	7	9
65+	505	4.6	3	2	2	5	6	7	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	16	2.1	3	<1	<1	1	3	5	5	5
50-64	21	1.5	1	<1	<1	1	1	3	5	5
65+	40	2.2	3	<1	<1	1	3	5	6	8
B. *Operated*										
0-19 YRS	4	5.3	1	4	4	6	30	99+	99+	99+
20-34	989	4.4	2	2	3	4	5	6	7	9
35-49	2354	4.7	3	3	3	4	5	7	7	10
50-64	1915	5.0	3	3	3	5	6	7	8	11
65+	2096	5.5	7	3	3	5	6	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	2.8	5	<1	<1	2	5	6	6	6
B. *Operated*	1517	4.3	3	2	2	4	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	81	1.9	2	<1	<1	1	2	5	5	7
B. *Operated*	7358	4.9	4	3	3	5	6	7	8	12
1. SINGLE DX	1523	4.3	3	2	2	4	5	6	7	9
2. MULTIPLE DX	7439	4.9	4	2	3	5	6	7	8	12
A. NOT OPERATED	87	2.0	3	<1	<1	1	2	5	5	7
B. OPERATED	8875	4.8	4	2	3	5	6	7	8	11
TOTAL 0-19 YRS	4	5.3	1	4	4	6	30	99+	99+	99+
20-34	1161	4.3	3	2	3	4	5	6	7	9
35-49	2726	4.6	3	2	3	4	5	6	7	10
50-64	2429	4.8	3	2	3	5	6	7	8	10
65+	2642	5.3	7	2	3	5	6	8	9	14
GRAND TOTAL	**8962**	**4.8**	**4**	**2**	**3**	**5**	**6**	**7**	**8**	**11**

249: Metrorrhagia (626.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	12	1.3		<1	<1	1	1	2	3	3
35-49	26	1.9	2	<1	<1	1	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	7	1.4	1	<1	<1	1	1	3	4	4
35-49	4	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	41	2.9	4	<1	<1	3	4	5	6	10
35-49	98	3.6	3	<1	<1	4	5	6	7	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.0		1	1	1	1	1	1	1
B. *Operated*	39	1.7	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	13	1.2	1	<1	<1	1	1	2	4	4
B. *Operated*	139	3.4	3	<1	<1	4	5	6	7	8
1. SINGLE DX	43	1.6	2	<1	<1	1	1	3	5	6
2. MULTIPLE DX	152	3.2	4	<1	<1	3	4	6	6	8
A. NOT OPERATED	17	1.2	1	<1	<1	1	1	1	3	4
B. OPERATED	178	3.0	4	<1	<1	3	4	5	6	8
TOTAL 0-19 YRS	5	1.0		<1	<1	1	1	1	1	1
20-34	61	2.4	3	<1	<1	1	4	5	5	10
35-49	129	3.2	3	<1	<1	3	4	6	6	8
50-64										
65+										
GRAND TOTAL	**195**	**2.9**	**4**	**<1**	**<1**	**3**	**4**	**5**	**6**	**8**

250: Other disorders of menstruation (626.0-626.5; 626.7-626.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	13	1.6	1	<1	<1	1	2	3	5	5
20-34	40	1.3		<1	<1	1	2	2	2	3
35-49	16	1.9	2	<1	<1	1	2	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	16	1.3		<1	<1	1	2	2	2	2
20-34	370	2.0	2	<1	<1	1	3	4	5	6
35-49	612	2.1	2	<1	<1	1	3	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	42	2.0	1	<1	1	2	3	4	5	5
20-34	75	1.7	1	<1	<1	1	2	3	4	5
35-49	96	1.7	1	<1	<1	1	2	3	4	6
50-64										
65+										
B. *Operated*										
0-19 YRS	60	2.4	3	1	1	2	3	4	6	9
20-34	1472	3.8	3	<1	1	4	5	6	6	9
35-49	3276	4.0	4	<1	1	4	5	6	7	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	69	1.5	1	<1	<1	1	2	2	4	5
B. *Operated*	998	2.1	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	213	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	4808	3.9	4	<1	1	4	5	6	7	9
1. SINGLE DX	1067	2.0	2	<1	<1	1	3	4	5	6
2. MULTIPLE DX	5021	3.8	4	<1	1	4	5	6	6	9
A. NOT OPERATED	282	1.7	1	<1	<1	1	2	3	4	5
B. OPERATED	5806	3.6	4	<1	<1	4	5	6	6	9
TOTAL 0-19 YRS	131	2.1	2	<1	<1	2	3	4	5	7
20-34	1957	3.3	3	<1	<1	4	5	6	6	8
35-49	4000	3.6	4	<1	<1	4	5	6	6	9
50-64										
65+										
GRAND TOTAL	**6088**	**3.5**	**4**	**<1**	**<1**	**4**	**5**	**6**	**6**	**8**

251: Menopausal and postmenopausal disorders (627)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	7	2.7	3	<1	<1	3	4	5	5	5
35-49	48	1.5	1	<1	<1	<1	1	3	4	6
50-64	161	1.3	1	<1	<1	<1	1	2	4	5
65+	64	1.3	1	<1	<1	<1	1	2	3	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	1	5.0		5	5	5	5	5	5	5
35-49	7	2.9	3	1	1	2	4	6	6	6
50-64	7	4.0	7	<1	<1	5	6	7	7	7
65+	16	2.8	5	<1	1	2	3	6	8	9
B. *Operated*										
0-19 YRS										
20-34	19	4.5	1	3	3	5	5	6	6	6
35-49	145	3.5	4	<1	<1	4	5	6	7	10
50-64	364	3.0	8	<1	<1	2	5	6	7	11
65+	199	3.3	10	<1	<1	2	5	7	9	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	1.3		1	1	1	2	2	2	2
B. *Operated*	280	1.3	1	<1	<1	<1	1	2	4	5
2. MULTIPLE DX										
A. *Not Operated*	33	3.2	5	<1	1	2	5	6	7	9
B. *Operated*	727	3.2	7	<1	<1	3	5	6	7	11
1. SINGLE DX	284	1.3	1	<1	<1	<1	1	2	4	5
2. MULTIPLE DX	760	3.2	7	<1	<1	3	5	6	7	11
A. NOT OPERATED	37	2.9	4	<1	1	2	4	6	7	9
B. OPERATED	1007	2.7	6	<1	<1	1	4	6	7	11
TOTAL 0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	28	4.0	2	<1	1	4	5	6	6	6
35-49	200	3.0	4	<1	<1	3	4	5	6	9
50-64	533	2.5	6	<1	<1	1	4	5	6	10
65+	281	2.8	8	<1	<1	1	4	6	8	15
GRAND TOTAL	**1044**	**2.7**	**6**	**<1**	**<1**	**1**	**4**	**6**	**7**	**11**

252: Miscellaneous diseases of female genitalia (619; 620.3-620.9; 621-624; 629)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	2	<1	<1	1	3	4	5	5
20-34	38	1.6	1	<1	1	1	2	3	4	4
35-49	15	2.7	9	<1	<1	1	3	9	10	10
50-64										
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	54	2.4	3	<1	<1	2	4	4	5	9
20-34	471	2.7	3	<1	<1	2	4	5	6	8
35-49	288	2.9	4	<1	<1	3	4	5	6	10
50-64	165	2.8	5	<1	<1	2	4	5	7	10
65+	42	3.3	4	<1	<1	3	5	6	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	1.9	1	<1	<1	2	2	3	5	5
20-34	45	2.7	6	<1	<1	2	4	7	8	9
35-49	24	2.6	7	<1	<1	2	3	8	9	9
50-64	19	6.0	78	<1	<1	2	7	19	29	33
65+	30	3.5	11	<1	<1	2	5	9	12	12
B. *Operated*										
0-19 YRS	73	3.6	4	1	1	4	5	6	8	11
20-34	989	3.8	5	<1	1	4	5	6	6	12
35-49	1467	4.2	5	<1	1	4	5	6	7	11
50-64	725	4.8	14	<1	1	5	6	7	9	14
65+	412	6.0	28	<1	1	5	7	11	15	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	66	1.9	3	<1	<1	1	2	3	5	10
B. *Operated*	1020	2.8	4	<1	<1	3	4	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	132	3.3	18	<1	<1	2	4	8	10	26
B. *Operated*	3666	4.4	10	<1	1	4	5	7	8	15
1. SINGLE DX	1086	2.7	4	<1	<1	2	4	5	6	9
2. MULTIPLE DX	3798	4.3	10	<1	1	4	5	7	8	16
A. NOT OPERATED	198	2.8	13	<1	<1	1	3	7	9	19
B. OPERATED	4686	4.0	9	<1	1	4	5	6	8	14
TOTAL 0-19 YRS	153	2.9	4	<1	<1	3	4	5	6	9
20-34	1543	3.4	5	<1	<1	3	4	5	6	10
35-49	1794	3.9	5	<1	1	4	5	6	7	11
50-64	909	4.5	14	<1	<1	4	5	7	9	14
65+	485	5.6	26	<1	1	5	7	11	14	26
GRAND TOTAL	**4884**	**4.0**	**9**	**<1**	**<1**	**4**	**5**	**6**	**8**	**14**

253: Signs and symptoms referable to female genital organs (625; 628)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	71	1.7	1	<1	1	1	2	3	4	5
20-34	131	1.7	1	<1	<1	1	2	3	4	5
35-49	37	1.8	1	<1	<1	1	2	4	4	4
50-64	3	1.3		<1	<1	1	2	2	2	2
65+										
B. *Operated*										
0-19 YRS	51	1.9	2	<1	<1	1	3	4	6	6
20-34	554	2.3	3	<1	<1	1	4	5	5	6
35-49	531	3.6	3	<1	<1	4	5	6	6	8
50-64	320	4.3	3	2	2	4	5	6	8	10
65+	184	4.9	4	2	3	5	6	8	9	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	2.3	21	<1	<1	1	2	3	5	33
20-34	200	2.3	8	<1	<1	1	3	4	5	15
35-49	63	2.7	30	<1	<1	1	3	4	5	39
50-64	13	2.5	4	<1	<1	2	3	6	8	8
65+	18	4.2	14	<1	<1	3	8	9	11	13
B. *Operated*										
0-19 YRS	45	2.6	3	<1	<1	2	4	5	6	6
20-34	1998	3.8	3	<1	1	4	5	6	6	8
35-49	1935	4.5	4	1	3	4	5	6	7	10
50-64	652	5.1	5	2	3	5	6	8	8	12
65+	469	5.4	7	2	3	5	6	8	9	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	242	1.7	1	<1	<1	1	2	3	4	5
B. *Operated*	1640	3.4	4	<1	<1	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	358	2.5	14	<1	<1	1	3	4	6	16
B. *Operated*	5099	4.4	4	1	2	4	5	7	8	10
1. SINGLE DX	1882	3.2	4	<1	<1	3	4	6	6	9
2. MULTIPLE DX	5457	4.3	5	<1	1	4	5	6	8	11
A. NOT OPERATED	600	2.2	9	<1	<1	1	2	4	5	13
B. OPERATED	6739	4.1	4	<1	1	4	5	6	7	10
TOTAL 0-19 YRS	231	2.1	7	<1	<1	1	2	4	5	6
20-34	2883	3.3	4	<1	<1	3	4	5	6	8
35-49	2566	4.3	4	<1	1	4	5	6	7	10
50-64	988	4.8	5	2	3	5	6	7	8	11
65+	671	5.2	6	2	3	5	6	8	9	14
GRAND TOTAL	**7339**	**4.0**	**5**	**<1**	**1**	**4**	**5**	**6**	**7**	**10**

254: Ectopic pregnancy (633)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.2	3	<1	<1	2	3	5	5	5
20-34	26	1.5	1	<1	<1	1	2	3	4	4
35-49	4	1.3		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	156	3.3	1	1	2	3	4	5	5	7
20-34	1936	3.4	1	2	2	3	4	5	5	6
35-49	251	3.6	2	2	2	4	4	5	6	8
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	18	1.9	2	<1	<1	1	3	4	6	6
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	131	3.7	1	2	2	3	4	5	6	7
20-34	2228	3.8	2	2	2	4	4	5	6	9
35-49	396	3.9	2	2	3	4	4	5	6	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	2343	3.4	1	2	2	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	21	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	2755	3.8	2	2	2	4	4	5	6	9
1. SINGLE DX	2378	3.4	1	1	2	3	4	5	5	7
2. MULTIPLE DX	2776	3.8	2	2	2	4	4	5	6	9
A. NOT OPERATED	56	1.7	1	<1	<1	1	2	3	5	6
B. OPERATED	5098	3.6	2	2	2	4	4	5	6	8
TOTAL 0-19 YRS	295	3.5	1	2	2	3	4	5	6	7
20 34	4208	3.6	2	2	2	3	4	5	5	8
35-49	651	3.8	2	2	2	4	4	5	6	8
50-64										
65+										
GRAND TOTAL	**5154**	**3.6**	**2**	**2**	**2**	**4**	**4**	**5**	**6**	**8**

255: Legally induced abortion (635)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	2.2	2	<1	<1	2	3	4	4	4
20-34	21	1.1		<1	<1	1	1	2	2	2
35-49	7	1.1		<1	<1	1	1	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	159	1.2		<1	<1	1	1	2	2	4
20-34	316	1.2	1	<1	<1	1	1	2	2	5
35-49	35	1.5	1	<1	<1	1	2	2	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.5	2	2	2	3	4	5	5	5
20-34	30	1.6	1	<1	<1	1	2	3	4	5
35-49	6	2.3	4	1	1	2	3	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	57	1.5	1	<1	<1	1	2	3	4	5
20-34	314	2.1	6	<1	<1	1	2	4	5	15
35-49	79	1.7	2	<1	<1	1	2	4	5	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	34	1.3	1	<1	<1	1	1	2	3	4
B. *Operated*	510	1.2	1	<1	<1	1	1	2	2	5
2. MULTIPLE DX										
A. *Not Operated*	40	1.9	2	<1	<1	1	2	4	5	6
B. *Operated*	450	2.0	4	<1	<1	1	2	4	5	14
1. SINGLE DX	544	1.2	1	<1	<1	1	1	2	2	5
2. MULTIPLE DX	490	2.0	4	<1	<1	1	2	4	5	13
A. NOT OPERATED	74	1.6	1	<1	<1	1	2	3	4	6
B. OPERATED	960	1.6	3	<1	<1	1	1	3	4	9
TOTAL 0-19 YRS	226	1.3	1	<1	<1	1	1	2	3	5
20-34	681	1.6	3	<1	<1	1	2	3	4	11
35-49	127	1.6	2	<1	<1	1	2	3	4	7
50-64										
65+										
GRAND TOTAL	**1034**	**1.6**	**2**	**<1**	**<1**	**1**	**1**	**3**	**4**	**9**

256: Other induced abortion (636)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
B. *Operated*	1	1.0		<1	<1	<1	<1	<1	<1	<1
1. SINGLE DX	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX	1	1.0		<1	<1	<1	<1	<1	<1	<1
A. NOT OPERATED										
B. OPERATED	2	3.0	8	<1	<1	2	5	5	5	5
TOTAL 0-19 YRS	1	5.0		5	5	5	5	5	5	5
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
GRAND TOTAL	**2**	**3.0**	**8**	**<1**	**<1**	**2**	**5**	**5**	**5**	**5**

257: Spontaneous and unspecified abortion (634; 637)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	81	1.3	1	<1	<1	1	1	2	3	5
20-34	282	1.2		<1	<1	1	1	2	2	4
35-49	40	1.2		<1	<1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	538	1.2		<1	<1	1	1	2	2	4
20-34	2983	1.2	1	<1	<1	1	1	2	2	4
35-49	557	1.1		<1	<1	1	1	1	2	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	2.0	4	<1	<1	1	2	4	6	11
20-34	113	1.7	2	<1	<1	1	2	3	3	10
35-49	16	1.4		<1	<1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	125	2.0	3	<1	1	1	2	4	5	9
20-34	776	1.8	2	<1	<1	1	2	4	5	9
35-49	194	1.7	2	<1	<1	1	2	3	5	9
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	1.2		<1	<1	1	1	2	3	4
B. *Operated*	4078	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	160	1.7	2	<1	<1	1	2	3	4	11
B. *Operated*	1095	1.8	2	<1	<1	1	2	4	5	9
1. SINGLE DX	4481	1.2	1	<1	<1	1	1	2	2	4
2. MULTIPLE DX	1255	1.8	2	<1	<1	1	2	4	5	9
A. NOT OPERATED	563	1.4	1	<1	<1	1	1	2	3	5
B. OPERATED	5173	1.3	1	<1	<1	1	1	2	3	6
TOTAL 0-19 YRS	775	1.4	1	<1	<1	1	1	2	3	6
20-34	4154	1.3	1	<1	<1	1	1	2	3	6
35-49	807	1.3	1	<1	<1	1	1	2	3	5
50-64										
65+										
GRAND TOTAL	**5736**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

258: Other pregnancy with abortive outcome (630-632; 638-639)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	57	2.4	2	<1	1	2	3	5	5	6
20-34	202	1.7	1	<1	<1	1	2	3	4	6
35-49	33	1.6	2	<1	<1	1	1	3	6	7
50-64										
65+										
B. *Operated*										
0-19 YRS	94	1.3	1	<1	<1	1	1	2	2	6
20-34	865	1.2		<1	<1	1	1	2	2	4
35-49	178	1.1		<1	<1	1	1	2	2	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	2.6	2	<1	1	2	4	5	6	6
20-34	95	2.3	4	<1	1	2	3	5	7	10
35-49	18	1.7	1	<1	<1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	47	2.4	4	<1	1	2	3	5	7	9
20-34	388	2.1	4	<1	<1	1	2	4	6	11
35-49	91	2.2	13	<1	<1	1	2	4	7	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	292	1.9	2	<1	<1	1	2	4	4	6
B. *Operated*	1137	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	134	2.3	3	<1	1	2	3	5	6	9
B. *Operated*	526	2.1	6	<1	<1	1	2	4	6	11
1. SINGLE DX	1429	1.3	1	<1	<1	1	1	2	3	5
2. MULTIPLE DX	660	2.2	5	<1	<1	1	2	4	6	11
A. NOT OPERATED	426	2.0	2	<1	<1	1	3	4	5	7
B. OPERATED	1663	1.5	2	<1	<1	1	1	2	4	7
TOTAL 0-19 YRS	219	1.9	2	<1	<1	1	2	4	5	7
20-34	1550	1.6	2	<1	<1	1	2	3	4	7
35-49	320	1.5	4	<1	<1	1	1	2	3	8
50-64										
65+										
GRAND TOTAL	**2089**	**1.6**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**7**

259: Threatened abortion (640.00; 640.03)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	1.6	1	<1	<1	1	2	3	3	4
20-34	290	1.6	2	<1	<1	1	2	3	3	6
35-49	31	2.1	4	<1	<1	1	3	4	6	11
50-64										
65+										
B. *Operated*										
0-19 YRS	6	1.2		<1	<1	1	1	2	2	2
20-34	23	1.3		<1	<1	1	1	2	3	3
35-49	7	1.6	1	1	1	1	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	1.7	1	<1	<1	1	2	3	4	4
20-34	119	2.6	17	<1	1	2	2	4	6	28
35-49	13	2.5	5	<1	<1	2	3	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.0	3	1	1	1	3	5	5	5
20-34	27	1.8	1	<1	<1	1	2	4	4	5
35-49	3	22.7	1220	2	2	3	48	63	63	63
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	374	1.6	2	<1	<1	1	2	3	4	6
B. *Operated*	36	1.3		<1	<1	1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*	147	2.5	14	<1	<1	2	2	4	6	27
B. *Operated*	36	3.6	105	<1	<1	1	3	4	5	63
1. SINGLE DX	410	1.6	2	<1	<1	1	2	3	3	6
2. MULTIPLE DX	183	2.7	32	<1	<1	2	2	4	6	30
A. NOT OPERATED	521	1.9	5	<1	<1	1	2	3	4	11
B. OPERATED	72	2.4	53	<1	<1	1	2	3	4	50
TOTAL 0-19 YRS	80	1.6	1	<1	<1	1	2	3	3	5
20-34	459	1.9	6	<1	<1	1	2	3	4	11
35-49	54	3.3	72	<1	<1	1	3	4	7	61
50-64										
65+										
GRAND TOTAL	**593**	**2.0**	**11**	**<1**	**<1**	**1**	**2**	**3**	**4**	**11**

260: Other early pregnancy hemorrhage (640.8-640.9 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	1.1		<1	<1	1	1	2	2	2
20-34	50	1.9	2	<1	<1	1	3	4	6	7
35-49	4	1.5	1	1	1	1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	4	2.0	4	1	1	1	3	5	5	5
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	27	2.4	3	<1	1	2	3	5	6	9
35-49	4	3.0	7	1	1	2	5	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	3.4	14	<1	<1	2	4	10	10	10
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	63	1.8	2	<1	<1	1	2	3	5	7
B. *Operated*	4	2.0	4	1	1	1	3	5	5	5
2. MULTIPLE DX										
A. *Not Operated*	36	2.3	3	<1	1	2	3	5	6	9
B. *Operated*	6	3.0	12	<1	<1	2	2	9	10	10
1. SINGLE DX	67	1.8	2	<1	<1	1	2	3	5	7
2. MULTIPLE DX	42	2.4	4	<1	1	2	2	5	8	10
A. NOT OPERATED	99	2.0	2	<1	<1	1	2	4	6	8
B. OPERATED	10	2.6	8	<1	<1	2	2	7	10	10
TOTAL 0-19 YRS	15	1.2		<1	<1	1	1	2	2	2
20-34	86	2.2	3	<1	<1	1	3	4	6	10
35-49	8	2.3	4	1	1	2	3	6	7	7
50-64										
65+										
GRAND TOTAL	**109**	**2.0**	**3**	**<1**	**<1**	**1**	**2**	**4**	**6**	**9**

261: Hypertension complicating pregnancy, childbirth, and the puerperium not delivered this admission (642 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	140	2.4	3	<1	1	2	3	4	6	9
20-34	710	2.4	4	<1	1	2	3	4	6	11
35-49	86	2.7	6	<1	1	2	3	5	6	15
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.8	5	<1	<1	2	4	7	8	8
20-34	112	2.5	4	<1	<1	2	3	5	6	10
35-49	15	2.7	3	<1	1	2	3	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	58	3.0	16	<1	<1	2	3	6	9	28
20-34	304	2.8	12	<1	<1	2	3	5	7	17
35-49	55	3.1	10	<1	<1	2	4	5	11	20
50-64										
65+										
B. *Operated*										
0-19 YRS	14	2.3	5	<1	<1	2	2	4	8	9
20-34	114	2.4	6	<1	<1	2	3	5	7	13
35-49	16	1.8	2	<1	<1	1	2	3	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	936	2.4	4	<1	1	2	3	4	6	11
B. *Operated*	143	2.5	4	<1	<1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*	417	2.9	12	<1	<1	2	3	5	7	19
B. *Operated*	144	2.3	5	<1	<1	1	3	5	7	12
1. SINGLE DX	1079	2.4	4	<1	1	2	3	4	6	11
2. MULTIPLE DX	561	2.7	11	<1	<1	2	3	5	7	17
A. NOT OPERATED	1353	2.6	7	<1	1	2	3	4	6	13
B. OPERATED	287	2.4	4	<1	<1	2	3	5	7	11
TOTAL 0-19 YRS	228	2.5	6	<1	<1	2	3	5	7	10
20-34	1240	2.5	6	<1	1	2	3	4	7	12
35-49	172	2.7	7	<1	<1	2	3	5	6	18
50-64										
65+										
GRAND TOTAL	**1640**	**2.5**	**6**	**<1**	**<1**	**2**	**3**	**5**	**7**	**12**

262: Excessive vomiting in pregnancy (643 with 5th digit 0 or 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	170	2.7	3	1	1	2	3	5	6	9
20-34	1278	3.1	5	1	1	3	4	5	7	12
35-49	63	3.3	4	1	1	3	4	5	7	12
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	15	4.2	17	<1	<1	3	4	14	14	14
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	163	2.9	3	1	1	2	4	5	6	11
20-34	923	3.2	5	1	1	3	4	6	8	12
35-49	36	4.0	7	1	1	3	5	7	10	13
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.7	3	1	1	2	4	5	5	5
20-34	37	6.9	45	1	1	5	10	17	21	29
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1511	3.1	4	1	1	3	4	5	7	11
B. *Operated*	17	4.1	16	<1	<1	3	4	12	14	14
2. MULTIPLE DX										
A. *Not Operated*	1122	3.2	5	1	1	3	4	6	8	12
B. *Operated*	44	6.3	40	1	1	4	9	15	20	29
1. SINGLE DX	1528	3.1	5	1	1	3	4	5	7	12
2. MULTIPLE DX	1166	3.3	7	1	1	3	4	6	8	13
A. NOT OPERATED	2633	3.1	5	1	1	3	4	5	7	12
B. OPERATED	61	5.7	34	<1	1	4	6	14	19	28
TOTAL 0-19 YRS	341	2.8	3	1	1	2	3	5	6	9
20-34	2253	3.2	6	1	1	3	4	5	7	13
35-49	100	3.6	5	1	1	3	5	6	8	12
50-64										
65+										
GRAND TOTAL	**2694**	**3.2**	**6**	**1**	**1**	**3**	**4**	**5**	**7**	**12**

263: False labor (644.10; 644.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	589	1.1		<1	<1	<1	1	1	1	3
20-34	2724	1.1		<1	<1	<1	1	1	1	3
35-49	212	1.1		<1	<1	<1	1	1	2	3
50-64										
65+										
B. *Operated*										
0-19 YRS	88	1.0		<1	<1	<1	1	1	1	2
20-34	358	1.2	1	<1	<1	<1	1	1	2	6
35-49	26	1.2	1	<1	<1	<1	1	1	3	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	66	1.2	1	<1	<1	1	1	2	3	4
20-34	425	1.3	1	<1	<1	1	1	2	3	6
35-49	30	1.3		<1	<1	1	1	2	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	29	1.8	8	<1	<1	1	1	2	6	16
20-34	112	1.5	3	<1	<1	1	1	3	4	9
35-49	3	2.3	5	<1	<1	1	4	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3525	1.1		<1	<1	<1	1	1	1	3
B. *Operated*	472	1.1	1	<1	<1	<1	1	1	2	5
2. MULTIPLE DX										
A. *Not Operated*	521	1.3	1	<1	<1	1	1	2	3	6
B. *Operated*	144	1.6	4	<1	<1	1	1	3	5	14
1. SINGLE DX	3997	1.1		<1	<1	<1	1	1	1	3
2. MULTIPLE DX	665	1.4	2	<1	<1	1	1	2	3	6
A. NOT OPERATED	4046	1.1		<1	<1	<1	1	1	2	3
B. OPERATED	616	1.2	1	<1	<1	<1	1	1	2	6
TOTAL 0-19 YRS	772	1.1	1	<1	<1	<1	1	1	2	4
20-34	3619	1.1		<1	<1	<1	1	1	2	4
35-49	271	1.1		<1	<1	<1	1	1	2	4
50-64										
65+										
GRAND TOTAL	**4662**	**1.1**		**<1**	**<1**	**<1**	**1**	**1**	**2**	**4**

264: Placenta previa without delivery (641.03-641.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.9	2	<1	<1	1	3	3	5	6
20-34	310	2.8	12	<1	1	2	3	6	8	17
35-49	56	3.4	19	<1	<1	2	3	7	17	20
50-64										
65+										
B. *Operated*										
0-19 YRS	2	9.5	113	2	2	9	17	17	17	17
20-34	50	5.1	45	1	1	3	6	10	18	41
35-49	5	2.0	3	1	1	1	3	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	1.5	1	1	1	1	2	3	4	4
20-34	171	3.3	17	<1	1	2	4	6	11	23
35-49	38	3.1	5	<1	1	3	4	5	7	12
50-64										
65+										
B. *Operated*										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	30	4.8	37	<1	1	3	5	7	25	27
35-49	5	2.4	3	1	1	2	3	5	5	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	382	2.8	12	<1	<1	2	3	6	9	19
B. *Operated*	57	4.9	44	1	1	3	5	10	18	40
2. MULTIPLE DX										
A. *Not Operated*	217	3.2	14	<1	1	2	4	6	10	21
B. *Operated*	37	4.4	31	<1	1	3	5	7	19	27
1. SINGLE DX	439	3.1	17	<1	1	2	3	6	10	20
2. MULTIPLE DX	254	3.4	17	<1	1	2	4	6	10	25
A. NOT OPERATED	599	3.0	13	<1	1	2	3	6	9	20
B. OPERATED	94	4.7	38	1	1	3	5	9	18	35
TOTAL 0-19 YRS	28	2.5	10	<1	<1	1	3	5	7	17
20-34	561	3.2	18	<1	1	2	3	6	10	25
35-49	104	3.2	12	<1	<1	2	4	6	9	19
50-64										
65+										
GRAND TOTAL	**693**	**3.2**	**17**	**<1**	**1**	**2**	**3**	**6**	**10**	**23**

265: Other antepartum hemorrhage without delivery (641.2-641.9 with 5th digit 3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	1.5	1	<1	<1	1	2	3	4	5
20-34	416	1.8	2	<1	<1	1	2	3	4	10
35-49	38	2.1	16	<1	<1	1	2	3	4	26
50-64										
65+										
B. *Operated*										
0-19 YRS	6	3.5	19	1	1	2	4	11	12	12
20-34	60	2.0	5	<1	<1	1	2	3	7	12
35-49	5	1.0		<1	<1	<1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	41	1.4	1	<1	<1	1	2	3	3	4
20-34	236	2.8	17	<1	<1	2	3	5	9	25
35-49	31	3.4	28	<1	<1	2	3	5	14	28
50-64										
65+										
B. *Operated*										
0-19 YRS	7	2.4	2	1	1	3	4	4	4	4
20-34	58	2.7	9	<1	1	2	3	6	9	16
35-49	3	3.3	16	<1	<1	1	6	8	8	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	524	1.8	3	<1	<1	1	2	3	4	10
B. *Operated*	71	2.1	6	<1	<1	1	2	4	9	12
2. MULTIPLE DX										
A. *Not Operated*	308	2.6	16	<1	<1	1	3	4	7	26
B. *Operated*	68	2.7	9	<1	1	2	3	6	8	16
1. SINGLE DX	595	1.8	4	<1	<1	1	2	3	4	11
2. MULTIPLE DX	376	2.7	15	<1	<1	1	3	5	8	23
A. NOT OPERATED	832	2.1	8	<1	<1	1	2	4	5	14
B. OPERATED	139	2.4	7	<1	<1	1	3	5	9	15
TOTAL 0-19 YRS	124	1.6	2	<1	<1	1	2	3	4	7
20-34	770	2.2	8	<1	<1	1	2	4	6	14
35-49	77	2.6	20	<1	<1	1	2	4	7	27
50-64										
65+										
GRAND TOTAL	**971**	**2.1**	**8**	**<1**	**<1**	**1**	**2**	**4**	**5**	**15**

266: Infections of pregnancy without delivery (646.53-646.54; 646.63-646.64; 658.40; 658.43; 659.20; 659.23; 659.33)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	2.8	2	<1	<1	3	4	5	6	56
20-34	220	2.4	1	<1	1	2	3	4	5	6
35-49	8	2.4	1	1	1	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	5	1.8	1	1	1	2	2	3	3	3
20-34	16	2.8	4	<1	<1	2	4	6	7	7
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	354	3.1	3	1	1	3	4	5	6	8
20-34	866	2.9	3	<1	1	3	4	5	5	8
35-49	43	2.7	5	<1	1	2	4	5	6	12
50-64										
65+										
B. *Operated*										
0-19 YRS	27	3.4	5	1	1	3	5	6	7	8
20-34	65	3.6	8	<1	<1	3	5	8	9	12
35-49	4	5.3	23	1	1	4	8	12	12	12
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	324	2.5	2	<1	1	2	3	4	5	7
B. *Operated*	22	2.5	3	<1	<1	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	1263	3.0	3	<1	1	3	4	5	6	8
B. *Operated*	96	3.6	7	<1	1	3	5	7	9	12
1. SINGLE DX	346	2.5	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	1359	3.0	4	<1	1	3	4	5	6	9
A. NOT OPERATED	1587	2.9	3	<1	1	3	4	5	6	8
B. OPERATED	118	3.4	7	<1	1	3	5	7	9	12
TOTAL 0-19 YRS	482	3.0	3	<1	1	3	4	5	6	8
20-34	1167	2.9	3	<1	1	3	4	5	6	8
35-49	56	2.9	5	<1	1	2	4	5	7	12
50-64										
65+										
GRAND TOTAL	**1705**	**2.9**	**3**	**<1**	**1**	**3**	**4**	**5**	**6**	**8**

267: Maternal conditions classifiable elsewhere but complicating pregnancy without delivery (647-648 with 5th digit 3 or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	34	1.8	1	<1	1	2	2	3	4	5
20-34	250	2.8	6	<1	<1	2	4	6	8	11
35-49	40	2.7	2	<1	1	2	4	5	6	7
50-64										
65+										
B. Operated										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	24	3.0	7	1	1	2	4	7	9	10
35-49	3	1.0		<1	<1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	219	3.1	26	<1	1	2	3	6	8	18
20-34	1460	3.1	9	<1	1	2	4	6	8	15
35-49	199	3.6	11	<1	1	3	4	6	10	20
50-64										
65+										
B. Operated										
0-19 YRS	32	2.7	3	1	1	2	4	5	6	8
20-34	271	3.8	10	<1	1	3	5	8	11	16
35-49	17	5.4	62	1	1	2	4	14	26	32
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	324	2.7	5	<1	<1	2	3	5	7	11
B. Operated	28	2.7	6	<1	1	2	4	7	8	10
2. MULTIPLE DX										
A. Not Operated	1878	3.1	11	<1	1	2	4	6	8	16
B. Operated	320	3.8	12	<1	1	3	5	8	11	16
1. SINGLE DX	352	2.7	5	<1	<1	2	3	5	7	11
2. MULTIPLE DX	2198	3.2	11	<1	1	2	4	6	8	16
A. NOT OPERATED	2202	3.1	10	<1	1	2	4	6	8	15
B. OPERATED	348	3.7	12	<1	1	3	5	8	10	16
TOTAL 0-19 YRS	286	2.9	20	<1	1	2	3	6	7	14
20-34	2005	3.1	9	<1	1	2	4	6	8	15
35-49	259	3.6	13	<1	1	3	4	6	10	21
50-64										
65+										
GRAND TOTAL	**2550**	**3.2**	**10**	**<1**	**1**	**2**	**4**	**6**	**8**	**16**

268: Miscellaneous complications of pregnancy without delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. Not Operated										
0-19 YRS	863	1.7	3	<1	<1	1	2	3	4	8
20-34	4161	1.8	5	<1	<1	1	2	3	5	10
35-49	310	1.9	8	<1	<1	1	2	4	5	16
50-64										
65+										
B. Operated										
0-19 YRS	235	2.3	14	<1	<1	1	2	4	7	19
20-34	1560	1.9	5	<1	<1	1	2	4	5	10
35-49	149	1.9	4	<1	<1	1	2	4	5	13
50-64										
65+										
2. MULTIPLE DX										
A. Not Operated										
0-19 YRS	433	2.3	6	<1	<1	1	3	4	7	14
20-34	2274	2.7	19	<1	<1	1	3	5	8	20
35-49	194	2.8	9	<1	<1	2	3	6	10	15
50-64										
65+										
B. Operated										
0-19 YRS	161	2.7	10	<1	<1	2	3	6	8	17
20-34	1103	2.9	27	<1	<1	1	3	6	8	25
35-49	121	2.8	19	<1	<1	1	3	5	11	28
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. Not Operated	5334	1.8	5	<1	<1	1	2	3	4	10
B. Operated	1944	1.9	6	<1	<1	1	2	4	6	13
2. MULTIPLE DX										
A. Not Operated	2901	2.6	16	<1	<1	1	3	5	8	19
B. Operated	1385	2.9	24	<1	<1	1	3	6	8	24
1. SINGLE DX	7278	1.8	5	<1	<1	1	2	3	5	11
2. MULTIPLE DX	4286	2.7	19	<1	<1	1	3	5	8	20
A. NOT OPERATED	8235	2.1	9	<1	<1	1	2	4	6	14
B. OPERATED	3329	2.3	14	<1	<1	1	2	4	7	17
TOTAL 0-19 YRS	1692	2.0	6	<1	<1	1	2	4	6	14
20-34	9098	2.2	12	<1	<1	1	2	4	6	14
35-49	774	2.3	10	<1	<1	1	2	4	7	15
50-64										
65+										
GRAND TOTAL	**11564**	**2.2**	**11**	**<1**	**<1**	**1**	**2**	**4**	**6**	**14**

269: Maternal conditions classifiable elsewhere but complicating pregnancy with delivery (647-648 with 5th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	82	1.8	1	1	1	2	2	3	3	4
20-34	527	1.9	1	1	1	2	2	3	3	4
35-49	64	1.8		<1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	44	2.5	2	<1	1	2	3	4	4	8
20-34	350	2.6	2	1	1	2	3	4	5	6
35-49	45	2.7	2	1	1	2	3	4	5	9
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	2.0	1	1	1	2	2	3	4	5
20-34	835	2.1	1	1	1	2	3	3	4	6
35-49	111	2.2	2	1	1	2	3	3	4	8
50-64										
65+										
B. *Operated*										
0-19 YRS	266	3.4	22	1	1	3	4	5	6	20
20-34	2651	3.5	15	1	1	3	4	5	6	15
35-49	413	4.0	19	1	2	3	4	6	9	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	673	1.8	1	1	1	2	2	3	3	4
B. *Operated*	439	2.6	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	1065	2.1	1	1	1	2	3	3	4	6
B. *Operated*	3330	3.6	16	1	2	3	4	5	6	17
1. SINGLE DX	1112	2.2	1	1	1	2	3	4	4	5
2. MULTIPLE DX	4395	3.2	13	1	1	3	4	5	6	15
A. NOT OPERATED	1738	2.0	1	1	1	2	2	3	4	5
B. OPERATED	3769	3.5	14	1	1	3	4	5	6	16
TOTAL 0-19 YRS	511	2.8	12	1	1	2	3	4	5	11
20-34	4363	3.0	10	1	1	2	4	5	5	11
35-49	633	3.4	14	1	1	3	4	5	7	19
50-64										
65+										
GRAND TOTAL	**5507**	**3.0**	**11**	**1**	**1**	**2**	**4**	**5**	**6**	**12**

270: Normal delivery (650)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4199	1.7	1	1	1	2	2	2	3	4
20-34	29104	1.7	1	1	1	2	2	3	3	4
35-49	2079	1.8	1	1	1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1484	1.7		1	1	2	2	3	3	3
20-34	10321	1.8	1	1	1	2	2	3	3	4
35-49	734	1.9	1	1	1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	151	1.7	1	1	1	2	2	3	3	5
20-34	786	1.9	1	1	1	2	2	3	3	5
35-49	63	2.0	1	<1	1	2	3	3	3	6
50-64										
65+										
B. *Operated*										
0-19 YRS	126	2.0	4	1	1	2	2	3	4	11
20-34	3634	2.3	1	1	1	2	3	3	4	5
35-49	577	2.4	1	1	1	2	3	3	4	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	35382	1.7	1	1	1	2	2	3	3	4
B. *Operated*	12539	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1000	1.9	1	1	1	2	2	3	3	5
B. *Operated*	4337	2.3	1	1	1	2	3	3	4	5
1. SINGLE DX	47921	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX	5337	2.3	1	1	1	2	3	3	4	5
A. NOT OPERATED	36382	1.7	1	1	1	2	2	3	3	4
B. OPERATED	16876	1.9	1	1	1	2	2	3	3	4
TOTAL 0-19 YRS	5960	1.7	1	1	1	2	2	3	3	4
20-34	43845	1.8	1	1	1	2	2	3	3	4
35-49	3453	1.9	1	1	1	2	2	3	3	4
50-64										
65+										
GRAND TOTAL	**53258**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

271: Placenta previa, delivered (641.00-641.01; 641.10-641.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	25	2.4	10	<1	<1	2	2	3	7	17
35-49	2	11.5	221	1	1	11	22	22	22	22
50-64										
65+										
B. *Operated*										
0-19 YRS	4	4.3	12	1	1	3	6	9	9	9
20-34	156	5.3	37	2	2	4	5	6	21	33
35-49	29	4.7	3	3	3	4	5	7	9	10
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	1	1	1	2	2	3	3	3
20-34	20	3.6	22	1	1	2	2	9	16	21
35-49	3	4.0	7	2	2	3	6	7	7	7
50-64										
65+										
B. *Operated*										
0-19 YRS	18	7.1	178	2	2	4	5	8	40	60
20-34	488	6.8	71	2	3	4	6	14	24	41
35-49	116	8.7	115	3	3	5	7	22	33	54
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	3.0	23	<1	<1	2	2	3	17	22
B. *Operated*	189	5.2	31	2	3	4	5	6	12	31
2. MULTIPLE DX										
A. *Not Operated*	28	3.3	17	1	1	2	3	7	12	21
B. *Operated*	622	7.1	82	2	3	4	6	16	26	46
1. SINGLE DX	217	4.9	31	1	2	4	5	6	15	30
2. MULTIPLE DX	650	7.0	80	2	2	4	6	15	26	45
A. NOT OPERATED	56	3.2	19	<1	1	2	2	6	15	22
B. OPERATED	811	6.7	71	2	3	4	5	13	24	44
TOTAL 0-19 YRS	28	5.6	118	1	2	3	5	8	14	60
20-34	689	6.2	61	2	2	4	5	12	22	40
35-49	150	7.9	94	3	3	4	6	17	28	45
50-64										
65+										
GRAND TOTAL	**867**	**6.4**	**68**	**2**	**2**	**4**	**5**	**13**	**23**	**44**

272: Other antepartum and intrapartum hemorrhage, delivered (640.01; 640.81; 640.91; 641.2-641.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	1.7	1	1	1	2	2	3	3	3
20-34	166	2.2	6	1	1	2	2	3	3	14
35-49	10	2.0		1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	23	2.7	2	<1	1	3	4	4	5	6
20-34	189	2.9	2	1	1	3	4	5	5	8
35-49	28	3.0	1	1	1	3	4	4	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	1.8	1	<1	1	1	2	3	4	6
20-34	174	2.6	8	1	1	2	3	4	6	20
35-49	14	2.6	4	1	1	2	3	4	8	9
50-64										
65+										
B. *Operated*										
0-19 YRS	107	3.4	3	1	2	3	4	6	7	10
20-34	814	3.9	11	1	1	4	5	6	8	19
35-49	109	4.3	11	1	2	4	4	8	13	17
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	194	2.1	5	1	1	2	2	3	3	13
B. *Operated*	240	2.9	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	224	2.5	7	1	1	2	3	4	6	17
B. *Operated*	1030	3.9	10	1	2	3	4	6	8	17
1. SINGLE DX	434	2.6	4	1	1	2	3	4	5	8
2. MULTIPLE DX	1254	3.6	10	1	1	3	4	6	8	17
A. NOT OPERATED	418	2.3	6	1	1	2	3	3	5	15
B. OPERATED	1270	3.7	9	1	1	3	4	6	7	16
TOTAL 0-19 YRS	184	2.8	3	1	1	2	4	5	6	9
20-34	1343	3.4	9	1	1	3	4	5	7	15
35-49	161	3.8	8	1	2	3	4	6	10	17
50-64										
65+										
GRAND TOTAL	**1688**	**3.4**	**9**	**1**	**1**	**3**	**4**	**5**	**7**	**15**

273: Retained placenta (666.00; 666.02; 666.04; 667.0-667.1 with 5th digit 0, 2, or 4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.4		1	1	1	2	2	2	2
20-34	43	1.5		<1	1	1	2	2	3	3
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	51	1.9	1	1	1	2	2	3	4	4
20-34	529	1.8	1	1	1	2	2	3	3	5
35-49	44	1.9	1	<1	1	2	2	3	4	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.6	1	1	1	3	3	4	4	4
20-34	25	2.2	1	1	1	2	3	3	4	5
35-49	2	2.5	5	1	1	2	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	49	2.3	1	1	1	2	3	4	4	8
20-34	501	2.4	2	1	1	2	3	4	5	7
35-49	52	3.5	20	1	1	3	4	5	6	32
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	1.5		1	1	1	2	2	3	3
B. *Operated*	624	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX										
A. *Not Operated*	32	2.3	1	1	1	2	3	4	4	5
B. *Operated*	602	2.5	3	1	1	2	3	4	5	8
1. SINGLE DX	674	1.8	1	1	1	2	2	3	3	5
2. MULTIPLE DX	634	2.5	3	1	1	2	3	4	5	7
A. NOT OPERATED	82	1.8	1	1	1	2	2	3	3	5
B. OPERATED	1226	2.2	2	1	1	2	3	3	4	7
TOTAL 0-19 YRS	112	2.1	1	1	1	2	3	3	4	6
20-34	1098	2.1	1	1	1	2	2	3	4	6
35-49	98	2.8	11	<1	1	2	3	5	6	20
50-64										
65+										
GRAND TOTAL	**1308**	**2.1**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**7**

274: Other postpartum hemorrhage (1st 24 hours) (666.10; 666.12; 666.14; 666.30; 666.32; 666.34)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	2.0	1	1	1	2	2	3	3	4
20-34	257	1.9	1	1	1	2	2	3	3	4
35-49	9	2.9	6	<1	<1	2	3	7	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	23	1.9	1	1	1	2	2	3	4	4
20-34	166	2.0	1	1	1	2	3	3	3	4
35-49	12	2.0	1	1	1	2	2	3	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	2.1	1	1	1	2	2	4	4	4
20-34	209	2.1	1	1	1	2	3	3	3	5
35-49	24	2.3	3	<1	1	2	3	4	6	9
50-64										
65+										
B. *Operated*										
0-19 YRS	67	2.2	1	1	1	2	3	4	4	6
20-34	335	2.4	2	1	1	2	3	4	4	7
35-49	31	2.5	2	1	1	2	3	4	6	7
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	316	1.9	1	1	1	2	2	3	3	4
B. *Operated*	201	2.0	1	1	1	2	3	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	272	2.1	1	1	1	2	3	3	4	6
B. *Operated*	433	2.4	2	1	1	2	3	4	4	7
1. SINGLE DX	517	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	705	2.3	1	1	1	2	3	3	4	7
A. NOT OPERATED	588	2.0	1	1	1	2	2	3	3	4
B. OPERATED	634	2.3	1	1	1	2	3	3	4	6
TOTAL 0-19 YRS	179	2.1	1	1	1	2	2	3	4	5
20-34	967	2.1	1	1	1	2	3	3	4	5
35-49	76	2.4	3	<1	1	2	3	4	6	9
50-64										
65+										
GRAND TOTAL	**1222**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**6**

275: Multiple pregnancy, delivered (651 with 5th digit 0 or 1; 652.60-652.61; 660.50-660.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	1.3		1	1	1	2	2	2	2
20-34	69	2.7	10	1	1	2	3	3	4	23
35-49	8	2.4		2	2	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	3	2.7	4	1	1	2	4	5	5	5
20-34	95	3.1	2	1	2	3	4	5	5	6
35-49	8	3.4	5	1	1	3	5	6	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.5	18	1	1	2	2	11	12	12
20-34	81	2.9	6	1	1	2	3	5	7	17
35-49	8	2.5	2	1	1	2	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	52	4.4	9	2	2	4	5	8	10	18
20-34	822	4.4	23	2	2	4	5	6	7	21
35-49	90	4.8	10	2	2	5	5	7	9	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	83	2.5	8	1	1	2	3	3	4	20
B. *Operated*	106	3.1	2	1	1	3	4	5	5	7
2. MULTIPLE DX										
A. *Not Operated*	95	2.9	7	1	1	2	3	5	7	16
B. *Operated*	964	4.5	21	2	2	4	5	6	8	20
1. SINGLE DX	189	2.9	5	1	1	3	3	5	5	7
2. MULTIPLE DX	1059	4.3	20	1	2	4	5	6	8	19
A. NOT OPERATED	178	2.7	7	1	1	2	3	4	5	17
B. OPERATED	1070	4.3	19	2	2	4	5	6	7	19
TOTAL 0-19 YRS	67	3.9	9	1	1	3	5	7	10	17
20-34	1067	4.1	19	1	2	4	5	6	7	19
35-49	114	4.4	9	1	2	4	5	6	8	18
50-64										
65+										
GRAND TOTAL	**1248**	**4.1**	**18**	**1**	**2**	**4**	**5**	**6**	**7**	**18**

276: Breech presentation, delivered (652.20-652.21; 669.60-669.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.7	1	<1	<1	1	3	3	3	3
20-34	82	1.8	1	<1	1	2	2	3	3	4
35-49	13	1.7	1	<1	<1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	185	3.6	1	2	2	4	4	5	5	6
20-34	1558	3.6	1	2	3	4	4	5	5	6
35-49	140	3.8	1	2	2	4	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	3.7	17	1	1	2	7	10	11	11
20-34	51	2.1	3	<1	1	2	2	3	4	12
35-49	10	1.8	1	<1	<1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	211	4.0	3	2	3	4	4	6	7	11
20-34	2319	4.0	3	2	3	4	5	5	6	9
35-49	324	4.6	14	2	3	4	5	6	8	25
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	102	1.8	1	<1	1	2	2	3	3	4
B. *Operated*	1883	3.6	1	2	3	4	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	68	2.2	4	<1	1	2	2	3	6	12
B. *Operated*	2854	4.1	4	2	3	4	5	5	6	10
1. SINGLE DX	1985	3.5	1	2	2	4	4	5	5	6
2. MULTIPLE DX	2922	4.0	4	2	3	4	5	5	6	10
A. NOT OPERATED	170	1.9	2	<1	1	2	2	3	3	10
B. OPERATED	4737	3.9	3	2	3	4	4	5	6	8
TOTAL 0-19 YRS	410	3.8	2	2	2	4	4	5	6	10
20-34	4010	3.8	2	2	2	4	4	5	6	8
35-49	487	4.2	10	2	2	4	5	6	7	18
50-64										
65+										
GRAND TOTAL	**4907**	**3.8**	**3**	**2**	**2**	**4**	**4**	**5**	**6**	**9**

277: Other fetal dystocia, delivered (652.0-652.1, 652.3-652.5, 652.7-652.9, 660.0, 660.3-660.4, 660.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	53	1.7	1	1	1	1	2	3	3	4
20-34	535	1.7	1	1	1	2	2	3	3	4
35-49	37	1.9	1	<1	1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	97	2.4	1	1	1	2	3	4	4	6
20-34	959	2.5	1	1	1	2	3	4	5	6
35-49	100	2.8	1	1	1	3	4	4	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	62	1.8	1	1	1	2	2	3	3	4
20-34	510	2.0	1	1	1	2	3	3	4	5
35-49	40	2.1	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	505	3.2	5	1	1	3	4	5	6	10
20-34	4839	3.2	2	1	2	3	4	5	5	7
35-49	582	3.5	3	1	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	625	1.7	1	1	1	2	2	3	3	4
B. *Operated*	1156	2.6	1	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	612	2.0	1	1	1	2	3	3	4	5
B. *Operated*	5926	3.3	3	1	2	3	4	5	6	8
1. SINGLE DX	1781	2.3	1	1	1	2	3	4	4	5
2. MULTIPLE DX	6538	3.1	3	1	1	3	4	5	5	7
A. NOT OPERATED	1237	1.9	1	1	1	2	2	3	3	4
B. OPERATED	7082	3.1	3	1	1	3	4	5	5	7
TOTAL 0-19 YRS	717	2.9	4	1	1	3	4	5	5	9
20-34	6843	2.9	2	1	1	3	4	5	5	7
35-49	759	3.3	2	1	1	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**8319**	**3.0**	**2**	**1**	**1**	**3**	**4**	**5**	**5**	**7**

278: Fetopelvic disproportion, delivered (653, 660.1 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	15	1.9	1	1	1	2	3	3	4	4
35-49	2	3.5	13	1	1	3	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	233	3.9	1	3	3	4	4	5	6	7
20-34	1281	3.9	1	3	3	4	4	5	5	6
35-49	82	4.0	1	2	3	4	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	4.0	8	2	2	4	6	6	6	6
20-34	26	2.7	2	1	1	2	4	5	5	5
35-49	2	2.0		2	2	2	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	858	4.4	3	3	3	4	5	6	7	12
20-34	6069	4.2	2	3	3	4	5	5	6	8
35-49	576	4.4	1	3	3	4	5	6	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.1	2	1	1	2	3	4	5	6
B. *Operated*	1596	3.9	1	3	3	4	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	30	2.7	2	1	1	2	4	5	5	6
B. *Operated*	7503	4.2	2	3	3	4	5	6	6	8
1. SINGLE DX	1614	3.9	1	3	3	4	4	5	5	6
2. MULTIPLE DX	7533	4.2	2	3	3	4	5	6	6	8
A. NOT OPERATED	48	2.5	2	1	1	2	4	5	5	6
B. OPERATED	9099	4.2	2	3	3	4	5	5	6	8
TOTAL 0-19 YRS	1094	4.3	3	3	3	4	5	6	7	11
20-34	7391	4.2	2	3	3	4	5	5	6	8
35-49	662	4.3	1	3	3	4	5	6	6	8
50-64										
65+										
GRAND TOTAL	**9147**	**4.2**	**2**	**3**	**3**	**4**	**5**	**5**	**6**	**8**

279: Uterine inertia, delivered (661.0-661.2 with 5th digit 0 or 1; 662.0-662.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	111	1.9	1	1	1	2	2	3	3	4
20-34	689	2.0	1	1	1	2	3	3	3	4
35-49	40	2.0	1	<1	1	2	3	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	219	3.0	2	1	1	3	4	5	5	6
20-34	1625	2.9	2	1	1	3	4	5	5	6
35-49	119	3.1	2	1	1	3	4	5	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	2.0	1	1	1	2	2	3	3	5
20-34	581	2.1	3	1	1	2	3	3	3	5
35-49	56	2.1	1	1	1	2	3	3	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	540	3.3	3	1	1	3	4	5	6	9
20-34	4751	3.3	2	1	2	3	4	5	6	8
35-49	495	3.5	3	1	2	3	4	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	840	2.0	1	1	1	2	2	3	3	4
B. *Operated*	1963	2.9	2	1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	749	2.1	3	1	1	2	3	3	3	5
B. *Operated*	5786	3.4	3	1	2	3	4	5	6	8
1. SINGLE DX	2803	2.7	2	1	1	2	3	5	5	6
2. MULTIPLE DX	6535	3.2	3	1	1	3	4	5	6	8
A. NOT OPERATED	1589	2.0	2	1	1	2	2	3	3	5
B. OPERATED	7749	3.3	2	1	1	3	4	5	6	8
TOTAL 0-19 YRS	982	2.9	3	1	1	3	4	5	5	8
20-34	7646	3.0	3	1	1	3	4	5	5	7
35-49	710	3.2	3	1	1	3	4	5	6	8
50-64										
65+										
GRAND TOTAL	**9338**	**3.0**	**3**	**1**	**1**	**3**	**4**	**5**	**5**	**7**

280: Other prolonged labor, delivered (654.0-654.1, 654.3-654.9 with 5th digit 0, 1 or 2; 660.2, 660.6-660.8, 661.4-661.9 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	16	1.4		<1	1	1	2	2	3	3
20-34	83	1.7		<1	1	2	2	3	3	3
35-49	13	1.9		1	1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	36	3.3	3	1	1	4	5	5	6	7
20-34	359	3.1	2	1	1	3	4	5	5	6
35-49	31	3.1	2	1	1	3	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	1	<1	<1	2	2	4	4	4
20-34	76	2.0	1	1	1	2	2	3	3	6
35-49	14	2.1	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	134	4.0	3	1	2	4	5	6	7	10
20-34	1265	3.9	14	1	2	4	4	5	6	13
35-49	184	4.4	19	2	2	4	5	6	7	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	112	1.7		1	1	2	2	3	3	3
B. *Operated*	426	3.1	2	1	1	3	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	97	2.0	1	1	1	2	3	3	3	5
B. *Operated*	1583	3.9	13	1	2	4	4	5	6	13
1. SINGLE DX	538	2.8	2	1	1	3	4	5	5	6
2. MULTIPLE DX	1680	3.8	13	1	2	4	4	5	6	12
A. NOT OPERATED	209	1.8	1	1	1	2	2	3	3	4
B. OPERATED	2009	3.8	11	1	2	4	4	5	6	10
TOTAL 0-19 YRS	193	3.6	3	1	1	4	5	5	6	9
20-34	1783	3.5	11	1	2	3	4	5	6	9
35-49	242	3.9	15	1	2	3	5	6	6	21
50-64										
65+										
GRAND TOTAL	**2218**	**3.6**	**10**	**1**	**2**	**3**	**4**	**5**	**6**	**9**

281: Uterine scar from previous surgery (654.20-654.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.8	1	1	1	2	2	3	5	5
20-34	303	1.9	1	1	1	2	2	3	3	5
35-49	30	1.9	1	1	1	2	2	3	3	5
50-64										
65+										
B. *Operated*										
0-19 YRS	242	3.3	1	2	2	3	4	4	5	6
20-34	5675	3.6	1	2	3	4	4	5	5	6
35-49	547	3.8	1	2	3	4	4	5	5	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	2.0	1	1	1	2	2	4	4	4
20-34	181	2.0	1	1	1	2	2	3	4	5
35-49	19	2.1	1	<1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	202	3.9	2	2	3	4	4	5	6	8
20-34	8877	3.9	2	2	3	4	4	5	6	8
35-49	1425	4.1	2	2	3	4	5	5	6	8
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	345	1.9	1	1	1	2	2	3	3	5
B. *Operated*	6464	3.6	1	2	3	4	4	5	5	6
2. MULTIPLE DX										
A. *Not Operated*	206	2.0	1	1	1	2	2	3	4	5
B. *Operated*	10504	3.9	2	2	3	4	4	5	6	8
1. SINGLE DX	6809	3.5	1	2	2	4	4	5	5	6
2. MULTIPLE DX	10710	3.8	2	2	3	4	4	5	6	8
A. NOT OPERATED	551	1.9	1	1	1	2	2	3	4	5
B. OPERATED	16968	3.8	2	2	3	4	4	5	5	7
TOTAL 0-19 YRS	462	3.5	2	2	2	3	4	5	5	7
20-34	15036	3.7	2	2	2	4	4	5	5	7
35-49	2021	3.9	2	2	3	4	5	5	6	7
50-64										
65+										
GRAND TOTAL	**17519**	**3.7**	**2**	**2**	**2**	**4**	**4**	**5**	**5**	**7**

282: Premature or prolonged rupture of membranes (658.11; 658.2-658.3 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	120	2.0	1	1	1	2	3	3	3	6
20-34	920	2.1	6	1	1	2	2	3	4	6
35-49	79	2.0	1	1	1	2	2	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	119	2.2	3	1	1	2	2	3	3	9
20-34	886	2.2	2	1	1	2	3	3	4	6
35-49	75	2.4	2	1	1	2	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	126	2.6	7	1	1	2	3	4	5	14
20-34	857	2.5	6	1	1	2	3	3	5	15
35-49	74	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
B. *Operated*										
0-19 YRS	362	3.3	6	1	1	3	4	5	7	14
20-34	3384	3.3	9	1	1	3	4	5	6	11
35-49	424	3.8	17	1	1	3	4	6	7	22
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1119	2.1	5	1	1	2	2	3	4	6
B. *Operated*	1080	2.2	2	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	1057	2.5	6	1	1	2	3	3	5	15
B. *Operated*	4170	3.4	10	1	1	3	4	5	6	12
1. SINGLE DX	2199	2.2	4	1	1	2	3	3	4	6
2. MULTIPLE DX	5227	3.2	9	1	1	3	4	5	6	13
A. NOT OPERATED	2176	2.3	6	1	1	2	3	3	4	9
B. OPERATED	5250	3.1	8	1	1	3	4	5	6	11
TOTAL 0-19 YRS	727	2.8	5	1	1	2	3	5	6	12
20-34	6047	2.9	7	1	1	2	3	5	6	11
35-49	652	3.2	12	1	1	3	4	5	6	13
50-64										
65+										
GRAND TOTAL	**7426**	**2.9**	**8**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

283: Umbilical cord complication (663 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	610	1.7	1	1	1	2	2	3	3	4
20-34	4833	1.8	1	1	1	2	2	3	3	4
35-49	410	1.9	1	1	1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	385	1.8	1	1	1	2	2	3	3	4
20-34	3382	1.9	1	1	1	2	2	3	3	4
35-49	226	2.0	1	1	1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	206	1.8	1	1	1	2	2	3	3	5
20-34	1575	1.9	1	1	1	2	2	3	3	4
35-49	136	1.9	1	1	1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	452	2.1	1	1	1	2	3	3	4	5
20-34	4703	2.3	1	1	1	2	3	4	4	6
35-49	520	2.5	1	1	1	2	3	4	5	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5853	1.8	1	1	1	2	2	3	3	4
B. *Operated*	3993	1.9	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	1917	1.9	1	1	1	2	2	3	3	4
B. *Operated*	5675	2.3	1	1	1	2	3	4	4	6
1. SINGLE DX	9846	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	7592	2.2	1	1	1	2	3	3	4	5
A. NOT OPERATED	7770	1.8	1	1	1	2	2	3	3	4
B. OPERATED	9668	2.1	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1653	1.8	1	1	1	2	2	3	3	4
20-34	14493	2.0	1	1	1	2	2	3	3	5
35-49	1292	2.1	1	1	1	2	3	3	4	5
50-64										
65+										
GRAND TOTAL	**17438**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

284: Delivery with first and second degree perineal laceration (664.00-664.01; 664.10-664.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	133	1.8	6	<1	1	1	2	2	3	8
20-34	992	1.7	1	<1	1	2	2	3	3	3
35-49	100	1.7	1	<1	<1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1143	1.7		1	1	2	2	3	3	4
20-34	10119	1.7	1	1	1	2	2	3	3	4
35-49	949	1.7	1	<1	1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	68	2.2	9	1	1	2	2	3	3	22
20-34	378	2.0	11	1	1	2	2	3	3	6
35-49	37	1.7	1	<1	<1	2	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	691	1.9	3	1	1	2	2	3	4	6
20-34	7506	1.9	1	1	1	2	2	3	3	4
35-49	1018	2.1	2	1	1	2	3	3	4	5
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1225	1.7	1	<1	1	2	2	3	3	3
B. *Operated*	12211	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	483	2.0	10	1	1	2	2	3	3	6
B. *Operated*	9215	2.0	1	1	1	2	2	3	3	5
1. SINGLE DX	13436	1.7	1	1	1	2	2	3	3	4
2. MULTIPLE DX	9698	2.0	2	1	1	2	2	3	3	5
A. NOT OPERATED	1708	1.8	4	<1	1	2	2	3	3	4
B. OPERATED	21426	1.8	1	1	1	2	2	3	3	4
TOTAL 0-19 YRS	2035	1.8	2	1	1	2	2	3	3	4
20-34	18995	1.8	1	1	1	2	2	3	3	4
35-49	2104	1.9	1	<1	1	2	2	3	3	4
50-64										
65+										
GRAND TOTAL	**23134**	**1.8**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**4**

285: Perineal laceration, except first and second degree (664.2-664.4 with 5th digit 0 or 1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	1.8	1	1	1	2	2	3	3	6
20-34	246	1.9	1	1	1	2	2	3	3	4
35-49	9	2.7	2	<1	<1	3	4	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	713	1.9	2	1	1	2	2	3	3	4
20-34	3523	2.0	1	1	1	2	2	3	3	4
35-49	182	2.1	1	1	1	2	3	3	4	4
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	23	2.3	2	1	1	2	3	3	5	7
20-34	109	2.2	1	1	1	2	3	3	4	4
35-49	7	2.1		1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	557	2.2	1	1	1	2	3	3	4	6
20-34	3695	2.3	1	1	1	2	3	3	4	6
35-49	264	2.4	2	1	1	2	3	4	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	310	1.9	1	1	1	2	2	3	3	4
B. *Operated*	4418	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	139	2.2	1	1	1	2	3	3	4	5
B. *Operated*	4516	2.3	1	1	1	2	3	3	4	6
1. SINGLE DX	4728	2.0	1	1	1	2	2	3	3	4
2. MULTIPLE DX	4655	2.3	1	1	1	2	3	3	4	6
A. NOT OPERATED	449	2.0	1	1	1	2	2	3	3	4
B. OPERATED	8934	2.1	1	1	1	2	3	3	4	5
TOTAL 0-19 YRS	1348	2.0	2	1	1	2	2	3	3	5
20-34	7573	2.1	1	1	1	2	3	3	3	5
35-49	462	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
GRAND TOTAL	**9383**	**2.1**	**1**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

286: Other obstetrical trauma (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	55	1.8	1	1	1	2	2	3	3	4
20-34	288	1.8	1	1	1	2	2	3	3	4
35-49	10	1.8	1	1	1	2	3	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	251	1.8	1	1	1	2	2	3	3	5
20-34	1452	1.8	1	1	1	2	2	3	3	4
35-49	80	1.7		<1	1	2	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	17	1.9	1	1	1	2	2	3	4	4
20-34	143	1.9	1	1	1	2	2	3	3	4
35-49	5	2.4	1	2	2	2	3	4	4	4
50-64										
65+										
B. *Operated*										
0-19 YRS	207	2.0	1	1	1	2	2	3	4	6
20-34	1586	2.1	1	1	1	2	3	3	4	6
35-49	118	2.5	2	1	1	2	3	3	5	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	353	1.8	1	1	1	2	2	3	3	4
B. *Operated*	1783	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX										
A. *Not Operated*	165	1.9	1	1	1	2	2	3	3	4
B. *Operated*	1911	2.1	1	1	1	2	3	3	4	6
1. SINGLE DX	2136	1.8	1	1	1	2	2	3	3	4
2. MULTIPLE DX	2076	2.1	1	1	1	2	3	3	4	6
A. NOT OPERATED	518	1.8	1	1	1	2	2	3	3	4
B. OPERATED	3694	2.0	1	1	1	2	2	3	3	5
TOTAL 0-19 YRS	530	1.9	1	1	1	2	2	3	3	5
20-34	3469	1.9	1	1	1	2	2	3	3	5
35-49	213	2.2	2	1	1	2	3	3	4	8
50-64										
65+										
GRAND TOTAL	**4212**	**2.0**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

287: Miscellaneous complications of delivery (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1026	1.8	2	1	1	2	2	3	3	5
20-34	6741	1.8	2	1	1	2	2	3	3	5
35-49	567	1.8	1	<1	1	2	2	3	3	4
50-64										
65+										
B. *Operated*										
0-19 YRS	1644	2.2	2	1	1	2	3	4	5	7
20-34	11213	2.3	2	1	1	2	3	4	4	6
35-49	851	2.5	2	1	1	2	3	4	5	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	744	2.2	7	1	1	2	2	3	5	10
20-34	4765	2.1	2	1	1	2	2	3	4	7
35-49	455	2.3	5	1	1	2	3	3	4	10
50-64										
65+										
B. *Operated*										
0-19 YRS	3505	3.1	6	1	1	3	4	5	7	12
20-34	24792	3.1	7	1	1	3	4	5	6	12
35-49	2918	3.6	11	1	1	3	4	6	7	15
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8334	1.8	2	1	1	2	2	3	3	5
B. *Operated*	13708	2.3	2	1	1	2	3	4	4	6
2. MULTIPLE DX										
A. *Not Operated*	5964	2.1	3	1	1	2	3	3	4	7
B. *Operated*	31215	3.2	7	1	1	3	4	5	6	12
1. SINGLE DX	22042	2.1	2	1	1	2	3	3	4	6
2. MULTIPLE DX	37179	3.0	6	1	1	2	4	5	6	11
A. NOT OPERATED	14298	1.9	2	1	1	2	2	3	4	6
B. OPERATED	44923	2.9	6	1	1	2	3	5	6	10
TOTAL 0-19 YRS	6919	2.6	5	1	1	2	3	4	6	10
20-34	47511	2.6	5	1	1	2	3	4	5	9
35-49	4791	3.1	8	1	1	3	4	5	6	12
50-64										
65+										
GRAND TOTAL	**59221**	**2.7**	**5**	**1**	**1**	**2**	**3**	**4**	**5**	**10**

288: Major puerperal infections (670.00; 670.04; 672.00; 672.04)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	3.0	1	1	2	3	4	4	5	6
20-34	230	3.1	2	1	2	3	4	5	6	9
35-49	15	3.2	1	2	2	3	4	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	6	2.5	3	<1	<1	2	4	4	4	4
20-34	20	4.0	13	<1	<1	3	4	8	12	16
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.4	5	1	1	3	4	6	8	12
20-34	129	3.6	3	2	2	3	4	6	6	9
35-49	12	3.8	5	2	2	3	5	8	9	9
50-64										
65+										
B. *Operated*										
0-19 YRS	4	5.8	6	4	4	5	7	9	9	9
20-34	47	5.1	23	1	1	3	6	12	15	23
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	325	3.1	2	1	2	3	4	5	5	8
B. *Operated*	27	3.7	11	<1	<1	3	4	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	172	3.6	3	2	2	3	4	6	7	9
B. *Operated*	52	5.2	21	1	1	3	6	11	14	23
1. SINGLE DX	352	3.1	3	1	2	3	4	5	6	9
2. MULTIPLE DX	224	3.9	8	1	2	3	5	6	9	16
A. NOT OPERATED	497	3.3	2	1	2	3	4	5	6	9
B. OPERATED	79	4.6	18	<1	1	3	5	10	14	22
TOTAL 0-19 YRS	121	3.1	3	1	2	3	4	5	6	10
20-34	426	3.5	6	1	2	3	4	6	7	13
35-49	29	3.5	3	2	2	3	4	5	7	9
50-64										
65+										
GRAND TOTAL	**576**	**3.5**	**5**	**1**	**2**	**3**	**4**	**5**	**7**	**12**

289: Puerperal hemorrhage (after 24 hrs.) (666.24)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	1.1		<1	<1	1	1	2	2	2
20-34	50	1.4		<1	<1	1	2	2	2	3
35-49	4	2.3	4	<1	<1	1	3	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	11	1.1		<1	<1	1	1	2	2	2
20-34	145	1.4	1	<1	<1	1	2	3	3	4
35-49	14	1.5	1	<1	<1	1	2	3	4	5
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	1.4	1	1	1	1	2	3	3	3
20-34	41	1.8	1	<1	<1	1	2	3	4	6
35-49	3	1.3		1	1	1	2	2	2	2
50-64										
65+										
B. *Operated*										
0-19 YRS	14	1.6	1	1	1	1	2	3	4	4
20-34	127	2.2	3	<1	1	2	2	4	6	9
35-49	13	2.8	7	1	1	2	3	7	9	10
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	1.4	1	<1	<1	1	2	2	3	5
B. *Operated*	170	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	49	1.7	1	<1	<1	1	2	3	4	6
B. *Operated*	154	2.2	3	<1	1	2	2	4	6	9
1. SINGLE DX	232	1.4	1	<1	<1	1	2	2	3	5
2. MULTIPLE DX	203	2.1	3	<1	1	1	2	4	6	9
A. NOT OPERATED	111	1.5	1	<1	<1	1	2	2	3	6
B. OPERATED	324	1.8	2	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	38	1.3		<1	<1	1	1	2	3	4
20-34	363	1.7	2	<1	<1	1	2	3	4	8
35-49	34	2.1	4	<1	1	1	2	5	6	10
50-64										
65+										
GRAND TOTAL	**435**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**4**	**8**

290: Other puerperal complications (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	18	3.2	4	<1	1	3	4	6	8	9
20-34	114	3.4	7	1	1	3	4	8	10	11
35-49	19	4.2	7	<1	1	3	5	9	10	10
50-64										
65+										
B. *Operated*										
0-19 YRS	16	2.5	5	<1	<1	2	2	7	8	8
20-34	121	2.4	4	<1	1	2	3	4	7	12
35-49	14	2.7	2	1	1	2	4	5	6	6
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	15	3.8	5	1	1	4	4	6	9	10
20-34	109	4.4	11	<1	1	3	6	9	11	17
35-49	15	4.1	11	<1	1	3	6	10	11	11
50-64										
65+										
B. *Operated*										
0-19 YRS	15	3.3	11	1	1	2	3	9	12	13
20-34	110	3.4	7	1	1	2	4	7	10	13
35-49	22	6.0	51	1	1	3	7	13	23	33
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	151	3.5	6	1	1	3	4	8	10	11
B. *Operated*	151	2.5	4	<1	1	2	3	5	7	11
2. MULTIPLE DX										
A. *Not Operated*	139	4.3	10	<1	1	3	6	9	11	17
B. *Operated*	147	3.8	15	1	1	2	4	7	11	17
1. SINGLE DX	302	3.0	6	<1	1	2	4	6	9	11
2. MULTIPLE DX	286	4.0	13	1	1	3	5	8	11	17
A. NOT OPERATED	290	3.9	8	1	1	3	5	8	10	15
B. OPERATED	298	3.1	10	1	1	2	4	7	9	13
TOTAL 0-19 YRS	64	3.2	6	<1	1	2	4	7	9	13
20-34	454	3.4	8	1	1	2	4	7	10	13
35-49	70	4.4	21	1	1	3	5	9	11	30
50-64										
65+										
GRAND TOTAL	**588**	**3.5**	**9**	**1**	**1**	**3**	**4**	**7**	**10**	**13**

291: Cellulitis and abscess, except digit (682)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	411	3.2	3	1	2	3	4	5	7	10
20-34	434	3.6	5	1	2	3	4	6	8	12
35-49	300	3.9	5	1	2	3	5	7	8	12
50-64	202	3.8	4	1	2	3	5	6	7	13
65+	160	4.8	8	2	2	4	6	9	10	14
B. *Operated*										
0-19 YRS	158	4.1	8	1	1	3	5	8	10	14
20-34	231	4.4	8	1	1	4	6	8	10	13
35-49	147	4.2	12	1	1	3	5	9	10	19
50-64	75	4.9	10	1	1	4	6	9	12	15
65+	43	4.9	16	<1	1	4	7	11	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	648	3.6	6	1	2	3	4	6	7	11
20-34	797	4.5	8	1	2	4	6	8	10	16
35-49	943	5.3	15	2	2	4	6	10	12	20
50-64	1067	6.1	17	2	2	5	7	11	13	24
65+	1941	6.7	22	2	3	6	8	11	15	22
B. *Operated*										
0-19 YRS	275	5.9	28	1	2	5	7	11	15	31
20-34	586	6.9	34	2	2	5	8	13	18	29
35-49	607	7.7	43	2	2	6	10	15	21	35
50-64	554	11.1	119	2	3	8	13	23	32	53
65+	714	10.8	84	3	3	8	13	21	27	45
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1507	3.7	5	1	2	3	5	6	8	12
B. *Operated*	654	4.4	10	1	1	4	6	8	11	15
2. MULTIPLE DX										
A. *Not Operated*	5396	5.6	17	2	2	5	7	10	13	21
B. *Operated*	2736	8.9	70	2	2	7	11	18	25	44
1. SINGLE DX	2161	3.9	6	1	2	3	5	7	9	14
2. MULTIPLE DX	8132	6.7	37	2	2	5	8	12	17	32
A. NOT OPERATED	6903	5.2	15	2	2	4	7	9	12	19
B. OPERATED	3390	8.0	61	1	2	6	10	16	23	42
TOTAL 0-19 YRS	1492	4.0	11	1	2	3	5	7	9	16
20-34	2048	5.0	16	1	2	4	6	9	12	21
35-49	1997	5.8	24	2	2	4	7	11	14	27
50-64	1898	7.3	52	2	2	5	8	14	19	43
65+	2858	7.6	41	2	3	6	9	14	18	32
GRAND TOTAL	**10293**	**6.1**	**32**	**2**	**2**	**5**	**7**	**11**	**15**	**29**

292: Miscellaneous infections of skin and subcutaneous tissue (680-681; 683-684; 686)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	104	3.3	3	1	1	3	4	6	7	8
20-34	79	3.2	5	1	2	2	4	6	7	13
35-49	50	4.1	11	1	2	3	5	7	9	18
50-64	19	2.9	4	1	1	2	4	5	7	9
65+	15	2.5	2	<1	1	2	3	4	6	6
B. *Operated*										
0-19 YRS	57	3.3	8	<1	1	2	4	8	10	13
20-34	75	3.3	6	<1	<1	3	4	6	9	10
35-49	49	3.3	6	<1	<1	2	5	7	8	10
50-64	36	4.5	14	<1	<1	4	6	8	13	17
65+	14	3.4	28	<1	<1	1	3	13	17	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	202	3.6	5	1	2	3	4	6	8	12
20-34	127	4.1	9	1	2	3	5	8	10	15
35-49	120	4.4	7	1	2	4	6	8	10	13
50-64	113	5.2	13	2	2	4	6	9	13	20
65+	197	5.8	12	2	2	5	7	9	13	19
B. *Operated*										
0-19 YRS	85	4.6	16	1	1	3	6	8	11	23
20-34	131	5.6	75	1	1	4	6	9	13	42
35-49	118	6.7	30	1	1	5	10	14	19	26
50-64	135	8.2	39	1	2	6	11	18	21	30
65+	145	8.6	50	1	2	6	12	19	23	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	267	3.4	5	1	1	3	4	6	7	13
B. *Operated*	231	3.5	9	<1	<1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	759	4.6	10	2	2	4	6	8	10	17
B. *Operated*	614	6.9	46	1	1	5	9	15	20	28
1. SINGLE DX	498	3.4	7	<1	1	3	4	7	9	14
2. MULTIPLE DX	1373	5.7	27	1	2	4	7	11	15	25
A. NOT OPERATED	1026	4.3	9	1	2	3	5	8	10	16
B. OPERATED	845	6.0	38	<1	1	4	8	13	17	27
TOTAL 0-19 YRS	448	3.7	7	1	1	3	4	7	8	13
20-34	412	4.3	29	1	1	3	5	7	10	18
35-49	337	5.0	17	1	1	4	6	10	14	21
50-64	303	6.3	27	1	2	5	8	13	17	26
65+	371	6.7	30	1	2	5	8	14	18	27
GRAND TOTAL	**1871**	**5.1**	**23**	**1**	**1**	**4**	**6**	**10**	**14**	**23**

293: Pilonidal cyst (685)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	5.0	13	1	1	6	7	8	8	8
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	193	1.6	1	<1	1	1	2	3	3	6
20-34	369	1.7	1	<1	1	1	2	3	4	6
35-49	81	1.9	2	<1	<1	1	2	4	6	8
50-64	17	2.5	2	<1	1	2	3	5	5	5
65+	3	3.3	16	<1	<1	1	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	8	2.3	2	<1	<1	2	3	4	5	5
35-49	1	4.0		4	4	4	4	4	4	4
50-64										
65+	1	11.0		11	11	11	11	11	11	11
B. *Operated*										
0-19 YRS	25	2.5	2	<1	<1	2	3	4	5	6
20-34	66	2.8	12	1	1	2	3	5	8	21
35-49	23	2.2	2	<1	1	2	3	5	5	5
50-64	9	3.1	7	1	1	1	5	7	8	8
65+	3	4.0	9	1	1	4	6	7	7	7
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.0	10	1	1	4	6	8	8	8
B. *Operated*	663	1.7	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	13	3.2	7	<1	<1	3	4	6	10	11
B. *Operated*	126	2.7	8	<1	1	2	3	5	7	17
1. SINGLE DX	668	1.8	1	<1	1	1	2	3	4	7
2. MULTIPLE DX	139	2.7	8	<1	1	2	3	5	7	17
A. NOT OPERATED	18	3.4	7	<1	<1	3	4	7	10	11
B. OPERATED	789	1.9	2	<1	1	1	2	3	4	8
TOTAL 0-19 YRS	224	1.8	1	<1	1	1	2	3	4	7
20-34	445	1.9	3	<1	1	1	2	3	4	8
35-49	105	2.0	2	<1	1	1	2	4	5	8
50-64	26	2.7	3	<1	1	2	4	5	6	8
65+	7	4.7	16	<1	<1	4	8	10	11	11
GRAND TOTAL	**807**	**1.9**	**3**	**<1**	**1**	**1**	**2**	**3**	**5**	**8**

294: Sebaceous cyst (706.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	42	1.0		<1	<1	<1	1	1	2	2
20-34	38	1.2		<1	<1	<1	1	2	3	3
35-49	43	1.4	1	<1	<1	<1	1	2	3	5
50-64	22	1.6	2	<1	<1	<1	2	3	5	7
65+	15	1.3		<1	<1	<1	1	2	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	8	1.5	1	<1	<1	<1	2	3	3	3
20-34	14	2.1	3	<1	<1	1	2	5	6	6
35-49	13	3.1	6	<1	<1	2	5	7	7	7
50-64	13	1.8	1	<1	<1	1	3	3	4	4
65+	14	4.3	20	<1	<1	2	8	12	14	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	160	1.3	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX										
A. *Not Operated*	3	2.0	3	<1	<1	1	3	4	4	4
B. *Operated*	62	2.7	7	<1	<1	1	3	6	8	14
1. SINGLE DX	162	1.3	1	<1	<1	<1	1	2	3	5
2. MULTIPLE DX	65	2.6	7	<1	<1	1	3	6	8	14
A. NOT OPERATED	5	1.6	2	<1	<1	1	2	4	4	4
B. OPERATED	222	1.7	3	<1	<1	<1	1	3	5	9
TOTAL 0-19 YRS	52	1.1		<1	<1	<1	1	2	2	3
20-34	53	1.5	1	<1	<1	<1	1	3	5	6
35-49	57	1.8	2	<1	<1	<1	2	4	5	7
50-64	35	1.7	2	<1	<1	<1	2	3	4	7
65+	30	2.8	11	<1	<1	1	3	8	12	14
GRAND TOTAL	**227**	**1.7**	**3**	**<1**	**<1**	**<1**	**1**	**3**	**5**	**9**

295: Miscellaneous diseases of skin and subcutaneous tissue (690-705; 706.0-706.1; 706.3-706.9; 707-709)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	93	2.6	6	1	1	2	3	5	7	15
20-34	74	3.5	27	1	1	2	4	6	7	37
35-49	58	4.3	61	<1	1	2	5	7	10	55
50-64	24	4.6	23	1	1	3	5	11	17	19
65+	39	4.9	16	1	2	4	7	9	12	22
B. *Operated*										
0-19 YRS	125	2.2	11	<1	<1	<1	2	4	8	19
20-34	164	3.5	35	<1	<1	1	4	8	11	26
35-49	195	3.0	13	<1	<1	2	3	7	9	15
50-64	135	4.5	43	<1	<1	2	6	9	15	42
65+	118	5.4	46	<1	<1	2	8	15	17	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	181	3.3	9	1	1	3	4	6	8	16
20-34	211	4.9	21	1	1	4	6	9	13	28
35-49	219	5.9	52	1	2	4	7	11	14	35
50-64	274	6.2	27	1	2	5	8	13	17	31
65+	824	7.9	54	2	2	6	10	15	21	42
B. *Operated*										
0-19 YRS	142	7.0	127	<1	<1	2	7	17	38	52
20-34	348	14.5	259	1	1	8	23	41	52	71
35-49	455	13.4	236	1	1	7	22	35	49	82
50-64	508	11.2	171	1	1	7	15	29	39	92
65+	1115	15.4	207	1	3	11	20	36	49	91
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	288	3.6	26	1	1	2	4	7	9	21
B. *Operated*	737	3.6	29	<1	<1	2	4	9	13	27
2. MULTIPLE DX										
A. *Not Operated*	1709	6.5	43	1	2	5	8	13	17	34
B. *Operated*	2568	13.6	213	1	1	8	19	35	47	88
1. SINGLE DX	1025	3.6	28	<1	<1	2	4	8	12	26
2. MULTIPLE DX	4277	10.8	157	1	1	6	14	27	39	70
A. NOT OPERATED	1997	6.1	42	1	1	4	7	13	16	34
B. OPERATED	3305	11.4	189	<1	1	6	15	30	44	74
TOTAL 0-19 YRS	541	3.9	43	<1	<1	2	4	8	13	40
20-34	797	8.7	155	<1	1	4	9	25	39	62
35-49	927	8.9	155	<1	1	4	9	26	37	70
50-64	941	8.6	115	1	1	5	10	22	31	72
65+	2096	11.7	150	1	2	8	15	27	39	68
GRAND TOTAL	**5302**	**9.4**	**140**	**<1**	**1**	**5**	**11**	**24**	**36**	**66**

296: Diffuse diseases of connective tissue (710)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	5.1	9	2	2	4	7	10	10	10
20-34	13	2.5	2	1	1	2	3	4	5	5
35-49	23	7.0	45	<1	1	5	8	16	22	30
50-64	9	6.3	13	3	3	5	8	12	14	14
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	6	2.7	10	1	1	2	2	8	9	9
20-34	25	2.5	12	<1	<1	1	2	6	9	17
35-49	17	3.5	11	1	1	2	5	7	12	14
50-64	9	7.3	69	<1	<1	2	13	21	21	21
65+	4	3.5	9	<1	<1	3	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	36	4.4	12	<1	1	4	5	10	12	15
20-34	168	5.7	35	1	2	4	7	11	18	34
35-49	139	4.8	9	1	2	4	6	9	10	15
50-64	111	6.9	45	1	2	5	8	14	20	36
65+	120	7.9	62	2	2	6	10	14	17	45
B. *Operated*										
0-19 YRS	20	22.6	677	1	2	12	28	63	85	99
20-34	77	8.6	91	1	1	6	10	19	23	55
35-49	73	10.3	105	1	1	8	14	19	32	53
50-64	67	10.2	101	2	2	7	13	21	38	46
65+	49	15.7	239	2	3	11	18	32	56	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	54	5.4	26	1	1	4	6	11	16	29
B. *Operated*	61	3.6	21	<1	1	2	4	8	15	21
2. MULTIPLE DX										
A. *Not Operated*	574	6.1	36	1	2	4	8	12	16	33
B. *Operated*	286	11.6	174	1	1	8	14	24	41	69
1. SINGLE DX	115	4.4	24	<1	1	3	5	10	16	24
2. MULTIPLE DX	860	7.9	88	1	2	5	9	16	22	53
A. NOT OPERATED	628	6.0	35	1	2	4	7	12	16	32
B. OPERATED	347	10.2	156	1	1	7	13	21	33	66
TOTAL 0-19 YRS	69	9.6	267	1	1	4	10	22	43	94
20-34	283	6.0	49	1	1	4	7	13	19	37
35-49	252	6.5	46	1	1	5	8	14	17	32
50-64	196	8.0	65	1	2	6	9	18	23	44
65+	175	10.0	122	2	2	7	12	18	29	69
GRAND TOTAL	**975**	**7.5**	**82**	**1**	**1**	**5**	**9**	**16**	**21**	**51**

297: Rheumatoid arthritis, except spine (714)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	30	3.2	5	1	1	3	3	7	9	10
20-34	21	5.0	14	1	1	4	8	11	12	12
35-49	30	5.2	24	1	1	4	6	12	14	23
50-64	40	4.9	8	1	2	4	7	8	10	13
65+	36	5.4	46	2	2	4	6	8	12	42
B. *Operated*										
0-19 YRS	19	4.7	15	<1	<1	4	8	11	12	13
20-34	53	5.5	16	<1	1	5	9	11	13	14
35-49	128	4.2	14	1	1	3	6	9	12	17
50-64	272	5.3	20	1	1	4	8	11	13	20
65+	195	5.9	18	1	1	5	9	12	14	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	34	9.6	83	1	2	5	14	24	30	39
20-34	33	6.8	35	1	2	4	10	14	19	27
35-49	71	4.8	12	1	1	4	6	11	12	15
50-64	154	6.7	37	1	1	5	9	13	16	27
65+	284	6.3	20	1	2	5	8	12	15	22
B. *Operated*										
0-19 YRS	12	6.0	26	1	1	4	8	15	16	16
20-34	74	6.6	64	1	1	4	8	13	28	42
35-49	190	5.7	34	1	1	4	8	11	13	33
50-64	486	6.5	43	1	1	4	9	13	15	32
65+	555	8.6	54	1	2	8	11	15	19	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	157	4.8	20	1	2	3	6	9	12	22
B. *Operated*	667	5.3	18	1	1	4	8	11	13	18
2. MULTIPLE DX										
A. *Not Operated*	576	6.4	29	1	2	5	8	13	16	27
B. *Operated*	1317	7.3	49	1	1	5	10	14	17	37
1. SINGLE DX	824	5.2	19	1	1	4	8	11	13	18
2. MULTIPLE DX	1893	7.0	43	1	1	5	10	13	17	33
A. NOT OPERATED	733	6.1	27	1	2	5	8	12	15	26
B. OPERATED	1984	6.6	39	1	1	5	9	13	16	32
TOTAL 0-19 YRS	95	6.1	44	1	1	4	8	14	17	35
20-34	181	6.2	39	1	1	4	8	12	14	34
35-49	419	5.1	24	1	1	4	7	10	13	22
50-64	952	6.1	34	1	1	4	9	12	15	27
65+	1070	7.4	40	1	2	6	10	14	17	32
GRAND TOTAL	**2717**	**6.5**	**36**	**1**	**1**	**5**	**9**	**13**	**16**	**30**

298: Osteoarthrosis (osteoarthritis), except spine (715)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	6.0	9	3	3	6	8	9	9	9
35-49	6	2.0	2	<1	<1	1	2	5	5	5
50-64	10	5.3	12	1	1	5	9	10	10	10
65+	44	5.3	22	<1	1	4	8	11	16	20
B. *Operated*										
0-19 YRS	12	3.6	7	<1	1	3	5	8	9	9
20-34	156	3.4	7	<1	1	3	5	8	9	12
35-49	349	4.3	14	<1	<1	3	7	9	11	14
50-64	1364	6.9	15	1	1	7	9	12	13	16
65+	2325	9.2	13	2	5	9	11	14	15	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	6.0	8	4	4	6	8	8	8	8
20-34	5	6.6	61	1	1	3	10	20	20	20
35-49	20	5.1	23	<1	<1	3	8	11	15	19
50-64	81	3.7	14	<1	<1	2	5	8	10	19
65+	527	5.5	39	<1	1	4	8	12	15	25
B. *Operated*										
0-19 YRS	13	6.5	25	1	1	7	10	14	16	16
20-34	164	3.9	11	<1	1	3	5	9	11	15
35-49	491	5.3	18	<1	1	4	8	11	13	17
50-64	1871	8.1	23	1	2	8	11	13	15	23
65+	5454	10.6	29	3	6	10	13	16	19	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	64	5.0	18	<1	1	3	8	11	13	20
B. *Operated*	4206	7.8	17	1	1	8	10	13	15	18
2. MULTIPLE DX										
A. *Not Operated*	635	5.3	36	<1	1	4	7	11	15	24
B. *Operated*	7993	9.6	30	1	3	9	12	15	18	26
1. SINGLE DX	4270	7.8	17	1	1	8	10	13	15	18
2. MULTIPLE DX	8628	9.2	31	1	2	9	12	15	17	26
A. NOT OPERATED	699	5.3	34	<1	1	4	7	11	15	23
B. OPERATED	12199	9.0	26	1	2	9	11	14	16	24
TOTAL 0-19 YRS	28	5.1	17	1	1	3	8	11	13	16
20-34	328	3.7	10	<1	1	3	5	8	10	16
35-49	866	4.9	17	<1	1	4	7	10	12	17
50-64	3326	7.5	20	1	1	8	10	13	15	21
65+	8350	9.9	27	2	4	9	12	15	17	25
GRAND TOTAL	**12898**	**8.8**	**27**	**1**	**2**	**9**	**11**	**14**	**16**	**24**

299: Other arthropathies (711-713; 716)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	61	5.8	21	1	2	4	8	12	15	21
20-34	64	4.6	16	1	1	4	5	8	12	25
35-49	30	4.0	12	<1	<1	3	5	9	12	15
50-64	15	4.5	5	2	2	4	6	9	9	9
65+	25	3.8	5	1	1	3	5	7	8	10
B. *Operated*										
0-19 YRS	60	6.9	29	1	1	6	9	14	16	30
20-34	152	3.4	8	1	1	2	4	7	9	18
35-49	189	4.0	16	1	1	3	5	7	10	24
50-64	203	4.8	18	1	1	4	7	10	13	23
65+	77	7.0	20	1	2	7	10	12	16	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	85	8.0	68	1	2	5	10	16	23	46
20-34	80	5.1	16	1	2	4	6	10	13	22
35-49	86	5.3	15	<1	1	4	6	10	14	19
50-64	88	5.3	21	<1	1	4	7	10	13	28
65+	216	6.9	28	2	2	5	9	15	17	30
B. *Operated*										
0-19 YRS	120	10.6	58	2	3	9	14	19	24	42
20-34	244	7.1	54	1	1	5	9	15	20	36
35-49	255	7.0	89	1	1	4	8	15	21	49
50-64	282	8.1	64	1	1	6	11	17	26	41
65+	333	11.7	81	1	2	10	15	22	31	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	195	4.8	15	1	1	4	6	10	12	21
B. *Operated*	681	4.7	18	1	1	4	6	10	13	20
2. MULTIPLE DX										
A. *Not Operated*	555	6.3	30	1	2	5	8	13	16	29
B. *Operated*	1234	8.9	75	1	1	7	12	18	26	43
1. SINGLE DX	876	4.7	17	1	1	4	6	10	13	21
2. MULTIPLE DX	1789	8.1	62	1	2	6	11	16	23	40
A. NOT OPERATED	750	5.9	27	1	2	4	7	12	15	27
B. OPERATED	1915	7.4	58	1	1	5	10	16	21	39
TOTAL 0-19 YRS	326	8.4	51	1	2	6	11	16	21	37
20-34	540	5.5	33	1	1	4	7	11	16	31
35-49	560	5.6	50	1	1	4	6	11	16	35
50-64	588	6.4	43	1	1	4	8	13	17	34
65+	651	9.2	60	1	2	7	12	18	23	37
GRAND TOTAL	**2665**	**7.0**	**50**	**1**	**1**	**5**	**9**	**15**	**19**	**36**

300: Internal derangement of knee joint (717)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	5	3.6	7	1	1	3	5	8	8	8
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	289	2.0	2	<1	<1	1	3	4	4	6
20-34	762	2.4	3	<1	<1	2	3	4	5	7
35-49	373	1.9	2	<1	<1	1	2	4	5	7
50-64	153	1.7	2	<1	<1	1	2	4	5	9
65+	58	2.2	4	<1	<1	1	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	7	4.9	22	<1	<1	2	9	12	12	12
35-49	8	1.3	1	<1	<1	1	1	2	3	3
50-64	11	1.4		<1	<1	1	2	3	3	3
65+	8	4.8	21	<1	<1	3	7	12	14	14
B. *Operated*										
0-19 YRS	278	2.5	3	<1	<1	2	3	5	6	7
20-34	1010	2.6	3	<1	<1	2	3	5	5	9
35-49	610	2.3	4	<1	<1	2	3	5	6	9
50-64	427	2.0	4	<1	<1	1	2	4	5	10
65+	255	2.4	6	<1	<1	1	3	5	7	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	13	2.3	4	<1	<1	1	3	5	7	8
B. *Operated*	1635	2.1	3	<1	<1	1	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	37	2.8	11	<1	<1	1	3	9	11	14
B. *Operated*	2580	2.4	4	<1	<1	2	3	4	6	9
1. SINGLE DX	1648	2.1	3	<1	<1	1	3	4	5	7
2. MULTIPLE DX	2617	2.4	4	<1	<1	2	3	4	6	9
A. NOT OPERATED	50	2.6	9	<1	<1	1	3	7	10	14
B. OPERATED	4215	2.3	3	<1	<1	2	3	4	5	9
TOTAL 0-19 YRS	571	2.2	2	<1	<1	2	3	4	5	7
20-34	1784	2.5	4	<1	<1	2	3	4	5	9
35-49	995	2.1	3	<1	<1	1	3	4	6	8
50-64	592	1.9	4	<1	<1	1	2	4	5	9
65+	323	2.4	6	<1	<1	1	3	5	8	12
GRAND TOTAL	**4265**	**2.3**	**4**	**<1**	**<1**	**2**	**3**	**4**	**5**	**9**

301: Other disorders of joint (718-719)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	48	4.2	74	1	1	2	4	9	12	59
20-34	43	2.8	5	<1	<1	2	4	6	8	10
35-49	20	3.1	4	<1	1	3	4	6	7	8
50-64	23	2.7	4	<1	<1	2	3	5	7	9
65+	24	4.2	9	1	1	3	5	8	11	13
B. *Operated*										
0-19 YRS	878	2.2	2	<1	1	2	3	4	4	7
20-34	1650	2.4	3	<1	1	2	3	4	5	8
35-49	539	2.3	2	<1	1	2	3	4	5	7
50-64	154	2.4	5	<1	<1	2	3	4	6	13
65+	83	3.7	10	<1	1	3	5	8	11	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	64	3.4	43	<1	<1	2	4	6	9	46
20-34	103	3.3	20	<1	<1	2	4	7	10	28
35-49	87	3.9	14	<1	<1	3	4	9	12	19
50-64	80	3.8	11	1	1	3	5	8	11	17
65+	261	5.2	26	1	1	4	6	10	13	23
B. *Operated*										
0-19 YRS	488	2.8	6	<1	1	2	3	5	7	14
20-34	932	2.8	5	<1	1	2	3	5	7	12
35-49	518	3.3	24	<1	1	2	4	6	9	12
50-64	299	4.0	24	1	1	2	5	9	13	24
65+	260	6.3	34	1	1	5	8	14	17	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	158	3.4	26	<1	1	2	4	6	10	13
B. *Operated*	3304	2.3	3	<1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	595	4.3	24	<1	1	3	5	9	12	21
B. *Operated*	2497	3.4	16	<1	1	2	4	7	10	18
1. SINGLE DX	3462	2.4	4	<1	1	2	3	4	5	9
2. MULTIPLE DX	3092	3.6	17	<1	1	2	4	7	10	18
A. NOT OPERATED	753	4.1	24	<1	1	3	5	9	12	19
B. OPERATED	5801	2.8	9	<1	1	2	3	5	7	15
TOTAL 0-19 YRS	1478	2.5	8	<1	1	2	3	4	5	11
20-34	2728	2.5	4	<1	1	2	3	4	6	11
35-49	1164	2.9	13	<1	1	2	4	5	7	12
50-64	556	3.4	17	<1	1	2	4	7	11	22
65+	628	5.4	27	1	1	4	7	12	15	24
GRAND TOTAL	**6554**	**2.9**	**11**	**<1**	**1**	**2**	**3**	**5**	**8**	**15**

302: Ankylosing spondylitis (720.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	4	4.8	9	2	2	4	7	9	9	9
50-64	1	7.0		7	7	7	7	7	7	7
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS										
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	3	6.7	26	1	1	8	10	11	11	11
50-64	3	6.7	16	2	2	9	9	9	9	9
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	3.3	5	2	2	2	5	6	6	6
35-49	14	5.7	15	<1	1	5	8	11	14	15
50-64	11	5.7	15	1	2	4	8	12	14	14
65+	14	8.0	203	1	2	3	6	18	48	56
B. *Operated*										
0-19 YRS										
20-34	5	7.2	13	2	2	9	10	11	11	11
35-49	8	14.0	73	5	5	12	20	27	29	29
50-64	12	7.8	37	1	2	5	13	18	18	18
65+	6	13.0	42	5	5	12	19	22	22	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	4.3	8	2	2	4	6	9	9	9
B. *Operated*	9	5.3	17	1	1	6	9	10	11	11
2. MULTIPLE DX										
A. *Not Operated*	42	6.3	75	1	1	4	7	12	15	56
B. *Operated*	31	10.3	49	2	3	9	14	20	22	29
1. SINGLE DX	16	4.9	12	1	1	4	8	9	10	11
2. MULTIPLE DX	73	8.0	67	1	2	5	10	18	21	50
A. NOT OPERATED	49	6.0	65	1	2	4	7	11	14	56
B. OPERATED	40	9.2	45	1	2	8	12	19	22	29
TOTAL 0-19 YRS										
20-34	11	5.0	12	1	1	5	8	10	11	11
35-49	29	8.0	43	1	1	6	10	17	22	29
50-64	27	6.8	24	1	2	5	9	14	18	18
65+	22	8.8	146	1	2	4	12	20	36	56
GRAND TOTAL	**89**	**7.4**	**58**	**1**	**2**	**5**	**9**	**15**	**19**	**45**

303: Spondylosis and allied disorders (721)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	17	4.8	10	1	1	4	7	9	10	11
35-49	43	4.1	9	1	1	4	6	8	9	14
50-64	55	4.8	8	1	1	5	7	8	10	14
65+	61	4.8	9	1	1	4	6	10	10	13
B. *Operated*										
0-19 YRS	2	8.5	13	6	6	8	11	11	11	11
20-34	117	3.7	18	1	1	2	5	8	12	25
35-49	423	3.5	8	1	1	3	5	7	9	14
50-64	470	3.9	12	1	1	3	6	8	10	15
65+	281	4.6	17	1	1	4	7	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	2.3	5	<1	<1	<1	4	5	5	5
20-34	22	6.4	19	1	1	6	8	12	16	18
35-49	88	4.5	7	1	1	4	6	8	9	13
50-64	238	5.2	14	1	1	4	7	10	13	17
65+	661	5.9	16	1	2	5	8	11	13	20
B. *Operated*										
0-19 YRS	1	10.0		10	10	10	10	10	10	10
20-34	129	4.3	14	1	1	4	6	9	11	17
35-49	528	4.9	17	1	1	4	7	10	13	19
50-64	873	5.7	24	1	1	5	8	11	14	23
65+	803	7.5	52	1	1	6	10	15	20	34
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	4.6	9	1	1	4	7	9	10	14
B. *Operated*	1293	3.9	12	1	1	3	6	8	11	16
2. MULTIPLE DX										
A. *Not Operated*	1012	5.6	15	1	2	5	7	10	13	19
B. *Operated*	2334	6.1	33	1	1	5	8	12	16	27
1. SINGLE DX	1469	4.0	12	1	1	3	6	8	11	15
2. MULTIPLE DX	3346	5.9	27	1	1	5	8	12	15	25
A. NOT OPERATED	1188	5.5	14	1	1	5	7	10	12	18
B. OPERATED	3627	5.3	27	1	1	4	7	11	14	24
TOTAL 0-19 YRS	6	5.7	18	<1	<1	5	10	11	11	11
20-34	285	4.3	16	1	1	3	6	9	12	18
35-49	1082	4.3	13	1	1	4	6	9	11	16
50-64	1636	5.1	19	1	1	4	7	10	13	21
65+	1806	6.4	33	1	1	5	8	12	16	28
GRAND TOTAL	**4815**	**5.3**	**23**	**1**	**1**	**4**	**7**	**11**	**14**	**22**

304: Derangement and displacement of lumbar disc (722.10; 722.32; 722.52; 722.73; 722.83; 722.93)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	32	4.7	15	1	1	4	6	11	13	16
20-34	540	4.9	11	1	1	4	7	9	11	15
35-49	755	5.1	15	1	1	4	7	10	12	18
50-64	348	5.6	12	1	1	5	7	10	12	18
65+	133	5.2	10	1	1	5	7	9	11	16
B. *Operated*										
0-19 YRS	139	3.8	8	1	1	3	5	8	10	13
20-34	3937	4.4	11	1	1	4	6	8	10	16
35-49	5175	4.6	12	1	1	4	6	9	11	17
50-64	2194	4.6	14	1	1	4	6	9	12	18
65+	594	5.6	19	1	1	5	8	11	13	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.5	1	<1	<1	1	2	3	3	3
20-34	337	5.9	29	<1	1	5	8	12	14	22
35-49	632	6.4	22	1	2	5	8	12	15	25
50-64	588	6.4	20	1	2	6	8	11	15	22
65+	609	6.7	18	2	2	6	8	12	14	23
B. *Operated*										
0-19 YRS	38	6.8	24	1	2	6	7	15	17	21
20-34	1304	6.2	25	1	1	5	8	12	16	25
35-49	2460	6.6	26	1	1	6	9	13	16	25
50-64	1844	6.9	39	1	1	6	9	13	17	29
65+	1177	8.4	39	1	1	8	11	16	20	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1808	5.1	13	1	1	5	7	10	12	17
B. *Operated*	12039	4.6	12	1	1	4	6	9	11	17
2. MULTIPLE DX										
A. *Not Operated*	2170	6.4	22	1	2	5	8	12	14	22
B. *Operated*	6823	6.9	32	1	1	6	9	13	17	26
1. SINGLE DX	13847	4.7	13	1	1	4	6	9	11	17
2. MULTIPLE DX	8993	6.8	30	1	1	6	9	13	16	26
A. NOT OPERATED	3978	5.8	18	1	1	5	8	11	13	20
B. OPERATED	18862	5.4	21	1	1	5	7	11	14	22
TOTAL 0-19 YRS	213	4.5	13	1	1	4	6	9	13	17
20-34	6118	4.9	15	1	1	4	7	9	12	19
35-49	9022	5.3	18	1	1	5	7	10	13	21
50-64	4974	5.8	25	1	1	5	8	11	14	22
65+	2513	7.2	29	1	1	6	9	13	16	25
GRAND TOTAL	**22840**	**5.5**	**20**	**1**	**1**	**5**	**7**	**11**	**13**	**21**

305: Derangement and displacement of intervertebral disc, except lumbar (722.0; 722.11-722.31; 722.39-722.51; 722.6-722.72; 722.80-722.82; 722.90-722.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	3.3	8	1	1	3	5	7	7	7
20-34	50	3.3	4	1	1	3	4	6	7	9
35-49	111	3.9	8	1	1	3	5	8	9	13
50-64	54	3.3	8	1	1	2	4	8	10	13
65+	14	5.1	16	1	1	4	9	10	13	14
B. *Operated*										
0-19 YRS	3	4.0	7	1	1	5	6	6	6	6
20-34	390	3.8	11	1	1	3	5	7	8	19
35-49	1119	3.7	9	1	1	3	5	7	9	14
50-64	462	3.9	10	1	1	3	5	8	11	16
65+	75	4.4	15	1	1	4	6	9	13	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	10.2	21	5	5	11	14	15	15	15
20-34	34	3.9	14	<1	1	3	5	7	10	21
35-49	108	5.4	19	<1	1	4	8	10	13	22
50-64	109	4.6	8	1	1	4	6	9	10	12
65+	108	5.7	24	2	2	4	7	10	13	30
B. *Operated*										
0-19 YRS	4	6.8	19	3	3	5	9	13	13	13
20-34	170	4.7	16	1	1	4	6	10	13	22
35-49	676	5.0	20	1	1	4	6	10	14	24
50-64	463	5.5	28	1	1	4	7	11	15	30
65+	146	7.8	63	1	1	6	10	15	23	39
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	233	3.7	8	1	1	3	5	8	9	13
B. *Operated*	2049	3.8	10	1	1	3	5	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	364	5.2	17	1	1	4	7	10	12	22
B. *Operated*	1459	5.4	27	1	1	4	7	11	15	26
1. SINGLE DX	2282	3.8	10	1	1	3	5	7	9	15
2. MULTIPLE DX	1823	5.4	25	1	1	4	7	11	14	26
A. NOT OPERATED	597	4.6	14	1	1	4	6	9	11	20
B. OPERATED	3508	4.4	18	1	1	4	6	8	12	22
TOTAL 0-19 YRS	16	6.4	21	1	1	5	9	14	15	15
20-34	644	4.0	12	1	1	3	5	7	9	21
35-49	2014	4.2	14	1	1	4	5	8	11	20
50-64	1088	4.6	18	1	1	4	6	9	12	23
65+	343	6.3	40	1	1	5	7	12	17	34
GRAND TOTAL	**4105**	**4.5**	**17**	**1**	**1**	**4**	**6**	**9**	**11**	**22**

306: Sacroiliac joint disorder (720.2; 724.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	43	4.2	8	<1	1	4	5	8	11	12
35-49	41	6.8	38	2	3	6	7	10	16	39
50-64	21	5.0	10	2	2	5	6	8	12	16
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	3	5.3	17	2	2	4	8	10	10	10
20-34	60	3.4	24	1	1	1	5	9	11	30
35-49	64	3.6	14	1	1	1	6	9	11	14
50-64	13	2.9	12	1	1	1	5	8	11	12
65+	3	3.3	1	2	2	4	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	10	7.1	28	1	1	7	9	15	17	17
20-34	36	5.8	14	1	2	5	8	12	13	16
35-49	58	5.3	13	1	2	4	7	10	14	18
50-64	33	6.1	11	1	2	6	8	11	12	13
65+	34	5.3	15	2	2	4	6	10	15	19
B. *Operated*										
0-19 YRS										
20-34	44	5.9	31	<1	1	5	9	14	17	24
35-49	66	7.3	44	1	1	7	10	14	18	36
50-64	28	7.4	48	1	1	6	9	14	25	32
65+	11	7.6	115	1	1	2	9	27	32	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	106	5.3	21	1	2	5	7	9	12	29
B. *Operated*	143	3.5	18	1	1	1	6	9	11	15
2. MULTIPLE DX										
A. *Not Operated*	171	5.7	14	1	2	5	7	11	13	18
B. *Operated*	149	6.9	45	1	1	6	9	14	20	33
1. SINGLE DX	249	4.3	20	1	1	3	6	9	11	21
2. MULTIPLE DX	320	6.3	29	1	1	5	8	12	16	32
A. NOT OPERATED	277	5.5	17	1	2	5	7	10	13	19
B. OPERATED	292	5.2	35	1	1	3	8	11	14	32
TOTAL 0-19 YRS	13	6.7	24	1	1	7	9	14	16	17
20-34	183	4.7	21	1	1	3	7	10	13	23
35-49	229	5.7	29	1	1	4	8	11	14	33
50-64	95	5.8	23	1	1	5	8	11	13	28
65+	49	5.6	36	1	1	4	6	12	19	33
GRAND TOTAL	**569**	**5.4**	**26**	**1**	**1**	**4**	**8**	**11**	**14**	**30**

307: Sciatica (724.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34	27	3.4	6	<1	<1	3	5	8	8	8
35-49	52	4.6	12	1	1	4	6	9	13	14
50-64	43	4.9	13	1	1	4	6	10	12	18
65+	20	4.9	15	1	2	4	6	9	13	18
B. *Operated*										
0-19 YRS										
20-34	41	2.1	4	1	1	1	2	7	7	7
35-49	57	2.7	9	<1	1	1	3	8	10	13
50-64	27	3.1	19	1	1	1	3	6	13	21
65+	5	3.8	27	<1	<1	1	5	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	33	4.8	35	<1	1	3	6	8	9	35
35-49	72	6.3	35	1	2	5	7	11	16	35
50-64	79	5.6	14	1	2	5	7	10	12	22
65+	141	5.8	10	2	2	5	7	9	12	17
B. *Operated*										
0-19 YRS	2	3.0	8	1	1	3	5	5	5	5
20-34	30	3.5	10	1	1	2	6	9	10	10
35-49	39	4.6	16	1	1	3	7	11	13	14
50-64	41	5.0	18	1	1	3	8	11	14	16
65+	29	6.0	20	1	1	5	9	12	14	17
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	143	4.5	12	<1	1	4	6	9	12	18
B. *Operated*	130	2.6	10	<1	1	1	3	7	10	15
2. MULTIPLE DX										
A. *Not Operated*	327	5.7	19	1	2	5	7	9	13	26
B. *Operated*	141	4.7	16	1	1	3	7	11	12	16
1. SINGLE DX	273	3.6	12	<1	1	2	5	8	11	17
2. MULTIPLE DX	468	5.4	18	1	1	5	7	10	12	22
A. NOT OPERATED	470	5.4	17	1	1	5	7	9	12	22
B. OPERATED	271	3.7	14	1	1	2	6	9	12	16
TOTAL 0-19 YRS	5	2.4	4	1	1	1	4	5	5	5
20-34	131	3.4	15	<1	1	2	5	7	8	15
35-49	220	4.7	21	1	1	3	6	10	13	25
50-64	190	5.0	16	1	1	4	7	10	12	20
65+	195	5.7	12	1	2	5	7	10	13	17
GRAND TOTAL	**741**	**4.8**	**17**	**1**	**1**	**4**	**7**	**9**	**12**	**18**

308: Other dorsopathies (720.1; 720.8-720.9; 723; 724.0-724.2; 724.4-724.5 724.7-724.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	46	3.1	9	<1	1	2	4	6	7	19
20-34	486	4.4	11	1	1	4	6	8	11	17
35-49	634	4.5	14	1	1	4	6	9	12	18
50-64	331	4.4	16	<1	1	4	6	9	11	22
65+	188	3.6	13	<1	1	3	5	7	9	17
B. *Operated*										
0-19 YRS	30	2.2	3	<1	1	1	3	5	6	7
20-34	721	2.4	7	1	1	1	3	6	8	12
35-49	1088	2.7	8	1	1	1	4	7	9	13
50-64	803	3.6	10	1	1	2	6	8	9	14
65+	611	4.9	16	1	1	5	8	10	12	18
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	61	3.1	5	<1	<1	3	4	6	8	9
20-34	593	5.6	29	1	1	4	7	12	16	29
35-49	1023	6.1	31	1	1	5	7	12	16	32
50-64	831	5.7	26	1	1	4	7	11	15	27
65+	1108	5.7	18	1	2	5	7	11	13	21
B. *Operated*										
0-19 YRS	32	4.3	19	<1	1	3	7	8	10	22
20-34	648	4.0	20	1	1	2	6	9	12	18
35-49	1059	4.6	25	1	1	3	7	10	14	28
50-64	1205	5.8	37	1	1	5	8	11	15	29
65+	1637	8.4	44	1	1	7	11	16	20	33
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1685	4.3	13	<1	1	4	6	8	11	18
B. *Operated*	3253	3.2	10	1	1	1	5	8	9	14
2. MULTIPLE DX										
A. *Not Operated*	3616	5.7	25	1	1	5	7	11	15	27
B. *Operated*	4581	6.2	37	1	1	5	8	13	17	29
1. SINGLE DX	4938	3.6	12	1	1	2	5	8	10	15
2. MULTIPLE DX	8197	6.0	32	1	1	5	8	12	16	29
A. NOT OPERATED	5301	5.3	22	1	1	4	7	10	14	25
B. OPERATED	7834	5.0	28	1	1	3	7	11	14	24
TOTAL 0-19 YRS	169	3.2	9	<1	1	2	4	7	8	17
20-34	2448	4.0	18	1	1	3	5	8	12	19
35-49	3804	4.5	22	1	1	3	6	9	13	23
50-64	3170	5.1	26	1	1	4	7	10	13	25
65+	3544	6.7	32	1	1	6	9	13	17	27
GRAND TOTAL	**13135**	**5.1**	**26**	**1**	**1**	**4**	**7**	**11**	**14**	**25**

309: Bursitis and synovitis, except spine (726-727.0; 727.2-727.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	96	2.4	2	1	1	2	3	4	5	9
20-34	42	3.1	4	<1	1	3	4	6	7	9
35-49	78	3.8	7	<1	1	3	5	7	8	14
50-64	41	3.8	10	1	1	3	5	7	10	17
65+	24	3.2	7	1	1	2	4	7	10	11
B. *Operated*										
0-19 YRS	138	1.9	3	<1	<1	1	2	4	5	9
20-34	467	1.9	3	<1	<1	1	2	3	5	9
35-49	713	2.0	3	<1	<1	2	2	4	5	8
50-64	545	2.0	2	<1	<1	2	2	4	5	7
65+	170	2.2	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	3.5	5	1	1	3	4	7	7	12
20-34	69	3.8	8	1	1	3	4	7	9	16
35-49	86	4.0	7	1	1	3	5	7	9	13
50-64	116	4.4	12	<1	1	4	6	9	11	18
65+	171	4.5	9	1	1	4	6	8	9	15
B. *Operated*										
0-19 YRS	70	3.0	9	<1	<1	2	3	8	10	14
20-34	397	3.0	11	<1	1	2	3	5	8	15
35-49	700	2.7	6	<1	1	2	3	5	7	14
50-64	662	2.9	9	<1	1	2	3	5	8	16
65+	352	4.3	21	1	1	3	5	9	12	25
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	281	3.1	6	1	1	2	4	6	8	11
B. *Operated*	2033	2.0	3	<1	<1	1	2	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	492	4.2	9	1	1	3	6	8	10	15
B. *Operated*	2181	3.1	11	<1	1	2	3	6	9	16
1. SINGLE DX	2314	2.1	3	<1	<1	2	3	4	5	9
2. MULTIPLE DX	2673	3.3	10	<1	1	2	4	7	9	16
A. NOT OPERATED	773	3.8	8	1	1	3	5	7	9	14
B. OPERATED	4214	2.6	7	<1	<1	2	3	5	7	14
TOTAL 0-19 YRS	354	2.5	4	<1	<1	2	3	5	7	11
20-34	975	2.5	7	<1	<1	2	3	5	7	13
35-49	1577	2.5	5	<1	1	2	3	5	6	12
50-64	1364	2.7	7	<1	1	2	3	5	7	14
65+	717	3.8	14	<1	1	3	5	8	9	24
GRAND TOTAL	**4987**	**2.8**	**7**	**<1**	**<1**	**2**	**3**	**5**	**7**	**14**

310: Bunion and deformities of toe (727.1; 735)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	1.3		<1	<1	1	2	2	2	2
35-49	2	1.0		1	1	1	1	1	1	1
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*										
0-19 YRS	114	1.6	1	<1	1	1	2	3	3	4
20-34	219	2.0	1	<1	<1	2	3	3	4	6
35-49	322	2.0	2	<1	<1	2	2	4	4	7
50-64	376	2.0	1	<1	<1	2	3	4	4	6
65+	158	2.0	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	5	1.4	1	<1	<1	<1	1	3	3	3
35-49	6	1.2		<1	<1	1	1	2	2	2
50-64	7	1.0		<1	<1	<1	1	1	1	1
65+	11	2.4	3	<1	<1	2	3	5	6	6
B. *Operated*										
0-19 YRS	151	2.1	1	<1	1	2	3	4	4	5
20-34	332	2.2	2	<1	1	2	3	4	5	10
35-49	648	2.2	2	<1	1	2	3	4	5	7
50-64	1028	2.3	2	1	1	2	3	4	5	7
65+	832	2.5	3	<1	1	2	3	4	6	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	1.1		<1	<1	1	1	2	2	2
B. *Operated*	1189	2.0	1	<1	<1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	30	1.6	2	<1	<1	1	2	3	5	6
B. *Operated*	2991	2.3	2	<1	1	2	3	4	5	7
1. SINGLE DX	1197	2.0	1	<1	<1	2	2	3	4	6
2. MULTIPLE DX	3021	2.3	2	<1	1	2	3	4	5	7
A. NOT OPERATED	38	1.5	1	<1	<1	1	1	3	4	6
B. OPERATED	4180	2.2	2	<1	1	2	3	4	5	7
TOTAL 0-19 YRS	266	1.9	1	<1	1	2	2	3	4	5
20-34	559	2.1	2	<1	1	2	3	4	4	7
35-49	978	2.2	2	<1	1	2	3	4	5	7
50-64	1413	2.2	2	<1	1	2	3	4	5	6
65+	1002	2.4	2	<1	1	2	3	4	5	8
GRAND TOTAL	**4218**	**2.2**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

311: Ganglion and cyst (727.4-727.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	2	5.5	13	3	3	5	8	8	8	8
B. *Operated*										
0-19 YRS	66	1.1		<1	<1	<1	1	1	2	2
20-34	148	1.2		<1	<1	<1	1	2	3	4
35-49	130	1.4	1	<1	<1	<1	1	2	3	6
50-64	67	1.6	1	<1	<1	1	2	3	4	7
65+	40	2.1	3	<1	<1	1	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	3	2.7	2	<1	<1	3	4	4	4	4
35-49	3	2.0	1	<1	<1	2	3	3	3	3
50-64	4	2.3	4	<1	<1	1	3	5	5	5
65+	6	2.7	2	<1	<1	3	3	5	5	5
B. *Operated*										
0-19 YRS	10	1.1		<1	<1	1	1	2	2	2
20-34	42	1.7	2	<1	<1	1	2	3	4	8
35-49	47	2.0	2	<1	<1	2	3	4	5	5
50-64	58	3.2	17	<1	1	2	4	6	11	26
65+	81	2.9	6	<1	<1	2	4	6	7	13
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	2.4	6	<1	<1	1	3	7	8	8
B. *Operated*	451	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX										
A. *Not Operated*	16	2.4	2	<1	<1	2	3	5	5	5
B. *Operated*	238	2.5	7	<1	<1	2	3	5	7	14
1. SINGLE DX	462	1.4	1	<1	<1	<1	1	2	3	6
2. MULTIPLE DX	254	2.5	7	<1	<1	2	3	5	7	14
A. NOT OPERATED	27	2.4	3	<1	<1	2	3	5	6	8
B. OPERATED	689	1.8	3	<1	<1	1	2	3	5	9
TOTAL 0-19 YRS	78	1.1		<1	<1	<1	1	1	2	2
20-34	195	1.3	1	<1	<1	<1	1	2	3	6
35-49	182	1.5	1	<1	<1	1	2	3	4	5
50-64	132	2.3	9	<1	<1	1	2	4	6	16
65+	129	2.7	5	<1	<1	2	3	6	7	11
GRAND TOTAL	**716**	**1.8**	**3**	**<1**	**<1**	**1**	**2**	**3**	**5**	**9**

312: Osteomyelitis (730)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	84	8.0	39	1	1	6	10	19	21	26
20-34	15	4.7	7	1	2	4	7	9	9	9
35-49	13	5.5	13	<1	1	5	7	11	13	14
50-64	13	10.1	50	<1	2	7	15	18	24	25
65+	10	5.1	5	<1	1	5	7	8	9	9
B. *Operated*										
0-19 YRS	64	8.2	33	1	2	8	11	15	17	31
20-34	68	7.3	77	<1	1	5	9	17	24	49
35-49	63	8.0	134	1	1	6	9	16	17	80
50-64	31	9.0	58	1	1	7	12	20	28	31
65+	39	8.7	78	<1	1	7	11	18	22	49
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	93	10.7	41	3	4	9	13	21	24	28
20-34	50	8.5	87	2	2	6	11	15	29	55
35-49	58	8.5	32	2	3	7	11	17	21	24
50-64	82	11.2	80	2	3	9	15	25	30	42
65+	108	10.0	43	2	4	8	13	17	21	37
B. *Operated*										
0-19 YRS	135	14.8	159	3	4	11	17	33	43	65
20-34	261	14.7	203	2	3	10	18	36	47	61
35-49	275	13.5	144	2	3	10	17	29	42	66
50-64	344	15.0	206	2	3	11	18	32	46	84
65+	433	14.9	137	2	4	11	19	31	42	53
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	135	7.4	33	1	2	6	10	16	21	25
B. *Operated*	265	8.1	77	1	1	6	10	16	20	47
2. MULTIPLE DX										
A. *Not Operated*	391	10.0	55	2	3	8	13	20	24	35
B. *Operated*	1448	14.6	168	2	3	11	18	31	43	68
1. SINGLE DX	400	7.9	62	1	1	6	10	16	21	35
2. MULTIPLE DX	1839	13.6	148	2	3	10	17	29	42	62
A. NOT OPERATED	526	9.3	50	2	3	7	12	19	23	32
B. OPERATED	1713	13.6	160	2	3	10	17	30	43	65
TOTAL 0-19 YRS	376	11.1	90	2	3	9	14	21	28	47
20-34	394	12.2	170	1	2	8	14	30	44	61
35-49	409	11.7	129	2	2	8	15	23	32	64
50-64	470	13.8	174	2	3	10	17	29	42	81
65+	590	13.4	119	2	3	11	17	28	41	52
GRAND TOTAL	**2239**	**12.6**	**137**	**2**	**3**	**9**	**16**	**26**	**39**	**61**

313: Localized disorders of bone and cartilage (731-733)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	4.0	27	<1	1	3	5	8	10	32
20-34	30	2.5	4	1	1	2	3	6	7	7
35-49	68	2.4	12	<1	1	2	2	4	6	24
50-64	48	4.0	14	1	1	3	6	9	12	19
65+	98	5.1	37	1	1	4	6	9	10	41
B. *Operated*										
0-19 YRS	540	2.6	4	<1	1	2	4	5	7	10
20-34	688	2.9	6	<1	1	2	4	6	7	11
35-49	470	3.7	9	<1	1	3	5	8	10	14
50-64	298	4.8	14	1	1	4	7	10	12	16
65+	196	6.6	22	1	1	6	9	13	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	39	7.1	66	1	1	4	8	20	25	37
20-34	82	3.5	55	<1	<1	2	3	6	8	86
35-49	193	3.6	19	<1	1	2	4	7	9	27
50-64	452	5.5	30	1	1	4	7	11	14	29
65+	2474	7.0	24	2	2	6	9	13	16	25
B. *Operated*										
0-19 YRS	286	3.9	29	<1	1	2	4	7	11	31
20-34	641	4.6	21	1	1	3	6	9	13	24
35-49	616	6.2	54	1	1	4	8	12	16	45
50-64	696	8.6	68	1	2	7	11	17	22	45
65+	1208	10.9	59	2	3	10	14	19	24	40
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	285	3.8	23	1	1	2	5	8	10	28
B. *Operated*	2192	3.6	10	<1	1	2	5	8	10	16
2. MULTIPLE DX										
A. *Not Operated*	3240	6.5	27	1	2	5	8	12	16	27
B. *Operated*	3447	7.8	58	1	1	6	11	16	21	40
1. SINGLE DX	2477	3.6	12	<1	1	2	5	8	10	16
2. MULTIPLE DX	6687	7.2	43	1	2	6	9	14	18	33
A. NOT OPERATED	3525	6.3	27	1	2	5	8	12	15	27
B. OPERATED	5639	6.2	44	1	1	4	8	13	18	32
TOTAL 0-19 YRS	906	3.3	17	<1	1	2	4	6	8	21
20-34	1441	3.6	16	<1	1	2	5	7	10	22
35-49	1347	4.7	33	1	1	3	6	10	13	30
50-64	1494	6.7	47	1	1	5	9	13	17	38
65+	3976	8.2	38	2	2	7	11	15	19	31
GRAND TOTAL	**9164**	**6.2**	**37**	**1**	**1**	**4**	**8**	**13**	**17**	**30**

314: Acquired deformities of limbs, except toe (734; 736)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	9.0		9	9	9	9	9	9	9
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	1	10.0		10	10	10	10	10	10	10
65+										
B. *Operated*										
0-19 YRS	126	2.9	18	<1	1	2	3	4	6	26
20-34	65	2.3	4	<1	<1	2	3	5	6	11
35-49	41	2.9	5	<1	<1	2	4	7	8	10
50-64	27	2.2	2	<1	<1	2	3	5	5	6
65+	14	3.4	7	<1	<1	2	5	7	9	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	3	7.7	25	3	3	7	11	13	13	13
50-64	9	6.8	37	<1	<1	4	10	16	20	20
65+	14	17.3	508	1	1	9	24	44	76	85
B. *Operated*										
0-19 YRS	221	3.5	27	1	1	3	4	6	7	34
20-34	172	4.1	16	1	1	3	5	8	12	23
35-49	93	3.5	6	<1	1	3	5	7	9	11
50-64	128	4.3	10	1	1	3	6	9	11	15
65+	83	5.2	18	1	1	4	8	11	14	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	4.4	22	<1	<1	1	9	10	10	10
B. *Operated*	273	2.7	11	<1	<1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	32	10.4	267	<1	<1	4	11	25	38	85
B. *Operated*	697	4.0	17	1	1	3	5	8	10	21
1. SINGLE DX	278	2.7	11	<1	<1	2	3	5	7	15
2. MULTIPLE DX	729	4.3	30	1	1	3	5	8	11	26
A. NOT OPERATED	37	9.6	237	<1	<1	4	10	23	35	85
B. OPERATED	970	3.6	16	<1	1	3	4	7	9	17
TOTAL 0-19 YRS	352	3.2	23	<1	1	2	3	5	6	33
20-34	240	3.6	13	<1	<1	3	5	7	10	17
35-49	139	3.4	6	<1	<1	3	5	7	9	11
50-64	165	4.1	11	<1	1	3	5	9	11	16
65+	111	6.5	92	1	1	4	8	12	17	57
GRAND TOTAL	**1007**	**3.9**	**25**	**<1**	**1**	**3**	**5**	**7**	**10**	**24**

315: Neuralgia, neuritis, and radiculitis, unspecified (729.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	6	2.7	7	1	1	2	3	7	8	8
35-49	8	3.4	8	<1	<1	2	6	8	8	8
50-64	5	3.6	3	1	1	4	5	6	6	6
65+	6	2.8	3	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	7	1.6	2	<1	<1	1	1	4	5	5
35-49	11	2.6	4	1	1	2	4	6	6	6
50-64	6	2.0	2	1	1	1	4	4	4	4
65+	4	10.0	182	1	1	4	18	30	30	30
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	10	5.5	6	2	2	5	8	9	9	9
35-49	16	4.2	9	<1	2	3	6	8	11	12
50-64	19	4.8	11	1	1	4	6	8	12	15
65+	28	5.6	23	1	1	5	7	12	16	22
B. *Operated*										
0-19 YRS										
20-34	12	2.7	4	1	1	2	4	6	7	7
35-49	7	5.9	72	1	1	3	4	21	25	25
50-64	5	2.2	3	1	1	1	3	5	5	5
65+	11	8.1	31	1	1	10	13	14	15	15
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	26	3.0	5	<1	<1	2	4	7	8	8
B. *Operated*	30	3.2	29	<1	1	1	4	6	6	30
2. MULTIPLE DX										
A. *Not Operated*	75	5.0	14	1	1	4	7	9	13	20
B. *Operated*	35	4.9	30	1	1	3	5	13	15	25
1. SINGLE DX	56	3.1	18	<1	1	2	4	6	8	29
2. MULTIPLE DX	110	5.0	19	1	1	4	7	11	14	23
A. NOT OPERATED	101	4.5	13	<1	1	4	6	8	11	19
B. OPERATED	65	4.1	29	1	1	2	5	12	14	29
TOTAL 0-19 YRS	5	1.8	1	<1	<1	1	3	3	3	3
20-34	35	3.3	6	<1	1	2	5	8	8	9
35-49	42	3.9	17	<1	1	3	5	7	10	25
50-64	35	3.8	8	1	1	4	5	7	9	15
65+	49	6.2	35	1	1	5	8	14	16	30
GRAND TOTAL	**166**	**4.4**	**19**	**1**	**1**	**3**	**6**	**9**	**13**	**25**

316: Miscellaneous disorders of musculoskeletal system (725; 728; 727.6-727.9; 729.0-729.1; 729.3-729.9; 737-738)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	45	2.6	15	<1	1	2	3	4	7	24
20-34	89	3.2	12	<1	1	2	4	8	10	19
35-49	104	3.1	5	<1	1	3	4	6	7	10
50-64	65	3.2	7	1	1	2	4	8	9	12
65+	47	4.0	8	1	1	3	6	8	9	13
B. *Operated*										
0-19 YRS	246	4.0	13	<1	<1	2	7	9	10	15
20-34	389	3.4	13	<1	<1	2	5	8	11	17
35-49	357	3.0	11	<1	<1	2	3	7	10	17
50-64	364	2.2	6	<1	<1	1	2	4	6	13
65+	217	2.5	10	<1	<1	1	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	67	2.5	6	<1	1	2	3	4	6	16
20-34	188	4.3	20	<1	1	3	5	8	12	26
35-49	252	3.7	11	1	1	3	5	8	9	18
50-64	289	4.3	14	1	1	3	6	9	12	18
65+	458	4.9	15	1	1	4	7	10	13	16
B. *Operated*										
0-19 YRS	290	3.9	23	<1	1	2	5	9	12	26
20-34	549	4.5	35	<1	1	3	6	10	12	25
35-49	589	4.5	29	1	1	3	6	10	14	26
50-64	580	5.3	38	1	1	3	7	12	19	26
65+	564	5.3	42	1	1	3	7	12	17	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	350	3.2	9	<1	1	2	4	7	9	13
B. *Operated*	1573	3.0	11	<1	<1	2	4	7	9	14
2. MULTIPLE DX										
A. *Not Operated*	1254	4.3	14	1	1	3	6	9	12	18
B. *Operated*	2572	4.8	35	1	1	3	6	11	15	27
1. SINGLE DX	1923	3.0	10	<1	<1	2	4	7	9	14
2. MULTIPLE DX	3826	4.6	28	1	1	3	6	10	14	25
A. NOT OPERATED	1604	4.1	13	1	1	3	5	9	11	18
B. OPERATED	4145	4.1	26	<1	1	2	5	9	13	24
TOTAL 0-19 YRS	648	3.7	17	<1	<1	2	5	9	11	22
20-34	1215	4.0	24	<1	1	2	5	9	12	21
35-49	1302	3.8	19	<1	1	2	5	9	11	20
50-64	1298	4.1	24	<1	1	2	5	9	13	24
65+	1286	4.6	27	1	1	3	6	10	14	26
GRAND TOTAL	**5749**	**4.1**	**23**	**<1**	**1**	**2**	**5**	**9**	**12**	**24**

317: Somatic dysfunction (739)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49	2	3.5	13	<1	<1	3	6	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65+										
B. *Operated*										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	5	1.0		<1	<1	1	1	1	1	1
35-49	2	1.0		1	1	1	1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	14	5.7	9	1	1	6	8	10	10	10
35-49	23	4.7	9	1	2	4	7	9	11	12
50-64	10	3.4	3	2	2	3	4	6	7	7
65+	4	5.0	17	2	2	3	7	11	11	11
B. *Operated*										
0-19 YRS										
20-34	6	5.3	41	1	1	3	5	17	18	18
35-49	12	2.4	3	<1	<1	2	4	5	6	6
50-64	6	2.0	2	1	1	2	3	4	4	4
65+	1	5.0		5	5	5	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	3.8	7	<1	<1	4	6	6	6	6
B. *Operated*	9	1.6	3	<1	<1	1	1	4	6	6
2. MULTIPLE DX										
A. *Not Operated*	53	4.7	8	1	2	4	6	9	10	12
B. *Operated*	25	3.1	12	<1	1	2	4	5	9	18
1. SINGLE DX	13	2.2	5	<1	<1	1	3	6	6	6
2. MULTIPLE DX	78	4.2	10	1	1	3	6	9	10	16
A. NOT OPERATED	57	4.6	8	1	2	4	6	9	10	12
B. OPERATED	34	2.7	10	<1	1	2	4	5	6	18
TOTAL 0-19 YRS	4	2.8	6	1	1	2	4	6	6	6
20-34	26	4.6	16	<1	1	4	6	10	12	18
35-49	39	3.8	8	<1	1	3	6	8	10	12
50-64	17	3.1	3	1	1	3	4	6	7	7
65+	5	5.0	13	2	2	4	6	11	11	11
GRAND TOTAL	**91**	**3.9**	**10**	**1**	**1**	**3**	**6**	**8**	**10**	**16**

318: Congenital anomaly of nervous system (740-742)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	2.0	7	<1	<1	<1	1	7	8	8
20-34	2	2.0	2	1	1	2	3	3	3	3
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64										
65+	3	2.3	5	<1	<1	1	4	5	5	5
B. *Operated*										
0-19 YRS	30	5.0	13	1	1	4	7	10	12	16
20-34	10	4.6	6	1	1	4	5	8	10	10
35-49	7	7.7	35	1	1	7	11	17	18	18
50-64	2	3.5	13	1	1	3	6	6	6	6
65+	3	12.0	79	5	5	9	19	22	22	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	45	3.3	9	<1	<1	2	5	8	9	13
20-34	3	3.7	5	1	1	5	5	5	5	5
35-49	4	4.8	8	2	2	4	7	8	8	8
50-64										
65+	4	2.5	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	78	9.8	108	2	2	7	12	22	29	59
20-34	23	10.9	199	1	1	7	10	33	48	58
35-49	14	9.6	19	2	3	9	15	15	15	15
50-64	8	8.4	33	1	1	10	13	14	15	15
65+	9	7.2	31	2	2	5	11	16	19	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	14	2.4	5	<1	<1	1	3	6	8	8
B. *Operated*	52	5.7	19	1	1	4	7	11	16	22
2. MULTIPLE DX										
A. *Not Operated*	56	3.3	8	<1	<1	2	5	8	9	13
B. *Operated*	132	9.7	103	1	2	7	12	18	29	59
1. SINGLE DX	66	5.0	18	<1	1	4	7	10	13	21
2. MULTIPLE DX	188	7.8	83	1	1	5	10	15	23	55
A. NOT OPERATED	70	3.2	8	<1	<1	2	5	8	9	12
B. OPERATED	184	8.6	83	1	2	6	10	16	23	55
TOTAL 0-19 YRS	160	6.7	67	<1	1	4	8	14	21	48
20-34	38	8.2	132	1	1	5	8	12	38	58
35-49	27	8.0	23	2	2	8	11	15	16	18
50-64	10	7.4	32	1	1	8	13	14	15	15
65+	19	6.2	35	<1	1	4	8	16	21	22
GRAND TOTAL	**254**	**7.1**	**68**	**<1**	**1**	**5**	**9**	**15**	**21**	**49**

319: Congenital anomaly of eye, ear, face, and neck (743-744)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	1.0		<1	<1	<1	<1	1	1	2
20-34	1	2.0		2	2	2	2	2	2	2
35-49	1	5.0		5	5	5	5	5	5	5
50-64										
65+										
B. *Operated*										
0-19 YRS	204	1.6	3	<1	<1	1	1	3	5	8
20-34	62	1.6	5	<1	<1	1	1	2	4	15
35-49	22	1.6	2	<1	<1	1	1	3	5	8
50-64	10	1.4		<1	<1	1	2	2	2	2
65+	11	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.4	2	<1	<1	<1	1	2	5	6
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49										
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	4.0	2	3	3	4	5	5	5	5
B. *Operated*										
0-19 YRS	82	1.7	1	<1	<1	1	2	3	4	6
20-34	29	2.3	3	<1	1	2	3	5	7	7
35-49	9	3.0	2	1	1	3	4	5	6	6
50-64	15	1.9	3	<1	<1	1	2	3	6	7
65+	13	1.4		<1	<1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	28	1.2	1	<1	<1	<1	<1	2	3	5
B. *Operated*	309	1.6	3	<1	<1	1	1	3	5	8
2. MULTIPLE DX										
A. *Not Operated*	21	1.6	2	<1	<1	<1	1	4	5	6
B. *Operated*	148	1.9	2	<1	<1	1	2	4	5	7
1. SINGLE DX	337	1.6	3	<1	<1	1	1	3	5	8
2. MULTIPLE DX	169	1.8	2	<1	<1	1	2	4	5	7
A. NOT OPERATED	49	1.4	1	<1	<1	<1	1	2	5	6
B. OPERATED	457	1.7	3	<1	<1	1	2	3	5	8
TOTAL 0-19 YRS	328	1.6	2	<1	<1	1	2	3	5	7
20-34	94	1.8	4	<1	<1	1	2	3	5	12
35-49	32	2.1	3	<1	<1	1	3	4	6	8
50-64	26	1.7	2	<1	<1	1	2	3	4	7
65+	26	1.5	1	<1	<1	1	2	2	3	5
GRAND TOTAL	**506**	**1.7**	**2**	**<1**	**<1**	**1**	**2**	**3**	**5**	**8**

320: Congenital anomaly of heart and circulatory system (745-747)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	3.3	33	<1	1	2	3	5	16	29
20-34	5	2.8	4	1	1	2	4	6	6	6
35-49	2	1.0		<1	<1	<1	1	1	1	1
50-64	4	2.8	5	<1	<1	2	4	6	6	6
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	394	4.1	10	<1	1	4	6	8	10	13
20-34	60	4.1	17	<1	1	2	6	9	13	18
35-49	45	4.0	12	<1	1	2	7	9	11	13
50-64	20	3.9	14	<1	1	2	8	10	10	10
65+	5	5.0	24	1	1	5	7	13	13	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	142	4.4	36	<1	<1	3	5	9	16	31
20-34	22	3.5	43	<1	<1	2	3	5	18	32
35-49	14	3.3	7	<1	1	3	4	7	9	9
50-64	15	3.7	21	<1	1	3	4	4	16	20
65+	31	5.0	18	1	1	4	7	11	12	20
B. *Operated*										
0-19 YRS	783	6.4	54	<1	1	5	8	13	18	37
20-34	91	6.3	54	1	1	5	8	13	17	43
35-49	96	8.3	98	1	1	6	9	17	33	52
50-64	94	7.3	41	1	1	7	10	15	23	69
65+	58	7.7	37	1	1	6	11	16	20	22
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	36	3.0	23	<1	<1	2	3	6	9	29
B. *Operated*	524	4.1	11	<1	1	3	6	8	10	14
2. MULTIPLE DX										
A. *Not Operated*	224	4.3	31	<1	1	3	5	9	15	31
B. *Operated*	1122	6.7	56	<1	1	6	9	14	19	41
1. SINGLE DX	560	4.0	12	<1	1	3	6	8	10	15
2. MULTIPLE DX	1346	6.3	53	<1	1	5	8	13	19	39
A. NOT OPERATED	260	4.1	30	<1	<1	2	4	8	15	30
B. OPERATED	1646	5.8	43	<1	1	5	8	12	16	34
TOTAL 0-19 YRS	1343	5.4	40	<1	1	4	7	11	15	31
20-34	178	5.1	40	<1	1	2	7	11	16	30
35-49	157	6.5	69	<1	1	5	8	12	18	47
50-64	133	6.2	36	1	1	5	9	13	20	41
65+	95	6.6	31	1	1	5	10	15	20	22
GRAND TOTAL	**1906**	**5.6**	**42**	**<1**	**1**	**4**	**8**	**11**	**16**	**32**

321: Cleft palate and lip (749)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	2.4	1	<1	<1	2	3	4	4	4
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	336	2.5	2	1	1	2	3	4	5	7
20-34	4	1.3		1	1	1	2	2	2	2
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	1.6	3	<1	<1	1	1	3	6	9
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	268	2.9	3	1	1	3	4	5	6	7
20-34	8	2.0	1	1	1	2	3	4	4	4
35-49	3	2.0	1	1	1	2	3	3	3	3
50-64										
65+	1	4.0		4	4	4	4	4	4	4
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	5	2.4	1	<1	<1	2	3	4	4	4
B. *Operated*	342	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	21	1.6	3	<1	<1	1	1	3	6	9
B. *Operated*	280	2.8	3	1	1	3	4	5	6	7
1. SINGLE DX	347	2.5	2	1	1	2	3	4	5	7
2. MULTIPLE DX	301	2.7	3	1	1	2	4	5	6	8
A. NOT OPERATED	26	1.8	3	<1	<1	1	2	4	5	9
B. OPERATED	622	2.6	2	1	1	2	3	5	5	7
TOTAL 0-19 YRS	630	2.6	2	1	1	2	3	5	5	7
20-34	12	1.8	1	1	1	1	2	3	4	4
35-49	5	2.2	1	1	1	2	3	3	3	3
50-64										
65+	1	4.0		4	4	4	4	4	4	4
GRAND TOTAL	**648**	**2.6**	**2**	**1**	**1**	**2**	**3**	**5**	**5**	**7**

322: Congenital hypertrophic pyloric stenosis (750.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.0	3	<1	1	2	2	3	7	8
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	267	2.9	1	1	2	3	3	4	5	8
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	3.2	6	1	1	2	3	7	10	10
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	130	4.8	22	2	2	4	4	8	12	32
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	15	2.0	3	<1	1	2	2	3	7	8
B. *Operated*	267	2.9	1	1	2	3	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*	12	3.2	6	1	1	2	3	7	10	10
B. *Operated*	130	4.8	22	2	2	4	4	8	12	32
1. SINGLE DX	282	2.8	2	1	2	3	3	4	5	8
2. MULTIPLE DX	142	4.7	21	2	2	4	4	7	12	32
A. NOT OPERATED	27	2.5	5	<1	1	2	3	5	8	10
B. OPERATED	397	3.5	9	2	2	3	4	5	7	14
TOTAL 0-19 YRS	424	3.5	9	1	2	3	4	5	7	14
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**424**	**3.5**	**9**	**1**	**2**	**3**	**4**	**5**	**7**	**14**

323: Congenital anomaly of respiratory system and of digestive system, except cleft palate and pyloric stenosis (748; 750.0-750.4; 750.6-750.9; 751)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	35	2.2	9	<1	<1	1	2	6	8	16
20-34	1	4.0		4	4	4	4	4	4	4
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	3	1.0		<1	<1	<1	<1	<1	<1	<1
65+										
B. *Operated*										
0-19 YRS	177	3.8	16	<1	<1	2	5	8	12	21
20-34	25	3.9	11	<1	1	3	5	10	11	12
35-49	19	6.6	9	2	2	7	8	11	12	13
50-64	11	6.2	11	1	1	7	8	11	12	12
65+	5	6.0	11	2	2	5	8	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	98	4.6	28	<1	1	3	6	9	18	28
20-34	7	3.7	7	2	2	2	6	8	8	8
35-49	4	3.0	1	2	2	3	4	4	4	4
50-64	6	3.7	3	2	2	3	5	6	6	6
65+	15	3.7	4	<1	<1	3	5	7	8	8
B. *Operated*										
0-19 YRS	241	8.2	109	<1	1	6	10	16	27	73
20-34	58	6.4	18	1	1	6	8	10	13	23
35-49	44	7.9	54	1	2	6	9	15	19	44
50-64	23	9.4	57	2	3	8	9	21	26	33
65+	37	10.9	68	1	2	10	15	21	31	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	40	2.1	8	<1	<1	1	2	5	7	16
B. *Operated*	237	4.2	15	<1	<1	3	6	9	12	21
2. MULTIPLE DX										
A. *Not Operated*	130	4.3	22	<1	1	3	6	8	13	28
B. *Operated*	403	8.2	84	1	1	6	10	16	23	62
1. SINGLE DX	277	3.9	15	<1	<1	2	6	8	11	20
2. MULTIPLE DX	533	7.3	72	<1	1	5	9	15	21	46
A. NOT OPERATED	170	3.8	20	<1	<1	2	5	8	12	26
B. OPERATED	640	6.7	62	<1	1	5	8	13	19	43
TOTAL 0-19 YRS	551	5.8	63	<1	<1	4	7	12	17	43
20-34	91	5.5	16	1	1	5	8	10	12	22
35-49	68	7.2	39	1	2	6	9	14	17	40
50-64	43	7.2	40	<1	1	6	9	13	21	33
65+	57	8.5	56	<1	2	6	11	17	24	35
GRAND TOTAL	**810**	**6.1**	**55**	**<1**	**1**	**4**	**7**	**13**	**18**	**37**

324: Undescended testicle (752.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	290	1.2		<1	<1	1	1	2	2	3
20-34	10	1.2		<1	<1	1	1	2	2	2
35-49	8	1.8	1	<1	<1	1	2	4	4	4
50-64	2	1.0		<1	<1	<1	1	1	1	1
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	1.0		<1	<1	<1	<1	<1	<1	<1
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	183	1.5	1	<1	<1	1	2	3	4	6
20-34	21	1.8	1	<1	<1	1	2	4	4	5
35-49	10	1.9	2	<1	<1	2	2	4	5	5
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	1.5	1	1	1	1	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.5	1	1	1	1	2	2	2	2
B. *Operated*	310	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
A. *Not Operated*	6	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	218	1.5	1	<1	<1	1	2	3	4	6
1. SINGLE DX	312	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX	224	1.5	1	<1	<1	1	2	3	4	6
A. NOT OPERATED	8	1.1		<1	<1	<1	1	2	2	2
B. OPERATED	528	1.4	1	<1	<1	1	1	2	3	5
TOTAL 0-19 YRS	481	1.3	1	<1	<1	1	1	2	3	4
20-34	31	1.6	1	<1	<1	1	2	3	4	5
35-49	18	1.8	1	<1	<1	1	2	4	5	5
50-64	4	1.3		<1	<1	1	2	2	2	2
65+	2	1.5	1	1	1	1	2	2	2	2
GRAND TOTAL	**536**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**4**

325: Miscellaneous congenital anomalies of genitourinary system (752.0-752.4; 752.6-752.9; 753)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	8	2.8	3	<1	<1	2	4	6	6	6
20-34	33	3.0	3	1	2	2	3	5	8	9
35-49	17	3.2	4	2	2	3	4	6	8	9
50-64	7	2.7	2	1	1	2	4	4	4	4
65+	3	2.7	1	2	2	2	4	4	4	4
B. *Operated*										
0-19 YRS	318	3.0	5	<1	<1	2	4	7	8	9
20-34	79	3.0	6	<1	1	3	4	5	7	15
35-49	26	3.8	4	1	1	4	5	6	7	10
50-64	12	3.6	4	<1	1	3	5	7	8	8
65+	5	3.2	6	1	1	2	5	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	14	2.8	9	<1	<1	2	2	7	11	12
20-34	23	4.0	10	<1	<1	3	5	10	10	10
35-49	34	3.3	6	2	2	2	3	8	9	11
50-64	18	3.6	4	1	2	3	4	7	8	9
65+	7	2.3	1	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	259	4.1	14	<1	1	3	5	8	11	18
20-34	128	4.6	10	1	1	4	6	8	11	19
35-49	94	4.9	10	1	1	4	6	8	11	19
50-64	57	7.0	40	<1	1	5	9	14	15	39
65+	39	6.2	23	1	1	6	7	12	14	27
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	68	3.0	3	1	2	2	4	5	6	9
B. *Operated*	440	3.0	5	<1	1	2	4	6	8	10
2. MULTIPLE DX										
A. *Not Operated*	96	3.4	7	<1	1	2	4	9	10	12
B. *Operated*	577	4.7	16	1	1	4	6	9	12	19
1. SINGLE DX	508	3.0	5	<1	1	2	4	6	8	10
2. MULTIPLE DX	673	4.5	15	1	1	4	6	9	11	19
A. NOT OPERATED	164	3.2	5	1	1	2	4	6	9	11
B. OPERATED	1017	4.0	12	<1	1	3	5	8	10	16
TOTAL 0-19 YRS	599	3.4	9	<1	<1	3	5	7	9	13
20-34	263	3.9	9	1	1	3	5	7	10	16
35-49	171	4.2	8	1	2	4	5	8	10	15
50-64	94	5.6	28	<1	1	4	7	11	14	31
65+	54	5.2	20	1	1	4	6	11	13	26
GRAND TOTAL	**1181**	**3.9**	**11**	**<1**	**1**	**3**	**5**	**8**	**10**	**15**

326: Clubfoot (754.5-754.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	225	2.0	1	1	1	2	3	3	4	5
20-34	5	2.6	4	1	1	2	4	6	6	6
35-49	9	2.9	1	<1	1	3	4	5	5	5
50-64	3	1.3		1	1	1	2	2	2	2
65+	4	2.8	12	<1	<1	1	4	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	9	1.0		<1	<1	1	1	1	1	1
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	148	2.6	13	<1	1	2	3	4	5	17
20-34	44	2.7	2	1	1	2	3	5	6	7
35-49	38	2.6	3	1	1	2	3	4	6	10
50-64	46	2.5	2	<1	1	2	4	5	5	7
65+	22	3.0	5	<1	<1	3	4	5	8	10
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*										
B. *Operated*	246	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	10	1.1		<1	<1	1	1	2	2	2
B. *Operated*	298	2.6	8	<1	1	2	3	4	5	10
1. SINGLE DX	246	2.1	1	1	1	2	3	3	4	6
2. MULTIPLE DX	308	2.6	8	<1	1	2	3	4	5	10
A. NOT OPERATED	10	1.1		<1	<1	1	1	2	2	2
B. OPERATED	544	2.4	5	1	1	2	3	4	5	7
TOTAL 0-19 YRS	382	2.2	6	<1	1	2	3	4	4	6
20-34	50	2.7	2	1	1	2	3	5	6	7
35-49	47	2.7	3	1	1	2	3	4	6	10
50-64	49	2.4	2	1	1	2	4	5	5	7
65+	26	3.0	5	<1	<1	2	4	7	8	10
GRAND TOTAL	**554**	**2.3**	**5**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

327: Miscellaneous congenital anomalies of musculoskeletal system and generalized congenital anomalies (754.0-754.4; 754.8; 755-759)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	51	2.6	17	<1	<1	1	2	5	12	25
20-34	12	3.7	8	<1	<1	3	5	8	10	10
35-49	11	6.3	29	1	1	6	8	15	18	18
50-64	10	4.0	9	<1	<1	4	6	8	10	10
65+	2	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	684	3.1	15	<1	1	2	4	7	9	17
20-34	221	3.7	52	<1	<1	2	5	9	10	18
35-49	126	3.1	11	<1	1	2	4	8	9	17
50-64	74	2.9	7	1	1	2	4	7	9	11
65+	23	3.2	7	1	1	2	5	7	9	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	107	5.8	94	<1	1	3	6	14	22	56
20-34	36	4.5	10	1	1	4	7	10	11	99+
35-49	31	4.1	9	1	1	4	5	8	11	12
50-64	25	4.8	10	<1	1	5	6	7	12	14
65+	34	6.1	12	1	2	5	8	12	13	14
B. *Operated*										
0-19 YRS	375	5.2	54	1	1	3	6	10	16	67
20-34	191	5.1	22	1	1	4	8	10	12	29
35-49	161	6.5	39	1	1	6	9	12	13	42
50-64	113	7.1	74	1	1	6	9	11	23	50
65+	64	6.8	34	1	1	5	9	15	18	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	86	3.4	17	<1	<1	2	4	8	12	22
B. *Operated*	1128	3.2	21	<1	1	2	4	7	9	16
2. MULTIPLE DX										
A. *Not Operated*	233	5.3	49	1	1	4	6	11	15	44
B. *Operated*	904	5.7	46	1	1	4	7	11	15	40
1. SINGLE DX	1214	3.2	21	<1	1	2	4	7	9	17
2. MULTIPLE DX	1137	5.7	47	1	1	4	7	11	15	38
A. NOT OPERATED	319	4.8	41	<1	<1	3	6	11	14	29
B. OPERATED	2032	4.3	34	<1	1	2	6	9	12	29
TOTAL 0-19 YRS	1217	4.0	35	<1	1	2	5	8	13	27
20-34	460	4.3	36	<1	1	3	6	9	11	25
35-49	329	5.0	28	1	1	4	7	10	12	23
50-64	222	5.3	45	1	1	3	7	10	12	39
65+	123	5.8	24	1	1	5	8	12	15	24
GRAND TOTAL	**2351**	**4.4**	**35**	**<1**	**1**	**3**	**6**	**9**	**12**	**29**

328: Perinatal conditions causing morbidity and mortality (760-779)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3317	2.3	4	1	1	2	3	3	4	11
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	39	3.3	12	<1	1	2	3	9	11	16
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1723	7.0	115	1	1	3	7	18	29	57
20-34										
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	153	16.1	341	1	2	10	25	68	99+	99+
20-34										
35-49										
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3317	2.3	4	1	1	2	3	3	4	11
B. *Operated*	39	3.3	12	<1	1	2	3	9	11	16
2. MULTIPLE DX										
A. *Not Operated*	1723	7.0	115	1	1	3	7	18	29	57
B. *Operated*	153	16.1	341	1	2	10	25	68	99+	99+
1. SINGLE DX	3356	2.3	4	1	1	2	3	3	4	11
2. MULTIPLE DX	1876	7.7	139	1	1	3	8	22	35	81
A. NOT OPERATED	5040	3.9	47	1	1	2	3	7	14	38
B. OPERATED	192	13.5	300	1	1	7	23	60	99+	99+
TOTAL 0-19 YRS	5232	4.3	59	1	1	2	3	8	16	51
20-34										
35-49										
50-64										
65+										
GRAND TOTAL	**5232**	**4.3**	**59**	**1**	**1**	**2**	**3**	**8**	**16**	**51**

329: Convulsions (780.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	693	1.9	6	<1	1	1	2	3	4	6
20-34	279	2.0	3	<1	<1	1	2	3	5	9
35-49	176	2.1	2	<1	<1	2	2	4	6	8
50-64	112	2.0	2	1	1	2	2	3	4	9
65+	83	2.4	2	<1	1	2	3	4	6	7
B. *Operated*										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	8	3.1	4	1	1	3	5	6	6	6
35-49	6	6.0	24	1	1	5	9	13	14	14
50-64	3	2.7	4	1	1	2	4	5	5	5
65+	4	2.8	2	2	2	2	4	5	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1335	2.2	5	<1	1	2	3	4	5	11
20-34	519	3.1	14	1	1	2	4	6	7	18
35-49	531	3.3	7	1	1	2	4	7	9	14
50-64	613	3.6	12	1	1	3	4	7	10	20
65+	1228	4.5	15	1	1	4	6	8	11	20
B. *Operated*										
0-19 YRS	26	3.4	12	1	1	3	4	6	11	18
20-34	45	5.2	41	<1	1	3	6	14	15	39
35-49	44	8.4	86	1	1	6	9	21	34	39
50-64	65	7.1	45	2	2	5	9	14	21	36
65+	109	9.5	122	2	2	7	11	18	25	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1343	2.0	4	<1	1	1	2	3	5	8
B. *Operated*	24	3.5	9	1	1	3	5	7	10	14
2. MULTIPLE DX										
A. *Not Operated*	4226	3.3	11	1	1	2	4	7	9	16
B. *Operated*	289	7.6	80	1	2	5	9	15	24	42
1. SINGLE DX	1367	2.0	4	<1	1	1	2	3	5	9
2. MULTIPLE DX	4515	3.6	17	1	1	2	4	7	10	20
A. NOT OPERATED	5569	3.0	10	1	1	2	4	6	8	14
B. OPERATED	313	7.2	76	1	1	4	8	15	23	41
TOTAL 0-19 YRS	2057	2.1	5	<1	1	2	2	4	5	9
20-34	851	2.8	12	<1	1	2	3	5	7	16
35-49	757	3.3	13	<1	1	2	4	7	9	15
50-64	793	3.7	15	1	1	2	4	7	10	21
65+	1424	4.8	25	1	1	4	6	9	12	23
GRAND TOTAL	**5882**	**3.2**	**14**	**1**	**1**	**2**	**4**	**6**	**9**	**18**

330: Pyrexia of unknown origin (780.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	271	2.6	2	1	1	2	3	4	5	8
20-34	56	3.5	6	1	1	3	4	7	9	12
35-49	39	4.1	8	1	2	3	5	6	9	17
50-64	32	4.0	5	1	2	3	5	7	8	12
65+	40	4.1	7	1	1	4	5	8	10	11
B. *Operated*										
0-19 YRS	6	6.5	27	1	1	5	11	14	14	14
20-34	7	7.9	31	3	3	7	10	17	19	19
35-49	3	2.7	1	2	2	2	4	4	4	4
50-64	2	5.5	5	4	4	5	7	7	7	7
65+	4	7.5	8	4	4	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	618	3.0	11	1	1	2	3	5	7	14
20-34	246	4.0	11	1	1	3	5	7	10	15
35-49	264	4.7	13	1	2	4	6	8	11	20
50-64	348	4.9	11	1	2	4	7	9	11	17
65+	833	5.9	30	2	2	5	7	10	14	27
B. *Operated*										
0-19 YRS	24	5.7	48	<1	1	4	6	14	23	31
20-34	64	7.4	38	1	2	5	10	16	19	29
35-49	49	8.8	45	2	3	7	10	18	23	34
50-64	104	10.6	70	2	3	8	15	23	28	40
65+	143	11.7	81	3	4	9	15	22	30	51
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	438	3.1	4	1	1	3	4	5	7	11
B. *Operated*	22	6.5	20	1	2	6	8	12	16	19
2. MULTIPLE DX										
A. *Not Operated*	2309	4.6	19	1	2	4	6	9	11	20
B. *Operated*	384	9.9	67	2	3	8	13	20	26	41
1. SINGLE DX	460	3.2	5	1	1	3	4	6	7	12
2. MULTIPLE DX	2693	5.4	30	1	2	4	6	10	15	29
A. NOT OPERATED	2747	4.4	17	1	1	3	5	8	11	19
B. OPERATED	406	9.7	65	2	2	7	12	20	25	41
TOTAL 0-19 YRS	919	3.0	9	1	1	2	3	5	6	14
20-34	373	4.5	17	1	1	3	6	9	12	19
35-49	355	5.2	19	1	2	4	6	9	13	24
50-64	486	6.1	29	2	2	5	7	12	17	29
65+	1020	6.6	40	2	2	5	8	12	17	32
GRAND TOTAL	**3153**	**5.1**	**27**	**1**	**2**	**4**	**6**	**10**	**14**	**26**

331: Headache (784.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	1.7	1	<1	<1	1	2	3	3	5
20-34	129	2.5	3	<1	1	2	3	5	6	9
35-49	77	2.2	2	<1	1	2	3	4	5	8
50-64	39	2.5	4	<1	1	2	4	6	7	8
65+	13	2.0	2	1	1	1	2	4	6	6
B. *Operated*										
0-19 YRS	3	1.3		1	1	1	2	2	2	2
20-34	28	2.4	2	<1	1	2	4	5	5	5
35-49	13	3.0	8	<1	1	2	3	8	10	10
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	5	1.2		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	84	2.0	1	1	1	2	2	3	4	6
20-34	282	3.2	10	1	1	2	4	6	9	19
35-49	255	3.4	8	1	1	3	4	7	8	16
50-64	191	3.5	9	1	1	3	4	7	7	17
65+	189	3.3	6	1	1	3	4	6	8	14
B. *Operated*										
0-19 YRS	5	6.2	31	3	3	4	8	16	16	16
20-34	41	3.6	7	1	1	3	5	8	9	10
35-49	43	4.4	31	<1	1	3	6	10	13	33
50-64	32	4.4	12	1	1	3	6	9	13	14
65+	27	5.2	12	1	1	5	7	9	11	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	299	2.3	3	<1	1	2	3	4	6	8
B. *Operated*	53	2.4	3	<1	1	2	3	5	5	10
2. MULTIPLE DX										
A. *Not Operated*	1001	3.2	8	1	1	2	4	6	8	16
B. *Operated*	148	4.4	17	1	1	3	6	9	12	17
1. SINGLE DX	352	2.3	3	<1	1	2	3	4	6	8
2. MULTIPLE DX	1149	3.4	9	1	1	2	4	7	8	16
A. NOT OPERATED	1300	3.0	7	1	1	2	4	6	7	15
B. OPERATED	201	3.8	14	1	1	3	5	8	10	16
TOTAL 0-19 YRS	133	2.0	3	1	1	2	2	3	4	9
20-34	480	3.0	8	1	1	2	4	6	8	14
35-49	388	3.3	10	1	1	2	4	6	8	16
50-64	266	3.4	8	1	1	3	4	7	8	15
65+	234	3.4	7	1	1	3	4	7	8	15
GRAND TOTAL	**1501**	**3.1**	**8**	**1**	**1**	**2**	**4**	**6**	**8**	**15**

332: Epistaxis (784.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.8	1	<1	<1	2	2	3	4	4
20-34	23	2.8	2	<1	1	3	4	4	5	6
35-49	26	2.9	3	<1	1	3	4	5	6	6
50-64	52	2.6	3	1	1	2	4	5	6	7
65+	59	2.4	3	<1	1	2	3	5	6	10
B. *Operated*										
0-19 YRS	11	2.8	7	<1	<1	1	6	7	7	7
20-34	27	3.9	10	1	2	3	5	7	9	17
35-49	65	3.6	4	1	1	3	5	6	7	8
50-64	86	3.6	6	1	1	3	5	6	7	17
65+	86	3.5	7	1	1	3	5	6	8	15
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	24	1.8	1	<1	1	1	2	3	5	5
20-34	24	2.9	3	1	1	2	4	5	6	7
35-49	74	2.8	3	<1	1	2	4	5	6	8
50-64	157	3.3	6	1	1	3	4	6	8	12
65+	301	3.2	6	1	1	3	4	6	7	11
B. *Operated*										
0-19 YRS	8	4.9	14	<1	<1	4	8	10	10	10
20-34	25	4.1	5	1	1	4	5	7	8	10
35-49	69	3.6	4	1	1	3	5	6	7	9
50-64	167	4.7	11	1	2	4	6	7	11	19
65+	308	4.5	25	1	1	4	6	8	10	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	170	2.5	3	<1	1	2	3	5	6	7
B. *Operated*	275	3.6	6	1	1	3	5	6	7	15
2. MULTIPLE DX										
A. *Not Operated*	580	3.1	5	1	1	3	4	6	7	11
B. *Operated*	577	4.5	17	1	1	4	5	8	10	16
1. SINGLE DX	445	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX	1157	3.8	12	1	1	3	5	7	9	14
A. NOT OPERATED	750	3.0	5	1	1	2	4	6	7	10
B. OPERATED	852	4.2	14	1	1	4	5	7	9	16
TOTAL 0-19 YRS	53	2.5	5	<1	<1	1	3	6	7	10
20-34	99	3.5	5	1	1	3	5	6	7	14
35-49	234	3.3	3	1	1	3	5	6	7	8
50-64	462	3.8	8	1	1	3	5	6	9	14
65+	754	3.7	14	1	1	3	5	7	9	14
GRAND TOTAL	**1602**	**3.6**	**10**	**1**	**1**	**3**	**5**	**6**	**8**	**14**

333: Signs and symptons referable to the cardiovascular system, except gangrene (785.0-785.3; 785.5-785.6; 785.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	15	2.4	2	1	1	2	4	5	5	5
20-34	7	2.1		1	1	2	3	3	3	3
35-49	12	2.1	2	<1	<1	2	3	4	5	5
50-64	9	2.3	3	1	1	2	3	5	6	6
65+	7	1.6	1	<1	<1	1	2	4	4	4
B. *Operated*										
0-19 YRS	35	1.6	2	<1	<1	1	1	3	6	7
20-34	58	1.3	1	<1	<1	1	1	2	2	7
35-49	45	1.6	2	<1	<1	1	2	3	4	8
50-64	28	1.4	1	<1	<1	1	1	3	3	4
65+	10	2.2	8	<1	<1	1	2	6	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	31	3.7	18	<1	<1	2	4	9	14	19
20-34	42	3.0	6	1	1	2	4	5	6	15
35-49	62	3.0	7	<1	<1	2	3	7	9	12
50-64	89	3.7	11	1	1	3	5	8	12	16
65+	222	5.1	23	1	1	4	7	11	14	24
B. *Operated*										
0-19 YRS	14	2.6	9	<1	<1	1	2	8	10	10
20-34	36	5.2	85	<1	<1	3	6	9	12	56
35-49	53	4.9	20	1	1	3	8	13	13	18
50-64	64	9.4	217	<1	1	4	10	17	45	76
65+	58	9.8	144	<1	1	4	14	28	36	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	50	2.2	2	1	1	2	3	4	5	6
B. *Operated*	176	1.5	2	<1	<1	1	1	2	4	8
2. MULTIPLE DX										
A. *Not Operated*	446	4.2	17	1	1	3	5	9	12	19
B. *Operated*	225	7.4	123	<1	1	3	8	16	29	57
1. SINGLE DX	226	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	671	5.3	55	<1	1	3	6	11	15	43
A. NOT OPERATED	496	4.0	16	1	1	3	5	8	12	18
B. OPERATED	401	4.8	78	<1	<1	1	5	11	17	52
TOTAL 0-19 YRS	95	2.5	9	<1	<1	1	3	6	8	17
20-34	143	2.8	25	<1	<1	1	3	5	7	18
35-49	172	3.1	11	<1	<1	2	4	8	11	15
50-64	190	5.2	87	<1	<1	2	6	12	16	57
65+	297	5.8	50	1	1	3	7	12	17	40
GRAND TOTAL	**897**	**4.3**	**44**	**<1**	**<1**	**2**	**5**	**10**	**14**	**40**

334: Gangrene (785.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34										
35-49	1	19.0		19	19	19	19	19	19	19
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	2	3.0	8	1	1	3	5	5	5	5
B. *Operated*										
0-19 YRS	3	5.3	9	2	2	6	7	8	8	8
20-34	8	9.0	164	<1	<1	2	16	30	32	32
35-49	12	6.8	107	<1	<1	3	7	19	35	38
50-64	6	5.8	28	1	1	4	9	14	15	15
65+	29	9.2	74	1	2	7	10	17	35	38
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	11.0		11	11	11	11	11	11	11
35-49	8	7.6	24	2	3	7	9	15	18	18
50-64	14	8.1	34	2	3	6	10	20	21	21
65+	53	7.9	54	1	2	7	8	16	21	41
B. *Operated*										
0-19 YRS	15	8.7	180	<1	<1	3	8	33	43	47
20-34	42	11.9	227	<1	1	8	14	31	50	65
35-49	68	11.1	134	1	2	8	15	22	30	69
50-64	157	13.6	153	2	2	11	17	26	39	52
65+	433	12.6	107	2	3	10	16	24	34	50
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	5.2	48	1	1	2	5	18	19	19
B. *Operated*	58	8.1	82	<1	1	6	9	18	34	38
2. MULTIPLE DX										
A. *Not Operated*	77	7.9	46	1	2	7	9	17	20	38
B. *Operated*	715	12.5	128	2	2	9	16	24	35	54
1. SINGLE DX	64	7.8	79	<1	1	6	9	19	33	38
2. MULTIPLE DX	792	12.1	122	1	2	9	15	24	35	52
A. NOT OPERATED	83	7.7	46	1	2	6	9	18	20	38
B. OPERATED	773	12.2	126	1	2	9	16	24	35	52
TOTAL 0-19 YRS	20	7.5	139	<1	<1	3	7	23	40	47
20-34	51	11.4	210	<1	1	7	14	29	50	65
35-49	89	10.3	121	1	2	7	14	22	30	62
50-64	179	12.8	142	1	2	10	17	24	38	52
65+	517	11.9	102	2	3	9	15	23	33	48
GRAND TOTAL	**856**	**11.8**	**120**	**1**	**2**	**9**	**15**	**24**	**34**	**52**

335: Chest pain (786.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	21	1.9	2	<1	1	1	3	4	5	5
20-34	368	1.6	1	<1	1	1	2	3	3	7
35-49	1436	1.7	1	<1	1	1	2	3	3	6
50-64	1259	1.9	1	1	1	2	2	3	4	6
65+	600	2.0	1	1	1	2	2	3	4	6
B. *Operated*										
0-19 YRS	2	1.5	1	<1	<1	1	2	2	2	2
20-34	53	1.7	2	<1	<1	1	2	4	5	6
35-49	369	1.7	2	<1	<1	1	2	3	4	8
50-64	470	1.6	1	<1	<1	1	2	3	4	7
65+	191	1.6	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	2.2	3	<1	1	2	3	4	6	8
20-34	745	2.1	2	1	1	2	2	3	4	8
35-49	3478	2.2	2	1	1	2	3	4	5	8
50-64	4995	2.5	3	1	1	2	3	4	6	9
65+	5202	2.9	4	1	1	2	4	5	6	10
B. *Operated*										
0-19 YRS	7	3.7	5	1	1	3	6	7	7	7
20-34	108	2.8	5	<1	1	2	4	6	7	11
35-49	787	2.6	6	<1	1	2	3	5	7	13
50-64	1469	2.7	7	<1	1	2	3	5	7	14
65+	975	3.2	9	<1	1	2	4	7	8	16
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3684	1.8	1	1	1	2	2	3	4	6
B. *Operated*	1085	1.7	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	14480	2.5	3	1	1	2	3	5	6	9
B. *Operated*	3346	2.8	7	<1	1	2	4	6	8	14
1. SINGLE DX	4769	1.8	1	<1	1	1	2	3	4	6
2. MULTIPLE DX	17826	2.6	4	1	1	2	3	5	6	10
A. NOT OPERATED	18164	2.4	3	1	1	2	3	4	5	8
B. OPERATED	4431	2.5	6	<1	1	2	3	5	7	14
TOTAL 0-19 YRS	90	2.3	3	<1	1	2	3	5	6	8
20-34	1274	2.0	2	<1	1	2	2	4	4	8
35-49	6070	2.1	3	1	1	2	3	4	5	8
50-64	8193	2.4	3	1	1	2	3	4	6	9
65+	6968	2.8	4	1	1	2	3	5	6	11
GRAND TOTAL	**22595**	**2.4**	**3**	**1**	**1**	**2**	**3**	**4**	**6**	**9**

336: Other signs and symptons referable to respiratory system and chest (786.0-786.4; 786.6-786.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	222	2.0	2	<1	1	2	2	4	5	8
20-34	11	1.2		<1	<1	1	1	2	2	2
35-49	18	1.9	2	<1	<1	2	3	3	5	6
50-64	23	4.1	28	<1	<1	2	5	10	19	21
65+	32	2.6	7	1	1	2	3	5	6	15
B. *Operated*										
0-19 YRS	6	1.7	1	<1	<1	1	2	4	4	4
20-34	18	2.6	5	<1	<1	2	3	6	8	8
35-49	41	2.0	3	<1	1	1	2	5	6	9
50-64	46	2.2	3	<1	1	2	2	5	6	8
65+	26	2.2	3	<1	<1	2	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	433	3.1	12	1	1	2	4	6	8	19
20-34	86	3.3	8	<1	1	2	4	7	9	15
35-49	159	3.7	14	1	1	3	4	7	11	18
50-64	305	3.8	11	1	1	3	5	7	9	16
65+	723	4.6	14	1	1	3	6	9	11	18
B. *Operated*										
0-19 YRS	28	7.4	200	1	1	2	8	12	31	74
20-34	30	4.6	92	1	1	2	5	7	8	54
35-49	82	3.6	11	1	1	2	4	8	11	16
50-64	166	4.5	24	1	1	3	5	12	14	26
65+	213	4.6	14	<1	1	4	6	10	13	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	306	2.2	5	<1	1	2	3	4	6	13
B. *Operated*	137	2.2	3	<1	<1	1	3	5	6	8
2. MULTIPLE DX										
A. *Not Operated*	1706	3.9	13	1	1	3	5	8	10	18
B. *Operated*	519	4.6	32	1	1	3	6	10	13	26
1. SINGLE DX	443	2.2	4	<1	<1	2	3	4	6	9
2. MULTIPLE DX	2225	4.0	18	1	1	3	5	8	11	19
A. NOT OPERATED	2012	3.6	12	1	1	3	4	7	9	17
B. OPERATED	656	4.1	27	<1	1	2	5	8	12	23
TOTAL 0-19 YRS	689	2.9	18	<1	1	2	3	5	8	19
20-34	145	3.3	24	<1	1	2	4	7	8	18
35-49	300	3.3	11	1	1	2	4	7	10	16
50-64	540	3.9	15	1	1	3	5	8	12	21
65+	994	4.4	14	1	1	3	6	9	12	18
GRAND TOTAL	**2668**	**3.7**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**18**

337: Signs and symptoms referable to urinary system (788)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	12	1.5		<1	<1	1	2	2	2	2
20-34	67	1.7	1	<1	<1	1	2	3	4	6
35-49	87	1.5	1	<1	<1	1	2	2	3	6
50-64	60	1.7	1	<1	<1	1	2	3	4	5
65+	28	1.5		<1	<1	1	2	3	3	3
B. *Operated*										
0-19 YRS	10	1.1		<1	<1	<1	<1	1	2	2
20-34	16	1.6		<1	<1	1	2	2	3	3
35-49	21	2.8	3	<1	<1	2	4	6	6	7
50-64	22	3.4	2	<1	1	3	4	5	6	6
65+	15	3.5	3	<1	1	4	5	6	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	13	1.5		<1	<1	1	2	2	3	3
20-34	112	2.6	4	<1	1	2	3	5	6	11
35-49	138	1.9	2	<1	<1	1	2	4	5	9
50-64	123	2.6	8	<1	1	2	3	5	8	15
65+	337	3.9	8	1	1	3	5	8	10	13
B. *Operated*										
0-19 YRS	33	3.1	12	<1	<1	1	5	8	9	16
20-34	44	5.4	111	<1	1	3	5	7	25	64
35-49	65	3.1	5	<1	1	2	4	7	8	9
50-64	100	3.8	14	1	1	3	5	7	9	23
65+	285	5.4	23	1	1	4	7	10	14	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	254	1.6	1	<1	<1	1	2	3	4	5
B. *Operated*	84	2.6	3	<1	<1	2	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*	723	3.0	7	<1	1	2	4	6	8	13
B. *Operated*	527	4.7	27	1	1	3	6	9	12	28
1. SINGLE DX	338	1.8	2	<1	<1	1	2	4	5	6
2. MULTIPLE DX	1250	3.7	16	<1	1	3	5	8	9	20
A. NOT OPERATED	977	2.6	6	<1	1	2	3	5	7	13
B. OPERATED	611	4.4	24	<1	1	3	5	8	11	27
TOTAL 0-19 YRS	68	2.2	7	<1	<1	1	2	6	8	15
20-34	239	2.8	24	<1	1	2	3	5	6	24
35-49	311	2.1	3	<1	<1	1	2	4	6	9
50-64	305	2.9	9	<1	1	2	3	5	7	14
65+	665	4.4	15	1	1	4	5	8	11	23
GRAND TOTAL	**1588**	**3.3**	**14**	**<1**	**1**	**2**	**4**	**7**	**9**	**16**

338: Abdominal pain (789.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	970	1.5	1	<1	<1	1	2	3	4	5
20-34	1205	2.0	2	<1	1	2	2	4	5	8
35-49	686	2.2	2	<1	1	2	3	4	5	8
50-64	392	2.4	3	<1	<1	2	3	5	6	10
65+	203	2.4	4	<1	1	2	3	5	6	10
B. *Operated*										
0-19 YRS	221	2.9	3	1	1	3	3	4	5	11
20-34	307	3.0	3	1	1	3	4	5	7	9
35-49	122	3.4	6	<1	<1	3	4	6	9	13
50-64	46	3.0	7	<1	1	2	4	6	8	13
65+	23	4.0	17	<1	<1	2	7	10	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	784	2.0	2	<1	1	1	2	4	5	8
20-34	1500	2.7	6	<1	1	2	3	5	7	11
35-49	1182	3.1	7	1	1	2	4	6	8	13
50-64	1075	3.3	7	1	1	3	4	6	8	13
65+	1837	4.0	10	1	1	3	5	7	9	16
B. *Operated*										
0-19 YRS	170	3.5	5	1	2	3	4	6	7	12
20-34	394	4.5	18	1	1	4	5	8	12	27
35-49	259	4.8	14	1	1	4	6	8	12	19
50-64	178	5.9	17	1	1	5	8	12	14	19
65+	295	6.9	43	1	1	5	8	14	21	32
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	3456	2.0	2	<1	1	1	2	4	5	8
B. *Operated*	719	3.1	4	<1	1	3	4	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	6378	3.2	7	1	1	2	4	6	8	13
B. *Operated*	1296	5.2	22	1	1	4	6	10	14	26
1. SINGLE DX	4175	2.2	3	<1	1	2	3	4	5	9
2. MULTIPLE DX	7674	3.5	10	1	1	3	4	7	9	16
A. NOT OPERATED	9834	2.7	6	<1	1	2	3	5	7	12
B. OPERATED	2015	4.4	17	1	1	3	5	8	12	22
TOTAL 0-19 YRS	2145	2.0	2	<1	1	1	2	4	5	8
20-34	3406	2.7	6	<1	1	2	3	5	7	12
35-49	2249	3.0	7	<1	1	2	4	6	8	13
50-64	1691	3.4	8	<1	1	2	4	7	9	14
65+	2358	4.2	15	1	1	3	5	8	11	20
GRAND TOTAL	**11849**	**3.0**	**8**	**<1**	**1**	**2**	**4**	**6**	**8**	**14**

339: Other signs and symptoms referable to Gi tract and abdomen (787; 789.1-789.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	85	2.0	2	<1	1	1	2	4	5	7
20-34	43	2.0	2	<1	<1	2	2	4	5	7
35-49	39	2.4	4	<1	1	2	3	4	6	11
50-64	27	3.8	53	<1	1	2	4	6	12	39
65+	37	2.7	4	<1	<1	2	4	6	7	7
B. *Operated*										
0-19 YRS	9	1.8	1	<1	<1	1	2	4	4	4
20-34	25	5.7	7	1	3	5	7	10	11	12
35-49	22	2.7	4	<1	<1	2	4	6	7	7
50-64	25	4.2	13	<1	1	3	6	10	11	14
65+	20	3.6	8	<1	<1	3	5	7	10	12
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	320	2.5	5	1	1	2	3	5	7	12
20-34	277	3.3	14	1	1	2	3	6	9	22
35-49	306	3.8	13	1	1	3	5	7	10	19
50-64	498	4.0	10	1	1	3	5	8	11	16
65+	1094	4.4	12	1	1	3	6	9	11	17
B. *Operated*										
0-19 YRS	71	4.2	93	1	1	1	3	9	15	64
20-34	128	3.8	20	1	1	2	5	8	15	23
35-49	173	4.3	31	1	1	3	5	8	14	31
50-64	152	5.8	49	1	1	4	7	11	16	41
65+	335	7.0	68	1	1	5	9	15	22	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	231	2.4	9	<1	<1	2	3	5	6	8
B. *Operated*	101	3.9	9	<1	1	3	6	8	10	13
2. MULTIPLE DX										
A. *Not Operated*	2495	3.9	11	1	1	3	5	8	10	17
B. *Operated*	859	5.5	53	1	1	3	7	12	17	37
1. SINGLE DX	332	2.8	9	<1	1	2	4	6	7	12
2. MULTIPLE DX	3354	4.3	23	1	1	3	5	9	12	24
A. NOT OPERATED	2726	3.8	11	1	1	3	5	7	10	17
B. OPERATED	960	5.3	49	1	1	3	7	12	16	35
TOTAL 0-19 YRS	485	2.6	18	<1	1	2	3	5	8	15
20-34	473	3.5	15	1	1	2	4	7	10	21
35-49	540	3.8	18	1	1	3	5	8	11	23
50-64	702	4.4	21	1	1	3	5	9	12	25
65+	1486	4.9	25	1	1	4	6	10	14	25
GRAND TOTAL	**3686**	**4.2**	**22**	**1**	**1**	**3**	**5**	**9**	**12**	**23**

340: Miscellaneous signs, symptoms, and ill-defined conditions (780.0-780.2; 780.4-780.5; 780.7-780.9; 781-783; 784.1-784.6; 784.8-784.9; 790-799)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	474	2.7	6	1	1	2	3	5	7	12
20-34	189	2.4	7	<1	1	2	3	5	7	18
35-49	253	2.1	4	<1	1	2	2	4	5	11
50-64	339	2.1	4	<1	1	2	2	4	5	10
65+	482	2.1	2	<1	1	2	3	4	5	7
B. *Operated*										
0-19 YRS	51	1.5	1	<1	<1	1	2	3	4	6
20-34	89	1.6	1	<1	<1	1	2	3	4	6
35-49	134	1.9	3	<1	<1	1	2	4	5	8
50-64	133	2.1	21	<1	<1	1	2	3	4	17
65+	56	2.7	7	<1	<1	1	4	6	9	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	976	3.8	17	1	1	3	5	7	11	23
20-34	719	3.3	24	1	1	2	4	6	8	26
35-49	1168	3.3	17	1	1	2	4	7	8	19
50-64	2663	4.1	18	1	1	3	5	8	12	22
65+	7997	4.4	16	1	1	3	6	9	12	20
B. *Operated*										
0-19 YRS	109	6.7	82	<1	1	3	9	19	29	99+
20-34	185	3.5	23	<1	1	2	4	8	12	36
35-49	305	5.6	100	1	1	3	5	14	24	66
50-64	563	6.4	77	1	1	3	8	15	23	58
65+	1089	8.9	108	1	1	6	11	19	29	58
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1737	2.3	4	<1	1	2	3	4	6	11
B. *Operated*	463	1.9	8	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	13523	4.2	17	1	1	3	5	8	11	21
B. *Operated*	2251	7.3	94	1	1	4	9	17	27	60
1. SINGLE DX	2200	2.2	5	<1	1	2	3	4	6	11
2. MULTIPLE DX	15774	4.6	29	1	1	3	5	9	13	28
A. NOT OPERATED	15260	4.0	16	1	1	3	5	8	11	20
B. OPERATED	2714	6.4	83	<1	1	3	8	15	24	55
TOTAL 0-19 YRS	1610	3.6	18	1	1	2	4	7	11	26
20-34	1182	3.1	20	1	1	2	3	6	8	24
35-49	1860	3.4	29	1	1	2	4	7	9	28
50-64	3698	4.2	27	1	1	3	5	9	12	27
65+	9624	4.8	28	1	1	3	6	10	14	27
GRAND TOTAL	**17974**	**4.3**	**27**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

341: Fracture of vault of skull (800; 803)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	247	1.8	3	<1	1	1	2	3	4	7
20-34	28	3.0	8	<1	<1	2	4	8	9	11
35-49	10	3.0	10	<1	<1	2	3	8	11	11
50-64	4	6.0	54	2	2	3	10	17	17	17
65+	5	7.4	20	2	2	6	12	12	12	12
B. *Operated*										
0-19 YRS	56	4.1	6	1	2	4	5	8	9	12
20-34	25	4.2	4	1	1	5	5	6	7	9
35-49	7	4.9	12	1	1	4	8	10	10	10
50-64	4	5.5	17	1	1	6	9	9	9	9
65+	3	4.0	13	1	1	3	7	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	226	3.4	20	1	1	2	4	7	11	25
20-34	85	5.2	19	<1	1	4	8	12	14	18
35-49	31	5.1	35	<1	1	3	7	13	19	25
50-64	19	5.3	43	<1	1	2	9	15	20	24
65+	17	9.8	66	1	1	8	14	21	27	30
B. *Operated*										
0-19 YRS	154	9.9	139	1	1	5	13	28	37	74
20-34	161	14.5	255	2	2	8	21	29	47	94
35-49	63	12.4	210	1	2	8	15	28	37	88
50-64	28	10.5	136	1	1	9	14	25	61	99+
65+	25	19.1	312	2	3	12	30	44	54	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	294	2.1	6	<1	1	1	2	4	6	12
B. *Operated*	95	4.3	6	1	1	4	6	8	9	11
2. MULTIPLE DX										
A. *Not Operated*	378	4.3	26	1	1	2	5	11	14	25
B. *Operated*	431	12.5	207	1	2	8	17	29	43	94
1. SINGLE DX	389	2.6	7	1	1	2	3	6	8	12
2. MULTIPLE DX	809	8.7	139	1	1	4	11	22	30	74
A. NOT OPERATED	672	3.3	18	1	1	2	3	8	12	23
B. OPERATED	526	11.1	181	1	2	6	14	27	39	90
TOTAL 0-19 YRS	683	4.3	49	1	1	2	4	9	16	39
20-34	299	9.9	168	1	1	6	12	23	30	87
35-49	111	9.1	144	1	1	5	11	21	28	67
50-64	55	8.0	93	1	1	4	12	17	27	97
65+	50	13.9	206	1	2	9	18	33	44	74
GRAND TOTAL	**1198**	**6.7**	**104**	**1**	**1**	**3**	**8**	**17**	**25**	**57**

342: Fracture of base of skull (801)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	196	2.4	4	<1	1	2	3	5	7	11
20-34	43	3.1	8	<1	1	2	4	6	10	14
35-49	14	2.0	2	1	1	2	2	3	6	7
50-64	13	6.0	25	1	1	3	10	13	15	15
65+	6	6.3	11	2	2	7	9	10	10	10
B. *Operated*										
0-19 YRS	26	4.5	7	1	2	4	6	8	10	12
20-34	15	8.1	388	1	1	2	5	6	61	79
35-49	5	3.8	22	1	1	2	5	12	12	12
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	287	4.1	20	1	1	3	5	9	13	22
20-34	201	5.3	28	1	1	3	7	12	15	29
35-49	81	5.4	26	<1	1	4	6	11	16	25
50-64	43	8.1	52	1	2	5	11	17	24	32
65+	66	7.8	38	2	2	6	9	18	21	29
B. *Operated*										
0-19 YRS	156	11.9	173	1	2	8	17	31	52	99+
20-34	200	13.4	236	1	2	9	16	35	44	90
35-49	84	15.1	254	2	2	9	20	34	59	93
50-64	29	15.1	339	2	2	9	18	33	56	88
65+	42	14.5	356	1	1	9	19	50	75	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	272	2.8	7	1	1	2	3	6	10	13
B. *Operated*	47	5.5	127	1	1	3	6	8	12	79
2. MULTIPLE DX										
A. *Not Operated*	678	5.2	28	1	1	3	6	12	16	28
B. *Operated*	511	13.4	235	1	2	9	18	34	53	99+
1. SINGLE DX	319	3.2	25	1	1	2	4	7	10	13
2. MULTIPLE DX	1189	8.7	133	1	1	5	10	20	31	81
A. NOT OPERATED	950	4.5	23	1	1	3	6	10	14	26
B. OPERATED	558	12.7	230	1	2	8	17	33	51	99+
TOTAL 0-19 YRS	665	5.5	64	1	1	3	6	13	22	56
20-34	459	8.7	145	1	1	5	10	19	33	77
35-49	184	9.5	154	1	1	5	11	25	33	79
50-64	85	10.2	156	1	2	7	14	21	30	76
65+	115	10.1	162	1	2	6	12	21	40	89
GRAND TOTAL	**1508**	**7.6**	**115**	**1**	**1**	**4**	**9**	**18**	**27**	**76**

343: Fracture of face bones (802)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	22	1.8	3	<1	<1	1	2	4	6	8
20-34	29	1.2		<1	<1	1	1	2	2	3
35-49	8	1.9	2	<1	<1	1	2	4	5	5
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	380	1.6	2	<1	<1	1	2	3	4	8
20-34	594	2.1	4	<1	1	1	2	4	5	10
35-49	180	2.1	5	<1	1	1	2	5	7	11
50-64	39	2.2	6	<1	<1	1	2	4	7	14
65+	22	2.0	2	1	1	2	3	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	2.8	52	<1	<1	1	2	4	6	50
20-34	122	2.1	2	<1	<1	1	3	4	5	7
35-49	55	1.9	1	<1	1	2	3	3	4	6
50-64	32	3.5	12	<1	1	3	5	7	9	18
65+	53	4.4	13	<1	1	3	6	9	13	15
B. *Operated*										
0-19 YRS	472	3.3	18	1	1	2	4	7	10	24
20-34	1031	4.0	29	1	1	2	4	8	11	30
35-49	396	4.1	16	1	1	3	5	9	12	20
50-64	133	5.9	84	1	1	4	7	12	16	42
65+	126	6.1	77	1	1	4	8	12	16	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	62	1.5	1	<1	<1	1	2	3	4	8
B. *Operated*	1215	1.9	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX										
A. *Not Operated*	336	2.7	16	<1	<1	2	3	5	7	15
B. *Operated*	2158	4.1	31	1	1	3	5	9	12	26
1. SINGLE DX	1277	1.9	3	<1	<1	1	2	4	5	10
2. MULTIPLE DX	2494	3.9	29	1	1	2	5	8	11	25
A. NOT OPERATED	398	2.5	14	<1	<1	2	3	5	7	14
B. OPERATED	3373	3.3	22	<1	1	2	4	7	10	22
TOTAL 0-19 YRS	948	2.6	15	<1	<1	1	3	5	8	19
20-34	1776	3.2	19	1	1	2	4	6	9	20
35-49	639	3.3	12	1	1	2	4	8	10	18
50-64	206	4.8	60	1	1	3	5	9	14	31
65+	202	5.2	53	1	1	3	6	11	14	34
GRAND TOTAL	**3771**	**3.2**	**21**	**<1**	**1**	**2**	**4**	**7**	**10**	**20**

344: Fracture of vertebral column without mention of spinal cord injury (805)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	139	2.8	4	1	1	2	4	6	7	9
20-34	286	3.6	8	1	1	3	4	6	8	15
35-49	159	4.3	24	1	1	3	5	7	9	39
50-64	129	4.5	11	1	1	4	6	9	11	17
65+	162	5.2	10	1	2	5	7	10	11	14
B. *Operated*										
0-19 YRS	29	8.4	37	2	3	6	10	16	20	31
20-34	77	8.6	51	2	2	7	11	17	22	39
35-49	39	7.6	20	1	2	6	10	15	17	18
50-64	17	9.2	39	1	1	9	13	20	21	21
65+	18	9.4	74	1	1	7	13	19	30	36
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	191	4.4	12	1	1	3	6	10	11	16
20-34	488	4.8	18	1	1	4	6	9	11	19
35-49	326	5.7	24	1	1	5	7	11	14	24
50-64	350	6.1	17	1	2	5	8	12	13	18
65+	1620	7.1	20	2	3	6	9	13	15	22
B. *Operated*										
0-19 YRS	110	9.9	117	1	2	8	12	19	35	90
20-34	273	11.3	126	2	3	9	13	23	29	66
35-49	136	11.1	126	1	2	8	15	23	33	61
50-64	112	11.3	86	1	3	9	14	22	26	54
65+	183	12.9	71	3	4	11	17	24	33	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	875	4.0	12	1	1	3	5	8	10	15
B. *Operated*	180	8.5	42	1	2	7	11	16	19	34
2. MULTIPLE DX										
A. *Not Operated*	2975	6.3	20	1	2	5	8	12	14	21
B. *Operated*	814	11.4	107	2	3	9	14	23	32	58
1. SINGLE DX	1055	4.8	20	1	1	4	6	9	13	21
2. MULTIPLE DX	3789	7.4	43	1	2	6	9	14	18	34
A. NOT OPERATED	3850	5.8	19	1	2	5	8	11	13	21
B. OPERATED	994	10.9	97	2	3	8	14	22	29	57
TOTAL 0-19 YRS	469	5.5	44	1	1	4	7	11	15	35
20-34	1124	6.3	53	1	1	4	8	13	17	37
35-49	660	6.6	50	1	1	5	8	13	18	40
50-64	608	6.8	34	1	2	5	9	13	17	27
65+	1983	7.5	27	2	3	6	9	14	17	28
GRAND TOTAL	**4844**	**6.8**	**39**	**1**	**2**	**5**	**9**	**13**	**17**	**33**

345: Fracture of vertebral column with cord injury (806)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	5.0	5	3	3	4	6	8	8	8
20-34	8	3.0	4	1	1	3	4	6	7	7
35-49	6	5.3	16	2	2	4	8	12	12	12
50-64	1	4.0		4	4	4	4	4	4	4
65+	2	6.0	18	3	3	6	9	9	9	9
B. *Operated*										
0-19 YRS	4	9.0	27	2	2	10	13	13	13	13
20-34	20	12.0	47	1	3	11	14	21	25	29
35-49	5	13.8	15	9	9	15	16	19	19	19
50-64	3	21.0	175	6	6	26	30	31	31	31
65+	1	8.0		8	8	8	8	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	24.0	507	<1	<1	25	41	46	46	46
20-34	16	9.4	78	<1	1	7	10	22	32	36
35-49	11	7.5	27	2	2	7	12	15	17	17
50-64	5	15.6	299	4	4	8	21	46	46	46
65+	18	8.8	21	2	3	9	12	15	17	17
B. *Operated*										
0-19 YRS	37	20.8	290	2	6	16	27	51	74	99+
20-34	113	21.8	251	5	7	18	31	52	77	99+
35-49	35	28.8	454	5	8	23	38	63	86	99+
50-64	21	23.0	257	4	5	22	32	51	81	99+
65+	23	23.0	245	9	11	17	26	51	59	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	4.4	8	1	1	4	6	9	10	12
B. *Operated*	33	12.6	53	2	4	12	15	23	29	31
2. MULTIPLE DX										
A. *Not Operated*	53	10.2	93	1	2	8	12	18	34	46
B. *Operated*	229	23.0	290	5	7	19	31	55	74	99+
1. SINGLE DX	54	9.4	51	1	2	8	13	19	25	31
2. MULTIPLE DX	282	20.6	277	3	5	16	28	50	70	99+
A. NOT OPERATED	74	8.6	76	1	2	7	11	17	25	46
B. OPERATED	262	21.7	271	4	7	17	29	53	71	99+
TOTAL 0-19 YRS	48	18.7	275	2	3	15	23	44	74	99+
20-34	157	18.4	228	2	4	14	26	41	69	99+
35-49	57	20.9	388	2	3	15	27	60	65	99+
50-64	30	21.0	248	4	4	18	31	45	67	99+
65+	44	16.1	188	3	4	12	18	28	52	70
GRAND TOTAL	**336**	**18.8**	**258**	**2**	**4**	**14**	**26**	**43**	**66**	**99+**

346: Fracture of ribs, sternum, larynx and trachea (807)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.4		<1	<1	1	2	2	2	2
20-34	43	2.1	2	<1	1	2	2	4	5	6
35-49	54	2.3	3	<1	1	2	3	4	6	12
50-64	40	3.0	4	<1	<1	2	4	6	7	9
65+	65	3.0	4	1	1	2	4	6	7	9
B. *Operated*										
0-19 YRS	3	3.0	12	1	1	1	6	7	7	7
20-34	1	6.0		6	6	6	6	6	6	6
35-49	3	4.3	10	2	2	3	7	8	8	8
50-64	3	4.3	9	1	1	5	6	7	7	7
65+	2	2.5	1	2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	71	3.2	7	1	1	2	4	6	8	14
20-34	278	2.7	3	1	1	2	4	5	7	9
35-49	352	3.7	11	1	1	3	4	8	10	18
50-64	370	4.8	19	1	1	4	6	9	12	21
65+	826	5.7	21	1	2	5	7	11	14	24
B. *Operated*										
0-19 YRS	39	5.8	34	1	2	4	7	11	20	29
20-34	148	7.2	86	1	1	5	8	12	23	52
35-49	124	7.1	56	1	1	5	9	13	17	41
50-64	122	9.0	110	1	2	6	10	18	33	54
65+	157	12.5	157	2	3	9	15	28	44	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	212	2.5	3	1	1	2	3	5	6	9
B. *Operated*	12	3.8	7	1	1	3	6	7	8	8
2. MULTIPLE DX										
A. *Not Operated*	1897	4.6	17	1	1	3	6	9	12	21
B. *Operated*	590	8.9	105	1	2	6	10	19	29	55
1. SINGLE DX	224	2.6	4	1	1	2	3	5	7	9
2. MULTIPLE DX	2487	5.6	41	1	1	4	7	11	15	35
A. NOT OPERATED	2109	4.4	16	1	1	3	6	9	12	20
B. OPERATED	602	8.8	104	1	1	6	10	19	29	55
TOTAL 0-19 YRS	123	3.9	17	1	1	2	5	8	10	26
20-34	470	4.1	34	1	1	3	5	8	10	37
35-49	533	4.3	23	1	1	3	5	9	13	20
50-64	535	5.7	42	1	1	4	7	10	15	37
65+	1050	6.6	47	1	2	5	8	13	18	35
GRAND TOTAL	**2711**	**5.4**	**39**	**1**	**1**	**4**	**7**	**11**	**15**	**33**

347: Fracture of pelvis (808)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	54	4.2	14	1	1	3	5	9	9	23
20-34	74	4.8	22	1	1	3	6	10	16	23
35-49	34	6.8	20	2	2	6	8	13	15	23
50-64	49	5.9	15	1	2	5	8	10	12	22
65+	218	6.3	34	1	2	5	8	11	14	25
B. *Operated*										
0-19 YRS	13	15.1	145	2	3	10	26	33	35	35
20-34	9	11.6	206	2	2	6	12	34	48	48
35-49	7	15.4	132	4	5	11	21	34	37	37
50-64	4	16.3	89	5	5	17	24	25	25	25
65+	1	29.0		29	29	29	29	29	29	29
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	153	5.8	50	1	1	4	6	10	19	40
20-34	190	8.1	57	1	2	6	10	17	21	43
35-49	144	8.5	64	2	3	6	10	15	18	54
50-64	169	8.3	52	2	3	7	10	14	19	29
65+	1310	8.4	36	3	3	7	11	15	18	30
B. *Operated*										
0-19 YRS	88	13.2	227	2	3	8	15	26	53	79
20-34	175	15.5	186	3	4	11	20	38	48	68
35-49	73	19.1	223	2	4	14	27	43	49	59
50-64	50	18.6	242	3	4	13	25	45	52	70
65+	147	16.8	199	4	5	13	21	34	52	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	429	5.8	26	1	2	4	7	10	14	23
B. *Operated*	34	14.8	144	2	3	11	23	32	37	48
2. MULTIPLE DX										
A. *Not Operated*	1966	8.2	43	2	3	7	10	15	19	32
B. *Operated*	533	16.3	208	3	4	12	21	38	51	76
1. SINGLE DX	463	6.4	40	1	2	5	8	12	18	35
2. MULTIPLE DX	2499	9.9	89	2	3	7	12	18	26	54
A. NOT OPERATED	2395	7.7	41	2	2	6	10	14	18	32
B. OPERATED	567	16.2	204	3	4	12	21	37	49	74
TOTAL 0-19 YRS	308	8.1	112	1	2	5	9	18	26	61
20-34	448	10.5	122	1	2	7	13	23	38	57
35-49	258	11.4	128	2	3	7	13	24	40	54
50-64	272	9.9	99	2	3	7	11	19	26	58
65+	1676	8.9	57	2	3	7	11	16	21	39
GRAND TOTAL	**2962**	**9.4**	**83**	**2**	**3**	**7**	**11**	**18**	**25**	**53**

348: Fracture of humerus (812)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	72	2.2	14	<1	<1	1	2	4	8	26
20-34	21	3.3	23	<1	<1	2	3	9	15	21
35-49	14	1.8	1	<1	<1	2	2	3	4	4
50-64	30	2.7	4	1	1	2	4	5	5	11
65+	87	3.1	6	<1	1	2	4	6	8	13
B. *Operated*										
0-19 YRS	1111	2.1	6	<1	1	1	2	3	6	16
20-34	130	3.2	15	1	1	2	3	6	9	19
35-49	95	2.9	3	1	1	3	4	5	6	8
50-64	104	3.1	5	1	1	3	4	6	7	11
65+	161	3.8	8	1	1	3	4	8	10	13
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	44	3.6	18	1	1	2	4	10	14	18
20-34	43	2.8	11	<1	1	2	3	5	8	21
35-49	31	3.7	13	1	1	3	4	7	11	18
50-64	101	4.5	19	1	1	3	5	10	14	22
65+	495	5.4	21	1	2	4	7	10	14	24
B. *Operated*										
0-19 YRS	291	3.7	21	1	1	2	4	8	12	22
20-34	198	6.8	58	1	1	4	8	15	22	44
35-49	147	7.1	65	1	1	5	8	18	23	41
50-64	181	6.9	62	1	1	4	8	14	23	41
65+	453	7.6	43	1	2	6	9	15	21	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	224	2.7	10	<1	1	2	3	5	8	17
B. *Operated*	1601	2.4	7	1	1	2	3	5	7	15
2. MULTIPLE DX										
A. *Not Operated*	714	4.9	20	1	1	4	6	10	13	23
B. *Operated*	1270	6.4	48	1	1	4	8	14	20	37
1. SINGLE DX	1825	2.5	8	1	1	2	3	5	7	15
2. MULTIPLE DX	1984	5.9	38	1	1	4	7	12	18	33
A. NOT OPERATED	938	4.4	19	1	1	3	6	9	12	23
B. OPERATED	2871	4.2	29	1	1	2	5	9	14	30
TOTAL 0-19 YRS	1518	2.4	10	1	1	1	2	5	8	18
20-34	392	5.0	40	1	1	3	6	10	16	34
35-49	287	5.1	40	1	1	3	6	11	18	36
50-64	416	5.1	36	1	1	3	6	10	15	31
65+	1196	5.9	29	1	1	4	7	12	15	30
GRAND TOTAL	**3809**	**4.3**	**26**	**1**	**1**	**3**	**5**	**9**	**13**	**27**

349: Fracture of radius and ulna (813)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.4	1	<1	<1	1	1	2	4	6
20-34	18	1.3		<1	<1	1	1	3	3	3
35-49	9	1.3	1	<1	<1	1	1	3	4	4
50-64	8	1.4		<1	<1	1	2	2	2	2
65+	12	1.8	1	<1	<1	1	2	4	5	5
B. *Operated*										
0-19 YRS	1364	1.5	1	<1	<1	1	2	3	3	6
20-34	582	2.0	2	1	1	2	3	4	5	8
35-49	388	2.1	2	<1	1	2	3	4	4	9
50-64	347	2.0	2	<1	1	2	2	3	4	9
65+	270	2.2	2	1	1	2	3	4	5	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	1.9	4	<1	<1	1	2	4	5	13
20-34	53	2.5	5	1	1	2	3	5	7	15
35-49	30	2.6	2	1	1	2	3	5	6	6
50-64	33	3.4	10	1	1	2	4	9	12	13
65+	101	5.6	31	1	1	4	7	12	18	29
B. *Operated*										
0-19 YRS	420	3.1	31	1	1	2	3	6	9	18
20-34	534	4.8	28	1	1	3	6	10	15	28
35-49	336	4.3	20	1	1	3	5	9	13	22
50-64	257	4.0	12	1	1	3	5	8	12	16
65+	556	4.9	31	1	1	3	6	11	14	26
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	71	1.4	1	<1	<1	1	1	3	3	6
B. *Operated*	2951	1.8	2	<1	1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	270	3.7	17	<1	1	2	4	8	12	26
B. *Operated*	2103	4.3	27	1	1	3	5	9	13	23
1. SINGLE DX	3022	1.8	2	<1	1	1	2	3	4	7
2. MULTIPLE DX	2373	4.2	26	1	1	3	5	9	13	24
A. NOT OPERATED	341	3.2	15	<1	1	2	4	7	10	24
B. OPERATED	5054	2.8	14	<1	1	2	3	6	9	17
TOTAL 0-19 YRS	1861	1.9	8	<1	<1	1	2	3	5	11
20-34	1187	3.3	16	1	1	2	4	7	10	20
35-49	763	3.1	11	1	1	2	3	6	9	17
50-64	645	2.8	8	<1	1	2	3	6	8	14
65+	939	4.2	24	1	1	3	5	9	12	24
GRAND TOTAL	**5395**	**2.9**	**14**	**<1**	**1**	**2**	**3**	**6**	**9**	**17**

350: Miscellaneous fractures of upper extremity (814-818)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	2.6	10	1	1	2	2	7	11	11
20-34	15	2.1	2	<1	1	1	3	4	5	5
35-49	6	2.5	8	1	1	1	3	7	8	8
50-64	4	3.3	1	2	2	3	4	4	4	4
65+	2	3.0	2	2	2	3	4	4	4	4
B. *Operated*										
0-19 YRS	267	1.4	2	<1	<1	1	1	2	3	7
20-34	514	1.5	1	<1	<1	1	2	3	4	5
35-49	206	1.5	1	<1	<1	1	2	3	3	5
50-64	71	1.7	2	<1	<1	1	2	3	5	8
65+	35	2.5	5	<1	<1	2	3	7	8	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.3	2	<1	1	2	4	4	4	4
20-34	36	2.3	4	<1	<1	2	3	4	7	11
35-49	15	1.6	1	<1	1	1	2	3	3	3
50-64	22	2.9	3	1	1	2	4	5	6	6
65+	22	5.9	71	<1	1	4	5	12	24	40
B. *Operated*										
0-19 YRS	186	2.4	5	<1	1	2	3	5	7	10
20-34	410	2.6	7	<1	1	2	3	5	7	12
35-49	215	2.8	8	1	1	2	3	6	9	13
50-64	135	3.1	12	<1	1	2	4	6	8	18
65+	80	3.6	10	1	1	3	4	7	10	18
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	37	2.5	5	1	1	2	3	4	7	11
B. *Operated*	1093	1.5	1	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
A. *Not Operated*	113	3.0	17	<1	1	2	4	5	8	23
B. *Operated*	1026	2.7	8	<1	1	2	3	5	7	12
1. SINGLE DX	1130	1.6	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX	1139	2.8	9	<1	1	2	3	5	7	12
A. NOT OPERATED	150	2.9	14	<1	1	2	4	5	8	13
B. OPERATED	2119	2.1	5	<1	<1	1	2	4	6	10
TOTAL 0-19 YRS	481	1.9	3	<1	<1	1	2	4	5	10
20-34	975	2.0	4	<1	<1	1	2	4	5	10
35-49	442	2.1	5	<1	<1	1	2	4	6	10
50-64	232	2.6	8	<1	<1	2	3	5	7	14
65+	139	3.6	19	<1	1	2	4	8	11	23
GRAND TOTAL	**2269**	**2.2**	**5**	**<1**	**<1**	**1**	**2**	**4**	**6**	**11**

351: Fracture of neck of femur (820)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	7.9	81	<1	1	2	16	21	26	27
20-34	2	1.5	1	<1	<1	1	2	2	2	2
35-49	7	3.0	6	1	1	2	5	7	7	7
50-64	25	5.6	21	<1	<1	4	7	13	16	19
65+	89	8.3	80	1	1	5	11	19	26	49
B. *Operated*										
0-19 YRS	92	7.0	50	1	2	5	8	15	21	39
20-34	48	7.6	19	3	3	7	9	13	15	25
35-49	103	7.0	14	3	4	6	9	12	15	61
50-64	272	7.7	8	3	4	7	9	11	13	16
65+	1531	9.7	16	5	6	9	12	14	17	22
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	21	13.0	88	1	2	13	22	24	25	25
20-34	11	14.6	445	1	1	3	26	46	67	69
35-49	22	5.2	16	<1	1	4	7	9	14	18
50-64	64	8.2	54	1	2	6	9	15	22	42
65+	634	8.7	69	1	2	7	10	16	21	54
B. *Operated*										
0-19 YRS	93	11.5	65	2	3	9	15	21	30	40
20-34	139	11.1	76	3	4	9	14	19	27	46
35-49	203	11.0	70	3	5	9	12	20	26	54
50-64	767	11.1	41	5	6	10	13	18	24	36
65+	8695	11.9	45	5	6	11	14	18	23	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	147	7.4	67	1	1	5	10	19	22	48
B. *Operated*	2046	9.2	17	4	5	8	11	14	16	23
2. MULTIPLE DX										
A. *Not Operated*	752	8.8	73	1	2	7	11	17	23	54
B. *Operated*	9897	11.8	46	5	6	10	14	18	23	38
1. SINGLE DX	2193	9.0	21	3	4	8	11	14	17	26
2. MULTIPLE DX	10649	11.6	48	5	6	10	13	18	23	39
A. NOT OPERATED	899	8.6	72	1	2	7	10	17	23	49
B. OPERATED	11943	11.4	42	5	6	10	13	18	22	36
TOTAL 0-19 YRS	230	9.5	67	1	2	7	13	21	25	38
20-34	200	10.4	84	2	3	8	13	19	27	53
35-49	335	9.2	53	3	3	8	11	16	23	53
50-64	1128	10.0	36	4	5	9	12	16	21	34
65+	10949	11.4	43	5	6	10	13	18	22	37
GRAND TOTAL	**12842**	**11.2**	**44**	**4**	**6**	**10**	**13**	**18**	**22**	**37**

352: Other femoral fracture (821)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	287	15.1	122	1	1	15	22	29	33	47
20-34	8	18.8	293	1	1	17	35	39	40	40
35-49	10	12.1	215	1	2	6	14	37	48	48
50-64	12	13.0	278	<1	3	7	9	46	52	53
65+	44	9.7	100	1	2	6	11	23	32	46
B. *Operated*										
0-19 YRS	392	8.9	80	1	1	5	12	23	28	36
20-34	136	8.7	38	2	4	8	10	14	16	42
35-49	52	10.0	55	3	4	8	11	14	33	37
50-64	26	8.5	86	3	4	6	9	14	22	51
65+	63	10.6	45	3	5	10	13	17	20	44
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	17.3	140	2	2	18	25	32	39	50
20-34	26	11.4	271	1	1	4	7	36	49	62
35-49	24	13.6	281	1	2	6	19	39	48	66
50-64	34	12.4	187	2	3	6	11	38	44	48
65+	213	11.1	151	2	3	7	12	26	37	62
B. *Operated*										
0-19 YRS	486	14.3	128	2	3	11	20	29	35	53
20-34	412	14.8	145	2	5	11	18	27	41	62
35-49	163	15.9	224	2	4	11	17	36	53	75
50-64	129	16.3	192	5	6	12	20	34	49	88
65+	510	15.3	141	5	6	12	17	25	37	74
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	361	14.4	132	1	1	13	22	29	37	48
B. *Operated*	669	9.1	66	1	2	7	11	21	26	39
2. MULTIPLE DX										
A. *Not Operated*	429	13.3	170	2	2	8	19	31	40	56
B. *Operated*	1700	15.0	150	3	5	12	18	28	40	68
1. SINGLE DX	1030	10.9	96	1	1	8	16	24	30	46
2. MULTIPLE DX	2129	14.7	155	2	4	11	18	29	40	66
A. NOT OPERATED	790	13.8	153	1	2	10	21	30	39	51
B. OPERATED	2369	13.3	134	2	3	10	17	26	36	63
TOTAL 0-19 YRS	1297	13.2	122	1	2	10	20	28	33	49
20-34	582	13.2	134	2	4	10	16	26	38	62
35-49	249	14.3	197	2	3	10	16	35	48	66
50-64	201	14.4	187	3	4	10	18	34	48	78
65+	830	13.6	138	3	4	11	16	25	36	71
GRAND TOTAL	**3159**	**13.5**	**139**	**1**	**2**	**10**	**18**	**27**	**36**	**60**

353: Fracture of tibia and fibula (823)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	137	1.9	3	<1	1	1	2	3	5	8
20-34	103	2.1	2	<1	1	2	3	4	5	6
35-49	59	2.9	4	1	1	2	4	6	8	10
50-64	49	3.4	6	1	1	3	5	7	8	10
65+	55	4.2	8	1	1	4	5	7	9	15
B. *Operated*										
0-19 YRS	600	2.8	6	1	1	2	4	5	7	13
20-34	585	4.4	10	1	1	4	6	8	10	17
35-49	386	4.5	8	1	2	4	6	8	10	15
50-64	206	5.3	19	1	2	4	7	9	12	16
65+	86	5.7	11	1	2	5	7	10	12	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	60	3.1	6	1	1	3	4	6	9	12
20-34	88	4.2	70	1	1	3	4	8	9	52
35-49	75	4.5	18	1	1	3	6	9	12	23
50-64	86	6.5	33	1	2	5	8	13	15	34
65+	238	6.5	20	1	2	6	8	12	14	18
B. *Operated*										
0-19 YRS	379	6.8	64	1	1	4	8	14	19	46
20-34	609	9.0	89	1	2	6	10	19	28	54
35-49	442	9.1	110	2	2	6	10	18	26	65
50-64	270	10.2	122	2	3	7	12	18	28	69
65+	335	10.6	93	2	3	8	13	19	29	61
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	403	2.6	4	1	1	2	3	5	7	10
B. *Operated*	1863	4.1	10	1	1	3	5	8	10	15
2. MULTIPLE DX										
A. *Not Operated*	547	5.5	29	1	1	4	7	11	13	21
B. *Operated*	2035	9.0	95	1	2	6	11	18	26	58
1. SINGLE DX	2266	3.8	10	1	1	3	5	7	9	15
2. MULTIPLE DX	2582	8.3	84	1	2	6	10	16	23	52
A. NOT OPERATED	950	4.3	21	1	1	3	5	9	12	17
B. OPERATED	3898	6.6	61	1	1	4	8	13	18	42
TOTAL 0-19 YRS	1176	4.0	28	1	1	3	4	8	13	24
20-34	1385	6.2	54	1	1	4	7	12	18	37
35-49	962	6.5	61	1	2	5	8	12	17	45
50-64	611	7.5	72	1	2	5	9	14	18	51
65+	714	8.2	58	2	2	6	10	15	19	41
GRAND TOTAL	**4848**	**6.2**	**54**	**1**	**1**	**4**	**8**	**12**	**17**	**38**

354: Miscellaneous fractures of lower extremity (822; 824-827)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	58	1.9	2	<1	1	2	2	3	4	9
20-34	102	2.5	3	<1	1	2	3	5	6	9
35-49	76	2.9	5	<1	1	3	4	5	6	12
50-64	43	2.8	5	<1	1	2	4	5	7	10
65+	67	3.8	9	1	1	3	5	7	9	18
B. *Operated*										
0-19 YRS	926	2.4	3	1	1	2	3	4	5	9
20-34	1495	2.9	4	1	1	3	4	5	6	10
35-49	1102	3.4	6	1	1	3	4	6	7	12
50-64	794	3.8	5	1	1	3	5	6	8	12
65+	472	4.4	6	1	2	4	6	8	9	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	53	2.1	2	<1	<1	2	3	4	5	8
20-34	124	3.3	6	<1	1	3	4	7	8	13
35-49	96	4.3	51	<1	1	3	5	9	10	43
50-64	112	4.7	14	1	1	3	6	10	13	17
65+	240	4.9	13	1	1	4	6	10	11	21
B. *Operated*										
0-19 YRS	452	4.3	22	1	1	3	5	8	10	26
20-34	1083	5.0	26	1	1	4	6	10	13	30
35-49	780	5.2	17	1	2	4	6	10	13	24
50-64	739	5.9	27	1	2	5	7	10	15	29
65+	861	6.9	34	2	3	6	8	12	15	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	346	2.8	5	<1	1	2	4	5	6	11
B. *Operated*	4789	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX										
A. *Not Operated*	625	4.2	18	1	1	3	6	9	11	17
B. *Operated*	3915	5.5	26	1	2	4	7	10	14	28
1. SINGLE DX	5135	3.2	5	1	1	3	4	6	7	11
2. MULTIPLE DX	4540	5.3	25	1	1	4	7	10	13	26
A. NOT OPERATED	971	3.7	13	1	1	3	5	8	10	16
B. OPERATED	8704	4.3	16	1	1	3	5	8	10	21
TOTAL 0-19 YRS	1489	2.9	10	1	1	2	3	5	7	14
20-34	2804	3.7	13	1	1	3	4	7	9	22
35-49	2054	4.1	13	1	1	3	5	7	10	18
50-64	1688	4.8	16	1	2	4	6	8	11	22
65+	1640	5.7	23	1	2	5	7	10	13	24
GRAND TOTAL	**9675**	**4.2**	**16**	**1**	**1**	**3**	**5**	**8**	**10**	**20**

355: Fracture of other bones (810-811; 829)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	10	1.6		<1	<1	1	2	3	3	3
20-34	18	2.0	1	<1	1	2	3	4	4	4
35-49	8	1.5	1	<1	<1	1	2	3	4	4
50-64	7	1.6		1	1	2	2	2	2	2
65+	4	2.3	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	31	1.9	3	1	1	2	2	3	3	10
20-34	44	1.9	1	1	1	2	2	3	4	5
35-49	18	1.8	1	<1	1	2	2	3	4	4
50-64	13	3.2	4	1	1	2	5	6	7	7
65+	3	1.3		1	1	1	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	59	2.9	12	<1	1	2	4	5	7	24
20-34	120	2.9	9	1	1	2	3	6	8	18
35-49	93	3.1	7	<1	1	2	4	6	9	14
50-64	67	4.4	16	1	1	3	6	10	12	20
65+	101	5.4	15	1	1	4	7	12	14	17
B. *Operated*										
0-19 YRS	30	4.1	61	1	1	2	4	7	8	44
20-34	79	5.5	121	<1	1	2	4	10	21	67
35-49	43	5.3	26	1	1	3	8	13	16	22
50-64	28	6.2	32	1	1	4	7	15	17	24
65+	23	5.8	22	1	2	4	8	12	16	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	47	1.8	1	<1	1	2	2	3	4	4
B. *Operated*	109	2.0	2	1	1	2	2	3	4	8
2. MULTIPLE DX										
A. *Not Operated*	440	3.7	13	1	1	3	5	8	11	18
B. *Operated*	203	5.4	68	1	1	3	6	12	16	50
1. SINGLE DX	156	1.9	2	1	1	2	2	3	4	7
2. MULTIPLE DX	643	4.3	30	1	1	3	5	9	13	24
A. NOT OPERATED	487	3.5	12	1	1	2	4	8	11	18
B. OPERATED	312	4.2	47	1	1	2	4	8	14	40
TOTAL 0-19 YRS	130	2.8	20	1	1	2	3	5	7	30
20-34	261	3.4	42	1	1	2	3	6	10	36
35-49	162	3.5	12	<1	1	2	4	8	11	19
50-64	115	4.5	19	1	1	3	6	10	14	22
65+	131	5.3	16	1	1	4	7	12	14	19
GRAND TOTAL	**799**	**3.8**	**26**	**1**	**1**	**2**	**4**	**8**	**12**	**22**

356: Fracture of multiple bones (804; 809; 819; 828)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	18	1	1	2	4	11	12	12
20-34	1	5.0		5	5	5	5	5	5	5
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	2.5	1	2	2	2	3	3	3	3
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	6	3.7	14	<1	<1	2	4	10	11	11
20-34	4	3.0	7	1	1	2	5	7	7	7
35-49	6	5.2	9	<1	<1	6	8	8	8	8
50-64	4	15.8	48	10	10	14	21	25	25	25
65+	5	11.2	51	2	2	16	16	17	17	17
B. *Operated*										
0-19 YRS	17	10.6	46	2	3	8	14	21	23	24
20-34	21	16.6	437	2	3	10	19	31	67	98
35-49	5	7.0	11	2	2	7	9	11	11	11
50-64	3	10.0	61	5	5	6	16	19	19	19
65+	3	21.7	142	12	12	18	31	35	35	35
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	7	3.9	15	1	1	2	5	11	12	12
B. *Operated*	5	2.4		2	2	2	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	25	7.4	43	<1	1	5	11	17	19	25
B. *Operated*	49	13.4	223	2	3	10	18	23	35	98
1. SINGLE DX	12	3.3	9	1	1	2	4	7	11	12
2. MULTIPLE DX	74	11.4	169	1	2	8	16	22	25	85
A. NOT OPERATED	32	6.6	38	<1	1	4	10	16	17	25
B. OPERATED	54	12.4	212	2	2	8	17	22	33	96
TOTAL 0-19 YRS	31	7.4	43	1	1	5	12	18	22	24
20-34	26	14.1	378	1	2	8	17	23	53	98
35-49	13	5.5	10	<1	1	7	8	9	11	11
50-64	7	13.3	54	5	5	11	18	24	25	25
65+	9	13.7	106	2	2	16	17	28	35	35
GRAND TOTAL	**86**	**10.3**	**154**	**1**	**2**	**7**	**13**	**19**	**24**	**78**

357: Dislocation of shoulder (831)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	1	1	1	1	1
20-34	3	1.0		1	1	1	1	1	1	1
35-49										
50-64	2	2.0	2	1	1	2	3	3	3	3
65+	2	1.0		<1	<1	<1	1	1	1	1
B. *Operated*										
0-19 YRS	64	1.7	1	<1	1	1	2	3	4	5
20-34	347	1.8	2	1	1	2	2	3	4	6
35-49	137	1.6	1	<1	1	1	2	3	3	5
50-64	22	2.5	18	<1	<1	1	2	4	11	21
65+	28	1.7	1	<1	<1	1	2	3	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	2.5	9	1	1	1	4	7	7	7
20-34	18	1.8	1	<1	1	1	3	4	4	4
35-49	13	2.8	6	<1	<1	2	4	7	8	8
50-64	8	4.0	11	1	1	4	5	9	11	11
65+	20	6.3	31	<1	1	4	9	15	18	20
B. *Operated*										
0-19 YRS	24	2.6	7	<1	1	2	3	5	9	13
20-34	103	2.6	4	<1	1	2	3	5	7	12
35-49	60	3.2	8	1	1	2	3	7	10	15
50-64	35	2.5	7	<1	1	1	3	5	10	12
65+	67	4.7	20	1	1	3	7	11	15	20
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	11	1.2		<1	<1	1	1	2	3	3
B. *Operated*	598	1.8	2	<1	1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	63	3.7	16	<1	1	2	5	9	12	20
B. *Operated*	289	3.2	10	1	1	2	4	7	10	17
1. SINGLE DX	609	1.8	2	<1	1	1	2	3	4	6
2. MULTIPLE DX	352	3.3	11	1	1	2	4	7	11	18
A. NOT OPERATED	74	3.4	15	<1	1	2	4	8	11	19
B. OPERATED	887	2.2	5	1	1	2	2	4	6	13
TOTAL 0-19 YRS	96	1.9	3	<1	1	1	2	4	5	10
20-34	471	2.0	2	1	1	2	2	3	4	9
35-49	210	2.1	4	1	1	1	2	4	6	11
50-64	67	2.7	11	<1	1	1	3	5	11	19
65+	117	4.2	19	<1	1	2	6	11	15	20
GRAND TOTAL	**961**	**2.3**	**6**	**1**	**1**	**2**	**3**	**4**	**7**	**13**

358: Dislocation of knee (836)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	3	1.0		<1	<1	1	1	1	1	1
20-34	7	1.7	4	<1	<1	1	1	5	6	6
35-49	5	1.4	1	<1	<1	1	2	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
B. *Operated*										
0-19 YRS	286	1.8	2	<1	<1	1	2	4	5	6
20-34	500	1.7	3	<1	<1	1	2	3	4	6
35-49	272	1.4	1	<1	<1	1	1	2	4	5
50-64	134	1.6	2	<1	<1	1	2	4	4	7
65+	55	1.8	3	<1	<1	1	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	5	2.0	5	1	1	1	3	6	6	6
20-34	21	3.1	6	<1	<1	2	5	7	7	8
35-49	7	2.1	1	<1	<1	2	3	4	4	4
50-64	5	1.6	2	<1	<1	1	2	4	4	4
65+	10	3.5	13	<1	<1	2	3	9	13	13
B. *Operated*										
0-19 YRS	289	2.4	4	<1	<1	2	3	4	6	10
20-34	651	2.6	7	<1	<1	2	3	5	6	12
35-49	405	2.2	5	<1	<1	1	3	4	6	12
50-64	250	1.9	3	<1	<1	1	2	4	6	9
65+	145	2.7	10	<1	<1	1	3	7	9	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	1.5	2	<1	<1	1	1	3	5	6
B. *Operated*	1247	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	48	2.8	6	<1	<1	2	4	6	7	13
B. *Operated*	1740	2.4	6	<1	<1	1	3	5	6	12
1. SINGLE DX	1264	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	1788	2.4	6	<1	<1	1	3	5	6	12
A. NOT OPERATED	65	2.4	5	<1	<1	1	3	6	7	12
B. OPERATED	2987	2.1	4	<1	<1	1	3	4	6	10
TOTAL 0-19 YRS	583	2.1	3	<1	<1	1	3	4	5	9
20-34	1179	2.2	5	<1	<1	1	3	4	6	9
35-49	689	1.9	4	<1	<1	1	2	4	5	11
50-64	390	1.8	3	<1	<1	1	2	4	5	9
65+	211	2.5	9	<1	<1	1	3	6	9	15
GRAND TOTAL	**3052**	**2.1**	**4**	**<1**	**<1**	**1**	**3**	**4**	**6**	**10**

359: Other dislocation (830; 832-835; 837-839)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	17	3.4	19	<1	1	2	4	8	15	18
20-34	16	5.0	19	1	1	4	6	13	15	16
35-49	15	6.6	106	<1	<1	4	7	8	34	43
50-64	4	3.3	3	1	1	3	4	5	5	5
65+	6	2.7	7	<1	<1	1	5	7	7	7
B. *Operated*										
0-19 YRS	158	2.6	7	<1	1	2	3	5	7	15
20-34	186	2.5	6	<1	<1	2	3	5	7	13
35-49	94	3.3	14	1	1	2	4	6	10	20
50-64	45	3.9	23	1	1	3	5	7	9	31
65+	31	3.8	17	1	1	2	5	10	14	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	18	2.4	7	<1	<1	1	3	5	9	11
20-34	32	6.4	118	<1	1	4	6	10	21	61
35-49	25	5.6	35	<1	1	3	7	14	20	25
50-64	13	5.9	16	1	1	6	8	12	13	13
65+	18	2.8	7	<1	1	2	3	7	10	11
B. *Operated*										
0-19 YRS	105	5.0	39	1	1	3	6	9	16	36
20-34	219	6.4	76	1	1	4	7	14	19	48
35-49	120	6.0	60	1	1	4	8	13	17	44
50-64	93	7.1	108	1	1	4	8	16	26	62
65+	84	6.6	56	<1	1	4	9	14	20	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	58	4.6	39	<1	1	3	5	9	15	41
B. *Operated*	514	2.9	10	<1	1	2	4	6	9	17
2. MULTIPLE DX										
A. *Not Operated*	106	4.9	49	<1	1	3	6	11	13	41
B. *Operated*	621	6.2	69	1	1	4	7	13	19	45
1. SINGLE DX	572	3.0	13	<1	1	2	4	6	9	17
2. MULTIPLE DX	727	6.0	66	1	1	4	7	13	18	45
A. NOT OPERATED	164	4.8	46	<1	1	3	6	9	14	40
B. OPERATED	1135	4.7	45	<1	1	3	5	11	15	34
TOTAL 0-19 YRS	298	3.4	20	<1	1	2	4	7	11	22
20-34	453	4.8	51	<1	1	2	5	11	15	43
35-49	254	5.0	44	1	1	3	6	11	16	36
50-64	155	6.0	74	1	1	4	7	13	18	34
65+	139	5.3	41	<1	1	3	7	12	17	25
GRAND TOTAL	**1299**	**4.7**	**45**	**<1**	**1**	**3**	**5**	**11**	**15**	**35**

360: Sprains and strains of knee and leg (844)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	4.7	33	<1	<1	2	7	15	15	15
20-34	16	1.8	2	<1	<1	1	2	4	5	5
35-49	13	3.3	8	1	1	2	5	6	10	11
50-64	2	1.5	1	1	1	1	2	2	2	2
65+	15	3.1	3	1	1	3	3	4	7	8
B. *Operated*										
0-19 YRS	363	2.6	2	<1	<1	3	4	4	5	6
20-34	607	2.7	2	<1	<1	3	3	4	5	8
35-49	190	2.8	3	<1	1	3	4	5	5	7
50-64	44	3.0	3	<1	1	3	4	4	6	10
65+	15	5.0	3	2	3	5	6	8	8	8
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	1.8	2	<1	<1	1	2	4	5	5
20-34	26	2.5	3	<1	<1	2	4	5	6	7
35-49	33	4.5	23	1	1	3	6	10	15	22
50-64	20	4.1	21	<1	1	2	4	11	15	19
65+	93	5.0	14	1	2	4	6	8	9	24
B. *Operated*										
0-19 YRS	476	3.2	4	<1	1	3	4	5	6	11
20-34	1057	3.3	3	<1	1	3	4	6	6	9
35-49	465	3.5	5	1	1	3	4	6	6	11
50-64	91	3.8	7	1	1	3	5	7	8	13
65+	39	6.0	21	1	2	5	8	13	16	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	55	3.0	9	<1	1	2	3	5	10	15
B. *Operated*	1219	2.7	2	<1	<1	3	4	4	5	7
2. MULTIPLE DX										
A. *Not Operated*	188	4.2	15	<1	1	3	5	8	10	21
B. *Operated*	2128	3.4	4	<1	1	3	4	6	7	11
1. SINGLE DX	1274	2.8	3	<1	<1	3	4	5	5	8
2. MULTIPLE DX	2316	3.5	5	<1	1	3	4	6	7	11
A. NOT OPERATED	243	3.9	14	<1	1	3	5	8	10	19
B. OPERATED	3347	3.2	4	<1	1	3	4	5	6	10
TOTAL 0-19 YRS	864	3.0	3	<1	1	3	4	5	6	10
20-34	1706	3.1	3	<1	1	3	4	5	6	9
35-49	701	3.4	5	1	1	3	4	5	6	11
50-64	157	3.6	7	1	1	3	4	7	9	13
65+	162	5.0	14	1	2	4	6	8	10	20
GRAND TOTAL	**3590**	**3.2**	**4**	**<1**	**1**	**3**	**4**	**5**	**6**	**10**

361: Sprains and strains of sacroiliac region (846)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	20	2.7	3	<1	1	2	3	5	7	8
20-34	309	4.1	7	1	1	3	5	8	9	12
35-49	331	4.7	8	1	2	4	6	8	10	15
50-64	110	4.3	4	2	2	4	5	7	8	11
65+	49	4.7	11	1	2	4	7	8	11	20
B. *Operated*										
0-19 YRS										
20-34	44	4.9	25	<1	1	2	7	12	14	23
35-49	54	4.1	17	1	1	2	7	9	12	21
50-64	11	2.9	7	1	1	2	4	8	9	9
65+	2	6.0	32	2	2	6	10	10	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	28	3.1	5	1	1	2	4	7	8	10
20-34	310	5.0	13	1	2	4	6	9	12	17
35-49	458	5.0	9	1	2	4	7	9	10	15
50-64	299	5.2	10	2	2	4	7	10	11	15
65+	460	5.5	13	2	2	5	7	10	12	20
B. *Operated*										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	46	6.1	29	<1	1	5	9	13	18	23
35-49	55	7.0	27	1	1	6	10	12	14	31
50-64	23	6.8	32	1	1	6	9	13	21	21
65+	19	11.6	217	2	4	8	10	18	47	70
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	819	4.4	7	1	2	4	6	8	9	14
B. *Operated*	111	4.4	19	1	1	2	7	10	13	22
2. MULTIPLE DX										
A. *Not Operated*	1555	5.1	11	1	2	4	7	9	11	17
B. *Operated*	144	7.3	55	1	1	6	9	13	18	34
1. SINGLE DX	930	4.4	9	1	1	4	6	8	10	14
2. MULTIPLE DX	1699	5.3	15	1	2	5	7	10	12	18
A. NOT OPERATED	2374	4.9	10	1	2	4	6	9	11	16
B. OPERATED	255	6.0	41	1	1	5	8	12	14	23
TOTAL 0-19 YRS	49	3.1	6	1	1	2	4	7	8	12
20-34	709	4.7	13	1	1	4	6	9	11	17
35-49	898	4.9	11	1	1	4	7	9	10	16
50-64	443	5.0	10	1	2	4	6	9	11	15
65+	530	5.6	21	2	2	5	7	10	12	20
GRAND TOTAL	**2629**	**5.0**	**13**	**1**	**2**	**4**	**7**	**9**	**11**	**18**

362: Strains and sprains of other and unspecified parts of back (847)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	73	2.3	7	<1	1	1	2	4	8	15
20-34	358	4.1	9	1	1	3	6	8	9	15
35-49	273	4.2	7	1	1	4	5	8	9	13
50-64	120	3.9	6	1	1	3	5	7	8	13
65+	35	3.5	5	1	1	3	5	6	7	11
B. *Operated*										
0-19 YRS	8	4.3	19	1	1	3	6	11	13	13
20-34	113	3.4	18	1	1	1	4	10	13	19
35-49	76	2.7	12	1	1	1	4	6	8	21
50-64	26	3.0	9	<1	1	2	4	8	10	12
65+	3	3.3	10	1	1	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	112	2.3	3	<1	1	2	3	5	6	8
20-34	616	4.5	14	1	1	4	6	9	10	17
35-49	578	5.0	12	1	2	4	7	10	11	17
50-64	337	4.8	15	1	1	4	6	9	12	16
65+	447	5.2	14	1	2	4	7	10	12	18
B. *Operated*										
0-19 YRS	12	3.3	4	<1	1	3	5	6	7	7
20-34	123	5.0	26	1	1	3	8	13	15	24
35-49	137	4.9	21	1	1	3	7	10	14	19
50-64	44	7.0	45	1	1	5	10	16	20	30
65+	35	8.6	49	1	2	6	11	21	23	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	859	3.9	8	1	1	3	5	8	9	13
B. *Operated*	226	3.2	15	1	1	1	4	8	12	19
2. MULTIPLE DX										
A. *Not Operated*	2090	4.7	13	1	1	4	6	9	11	17
B. *Operated*	351	5.5	29	1	1	4	8	13	16	26
1. SINGLE DX	1085	3.8	9	1	1	3	5	8	9	15
2. MULTIPLE DX	2441	4.8	16	1	1	4	6	10	12	18
A. NOT OPERATED	2949	4.5	12	1	1	4	6	9	11	16
B. OPERATED	577	4.6	25	1	1	2	6	11	15	24
TOTAL 0-19 YRS	205	2.5	5	<1	1	2	3	5	7	13
20-34	1210	4.3	14	1	1	3	6	9	11	17
35-49	1064	4.6	12	1	1	4	6	9	11	16
50-64	527	4.7	16	1	1	4	6	9	12	17
65+	520	5.3	16	1	2	4	7	10	12	22
GRAND TOTAL	**3526**	**4.5**	**14**	**1**	**1**	**4**	**6**	**9**	**11**	**17**

363: Other sprains and strains (840-843; 845; 848)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	24	1.9	1	<1	1	2	2	4	4	5
20-34	49	2.3	4	<1	1	2	3	4	7	10
35-49	27	2.0	4	1	1	1	2	5	6	9
50-64	14	2.4	5	<1	<1	2	2	6	8	9
65+	19	2.4	2	1	1	2	3	5	5	5
B. *Operated*										
0-19 YRS	97	1.6	1	<1	<1	1	2	3	3	5
20-34	490	1.9	1	<1	1	2	2	3	4	6
35-49	592	2.1	2	<1	1	2	3	4	4	6
50-64	564	2.5	2	1	1	2	3	4	5	7
65+	239	2.9	2	1	1	3	4	5	6	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	20	1.6	1	<1	<1	1	2	3	4	5
20-34	71	2.4	4	<1	1	2	3	5	6	11
35-49	55	3.4	11	<1	<1	2	4	8	11	16
50-64	58	2.7	3	<1	1	2	4	5	6	8
65+	174	4.6	12	1	1	4	6	9	11	20
B. *Operated*										
0-19 YRS	49	1.6	1	<1	1	1	2	3	3	4
20-34	155	2.5	17	<1	1	2	3	4	5	15
35-49	238	2.7	4	1	1	2	3	5	6	11
50-64	477	3.1	4	1	1	3	4	5	6	11
65+	357	4.4	18	1	2	4	5	7	10	23
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	133	2.2	3	<1	1	2	3	4	6	9
B. *Operated*	1982	2.3	2	1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	378	3.6	10	<1	1	3	5	8	9	15
B. *Operated*	1276	3.3	10	1	1	3	4	6	7	14
1. SINGLE DX	2115	2.2	2	1	1	2	3	4	5	7
2. MULTIPLE DX	1654	3.3	10	1	1	3	4	6	8	15
A. NOT OPERATED	511	3.2	8	<1	1	2	4	7	9	14
B. OPERATED	3258	2.6	5	1	1	2	3	5	6	10
TOTAL 0-19 YRS	190	1.6	1	<1	<1	1	2	3	3	5
20-34	765	2.1	5	<1	1	2	3	3	4	9
35-49	912	2.4	3	1	1	2	3	4	5	9
50-64	1113	2.8	3	1	1	3	3	5	6	9
65+	789	3.9	12	1	1	3	5	7	9	19
GRAND TOTAL	**3769**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**11**

364: Concussion (850)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1008	1.2	1	<1	1	1	1	2	2	3
20-34	238	1.4	1	<1	<1	1	2	3	3	5
35-49	90	1.4	1	<1	1	1	2	2	3	5
50-64	34	1.6	1	<1	<1	1	2	3	3	5
65+	24	2.0	2	<1	1	2	2	4	5	6
B. *Operated*										
0-19 YRS	5	1.2		1	1	1	2	2	2	2
20-34	2	1.0		1	1	1	1	1	1	1
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1411	1.5	2	<1	1	1	2	3	4	7
20-34	1058	2.1	8	<1	1	1	2	4	6	10
35-49	416	2.5	5	1	1	2	3	5	7	10
50-64	242	2.7	6	1	1	2	3	6	7	12
65+	385	3.7	18	1	1	3	4	7	11	18
B. *Operated*										
0-19 YRS	385	2.8	21	<1	1	1	2	6	9	26
20-34	535	3.1	26	<1	1	2	3	6	10	19
35-49	184	3.3	17	<1	1	2	4	6	11	18
50-64	96	4.1	22	1	1	2	5	9	16	21
65+	149	3.6	18	1	1	2	4	9	11	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1394	1.3	1	<1	1	1	1	2	2	4
B. *Operated*	8	1.9	4	1	1	1	2	5	7	7
2. MULTIPLE DX										
A. *Not Operated*	3512	2.1	6	<1	1	1	2	4	6	11
B. *Operated*	1349	3.2	22	<1	1	2	3	6	11	21
1. SINGLE DX	1402	1.3	1	<1	1	1	1	2	2	4
2. MULTIPLE DX	4861	2.4	11	<1	1	1	3	5	7	15
A. NOT OPERATED	4906	1.9	5	<1	1	1	2	4	5	10
B. OPERATED	1357	3.2	22	<1	1	2	3	6	11	21
TOTAL 0-19 YRS	2809	1.6	4	<1	1	1	2	2	4	9
20-34	1833	2.3	13	<1	1	1	2	4	6	14
35-49	691	2.6	8	<1	1	2	3	5	7	14
50-64	372	3.0	10	1	1	2	4	6	8	18
65+	558	3.6	17	1	1	2	4	7	11	18
GRAND TOTAL	**6263**	**2.2**	**9**	**<1**	**1**	**1**	**2**	**4**	**6**	**13**

365: Intracranial injury, except concussion (851-854)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	414	1.7	5	<1	1	1	1	3	5	12
20-34	123	3.5	59	<1	1	2	3	7	10	44
35-49	38	2.9	9	<1	<1	2	3	8	10	12
50-64	20	3.4	14	<1	1	2	4	8	13	16
65+	14	3.9	12	1	2	3	4	7	13	15
B. *Operated*										
0-19 YRS	43	5.5	17	2	2	4	7	9	12	26
20-34	34	7.8	44	1	3	6	9	13	22	35
35-49	16	5.0	5	1	2	5	7	8	8	8
50-64	17	7.5	20	2	2	7	9	11	18	22
65+	32	8.8	27	1	3	8	11	14	19	28
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	692	3.0	27	<1	1	1	3	7	10	26
20-34	508	4.4	46	<1	1	2	4	10	15	39
35-49	205	5.6	88	<1	1	2	6	15	21	59
50-64	126	5.0	78	<1	1	3	5	11	16	54
65+	337	7.1	64	1	1	5	9	16	22	29
B. *Operated*										
0-19 YRS	331	12.2	261	1	1	6	16	39	52	99+
20-34	412	14.8	331	1	1	8	22	44	65	99+
35-49	173	14.0	266	1	1	8	20	35	52	90
50-64	96	14.1	162	1	3	10	19	36	42	84
65+	286	14.7	175	1	3	11	19	34	44	66
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	609	2.2	17	<1	1	1	2	4	7	18
B. *Operated*	142	7.0	26	2	2	6	8	11	15	29
2. MULTIPLE DX										
A. *Not Operated*	1868	4.5	51	<1	1	2	5	10	16	34
B. *Operated*	1298	13.9	258	1	1	8	19	39	53	99+
1. SINGLE DX	751	3.1	22	<1	1	1	4	7	10	24
2. MULTIPLE DX	3166	8.4	157	1	1	4	10	23	37	73
A. NOT OPERATED	2477	4.0	44	<1	1	2	4	9	14	29
B. OPERATED	1440	13.3	239	1	1	8	17	36	52	99+
TOTAL 0-19 YRS	1480	4.8	89	<1	1	1	4	11	22	53
20-34	1077	8.4	182	<1	1	3	9	24	41	78
35-49	432	8.7	168	<1	1	3	10	23	34	73
50-64	259	8.4	120	1	1	5	10	20	33	66
65+	669	10.4	122	1	2	7	13	24	33	57
GRAND TOTAL	**3917**	**7.4**	**136**	**1**	**1**	**3**	**8**	**19**	**32**	**69**

366: Internal injury to thoracic region (860-862)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	26	2.3	5	<1	1	2	2	4	7	12
20-34	48	2.5	7	<1	<1	2	3	5	6	17
35-49	21	2.3	2	1	1	2	3	4	5	5
50-64	15	3.0	4	1	1	3	4	7	7	7
65+	3	2.0	3	1	1	1	3	4	4	4
B. *Operated*										
0-19 YRS	29	3.8	2	2	2	4	5	6	6	7
20-34	102	4.4	7	2	2	4	5	8	10	14
35-49	36	4.3	6	2	2	4	5	7	9	13
50-64	11	4.4	3	2	2	4	7	35	91	99+
65+	4	3.0	2	1	1	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	88	4.0	26	1	1	3	4	8	11	33
20-34	193	3.0	5	1	1	2	4	6	8	10
35-49	106	3.7	13	1	1	3	4	6	10	21
50-64	100	5.0	35	1	1	4	6	9	13	36
65+	150	6.2	28	1	2	5	8	11	19	29
B. *Operated*										
0-19 YRS	148	7.9	71	1	3	6	9	14	22	47
20-34	445	7.2	43	2	2	5	9	14	20	41
35-49	231	7.2	39	1	2	6	9	14	21	31
50-64	128	8.9	91	2	3	6	9	17	30	58
65+	148	10.4	79	3	3	8	12	23	31	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	113	2.5	5	<1	1	2	3	5	6	14
B. *Operated*	182	4.3	6	2	2	4	5	7	9	15
2. MULTIPLE DX										
A. *Not Operated*	637	4.3	21	1	1	3	5	8	10	21
B. *Operated*	1100	7.9	57	2	2	6	9	15	23	43
1. SINGLE DX	295	3.6	6	1	1	3	4	7	9	15
2. MULTIPLE DX	1737	6.6	47	1	2	5	8	12	19	40
A. NOT OPERATED	750	4.0	19	1	1	3	5	8	10	20
B. OPERATED	1282	7.4	52	2	2	5	9	14	21	43
TOTAL 0-19 YRS	291	5.8	49	1	1	4	7	11	14	43
20-34	788	5.5	31	1	1	4	7	11	15	31
35-49	394	5.7	30	1	1	4	7	11	17	30
50-64	254	6.8	64	1	2	5	7	12	21	58
65+	305	8.2	57	1	2	6	10	18	24	44
GRAND TOTAL	**2032**	**6.2**	**42**	**1**	**2**	**4**	**7**	**11**	**18**	**38**

367: Internal injury, except chest (863-869)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	168	2.7	6	<1	1	2	4	6	7	12
20-34	76	2.5	5	<1	1	2	3	6	7	11
35-49	32	2.5	5	1	1	1	3	5	7	11
50-64	10	3.1	1	2	2	3	4	5	5	5
65+	4	3.5	10	1	1	2	5	8	8	8
B. *Operated*										
0-19 YRS	102	5.5	4	2	3	5	7	8	9	11
20-34	139	5.4	7	2	2	5	6	8	10	14
35-49	35	5.3	5	1	2	6	7	8	9	10
50-64	14	5.1	8	1	1	5	8	9	9	9
65+	6	7.7	5	5	5	7	9	11	11	11
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	256	3.5	13	1	1	2	5	8	10	17
20-34	218	3.2	10	<1	1	2	4	6	8	18
35-49	96	4.0	12	1	1	3	5	9	11	17
50-64	49	5.7	29	1	1	4	8	14	19	22
65+	66	4.4	12	1	1	3	5	10	12	16
B. *Operated*										
0-19 YRS	384	10.3	116	2	4	7	11	20	31	62
20-34	742	10.3	98	3	4	7	11	19	27	60
35-49	276	13.0	201	2	4	8	14	29	45	79
50-64	123	13.4	157	4	5	9	14	35	43	64
65+	115	14.9	202	3	5	10	16	32	47	73
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	290	2.6	5	<1	1	2	3	6	7	12
B. *Operated*	296	5.5	6	2	3	5	7	9	9	13
2. MULTIPLE DX										
A. *Not Operated*	685	3.7	13	1	1	2	5	8	10	19
B. *Operated*	1640	11.3	133	3	4	8	12	22	35	66
1. SINGLE DX	586	4.1	7	1	1	4	6	7	9	12
2. MULTIPLE DX	2325	9.1	110	1	2	6	10	18	28	59
A. NOT OPERATED	975	3.4	11	1	1	2	4	7	9	17
B. OPERATED	1936	10.4	118	2	4	7	11	20	32	62
TOTAL 0-19 YRS	910	6.5	66	1	1	5	7	12	19	45
20-34	1175	7.9	75	1	2	6	9	15	23	51
35-49	439	9.6	149	1	1	6	10	19	32	70
50-64	196	10.4	122	1	2	7	11	22	36	55
65+	191	10.8	151	1	2	7	12	22	35	59
GRAND TOTAL	**2911**	**8.1**	**93**	**1**	**1**	**6**	**9**	**16**	**24**	**54**

368: Laceration or enucleation of eye (870-871)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	9	2.8	7	<1	<1	2	3	7	9	9
20-34	6	2.5	2	1	1	3	3	4	4	4
35-49	2	4.5	5	3	3	4	6	6	6	6
50-64										
65+										
B. *Operated*										
0-19 YRS	143	2.1	2	<1	1	1	3	4	5	6
20-34	101	2.3	2	<1	1	2	3	4	5	7
35-49	48	2.0	1	<1	1	2	3	4	4	5
50-64	13	2.0	2	<1	<1	2	3	4	5	5
65+	22	2.0	2	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	12	2.1	3	<1	<1	1	2	5	7	7
20-34	12	1.4		<1	<1	1	2	3	3	3
35-49	8	2.9	7	<1	<1	2	3	7	9	9
50-64	4	1.5		1	1	1	2	2	2	2
65+	4	2.0	2	1	1	2	3	4	4	4
B. *Operated*										
0-19 YRS	166	3.0	5	1	1	2	4	6	7	12
20-34	176	3.3	15	1	1	2	4	6	7	11
35-49	85	3.4	8	1	1	3	4	6	11	14
50-64	37	3.4	7	1	1	3	4	7	9	11
65+	60	3.6	6	1	1	3	4	8	10	11
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	17	2.9	4	<1	<1	3	3	6	8	9
B. *Operated*	327	2.1	2	<1	1	2	3	4	5	6
2. MULTIPLE DX										
A. *Not Operated*	40	2.0	3	<1	<1	2	2	4	6	9
B. *Operated*	524	3.2	9	1	1	3	4	6	8	12
1. SINGLE DX	344	2.2	2	<1	1	2	3	4	5	7
2. MULTIPLE DX	564	3.1	9	1	1	2	4	6	8	12
A. NOT OPERATED	57	2.2	3	<1	<1	2	3	4	7	9
B. OPERATED	851	2.8	7	1	1	2	4	5	7	11
TOTAL 0-19 YRS	330	2.6	4	<1	1	2	4	5	6	10
20-34	295	2.8	10	1	1	2	4	5	6	10
35-49	143	2.9	6	<1	1	2	4	5	7	13
50-64	54	2.9	5	1	1	2	3	6	8	11
65+	86	3.1	6	<1	1	3	4	6	9	11
GRAND TOTAL	**908**	**2.8**	**6**	**<1**	**1**	**2**	**4**	**5**	**7**	**11**

369: Other laceration of head and neck (872-874)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	41	2.0	3	<1	<1	1	2	4	6	9
20-34	40	2.0	5	<1	<1	1	2	4	7	12
35-49	11	1.7	2	<1	<1	1	2	4	5	5
50-64	3	2.0	3	<1	<1	1	3	4	4	4
65+	4	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	173	1.5	1	<1	<1	1	1	3	3	7
20-34	93	1.8	3	<1	<1	1	2	3	6	9
35-49	28	2.0	4	<1	<1	1	2	4	6	10
50-64	16	1.7	1	<1	1	2	2	3	3	3
65+	3	3.3	10	1	1	2	6	7	7	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	119	1.9	2	<1	<1	1	2	4	5	8
20-34	164	2.0	2	<1	1	2	3	4	5	7
35-49	68	2.2	2	<1	1	2	3	5	6	7
50-64	45	2.9	5	<1	1	2	4	6	7	9
65+	83	4.4	11	1	1	4	6	9	10	16
B. *Operated*										
0-19 YRS	471	2.3	9	<1	1	1	3	4	7	22
20-34	667	2.9	15	<1	<1	2	3	6	9	23
35-49	286	3.7	26	<1	1	2	4	7	13	28
50-64	139	3.8	23	1	1	2	4	7	13	27
65+	206	4.0	21	1	1	3	4	8	12	29
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	99	2.0	3	<1	<1	1	2	4	5	11
B. *Operated*	313	1.7	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX										
A. *Not Operated*	479	2.5	5	<1	1	2	3	5	7	10
B. *Operated*	1769	3.1	17	<1	1	2	3	6	9	25
1. SINGLE DX	412	1.7	2	<1	<1	1	2	3	5	9
2. MULTIPLE DX	2248	2.9	14	<1	1	2	3	6	8	23
A. NOT OPERATED	578	2.4	5	<1	1	2	3	5	7	10
B. OPERATED	2082	2.8	15	<1	1	2	3	6	8	24
TOTAL 0-19 YRS	804	2.1	6	<1	<1	1	2	4	6	12
20-34	964	2.6	12	<1	<1	2	3	5	8	19
35-49	393	3.3	20	<1	1	2	4	6	9	26
50-64	203	3.4	17	<1	1	2	4	7	10	25
65+	296	4.0	18	1	1	3	5	8	11	23
GRAND TOTAL	**2660**	**2.8**	**13**	**<1**	**1**	**2**	**3**	**6**	**8**	**20**

370: Other laceration of trunk and multiple and unspecified sites (875-879)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	50	1.5	1	<1	<1	1	2	3	3	5
20-34	133	1.4	1	<1	<1	1	2	2	3	21
35-49	41	1.7	1	<1	<1	1	2	3	4	6
50-64	8	1.6	1	<1	<1	1	2	3	4	4
65+	2	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	98	2.2	4	<1	1	1	3	5	6	12
20-34	127	2.6	6	<1	<1	2	4	5	7	13
35-49	58	2.8	5	<1	<1	2	4	6	8	10
50-64	7	2.7	8	<1	<1	1	4	7	8	8
65+	3	2.0	3	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	46	1.9	1	<1	<1	1	3	3	4	6
20-34	147	2.7	8	<1	<1	2	3	5	9	16
35-49	71	1.9	2	<1	<1	1	2	4	5	7
50-64	14	2.0	6	<1	<1	1	2	4	9	10
65+	10	7.6	111	1	1	5	6	22	37	37
B. *Operated*										
0-19 YRS	145	4.7	61	<1	1	3	5	8	14	25
20-34	312	5.3	39	1	1	4	6	10	13	36
35-49	104	5.3	27	1	1	4	7	12	15	28
50-64	45	6.2	32	1	1	5	7	16	18	28
65+	25	8.4	178	<1	1	6	9	15	35	67
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	234	1.5	1	<1	<1	1	2	3	4	6
B. *Operated*	293	2.5	5	<1	<1	2	3	5	7	12
2. MULTIPLE DX										
A. *Not Operated*	288	2.5	10	<1	<1	2	3	5	7	15
B. *Operated*	631	5.3	47	1	1	4	6	10	15	33
1. SINGLE DX	527	2.1	4	<1	<1	1	2	4	6	11
2. MULTIPLE DX	919	4.4	37	<1	1	3	5	9	13	30
A. NOT OPERATED	522	2.0	6	<1	<1	1	2	4	5	12
B. OPERATED	924	4.4	36	<1	1	3	5	8	12	29
TOTAL 0-19 YRS	339	3.1	29	<1	1	2	3	6	8	18
20-34	719	3.6	22	<1	1	2	4	7	11	28
35-49	274	3.4	15	<1	<1	2	4	7	9	20
50-64	74	4.6	25	<1	1	3	6	10	17	26
65+	40	7.4	140	<1	1	4	8	13	30	67
GRAND TOTAL	**1446**	**3.6**	**26**	**<1**	**1**	**2**	**4**	**7**	**10**	**24**

371: Open wound of upper limb (880-887)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	64	2.4	2	1	1	2	3	4	5	6
20-34	124	2.3	2	<1	1	2	3	4	5	6
35-49	47	2.8	3	1	1	2	4	6	7	8
50-64	13	3.2	3	1	1	3	4	6	6	6
65+	10	2.5	1	<1	<1	3	3	4	4	4
B. *Operated*										
0-19 YRS	433	1.7	3	<1	<1	1	2	3	5	9
20-34	838	2.1	4	<1	<1	1	2	4	6	9
35-49	329	2.4	8	<1	<1	1	2	5	7	15
50-64	154	2.3	8	<1	<1	1	2	5	8	12
65+	70	1.9	2	<1	<1	1	3	4	5	7
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	81	3.5	23	<1	1	2	3	6	13	29
20-34	166	3.5	14	<1	1	2	4	6	9	19
35-49	75	3.6	8	1	1	3	5	6	8	16
50-64	36	3.1	4	1	1	3	4	6	7	10
65+	38	4.9	18	1	2	4	6	8	13	25
B. *Operated*										
0-19 YRS	454	2.6	9	<1	1	2	3	5	8	14
20-34	1069	3.1	29	<1	1	2	3	6	10	22
35-49	447	3.5	19	<1	1	2	4	8	11	24
50-64	224	3.3	16	<1	1	2	4	7	11	21
65+	156	4.1	23	1	1	2	5	10	13	28
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	258	2.5	2	<1	1	2	3	5	5	7
B. *Operated*	1824	2.0	5	<1	<1	1	2	4	6	11
2. MULTIPLE DX										
A. *Not Operated*	396	3.6	14	<1	1	3	4	7	9	21
B. *Operated*	2350	3.2	22	<1	1	2	4	7	10	21
1. SINGLE DX	2082	2.1	4	<1	<1	1	2	4	6	11
2. MULTIPLE DX	2746	3.2	21	<1	1	2	4	7	10	21
A. NOT OPERATED	654	3.2	10	<1	1	2	4	6	7	17
B. OPERATED	4174	2.7	15	<1	<1	1	3	6	8	17
TOTAL 0-19 YRS	1032	2.3	7	<1	<1	1	2	5	6	14
20-34	2197	2.7	17	<1	1	2	3	5	8	17
35-49	898	3.1	13	<1	1	2	3	7	10	20
50-64	427	2.9	12	<1	1	2	3	6	8	17
65+	274	3.6	17	<1	1	2	4	7	11	24
GRAND TOTAL	**4828**	**2.8**	**14**	**<1**	**1**	**2**	**3**	**6**	**8**	**17**

372: Open wound of lower limb (890-897)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	70	2.4	3	<1	1	2	3	6	6	7
20-34	68	2.7	4	<1	1	2	3	6	7	9
35-49	33	3.3	5	<1	<1	3	4	7	9	10
50-64	10	2.3	3	<1	<1	2	3	5	6	6
65+	3	2.7	4	<1	<1	2	4	5	5	5
B. *Operated*										
0-19 YRS	333	2.9	11	<1	1	2	3	6	9	19
20-34	369	2.9	7	1	1	2	3	7	9	14
35-49	147	2.9	8	<1	<1	2	4	6	9	12
50-64	53	4.0	31	<1	<1	2	4	7	18	28
65+	30	5.9	32	1	1	4	8	16	19	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	51	3.2	6	1	1	3	4	6	8	13
20-34	79	3.0	4	1	1	3	4	6	7	10
35-49	43	3.6	11	<1	1	3	5	7	9	20
50-64	22	4.3	5	1	1	4	5	7	9	10
65+	51	7.3	53	1	2	4	8	18	27	31
B. *Operated*										
0-19 YRS	259	6.0	60	1	1	3	6	14	23	42
20-34	355	5.5	45	1	1	3	7	12	17	40
35-49	177	6.6	72	1	1	4	8	15	24	39
50-64	81	10.8	188	1	2	5	12	28	50	61
65+	88	8.4	61	1	2	6	12	20	25	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	184	2.7	4	<1	1	2	3	6	7	9
B. *Operated*	932	3.1	11	<1	1	2	4	7	9	19
2. MULTIPLE DX										
A. *Not Operated*	246	4.1	18	1	1	3	5	8	12	27
B. *Operated*	960	6.5	69	1	1	4	7	15	23	48
1. SINGLE DX	1116	3.0	10	<1	1	2	4	6	9	18
2. MULTIPLE DX	1206	6.0	60	1	1	3	7	14	21	42
A. NOT OPERATED	430	3.5	13	<1	1	3	4	7	9	20
B. OPERATED	1892	4.8	44	1	1	3	5	11	16	36
TOTAL 0-19 YRS	713	4.0	30	<1	1	2	4	8	13	29
20-34	871	4.0	24	1	1	3	5	8	12	22
35-49	400	4.6	40	<1	1	3	5	10	15	36
50-64	166	7.2	114	<1	1	4	7	21	28	56
65+	172	7.6	53	1	1	5	10	17	24	32
GRAND TOTAL	**2322**	**4.6**	**38**	**<1**	**1**	**3**	**5**	**10**	**15**	**31**

373: Injury to blood vessels (900-904)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	2	3.5	5	2	2	3	5	5	5	5
35-49										
50-64										
65+	1	1.0		1	1	1	1	1	1	1
B. *Operated*										
0-19 YRS	10	2.3	3	<1	<1	2	3	5	5	5
20-34	27	2.5	3	<1	1	2	3	6	6	6
35-49	16	2.2	5	1	1	1	3	5	8	9
50-64	2	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	3	28.0	2187	1	1	1	62	82	82	82
20-34	8	4.6	20	<1	<1	2	10	10	10	10
35-49	3	5.7	2	4	4	6	7	7	7	7
50-64	1	4.0		4	4	4	4	4	4	4
65+	5	4.2	7	1	1	5	6	7	7	7
B. *Operated*										
0-19 YRS	72	6.0	57	1	1	3	7	12	23	38
20-34	143	6.8	50	1	1	4	8	16	21	37
35-49	69	7.5	121	1	1	5	8	14	25	65
50-64	39	7.6	76	1	1	5	11	17	22	47
65+	15	5.9	34	1	1	5	8	16	18	19
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	4	2.3	4	1	1	2	3	5	5	5
B. *Operated*	56	2.3	3	<1	1	2	3	5	6	9
2. MULTIPLE DX										
A. *Not Operated*	20	8.2	313	<1	1	4	7	10	46	82
B. *Operated*	338	6.8	68	1	1	4	8	15	22	41
1. SINGLE DX	60	2.3	3	<1	1	2	3	5	6	9
2. MULTIPLE DX	358	6.9	81	1	1	4	8	15	22	46
A. NOT OPERATED	24	7.2	264	<1	1	3	6	10	32	82
B. OPERATED	394	6.2	61	1	1	4	7	14	21	39
TOTAL 0-19 YRS	86	6.3	118	1	1	3	6	12	25	67
20-34	180	6.0	44	1	1	4	8	15	19	36
35-49	88	6.5	99	1	1	4	7	12	21	62
50-64	42	7.2	72	1	1	4	10	16	22	47
65+	22	5.1	26	1	1	4	7	13	17	19
GRAND TOTAL	**418**	**6.2**	**72**	**1**	**1**	**4**	**7**	**14**	**21**	**42**

374: Late effects of injury, poisoning, nonmedicinal agent, radiation, medical and surgical care, other specified and unspecified external cause (905-909)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	4	7.3	140	<1	<1	1	13	25	25	25
35-49	2	28.5	1201	4	4	28	53	53	53	53
50-64										
65+										
B. *Operated*										
0-19 YRS	26	1.8	2	1	1	1	2	3	4	6
20-34	63	2.6	12	<1	<1	1	3	5	8	21
35-49	27	3.1	5	1	1	3	5	7	8	8
50-64	16	3.4	7	<1	<1	3	4	8	10	11
65+	5	1.8	1	1	1	2	2	3	3	3
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	8	14.4	205	<1	<1	12	25	35	37	37
20-34	13	12.5	420	1	2	7	10	29	70	79
35-49	14	9.4	168	<1	1	6	10	20	45	52
50-64	7	3.9	6	2	2	3	5	8	9	9
65+	23	13.3	90	1	2	12	17	30	31	31
B. *Operated*										
0-19 YRS	19	3.6	33	<1	1	2	3	12	20	22
20-34	92	4.1	51	1	1	2	4	7	14	45
35-49	53	5.8	92	1	1	3	5	11	23	50
50-64	37	5.4	46	1	1	3	7	12	18	37
65+	17	9.8	46	1	2	10	15	20	21	21
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	8	11.0	356	<1	<1	2	14	45	53	53
B. *Operated*	137	2.6	8	<1	1	2	3	6	8	16
2. MULTIPLE DX										
A. *Not Operated*	65	11.4	177	1	1	8	16	30	33	75
B. *Operated*	218	5.1	60	1	1	3	5	12	20	49
1. SINGLE DX	145	3.1	28	<1	1	2	3	6	8	26
2. MULTIPLE DX	283	6.6	93	1	1	3	7	16	22	51
A. NOT OPERATED	73	11.4	192	1	1	7	16	30	36	73
B. OPERATED	355	4.2	41	1	1	2	4	8	15	36
TOTAL 0-19 YRS	55	4.2	57	1	1	1	3	17	21	37
20-34	172	4.3	70	<1	1	2	4	8	15	53
35-49	96	6.0	102	1	1	3	6	10	22	53
50-64	60	4.7	31	1	1	3	5	10	12	35
65+	45	10.7	75	1	2	10	16	21	30	31
GRAND TOTAL	**428**	**5.4**	**74**	**1**	**1**	**3**	**5**	**13**	**20**	**50**

375: Contusion of eye and adnexa (921)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	99	3.5	3	1	1	3	5	6	6	9
20-34	52	3.4	3	1	1	3	4	5	6	9
35-49	20	3.2	3	<1	1	3	5	6	6	6
50-64	1	6.0		6	6	6	6	6	6	6
65+	4	4.5	3	2	2	5	6	6	6	6
B. *Operated*										
0-19 YRS										
20-34	3	8.0	25	3	3	8	12	13	13	13
35-49										
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	74	4.1	12	1	1	3	5	7	9	22
20-34	53	2.8	2	<1	1	3	4	5	5	6
35-49	21	3.4	5	<1	<1	2	5	7	8	8
50-64	13	4.2	6	2	2	3	5	7	10	11
65+	17	3.5	7	1	1	3	4	7	10	11
B. *Operated*										
0-19 YRS	13	3.5	3	1	1	4	4	6	7	7
20-34	16	4.2	7	1	1	4	6	8	9	10
35-49	7	3.3	2	2	2	3	3	5	6	6
50-64	4	2.0	1	1	1	2	3	3	3	3
65+	7	2.9	3	1	1	2	5	5	5	5
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	176	3.5	3	1	1	3	5	6	6	9
B. *Operated*	4	7.5	18	3	3	7	10	13	13	13
2. MULTIPLE DX										
A. *Not Operated*	178	3.6	8	1	1	3	5	6	8	18
B. *Operated*	47	3.5	4	1	1	3	5	7	7	10
1. SINGLE DX	180	3.6	4	1	1	3	5	6	6	10
2. MULTIPLE DX	225	3.6	7	1	1	3	5	6	7	13
A. NOT OPERATED	354	3.5	5	1	1	3	5	6	7	11
B. OPERATED	51	3.8	6	1	1	3	5	7	8	13
TOTAL 0-19 YRS	186	3.7	7	1	1	3	5	6	7	16
20-34	124	3.4	4	1	1	3	4	5	7	11
35-49	48	3.3	4	<1	1	3	5	6	7	8
50-64	19	3.9	6	1	1	3	5	6	9	11
65+	28	3.5	5	1	1	3	5	6	8	11
GRAND TOTAL	**405**	**3.6**	**6**	**1**	**1**	**3**	**5**	**6**	**7**	**11**

376: Other superficial injuries (910-920; 922-924)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	298	1.4	1	<1	<1	1	2	2	3	6
20-34	300	1.9	2	<1	<1	1	2	4	5	7
35-49	116	1.9	3	<1	1	1	2	3	4	12
50-64	78	2.3	4	1	1	2	2	6	7	10
65+	112	2.9	5	<1	1	2	4	6	7	11
B. *Operated*										
0-19 YRS	61	2.2	7	<1	<1	1	2	5	9	15
20-34	60	2.4	4	<1	<1	2	3	5	7	10
35-49	27	3.1	17	<1	<1	2	3	8	13	19
50-64	15	1.8	1	<1	<1	1	3	4	4	4
65+	14	2.8	2	<1	1	3	3	5	6	6
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	662	1.7	2	<1	<1	1	2	3	4	6
20-34	906	2.0	3	<1	<1	1	2	4	6	9
35-49	477	2.8	11	<1	1	2	3	5	7	18
50-64	392	3.3	14	1	1	2	4	6	9	15
65+	1157	4.6	16	1	1	4	6	9	11	18
B. *Operated*										
0-19 YRS	115	2.8	7	<1	1	2	4	6	8	15
20-34	159	3.0	8	<1	<1	2	4	6	8	17
35-49	96	4.6	40	1	1	3	5	10	13	41
50-64	67	4.3	14	1	1	3	5	10	12	19
65+	138	7.6	76	1	1	4	9	21	27	43
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	904	1.9	3	<1	<1	1	2	4	5	8
B. *Operated*	177	2.4	7	<1	<1	1	3	5	8	15
2. MULTIPLE DX										
A. *Not Operated*	3594	3.0	11	<1	1	2	4	6	8	15
B. *Operated*	575	4.5	34	1	1	3	5	10	13	34
1. SINGLE DX	1081	2.0	3	<1	<1	1	2	4	6	10
2. MULTIPLE DX	4169	3.2	14	<1	1	2	4	7	9	18
A. NOT OPERATED	4498	2.8	9	<1	1	2	3	6	8	14
B. OPERATED	752	4.0	28	<1	1	2	5	8	12	33
TOTAL 0-19 YRS	1136	1.7	2	<1	<1	1	2	3	4	8
20-34	1425	2.1	4	<1	<1	1	2	4	6	9
35-49	716	2.9	14	<1	1	2	3	5	8	20
50-64	552	3.3	12	1	1	2	4	6	9	15
65+	1421	4.7	22	1	1	4	6	9	12	24
GRAND TOTAL	**5250**	**3.0**	**12**	**<1**	**1**	**2**	**4**	**6**	**8**	**16**

377: Miscellaneous crushing injury (925-929)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	23	2.2	2	1	1	2	3	4	6	7
20-34	36	2.7	17	<1	1	2	3	4	7	25
35-49	[illegible]	1.4		1	1	1	2	2	2	2
50-64	3	2.0	1	1	1	2	3	3	3	3
65+										
B. *Operated*										
0-19 YRS	13	2.8	8	<1	1	2	3	6	10	11
20-34	52	4.5	40	<1	1	2	5	9	20	34
35-49	23	3.0	3	1	1	3	4	6	7	7
50-64	8	2.0	1	1	1	2	3	3	3	3
65+	2	13.0	2	12	12	13	14	14	14	14
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	25	3.0	5	1	1	2	4	6	8	10
20-34	42	2.2	3	<1	1	1	3	5	6	6
35-49	12	2.3	2	1	1	2	3	4	5	5
50-64	12	4.4	14	1	1	3	7	10	12	12
65+	7	8.3	206	1	1	2	8	34	40	40
B. *Operated*										
0-19 YRS	42	4.3	31	<1	1	2	6	8	14	31
20-34	114	7.3	80	1	1	4	9	16	30	45
35-49	53	7.3	142	1	1	3	8	17	24	75
50-64	28	6.2	178	1	1	3	6	9	16	73
65+	10	12.8	201	1	1	7	25	35	42	42
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	72	2.3	9	1	1	2	2	4	5	21
B. *Operated*	98	3.9	25	<1	1	2	4	8	13	30
2. MULTIPLE DX										
A. *Not Operated*	98	3.1	20	1	1	2	4	6	9	27
B. *Operated*	247	6.9	101	1	1	3	7	16	26	47
1. SINGLE DX	170	3.2	19	1	1	2	3	7	10	25
2. MULTIPLE DX	345	5.8	81	1	1	3	6	14	22	44
A. NOT OPERATED	170	2.8	15	1	1	2	3	5	7	22
B. OPERATED	345	6.1	81	1	1	3	7	14	24	44
TOTAL 0-19 YRS	103	3.3	16	1	1	2	4	7	9	25
20-34	244	5.2	53	1	1	2	6	13	21	37
35-49	98	5.1	83	1	1	2	4	12	18	56
50-64	51	4.9	102	1	1	2	5	8	10	72
65+	19	11.2	174	1	1	7	13	36	41	42
GRAND TOTAL	**515**	**5.0**	**62**	**1**	**1**	**2**	**5**	**10**	**18**	**41**

378: Foreign body on external eye (930)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	5	1.0		<1	<1	<1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	1	3.0		3	3	3	3	3	3	3
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	2	1.0		<1	<1	<1	1	1	1	1
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	2	5.5	5	4	4	5	7	7	7	7
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	3.0		3	3	3	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.0		<1	<1	<1	1	1	1	1
B. *Operated*	3	1.7	1	1	1	1	3	3	3	3
2. MULTIPLE DX										
A. *Not Operated*	5	1.4	1	<1	<1	1	2	3	3	3
B. *Operated*	5	3.4	5	1	1	3	5	7	7	7
1. SINGLE DX	9	1.2		<1	<1	1	1	2	3	3
2. MULTIPLE DX	10	2.4	4	<1	<1	2	3	5	7	7
A. NOT OPERATED	11	1.2		<1	<1	1	1	2	3	3
B. OPERATED	8	2.8	4	1	1	2	4	6	7	7
TOTAL 0-19 YRS	11	2.0	4	<1	<1	1	3	5	7	7
20-34	5	1.4	1	<1	<1	1	2	3	3	3
35-49	2	2.0	2	<1	<1	1	3	3	3	3
50-64										
65+	1	2.0		2	2	2	2	2	2	2
GRAND TOTAL	**19**	**1.8**	**2**	**<1**	**<1**	**1**	**2**	**4**	**6**	**7**

379: Foreign body entering through other body orifice (931-939)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	356	1.1		<1	<1	1	1	1	2	4
20-34	75	1.3	1	<1	<1	1	1	2	3	5
35-49	48	1.2		<1	<1	1	1	2	2	3
50-64	45	1.6	3	<1	<1	1	1	2	5	10
65+	49	1.4	2	<1	<1	1	1	2	3	9
B. *Operated*										
0-19 YRS	135	1.3	1	<1	<1	1	1	2	3	5
20-34	18	3.2	10	<1	<1	2	4	7	11	13
35-49	19	2.2	3	<1	<1	1	3	5	6	7
50-64	9	4.2	28	1	1	2	5	13	17	17
65+	9	2.6	8	1	1	2	2	7	10	10
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	132	1.8	4	<1	<1	1	2	3	4	9
20-34	41	2.2	5	<1	<1	1	3	4	6	12
35-49	47	2.5	5	<1	<1	1	3	7	7	9
50-64	51	2.3	4	<1	1	2	3	5	6	9
65+	192	3.1	17	<1	1	2	4	7	9	24
B. *Operated*										
0-19 YRS	81	4.4	39	<1	1	2	6	13	19	80
20-34	25	5.9	30	<1	1	4	7	16	18	20
35-49	34	6.1	109	<1	1	3	6	11	38	47
50-64	46	5.3	30	<1	1	3	7	12	19	24
65+	128	6.1	60	1	1	4	6	12	30	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	573	1.2	1	<1	<1	1	1	2	2	4
B. *Operated*	190	1.8	4	<1	<1	1	2	3	5	12
2. MULTIPLE DX										
A. *Not Operated*	463	2.5	10	<1	<1	1	3	5	7	17
B. *Operated*	314	5.5	53	1	1	3	6	12	21	43
1. SINGLE DX	763	1.3	1	<1	<1	1	1	2	3	7
2. MULTIPLE DX	777	3.7	29	<1	1	2	4	8	12	33
A. NOT OPERATED	1036	1.8	5	<1	<1	1	2	3	5	10
B. OPERATED	504	4.1	38	<1	1	2	5	9	17	37
TOTAL 0-19 YRS	704	1.7	7	<1	<1	1	1	2	4	16
20-34	159	2.5	10	<1	<1	1	3	6	8	18
35-49	148	2.9	30	<1	<1	1	3	6	7	43
50-64	151	3.1	15	<1	<1	1	4	8	11	20
65+	378	3.9	32	<1	1	2	5	8	12	33
GRAND TOTAL	**1540**	**2.6**	**17**	**<1**	**<1**	**1**	**2**	**5**	**8**	**22**

380: Third degree burns (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	6	5.7	22	<1	<1	5	9	13	13	13
20-34	9	3.0	8	<1	<1	2	4	8	9	9
35-49	3	1.3		<1	<1	1	2	2	2	2
50-64	1	1.0		1	1	1	1	1	1	1
65+	2	2.5	5	<1	<1	2	4	4	4	4
B. *Operated*										
0-19 YRS	53	5.2	15	<1	1	4	7	10	12	19
20-34	34	6.2	48	<1	1	4	7	11	23	33
35-49	18	6.9	42	1	1	5	9	14	22	27
50-64	9	5.4	5	2	2	6	7	8	8	8
65+	5	9.2	46	5	5	6	12	21	21	21
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	19	4.6	8	1	1	5	7	8	9	9
20-34	31	5.0	26	1	1	3	6	14	16	18
35-49	19	6.5	51	1	1	3	9	18	24	26
50-64	13	8.2	123	1	2	5	7	18	39	44
65+	15	7.4	57	1	1	4	10	21	22	23
B. *Operated*										
0-19 YRS	83	15.0	345	1	1	8	20	35	46	94
20-34	132	16.4	268	1	3	12	20	38	55	87
35-49	94	19.5	343	1	1	15	30	45	62	96
50-64	59	18.6	255	2	4	14	27	36	44	92
65+	65	18.6	219	3	5	14	23	41	47	78
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	21	3.4	11	<1	<1	2	5	9	11	13
B. *Operated*	119	5.9	29	<1	1	5	7	11	17	29
2. MULTIPLE DX										
A. *Not Operated*	97	6.0	45	1	1	4	7	14	20	36
B. *Operated*	433	17.4	290	1	2	13	24	38	53	93
1. SINGLE DX	140	5.5	27	<1	1	4	7	10	14	28
2. MULTIPLE DX	530	15.3	264	1	2	11	21	36	49	92
A. NOT OPERATED	118	5.5	40	1	1	3	7	13	19	32
B. OPERATED	552	14.9	256	1	2	10	20	35	47	92
TOTAL 0-19 YRS	161	10.2	208	<1	1	5	11	25	35	91
20-34	206	12.4	212	1	1	7	17	29	42	82
35-49	134	15.5	289	1	1	9	24	39	57	93
50-64	82	15.3	230	2	3	11	22	35	43	82
65+	87	15.8	200	1	3	12	21	34	44	73
GRAND TOTAL	**670**	**13.3**	**230**	**1**	**1**	**8**	**18**	**32**	**44**	**83**

381: Other burns (940; 941-946 with 4th digit 0, 1 or 2; 947; 948 without 5th digit 0-9; 949 with 4th digit 0, 1 or 2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	80	2.5	6	<1	1	2	3	6	7	12
20-34	68	2.5	8	1	1	1	3	5	8	17
35-49	35	4.9	29	1	1	2	6	12	18	21
50-64	13	3.2	14	1	1	2	3	9	13	14
65+	6	4.7	23	1	1	2	8	12	13	13
B. *Operated*										
0-19 YRS	26	5.2	30	<1	1	3	7	15	17	21
20-34	20	6.6	92	1	1	2	7	21	33	35
35-49	10	3.9	9	<1	<1	3	5	8	10	10
50-64	9	5.8	24	1	1	4	8	13	17	17
65+	5	5.8	40	2	2	3	7	17	17	17
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	276	3.3	13	<1	1	2	4	7	9	21
20-34	212	3.8	15	<1	1	2	5	9	12	21
35-49	139	4.3	19	<1	1	3	5	11	15	20
50-64	74	6.0	36	1	1	3	10	14	19	26
65+	57	6.2	19	1	2	5	10	12	14	21
B. *Operated*										
0-19 YRS	82	8.1	66	1	1	5	11	17	27	39
20-34	105	10.7	104	1	2	7	14	29	33	42
35-49	61	8.6	58	1	1	7	12	19	26	33
50-64	26	10.0	73	1	1	7	17	22	24	25
65+	29	14.7	221	1	2	10	18	50	56	99+
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	202	3.0	12	1	1	2	3	8	11	18
B. *Operated*	70	5.5	43	1	1	3	7	13	17	34
2. MULTIPLE DX										
A. *Not Operated*	758	4.1	18	<1	1	2	5	10	12	21
B. *Operated*	303	9.9	95	1	1	7	13	23	32	50
1. SINGLE DX	272	3.7	21	1	1	2	4	9	13	21
2. MULTIPLE DX	1061	5.7	47	1	1	3	7	13	20	34
A. NOT OPERATED	960	3.9	17	1	1	2	5	9	12	21
B. OPERATED	373	9.1	88	1	1	6	12	21	31	45
TOTAL 0-19 YRS	464	4.1	26	<1	1	2	5	9	13	28
20-34	405	5.5	50	1	1	3	7	12	20	36
35-49	245	5.4	33	1	1	3	7	13	18	27
50-64	122	6.6	44	1	1	3	10	17	21	26
65+	97	8.6	95	1	2	6	11	18	29	79
GRAND TOTAL	**1333**	**5.3**	**42**	**1**	**1**	**3**	**7**	**13**	**18**	**33**

382: Injury to nerve and spinal cord (950-957)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	2.0	3	<1	<1	1	2	3	7	8
20-34	28	2.9	6	<1	<1	2	4	6	8	10
35-49	6	3.7	7	<1	<1	3	5	8	8	8
50-64	7	5.0	14	1	1	5	6	11	12	12
65+	5	5.6	21	1	1	5	8	13	13	13
B. *Operated*										
0-19 YRS	30	1.4	1	<1	<1	1	2	3	3	3
20-34	72	2.0	11	<1	<1	1	2	3	6	23
35-49	34	1.7	3	<1	<1	1	2	3	7	8
50-64	10	4.0	25	<1	<1	2	5	12	17	17
65+	5	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	22	3.3	23	1	1	2	3	6	15	23
20-34	56	4.0	16	<1	1	2	5	9	13	18
35-49	40	4.1	15	<1	1	3	5	12	13	15
50-64	30	6.1	50	1	1	3	8	13	16	36
65+	31	7.3	33	1	2	6	9	12	20	29
B. *Operated*										
0-19 YRS	88	5.1	121	<1	1	1	3	10	24	65
20-34	145	3.0	12	<1	1	2	3	7	10	19
35-49	94	4.6	85	1	1	2	3	11	19	56
50-64	22	6.9	239	<1	1	2	5	13	38	74
65+	33	9.2	133	<1	1	5	13	24	34	54
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	60	3.2	8	<1	<1	2	5	7	9	13
B. *Operated*	151	1.9	8	<1	<1	1	2	3	6	17
2. MULTIPLE DX										
A. *Not Operated*	179	4.8	27	1	1	3	6	11	14	27
B. *Operated*	382	4.6	81	<1	1	2	4	11	18	57
1. SINGLE DX	211	2.3	8	<1	<1	1	2	5	8	15
2. MULTIPLE DX	561	4.7	63	<1	1	2	5	11	16	40
A. NOT OPERATED	239	4.4	22	<1	1	3	6	10	13	24
B. OPERATED	533	3.9	61	<1	<1	1	3	8	15	42
TOTAL 0-19 YRS	154	3.9	75	<1	1	1	3	8	19	58
20-34	301	2.9	12	<1	<1	1	3	7	10	18
35-49	174	3.9	51	<1	1	2	3	9	15	38
50-64	69	5.9	101	<1	1	3	6	12	16	67
65+	74	7.6	78	1	1	5	10	14	28	49
GRAND TOTAL	**772**	**4.0**	**49**	**<1**	**1**	**2**	**4**	**9**	**14**	**36**

383: Certain traumatic complications and unspecified injuries (958-959)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	147	1.4	1	<1	<1	1	2	2	3	4
20-34	149	2.1	3	<1	1	2	2	4	5	11
35-49	70	2.4	4	<1	1	2	4	5	6	9
50-64	28	2.0	2	<1	1	1	3	4	5	5
65+	16	3.7	8	1	1	3	5	7	10	12
B. *Operated*										
0-19 YRS	46	3.7	9	<1	1	3	5	8	9	14
20-34	77	3.1	12	<1	1	2	3	7	10	20
35-49	29	4.2	16	1	1	3	5	10	16	16
50-64	14	5.1	18	<1	1	4	6	11	15	16
65+	5	9.4	59	1	1	10	15	20	20	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	178	2.4	8	<1	1	2	2	5	7	15
20-34	319	2.7	7	<1	1	2	3	6	8	12
35-49	143	3.7	12	1	1	2	5	9	13	16
50-64	88	3.7	8	1	1	3	6	7	9	13
65+	209	5.2	22	1	1	4	6	11	16	25
B. *Operated*										
0-19 YRS	82	5.3	29	1	1	3	7	13	16	27
20-34	191	5.1	32	1	1	3	7	11	14	29
35-49	97	8.8	106	1	1	7	11	19	25	59
50-64	62	7.9	68	1	1	5	11	18	25	43
65+	85	12.8	184	2	2	9	14	25	37	79
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	410	2.0	3	<1	1	1	2	4	5	9
B. *Operated*	171	3.8	14	<1	1	2	5	9	11	19
2. MULTIPLE DX										
A. *Not Operated*	937	3.5	12	<1	1	2	4	7	10	17
B. *Operated*	517	7.4	82	1	1	5	9	15	23	43
1. SINGLE DX	581	2.5	7	<1	1	2	3	5	7	14
2. MULTIPLE DX	1454	4.9	41	1	1	3	6	11	15	30
A. NOT OPERATED	1347	3.0	10	<1	1	2	4	6	9	16
B. OPERATED	688	6.5	68	1	1	4	8	14	20	38
TOTAL 0-19 YRS	453	2.7	11	<1	1	2	3	6	9	18
20-34	736	3.3	14	<1	1	2	4	8	10	15
35-49	339	4.9	44	1	1	3	6	11	15	29
50-64	192	4.9	32	1	1	3	6	11	14	30
65+	315	7.2	77	1	1	5	9	15	23	40
GRAND TOTAL	**2035**	**4.2**	**32**	**<1**	**1**	**2**	**5**	**9**	**13**	**26**

384: Poisoning by drugs, medicinal, and biological substances (960-979)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1000	1.3	1	<1	<1	1	1	2	3	5
20-34	469	1.7	10	<1	<1	1	2	3	3	7
35-49	196	1.6	3	<1	<1	1	2	3	3	5
50-64	59	1.9	3	<1	<1	1	2	4	6	8
65+	38	2.1	2	<1	1	2	3	4	5	6
B. *Operated*										
0-19 YRS	4	2.0	1	1	1	2	3	3	3	3
20-34	3	5.7	41	1	1	3	10	13	13	13
35-49	2	4.0	18	1	1	4	7	7	7	7
50-64	1	7.0		7	7	7	7	7	7	7
65+	2	3.5	1	3	3	3	4	4	4	4
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1775	2.8	27	<1	<1	1	3	5	8	30
20-34	2731	2.7	18	<1	<1	2	3	5	8	22
35-49	1652	3.0	23	<1	1	2	3	6	9	23
50-64	746	3.7	23	1	1	2	4	7	11	25
65+	1105	4.7	27	1	1	3	5	9	12	26
B. *Operated*										
0-19 YRS	35	5.0	12	1	1	4	7	10	12	12
20-34	91	8.6	178	1	1	3	9	21	33	73
35-49	56	9.9	123	1	1	5	16	30	37	96
50-64	51	8.6	85	1	1	4	12	24	28	38
65+	69	10.5	74	1	2	10	14	21	30	38
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1762	1.5	4	<1	<1	1	2	2	3	6
B. *Operated*	12	3.9	12	1	1	3	5	9	12	13
2. MULTIPLE DX										
A. *Not Operated*	8009	3.2	23	<1	1	2	3	6	9	24
B. *Operated*	302	8.9	110	1	1	5	12	21	31	58
1. SINGLE DX	1774	1.5	4	<1	<1	1	2	2	3	6
2. MULTIPLE DX	8311	3.4	28	<1	1	2	3	7	11	28
A. NOT OPERATED	9771	2.9	20	<1	<1	2	3	6	8	22
B. OPERATED	314	8.7	107	1	1	5	12	21	31	57
TOTAL 0-19 YRS	2814	2.3	18	<1	<1	1	2	4	6	22
20-34	3294	2.7	23	<1	<1	1	3	5	8	23
35-49	1906	3.1	25	<1	1	2	3	6	9	28
50-64	857	3.9	27	1	1	2	4	7	12	26
65+	1214	5.0	31	1	1	3	6	10	14	29
GRAND TOTAL	**10085**	**3.0**	**24**	**<1**	**1**	**2**	**3**	**6**	**9**	**25**

385: Toxic effects of substances chiefly nonmedicinal as to source (980-989)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	347	1.2		<1	<1	1	1	2	2	4
20-34	222	1.6	1	<1	<1	1	2	3	3	8
35-49	118	1.5	1	<1	<1	1	2	3	3	5
50-64	53	1.5	3	1	1	1	1	2	3	13
65+	22	1.5	1	<1	<1	1	2	3	3	4
B. *Operated*										
0-19 YRS	7	2.7	3	1	1	3	3	5	6	6
20-34	5	4.6	8	1	1	4	6	9	9	9
35-49	5	2.4	4	<1	<1	1	4	5	5	5
50-64	6	3.7	3	1	1	4	5	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	308	2.2	24	<1	1	1	2	3	5	39
20-34	383	2.3	12	<1	<1	1	2	4	5	16
35-49	252	2.5	11	<1	<1	1	3	5	7	19
50-64	147	2.7	10	<1	<1	2	3	6	10	17
65+	135	3.3	20	1	1	2	4	7	9	20
B. *Operated*										
0-19 YRS	15	6.1	62	<1	<1	2	8	20	25	27
20-34	21	5.6	17	1	1	4	8	11	14	16
35-49	19	6.8	44	1	2	5	8	18	22	25
50-64	12	7.2	26	2	2	5	10	14	18	19
65+	12	13.5	195	1	2	6	23	37	40	41
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	762	1.4	1	<1	<1	1	1	2	3	5
B. *Operated*	23	3.3	4	<1	1	3	5	6	7	9
2. MULTIPLE DX										
A. *Not Operated*	1225	2.5	16	<1	1	1	2	5	7	18
B. *Operated*	79	7.4	64	1	1	5	9	19	26	39
1. SINGLE DX	785	1.5	1	<1	<1	1	2	2	3	6
2. MULTIPLE DX	1304	2.8	20	<1	1	1	3	5	8	25
A. NOT OPERATED	1987	2.1	10	<1	<1	1	2	4	5	13
B. OPERATED	102	6.5	53	1	1	4	8	16	23	38
TOTAL 0-19 YRS	677	1.8	13	<1	<1	1	2	3	4	12
20-34	631	2.2	9	<1	<1	1	2	4	6	13
35-49	394	2.4	11	<1	<1	1	2	5	7	19
50-64	218	2.7	11	<1	1	1	3	6	11	18
65+	169	3.8	37	1	1	2	4	7	11	40
GRAND TOTAL	**2089**	**2.3**	**13**	**<1**	**<1**	**1**	**2**	**4**	**6**	**18**

386: Miscellaneous adverse effects (990-994; 995)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	187	1.7	31	<1	1	1	1	2	3	7
20-34	153	1.7	4	<1	<1	1	2	3	4	13
35-49	116	1.6	1	<1	<1	1	2	3	4	7
50-64	53	2.0	3	<1	<1	1	3	4	5	10
65+	46	2.1	3	<1	1	1	2	4	6	10
B. *Operated*										
0-19 YRS	3	2.0	1	<1	<1	2	3	3	3	3
20-34	3	1.0		<1	<1	1	1	1	1	1
35-49	3	3.3	16	1	1	1	6	8	8	8
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	271	2.9	35	<1	1	1	3	5	9	29
20-34	284	2.6	8	<1	1	2	3	5	8	16
35-49	271	3.3	23	1	1	2	3	6	9	26
50-64	311	3.5	15	1	1	2	4	7	10	21
65+	726	4.4	18	1	1	3	6	8	12	21
B. *Operated*										
0-19 YRS	40	10.9	259	1	1	4	13	43	57	99+
20-34	35	6.3	126	1	1	1	5	20	27	57
35-49	36	9.0	227	<1	1	3	7	30	51	61
50-64	55	7.1	124	1	1	4	7	13	30	58
65+	99	7.7	74	1	1	5	9	15	27	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	555	1.7	12	<1	<1	1	2	3	4	9
B. *Operated*	11	2.0	4	<1	<1	1	2	5	8	8
2. MULTIPLE DX										
A. *Not Operated*	1863	3.6	20	1	1	2	4	7	10	22
B. *Operated*	265	8.0	140	1	1	4	8	19	34	58
1. SINGLE DX	566	1.7	12	<1	<1	1	2	3	4	9
2. MULTIPLE DX	2128	4.1	37	1	1	2	5	8	13	34
A. NOT OPERATED	2418	3.2	19	1	1	2	4	7	9	20
B. OPERATED	276	7.8	135	1	1	4	8	18	33	58
TOTAL 0-19 YRS	501	3.1	57	<1	1	1	2	5	10	55
20-34	475	2.6	17	<1	1	1	2	5	9	19
35-49	426	3.3	37	<1	1	2	3	6	9	35
50-64	420	3.7	29	1	1	2	4	7	11	26
65+	872	4.6	25	1	1	3	6	9	13	28
GRAND TOTAL	**2694**	**3.6**	**33**	**1**	**1**	**2**	**4**	**7**	**11**	**30**

387: Complications peculiar to certain specified procedures (996)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	36	1.7	2	<1	<1	1	2	3	5	7
20-34	37	3.0	7	<1	<1	3	3	8	9	11
35-49	31	4.3	15	<1	<1	3	7	9	10	18
50-64	55	3.2	17	<1	<1	1	4	7	9	26
65+	41	5.5	18	1	1	4	9	11	13	15
B. *Operated*										
0-19 YRS	164	3.4	12	<1	<1	2	4	7	9	18
20-34	393	3.4	12	<1	1	2	4	8	10	17
35-49	453	4.8	24	<1	1	3	7	11	14	27
50-64	529	5.2	20	<1	1	4	8	11	13	20
65+	956	5.5	32	<1	1	3	9	12	15	24
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	150	4.2	16	1	1	3	6	10	13	19
20-34	225	4.6	23	1	1	3	6	9	10	26
35-49	238	5.1	20	1	1	4	7	10	15	23
50-64	235	5.5	33	1	1	4	7	11	14	26
65+	590	6.2	46	1	1	5	8	13	16	34
B. *Operated*										
0-19 YRS	604	6.6	68	1	1	4	8	15	23	41
20-34	1089	6.8	84	1	1	4	8	15	22	46
35-49	1537	7.0	68	1	1	4	9	16	22	46
50-64	2468	7.7	81	1	1	5	10	16	23	51
65+	4623	8.6	83	1	1	6	11	18	25	47
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	200	3.5	14	<1	<1	2	5	9	11	17
B. *Operated*	2495	4.9	24	<1	1	3	7	11	14	22
2. MULTIPLE DX										
A. *Not Operated*	1438	5.5	33	1	1	4	7	11	15	29
B. *Operated*	10321	7.8	80	1	1	5	10	16	23	47
1. SINGLE DX	2695	4.8	24	<1	1	3	7	11	13	22
2. MULTIPLE DX	11759	7.5	75	1	1	5	10	16	22	46
A. NOT OPERATED	1638	5.2	31	<1	1	4	7	10	14	27
B. OPERATED	12816	7.3	70	1	1	5	10	15	21	44
TOTAL 0-19 YRS	954	5.5	50	<1	1	3	6	12	19	37
20-34	1744	5.7	60	1	1	3	7	11	17	41
35-49	2259	6.3	54	1	1	4	8	14	19	39
50-64	3287	7.1	68	1	1	5	9	15	20	45
65+	6210	7.9	73	1	1	6	11	16	22	44
GRAND TOTAL	**14454**	**7.0**	**66**	**1**	**1**	**4**	**9**	**15**	**21**	**42**

388: Hemorrhage or hematoma complicating a procedure (998.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	92	1.3		<1	<1	1	1	2	2	4
20-34	101	2.1	2	<1	1	2	2	4	6	8
35-49	92	2.2	2	<1	1	2	3	4	5	6
50-64	80	2.3	2	1	1	2	3	4	5	7
65+	132	2.6	2	1	1	2	3	5	6	7
B. *Operated*										
0-19 YRS	163	1.3	1	<1	<1	1	1	2	2	6
20-34	181	1.8	2	<1	<1	1	2	4	5	7
35-49	105	2.5	4	<1	1	2	4	5	6	11
50-64	82	2.5	4	<1	1	2	3	5	7	10
65+	65	2.5	4	1	1	2	3	5	7	9
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	50	1.9	3	<1	1	1	2	3	7	8
20-34	108	2.6	5	<1	1	2	3	6	7	12
35-49	94	3.5	9	1	1	3	4	6	9	17
50-64	134	3.1	7	1	1	2	4	5	10	14
65+	409	3.4	5	1	1	3	4	6	8	12
B. *Operated*										
0-19 YRS	85	2.0	4	<1	1	1	2	5	6	12
20-34	201	3.3	15	1	1	2	4	6	8	24
35-49	161	3.8	21	1	1	2	5	8	13	24
50-64	231	3.9	23	1	1	2	5	8	11	30
65+	510	4.3	31	1	1	2	5	10	14	30
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	497	2.1	2	<1	1	2	3	4	5	7
B. *Operated*	596	2.0	3	<1	<1	1	2	4	6	9
2. MULTIPLE DX										
A. *Not Operated*	795	3.2	6	1	1	2	4	6	8	13
B. *Operated*	1188	3.8	24	1	1	2	4	8	12	28
1. SINGLE DX	1093	2.0	2	<1	1	1	2	4	5	8
2. MULTIPLE DX	1983	3.6	17	1	1	2	4	7	10	23
A. NOT OPERATED	1292	2.8	5	1	1	2	3	5	7	12
B. OPERATED	1784	3.2	17	<1	1	2	4	7	10	25
TOTAL 0-19 YRS	390	1.5	2	<1	<1	1	2	2	3	8
20-34	591	2.5	7	<1	1	2	3	5	7	14
35-49	452	3.1	11	1	1	2	4	6	8	19
50-64	527	3.2	13	1	1	2	4	6	9	18
65+	1116	3.7	17	1	1	3	4	7	10	26
GRAND TOTAL	**3076**	**3.0**	**12**	**1**	**1**	**2**	**4**	**6**	**8**	**18**

389: Postoperative wound infection (998.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	47	3.7	3	1	2	3	5	6	7	9
20-34	145	3.9	5	1	2	3	5	7	9	10
35-49	128	4.7	6	2	2	4	6	8	10	12
50-64	65	4.5	16	1	2	3	5	7	13	21
65+	49	5.9	13	2	3	5	7	9	11	23
B. *Operated*										
0-19 YRS	56	7.1	77	1	2	4	8	10	29	45
20-34	105	4.7	13	1	1	4	6	10	12	17
35-49	100	6.8	33	1	1	5	9	15	20	26
50-64	86	5.9	22	1	1	5	8	12	14	25
65+	50	7.0	21	1	2	7	10	12	16	20
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	75	4.3	6	1	2	4	6	8	9	9
20-34	241	5.5	14	2	2	4	7	10	14	19
35-49	250	5.9	18	2	2	5	7	11	12	22
50-64	280	7.9	62	2	3	6	9	14	20	38
65+	443	7.4	36	2	2	6	9	13	17	32
B. *Operated*										
0-19 YRS	113	8.4	69	2	2	6	11	14	18	46
20-34	293	9.8	72	2	2	8	12	18	23	46
35-49	337	11.6	122	2	3	8	14	25	33	56
50-64	421	13.3	145	2	3	10	17	31	41	61
65+	532	14.0	157	3	4	11	18	29	37	71
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	434	4.4	8	1	2	4	6	8	9	16
B. *Operated*	397	6.1	31	1	1	5	8	12	15	27
2. MULTIPLE DX										
A. *Not Operated*	1289	6.7	33	2	2	5	8	12	16	29
B. *Operated*	1696	12.2	130	2	3	9	15	26	35	62
1. SINGLE DX	831	5.2	20	1	2	4	7	10	12	23
2. MULTIPLE DX	2985	9.8	96	2	2	7	12	21	29	50
A. NOT OPERATED	1723	6.1	28	2	2	5	7	11	15	28
B. OPERATED	2093	11.1	117	1	2	8	14	23	33	55
TOTAL 0-19 YRS	291	6.3	47	1	2	5	7	12	14	40
20-34	784	6.7	40	1	2	5	8	13	18	30
35-49	815	8.2	70	2	2	6	10	17	23	40
50-64	852	10.1	106	2	2	7	12	22	32	52
65+	1074	10.6	106	2	3	7	13	21	30	52
GRAND TOTAL	**3816**	**8.8**	**83**	**2**	**2**	**6**	**11**	**18**	**26**	**47**

390: Other complications of surgical procedures (997; 998.0; 998.2-998.4; 998.6-998.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	42	2.5	4	1	1	2	3	5	6	10
20-34	100	3.1	7	1	1	2	4	6	8	15
35-49	111	3.9	10	1	1	3	5	8	11	15
50-64	77	4.7	11	1	1	4	7	10	11	14
65+	60	4.1	8	1	1	3	6	8	9	12
B. *Operated*										
0-19 YRS	56	3.5	12	<1	<1	2	5	8	10	17
20-34	130	4.4	23	<1	1	3	7	9	11	51
35-49	139	4.7	23	<1	<1	3	7	9	11	22
50-64	116	4.3	20	<1	1	3	6	9	13	22
65+	115	5.9	39	<1	1	4	7	13	19	35
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	175	2.9	16	1	1	2	4	6	8	25
20-34	408	3.4	9	1	1	2	4	8	10	15
35-49	458	4.3	15	1	1	3	6	9	11	18
50-64	497	4.7	24	1	1	3	6	10	12	23
65+	829	5.3	20	1	1	4	7	11	13	22
B. *Operated*										
0-19 YRS	436	2.6	20	1	1	1	2	6	9	18
20-34	836	3.7	30	1	1	2	4	10	13	27
35-49	897	5.3	52	1	1	2	7	13	17	41
50-64	1060	6.6	74	1	1	3	9	16	22	53
65+	1883	6.9	87	1	1	3	8	17	25	48
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	390	3.7	9	1	1	3	5	8	10	14
B. *Operated*	556	4.7	25	<1	1	3	7	9	13	31
2. MULTIPLE DX										
A. *Not Operated*	2367	4.5	18	1	1	3	6	9	12	20
B. *Operated*	5112	5.7	65	1	1	2	7	14	20	43
1. SINGLE DX	946	4.3	19	<1	1	3	6	9	11	20
2. MULTIPLE DX	7479	5.3	51	1	1	3	7	12	17	39
A. NOT OPERATED	2757	4.4	17	1	1	3	6	9	12	18
B. OPERATED	5668	5.6	61	1	1	3	7	14	19	42
TOTAL 0-19 YRS	709	2.7	17	1	1	1	3	6	8	18
20-34	1474	3.7	22	1	1	2	4	8	12	23
35-49	1605	4.9	36	1	1	3	6	11	15	32
50-64	1750	5.8	55	1	1	3	7	13	19	42
65+	2887	6.3	65	1	1	4	8	14	21	41
GRAND TOTAL	**8425**	**5.2**	**47**	**1**	**1**	**3**	**7**	**12**	**17**	**38**

391: Other complications of medical care, except drugs (999)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	14	1.7	1	1	1	2	2	3	4	4
20-34	15	2.1	2	1	1	2	2	5	6	6
35-49	6	2.3	1	1	1	2	3	4	4	4
50-64	2	6.0	18	3	3	6	9	9	9	9
65+	4	2.5	6	1	1	2	4	6	6	6
B. *Operated*										
0-19 YRS										
20-34	1	1.0		1	1	1	1	1	1	1
35-49	1	24.0		24	24	24	24	24	24	24
50-64	1	6.0		6	6	6	6	6	6	6
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	16	3.3	8	<1	<1	3	4	7	10	12
20-34	38	3.5	8	1	1	3	4	7	10	14
35-49	36	3.5	6	1	1	3	5	7	9	11
50-64	46	5.0	29	1	1	3	6	13	19	25
65+	95	3.5	7	1	1	3	5	7	9	12
B. *Operated*										
0-19 YRS	5	4.4	7	<1	<1	4	6	8	8	8
20-34	16	6.9	32	1	1	6	9	17	18	18
35-49	20	8.4	102	<1	1	4	9	28	34	35
50-64	18	8.7	57	1	2	6	11	19	26	30
65+	32	6.1	97	1	1	4	6	10	15	57
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	41	2.2	3	1	1	2	2	5	6	9
B. *Operated*	3	10.3	146	1	1	6	19	24	24	24
2. MULTIPLE DX										
A. *Not Operated*	231	3.8	12	1	1	3	5	8	10	19
B. *Operated*	91	7.2	73	1	1	4	9	16	23	48
1. SINGLE DX	44	2.8	14	1	1	2	3	6	7	24
2. MULTIPLE DX	322	4.7	31	1	1	3	6	9	13	31
A. NOT OPERATED	272	3.6	11	1	1	2	5	7	10	18
B. OPERATED	94	7.3	74	1	1	4	9	17	24	47
TOTAL 0-19 YRS	35	2.8	6	<1	1	2	4	6	8	12
20-34	70	3.9	15	1	1	2	5	9	14	18
35-49	63	5.3	46	1	1	3	6	10	23	35
50-64	67	6.0	38	1	1	4	8	14	20	29
65+	131	4.1	30	1	1	3	6	8	10	24
GRAND TOTAL	**366**	**4.5**	**30**	**1**	**1**	**3**	**6**	**9**	**13**	**29**

392: Admission for prophylactic sterilization (V25.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	2	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
B. *Operated*										
0-19 YRS	7	1.4	1	<1	<1	<1	2	3	3	3
20-34	813	1.1		<1	<1	<1	1	1	2	3
35-49	536	1.1		<1	<1	<1	1	1	2	3
50-64	1	2.0		2	2	2	2	2	2	2
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS										
20-34	14	1.0		<1	<1	<1	<1	1	1	1
35-49	4	1.5	1	<1	<1	<1	2	3	3	3
50-64										
65+										
B. *Operated*										
0-19 YRS	5	2.0	3	<1	<1	1	3	5	5	5
20-34	411	1.5	1	<1	<1	1	2	3	3	6
35-49	300	1.5	1	<1	<1	1	1	3	4	6
50-64										
65+										
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	6	1.0		<1	<1	<1	<1	1	1	1
B. *Operated*	1357	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX										
A. *Not Operated*	18	1.1		<1	<1	<1	<1	1	2	3
B. *Operated*	716	1.5	1	<1	<1	1	2	3	4	6
1. SINGLE DX	1363	1.1		<1	<1	<1	1	1	2	3
2. MULTIPLE DX	734	1.5	1	<1	<1	1	2	3	4	6
A. NOT OPERATED	24	1.1		<1	<1	<1	<1	1	2	3
B. OPERATED	2073	1.2	1	<1	<1	<1	1	2	3	4
TOTAL 0-19 YRS	13	1.6	1	<1	<1	1	2	3	5	5
20-34	1241	1.2		<1	<1	<1	1	2	3	4
35-49	842	1.2	1	<1	<1	<1	1	2	3	5
50-64	1	2.0		2	2	2	2	2	2	2
65+										
GRAND TOTAL	**2097**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**4**

393: Single liveborn, born in hospital (V30.0; V39.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749	2	17.5	41	13	13	17	22	22	22	22
1750-2499	1285	2.2	2	1	1	2	3	4	4	7
2500+	106884	2.0	1	1	1	2	2	4	4	5
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	1	3.0		3	3	3	3	3	3	3
2500+	24	3.0	5	<1	1	2	4	7	8	9
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	5	63.8	101	53	54	65	78	98	99+	99+
1000-1499	125	38.2	260	15	19	36	49	60	66	80
1500-1749	218	22.3	106	9	11	20	28	36	42	53
1750-2499	4738	5.6	28	1	1	4	7	13	17	26
2500+	76638	2.7	3	1	1	2	4	5	5	9
B. *Operated*										
1-999 G	91	74.2	293	44	56	89	99+	99+	99+	99+
1000-1499	243	49.4	367	21	27	50	68	85	99+	99+
1500-1749	158	33.8	247	15	17	30	42	54	63	89
1750-2499	723	17.2	190	1	4	14	23	32	45	75
2500+	1907	7.1	69	1	1	5	8	14	21	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	108171	2.0	1	1	1	2	2	4	4	5
B. *Operated*	25	3.0	5	<1	1	3	4	7	8	9
2. MULTIPLE DX										
A. *Not Operated*	81724	3.0	9	1	1	2	4	5	6	14
B. *Operated*	3122	16.0	386	1	2	8	21	51	74	99+
1. SINGLE DX	108196	2.0	1	1	1	2	2	4	4	5
2. MULTIPLE DX	84846	3.5	29	1	1	2	4	5	8	27
A. NOT OPERATED	189895	2.4	5	1	1	2	3	4	5	9
B. OPERATED	3147	15.9	384	1	2	8	21	51	74	99+
TOTAL 1-999 G	96	73.7	288	45	56	88	99+	99+	99+	99+
1000-1499	368	45.6	358	18	22	45	60	78	95	99+
1500-1749	378	27.1	196	9	13	23	34	45	53	78
1750-2499	6747	6.2	57	1	1	4	7	15	20	37
2500+	185453	2.3	3	1	1	2	3	4	5	8
GRAND TOTAL	**193042**	**2.6**	**14**	**1**	**1**	**2**	**3**	**4**	**5**	**14**

394: Twin or multiple liveborn, born in hospital (V31.0; V32.0; V33.0; V34.0; V35.0; V36.0; V37.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	196	3.7	4	1	2	3	4	6	7	13
2500+	995	3.3	2	1	2	3	4	5	5	7
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G	1	47.0		47	47	47	47	47	47	47
1000-1499	26	41.0	262	18	20	41	54	60	64	72
1500-1749	89	20.0	82	8	11	19	23	30	34	57
1750-2499	943	6.8	28	2	2	5	9	14	18	23
2500+	1117	4.1	5	2	2	4	5	6	7	13
B. *Operated*										
1-999 G	8	73.8	408	44	63	99+	99+	99+	99+	99+
1000-1499	79	48.9	243	28	31	48	63	73	84	99+
1500-1749	54	30.5	114	13	19	29	36	43	49	69
1750-2499	161	16.3	142	<1	4	14	22	31	36	84
2500+	42	9.8	88	<1	2	7	11	23	33	44
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	1191	3.4	2	1	2	3	4	5	6	7
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	2176	6.4	47	2	2	4	6	13	19	37
B. *Operated*	344	26.5	412	2	5	24	38	65	84	99+
1. SINGLE DX	1191	3.4	2	1	2	3	4	5	6	7
2. MULTIPLE DX	2520	9.1	144	2	2	5	9	22	36	72
A. NOT OPERATED	3367	5.3	33	1	2	4	5	9	16	28
B. OPERATED	344	26.5	412	2	5	24	38	65	84	99+
TOTAL 1-999 G	9	70.8	437	39	52	99	99+	99+	99+	99+
1000-1499	105	47.0	257	22	26	46	59	70	77	99+
1500-1749	143	24.0	120	9	12	22	30	38	44	62
1750-2499	1300	7.5	50	2	2	5	9	17	21	34
2500+	2154	3.9	6	1	2	4	5	6	6	12
GRAND TOTAL	**3711**	**7.3**	**106**	**1**	**2**	**4**	**6**	**17**	**28**	**64**

395: Single or multiple liveborn, born before admission to hospital (V30.1; V31.1; V32.1; V33.1; V34.1; V35.1; V36.1; V37.1; V39.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499	10	1.3		<1	<1	1	2	2	2	2
2500+	242	1.5	1	<1	1	1	2	3	3	4
B. *Operated*										
1-999 G										
1000-1499										
1500-1749										
1750-2499										
2500+										
2. MULTIPLE DX										
A. *Not Operated*										
1-999 G										
1000-1499	1	28.0		28	28	28	28	28	28	28
1500-1749	1	24.0		24	24	24	24	24	24	24
1750-2499	35	6.0	34	1	1	3	9	14	16	29
2500+	147	2.3	2	<1	1	2	3	5	6	8
B. *Operated*										
1-999 G	1	66.0		66	66	83	99+	99+	99+	99+
1000-1499										
1500-1749	1	22.0		22	22	22	22	22	22	22
1750-2499	8	10.6	61	2	3	10	15	23	25	25
2500+	11	4.7	9	<1	<1	6	7	8	8	8
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	252	1.5	1	<1	1	1	2	2	3	4
B. *Operated*										
2. MULTIPLE DX										
A. *Not Operated*	184	3.3	16	<1	1	2	3	6	9	27
B. *Operated*	21	10.7	205	<1	1	7	11	37	80	99+
1. SINGLE DX	252	1.5	1	<1	1	1	2	2	3	4
2. MULTIPLE DX	205	4.0	40	<1	1	2	4	8	14	45
A. NOT OPERATED	436	2.2	8	<1	1	2	2	4	6	15
B. OPERATED	21	10.7	205	<1	1	7	11	37	80	99+
TOTAL 1-999 G	1	66.0		66	66	83	99+	99+	99+	99+
1000-1499	1	28.0		28	28	28	28	28	28	28
1500-1749	2	23.0	2	22	22	23	24	24	24	24
1750-2499	53	5.8	38	1	1	3	9	14	18	29
2500+	400	1.9	2	<1	1	1	2	3	5	8
GRAND TOTAL	**457**	**2.6**	**20**	**<1**	**1**	**2**	**2**	**5**	**8**	**25**

396: Aftercare for removal of internal fixation device (V54.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	7	1.3		<1	<1	<1	2	2	2	2
20-34	5	2.2	3	<1	<1	<1	3	5	5	5
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64	1	5.0		5	5	5	5	5	5	5
65+	4	4.5	49	<1	<1	1	8	15	15	15
B. *Operated*										
0-19 YRS	443	1.4	1	<1	<1	1	1	2	3	5
20-34	614	1.7	1	<1	<1	1	2	3	4	6
35-49	315	1.8	2	<1	<1	1	2	4	5	8
50-64	222	1.7	3	<1	<1	1	2	3	4	9
65+	126	1.8	1	<1	<1	1	2	4	4	5
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	5	2.0	5	<1	<1	<1	2	6	6	6
35-49	3	1.0		<1	<1	<1	1	1	1	1
50-64	3	1.0		<1	<1	<1	1	1	1	1
65+	5	2.6	6	<1	<1	2	3	7	7	7
B. *Operated*										
0-19 YRS	96	2.3	7	<1	<1	1	3	4	5	18
20-34	200	3.3	10	<1	1	2	4	7	8	17
35-49	134	2.6	5	1	1	2	3	5	7	12
50-64	92	3.0	9	1	1	2	4	6	11	15
65+	98	3.4	7	<1	1	3	4	7	10	14
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	18	2.4	12	<1	<1	1	2	5	11	15
B. *Operated*	1720	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
A. *Not Operated*	20	1.7	3	<1	<1	<1	1	4	6	7
B. *Operated*	620	3.0	8	<1	1	2	4	6	8	15
1. SINGLE DX	1738	1.6	2	<1	<1	1	2	3	4	6
2. MULTIPLE DX	640	2.9	8	<1	1	2	4	6	8	15
A. NOT OPERATED	38	2.0	7	<1	<1	<1	2	5	7	15
B. OPERATED	2340	2.0	4	<1	<1	1	2	4	5	10
TOTAL 0-19 YRS	550	1.5	2	<1	<1	1	2	3	3	5
20-34	824	2.1	4	<1	<1	1	2	4	6	9
35-49	453	2.0	3	<1	<1	1	2	4	5	10
50-64	318	2.1	5	<1	<1	1	2	4	6	14
65+	233	2.5	5	<1	<1	2	3	5	7	12
GRAND TOTAL	**2378**	**2.0**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**10**

397: Aftercare involving intermittent dialysis (V56)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	1	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49										
50-64										
65+										
B. *Operated*										
0-19 YRS										
20-34	1	2.0		2	2	2	2	2	2	2
35-49										
50-64										
65+										
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	4	3.0	8	<1	<1	2	5	7	7	7
20-34	8	1.0		<1	<1	<1	1	1	1	1
35-49	5	2.2	3	<1	<1	<1	3	5	5	5
50-64	5	6.0	17	1	1	6	9	11	11	11
65+	1	4.0		4	4	4	4	4	4	4
B. *Operated*										
0-19 YRS	4	2.8	1	2	2	3	3	4	4	4
20-34	28	2.2	4	<1	1	2	3	4	8	10
35-49	35	3.6	16	<1	1	2	4	7	11	21
50-64	53	3.5	15	<1	<1	2	4	7	13	18
65+	31	4.9	30	<1	<1	3	6	13	16	24
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2	1.0		<1	<1	<1	<1	<1	<1	<1
B. *Operated*	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
A. *Not Operated*	23	2.8	8	<1	<1	1	4	7	10	11
B. *Operated*	151	3.6	16	<1	<1	2	4	8	13	21
1. SINGLE DX	3	1.3		<1	<1	<1	2	2	2	2
2. MULTIPLE DX	174	3.5	15	<1	<1	2	4	8	12	20
A. NOT OPERATED	25	2.7	8	<1	<1	1	3	7	9	11
B. OPERATED	152	3.6	16	<1	<1	2	4	8	13	21
TOTAL 0-19 YRS	9	2.7	4	<1	<1	2	3	6	7	7
20-34	38	1.9	4	<1	<1	1	2	3	6	10
35-49	40	3.4	14	<1	<1	2	4	7	10	21
50-64	58	3.8	16	<1	<1	2	5	9	13	18
65+	32	4.9	29	<1	<1	3	6	13	16	24
GRAND TOTAL	**177**	**3.4**	**15**	**<1**	**<1**	**2**	**4**	**8**	**12**	**20**

398: Admission for special examinations and miscellaneous reasons (V01-V24; V25.0-V25.1; V25.3-V25.9; V26-V28; V40-V53; V54.8-V54.9; V55; V57-V82)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
A. *Not Operated*										
0-19 YRS	519	1.8	2	<1	<1	1	2	3	4	9
20-34	883	1.8	4	<1	<1	1	2	3	5	9
35-49	332	2.2	7	<1	<1	1	2	4	5	13
50-64	354	1.9	3	<1	<1	1	2	4	5	9
65+	277	4.4	48	<1	1	1	4	12	19	39
B. *Operated*										
0-19 YRS	219	2.8	7	<1	<1	1	4	8	8	10
20-34	566	3.1	7	<1	<1	2	4	8	8	10
35-49	461	3.3	9	<1	<1	2	5	7	9	13
50-64	334	3.8	10	<1	<1	2	6	9	10	12
65+	212	4.4	15	<1	<1	3	8	10	11	16
2. MULTIPLE DX										
A. *Not Operated*										
0-19 YRS	1938	4.3	86	<1	1	2	4	7	13	56
20-34	2150	6.1	106	<1	1	2	5	19	28	58
35-49	3273	4.5	59	1	1	2	4	9	19	37
50-64	6790	4.2	55	1	1	2	4	7	17	39
65+	9704	7.1	92	1	1	3	8	20	27	48
B. *Operated*										
0-19 YRS	584	3.5	33	<1	1	1	4	8	12	32
20-34	1321	3.9	56	<1	1	2	4	8	11	44
35-49	1658	4.2	39	1	1	2	5	8	12	37
50-64	2037	5.5	64	1	1	3	6	11	18	46
65+	2639	7.1	94	1	1	4	9	16	26	49
SUBTOTALS:										
1. SINGLE DX										
A. *Not Operated*	2365	2.2	10	<1	<1	1	2	4	6	15
B. *Operated*	1792	3.4	9	<1	<1	2	5	8	9	12
2. MULTIPLE DX										
A. *Not Operated*	23855	5.6	79	1	1	2	5	15	24	47
B. *Operated*	8239	5.3	67	1	1	3	6	11	20	45
1. SINGLE DX	4157	2.7	10	<1	<1	1	3	7	8	13
2. MULTIPLE DX	32094	5.5	76	1	1	2	5	14	23	46
A. NOT OPERATED	26220	5.3	74	1	1	2	5	14	22	45
B. OPERATED	10031	5.0	57	<1	1	3	6	10	17	43
TOTAL 0-19 YRS	3260	3.7	59	<1	<1	2	4	6	10	43
20-34	4920	4.4	66	<1	<1	2	4	8	19	45
35-49	5724	4.2	46	1	1	2	4	8	16	36
50-64	9515	4.4	54	1	1	2	5	8	16	40
65+	12832	7.0	90	1	1	3	8	19	27	48
GRAND TOTAL	**36251**	**5.2**	**69**	**1**	**1**	**2**	**5**	**12**	**21**	**44**

Operation Groups

Length of Stay Tables
Operation Groups

354 Hospitals, Western Region, January-December 1986, by Operation

SUMMARY OF ALL PATIENTS IN OPERATION GROUPS

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES 5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57904	2.4	8	<1	1	2	3	4	6	13
20-34	163626	2.4	4	<1	1	2	3	4	5	10
35-49	59458	3.2	9	<1	1	2	4	6	8	14
50-64	41781	3.7	11	<1	1	3	5	8	10	15
65+	36577	4.6	17	<1	1	3	7	10	12	18
2. MULTIPLE DX										
0-19 YRS	64362	5.2	73	1	1	3	5	11	19	53
20-34	185320	4.1	25	1	1	3	4	7	10	26
35-49	121388	5.3	37	1	1	4	6	10	15	32
50-64	143099	6.5	51	1	1	5	8	13	18	37
65+	280744	7.8	55	1	2	6	10	15	21	38
TOT. SINGLE DX	359346	2.9	8	<1	1	2	4	6	8	14
" MULTIPLE DX	794913	6.1	48	1	1	4	7	13	18	36
TOTAL 0-19 YRS	122266	3.9	44	<1	1	2	4	7	12	38
20-34	348946	3.3	16	1	1	2	4	6	8	19
35-49	180846	4.6	29	1	1	3	5	9	12	27
50-64	184880	5.9	43	1	1	4	7	12	16	34
65+	317321	7.4	52	1	1	6	10	15	20	37
GRAND TOTAL	**1154259**	**5.1**	**38**	**1**	**1**	**3**	**6**	**11**	**15**	**31**

501: Incision, excision of skull, brain, and cerebral meninges (01.01-01.15; 01.3-01.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	105	6.8	31	1	2	6	9	13	16	31
20-34	122	8.3	58	1	2	7	10	13	16	37
35-49	177	7.6	17	1	3	7	9	13	15	23
50-64	203	8.4	22	3	4	7	10	14	17	26
65+	174	9.6	33	3	4	9	11	16	24	32
2. MULTIPLE DX										
0-19 YRS	213	16.6	271	2	3	11	21	49	65	99+
20-34	248	15.3	177	3	4	12	20	31	42	99+
35-49	320	15.0	205	3	4	11	18	29	46	89
50-64	503	15.3	185	4	5	11	19	32	49	93
65+	794	16.4	143	4	6	13	21	32	44	66
TOT. SINGLE DX	781	8.2	31	2	3	7	10	14	18	27
" MULTIPLE DX	2078	15.8	180	3	5	12	20	33	49	96
TOTAL 0-19 YRS	318	13.3	213	1	2	9	15	37	55	99+
20-34	370	13.0	148	2	4	9	16	25	36	96
35-49	497	12.4	152	2	3	9	14	24	33	79
50-64	706	13.3	148	3	4	10	15	26	41	81
65+	968	15.2	131	4	5	12	19	30	41	63
GRAND TOTAL	**2859**	**13.7**	**151**	**3**	**4**	**10**	**16**	**28**	**41**	**83**

502: Craniotomy and craniectomy (01.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	6.0	44	2	2	5	7	9	12	47
20-34	35	7.7	35	2	3	6	9	12	17	35
35-49	35	7.5	30	1	3	5	10	14	21	26
50-64	34	9.1	56	2	4	8	10	16	21	43
65+	31	9.1	48	3	4	7	9	19	27	33
2. MULTIPLE DX										
0-19 YRS	101	12.4	163	3	4	8	16	28	47	86
20-34	131	15.4	200	4	5	11	19	37	55	99+
35-49	112	15.4	134	4	5	11	20	34	48	99+
50-64	109	16.0	201	4	5	12	19	34	40	79
65+	179	14.9	103	4	5	12	19	28	36	59
TOT. SINGLE DX	206	7.5	44	2	3	6	9	13	17	39
" MULTIPLE DX	632	14.9	155	4	5	11	19	32	46	99+
TOTAL 0-19 YRS	172	9.8	124	2	3	6	11	22	33	71
20-34	166	13.8	175	3	4	9	17	33	54	99+
35-49	147	13.5	121	3	4	10	17	29	43	99+
50-64	143	14.4	175	3	5	10	18	31	39	73
65+	210	14.0	99	4	5	11	18	27	33	55
GRAND TOTAL	**838**	**13.1**	**138**	**3**	**4**	**9**	**16**	**28**	**41**	**88**

503: Cranioplasty (02.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	154	3.8	3	2	2	3	5	6	8	9
20-34	46	3.6	3	1	1	3	5	6	6	9
35-49	15	4.4	7	1	2	3	7	9	9	9
50-64	18	4.4	16	1	1	3	6	8	14	18
65+	10	4.6	3	3	3	4	5	8	8	8
2. MULTIPLE DX										
0-19 YRS	131	8.4	99	2	2	5	8	19	32	48
20-34	118	9.9	188	1	2	5	10	24	40	71
35-49	61	9.9	127	2	3	5	10	26	35	59
50-64	34	9.4	92	3	3	6	10	18	36	44
65+	22	8.0	43	2	3	6	10	16	25	29
TOT. SINGLE DX	243	3.9	5	1	2	4	5	6	8	9
" MULTIPLE DX	366	9.2	128	2	2	5	10	22	32	59
TOTAL 0-19 YRS	285	5.9	53	2	2	4	6	10	18	39
20-34	164	8.2	144	1	2	4	8	21	30	59
35-49	76	8.8	108	2	2	5	9	22	30	56
50-64	52	7.7	71	1	2	5	8	16	28	44
65+	32	6.9	33	2	3	5	9	12	21	29
GRAND TOTAL	**609**	**7.1**	**86**	**1**	**2**	**4**	**7**	**13**	**25**	**48**

504: Ventricular shunt, extracranial (02.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	4.8	6	1	2	4	6	8	9	14
20-34	12	5.9	19	2	3	4	6	15	16	16
35-49	7	4.7	2	2	2	5	6	7	7	7
50-64	12	6.8	11	2	3	6	8	11	14	15
65+	35	7.3	16	3	3	6	9	12	15	22
2. MULTIPLE DX										
0-19 YRS	129	15.3	375	2	3	7	16	49	65	99+
20-34	50	13.1	236	3	4	8	13	40	86	99+
35-49	26	12.6	227	3	4	9	11	64	99+	99+
50-64	43	14.7	170	3	4	10	21	56	99+	99+
65+	172	15.2	140	4	5	11	21	33	39	75
TOT. SINGLE DX	113	5.9	12	2	3	5	7	10	14	18
" MULTIPLE DX	420	14.7	231	3	4	9	20	39	59	99+
TOTAL 0-19 YRS	176	12.5	298	2	2	6	11	42	60	96
20-34	62	11.7	201	3	3	7	12	39	57	99+
35-49	33	10.9	189	2	4	7	11	47	93	99+
50-64	55	12.9	146	3	4	9	17	34	84	99+
65+	207	13.8	128	3	5	9	19	30	37	66
GRAND TOTAL	**533**	**12.9**	**198**	**2**	**3**	**8**	**15**	**34**	**50**	**99+**

505: Miscellaneous operations on brain and cerebral meninges (02.1-02.2; 02.4-02.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	69	5.0	22	1	1	4	6	9	15	28
20-34	39	6.6	90	1	1	4	7	14	34	43
35-49	23	5.2	19	1	2	4	8	9	13	21
50-64	15	7.0	36	1	2	6	8	9	23	27
65+	24	6.3	35	1	2	4	8	14	20	27
2. MULTIPLE DX										
0-19 YRS	388	8.6	141	1	1	4	9	21	36	83
20-34	154	15.3	305	2	3	8	19	42	61	97
35-49	78	12.0	194	1	2	6	16	31	57	89
50-64	77	18.2	341	1	3	10	29	49	60	72
65+	104	14.3	130	2	3	11	20	31	36	54
TOT. SINGLE DX	170	5.7	40	1	1	4	7	10	17	36
" MULTIPLE DX	801	11.9	207	1	2	7	14	32	49	77
TOTAL 0-19 YRS	457	8.1	125	1	1	4	9	19	31	79
20-34	193	13.6	274	1	2	7	15	38	54	86
35-49	101	10.4	162	1	2	6	12	27	48	81
50-64	92	16.4	308	1	3	9	21	41	57	72
65+	128	12.8	122	2	2	9	17	30	33	53
GRAND TOTAL	**971**	**10.8**	**183**	**1**	**2**	**6**	**13**	**28**	**42**	**72**

506: Exploration and decompression of spinal canal structures (03.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	8.2	40	2	3	7	11	13	22	31
20-34	200	6.7	17	2	3	6	8	11	14	25
35-49	442	6.2	14	2	3	5	7	10	13	17
50-64	492	6.9	15	3	3	6	8	11	14	23
65+	402	7.7	12	3	4	7	9	12	14	20
2. MULTIPLE DX										
0-19 YRS	52	13.2	196	3	3	9	15	27	47	74
20-34	263	9.8	65	3	4	7	11	19	24	45
35-49	617	8.9	59	3	4	7	10	16	22	41
50-64	997	9.3	52	3	4	7	10	15	22	45
65+	1452	11.0	58	4	5	9	13	18	24	43
TOT. SINGLE DX	1556	6.9	16	3	3	6	8	11	14	22
" MULTIPLE DX	3381	10.0	61	4	4	8	12	17	23	45
TOTAL 0-19 YRS	72	11.8	157	2	3	8	13	25	35	71
20-34	463	8.5	47	3	3	7	9	15	21	42
35-49	1059	7.7	43	3	3	6	9	13	17	37
50-64	1489	8.5	42	3	4	7	10	14	19	38
65+	1854	10.3	51	4	5	8	12	17	22	42
GRAND TOTAL	**4937**	**9.0**	**49**	**3**	**4**	**7**	**10**	**15**	**21**	**39**

507: Operations on spinal cord structures, except exploration (03.1-03.2; 03.32; 03.4-03.8; 03.93-03.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	6.7	30	1	2	5	9	15	20	23
20-34	135	5.0	17	1	1	4	7	10	12	18
35-49	140	4.9	20	1	1	3	7	9	13	21
50-64	79	6.4	41	1	1	4	7	14	24	30
65+	51	5.8	24	1	1	4	8	11	19	22
2. MULTIPLE DX										
0-19 YRS	101	12.9	144	1	2	9	18	30	43	99+
20-34	183	8.8	96	1	2	6	10	17	33	88
35-49	216	9.8	113	1	2	7	12	19	30	55
50-64	149	13.1	165	1	3	9	17	29	43	63
65+	178	13.2	141	2	2	10	17	31	38	91
TOT. SINGLE DX	432	5.4	25	1	1	4	7	11	15	26
" MULTIPLE DX	827	11.3	132	1	2	8	14	26	37	72
TOTAL 0-19 YRS	128	11.6	127	1	2	9	16	25	42	99+
20-34	318	7.2	66	1	1	5	9	13	24	61
35-49	356	7.9	82	1	1	5	9	16	22	45
50-64	228	10.8	133	1	2	7	14	25	31	61
65+	229	11.5	125	1	2	9	14	26	35	76
GRAND TOTAL	**1259**	**9.3**	**103**	**1**	**2**	**6**	**11**	**20**	**31**	**63**

508: Excision or destruction of lesion of cranial or peripheral nerve (04.0-04.12)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	2.2	2	<1	<1	1	3	5	6	6
20-34	69	2.5	7	<1	<1	1	3	5	8	16
35-49	126	2.4	5	<1	<1	1	2	7	8	10
50-64	88	2.5	8	<1	<1	1	2	7	9	15
65+	52	2.2	5	<1	<1	1	3	6	7	13
2. MULTIPLE DX										
0-19 YRS	16	3.1	7	<1	1	2	4	8	9	10
20-34	72	4.9	82	<1	<1	2	3	15	22	53
35-49	97	4.6	28	<1	<1	2	6	14	17	21
50-64	128	5.8	62	<1	1	3	7	13	24	42
65+	94	6.7	70	1	1	5	9	13	22	80
TOT. SINGLE DX	354	2.4	7	<1	<1	1	3	6	8	13
" MULTIPLE DX	407	5.5	58	<1	1	2	7	13	21	46
TOTAL 0-19 YRS	35	2.6	5	<1	<1	2	3	6	8	10
20-34	141	3.7	47	<1	<1	2	3	8	16	33
35-49	223	3.3	17	<1	<1	1	5	8	13	19
50-64	216	4.5	43	<1	<1	2	5	10	15	37
65+	146	5.1	52	<1	<1	3	7	12	17	57
GRAND TOTAL	**761**	**4.0**	**36**	**<1**	**<1**	**2**	**5**	**9**	**14**	**33**

509: Miscellaneous operations on cranial and other peripheral nerves (04.2-04.7; 04.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	60	1.6	2	<1	<1	1	2	2	3	9
20-34	395	1.6	1	<1	<1	1	2	3	4	8
35-49	446	1.6	2	<1	<1	1	2	3	4	8
50-64	330	1.4	1	<1	<1	1	1	2	3	6
65+	175	1.5	1	<1	<1	1	1	2	4	8
2. MULTIPLE DX										
0-19 YRS	120	2.3	7	<1	1	1	3	5	9	15
20-34	358	2.6	8	<1	1	2	3	5	7	17
35-49	434	2.5	8	<1	<1	2	3	6	8	12
50-64	296	3.0	28	<1	<1	2	3	6	9	23
65+	312	3.6	33	<1	<1	2	4	8	12	30
TOT. SINGLE DX	1406	1.5	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	1520	2.8	17	<1	<1	2	3	6	9	18
TOTAL 0-19 YRS	180	2.1	6	<1	<1	1	2	4	8	14
20-34	753	2.1	5	<1	<1	1	2	4	6	12
35-49	880	2.0	5	<1	<1	1	2	4	6	11
50-64	626	2.2	15	<1	<1	1	2	4	6	15
65+	487	2.8	23	<1	<1	1	3	7	9	25
GRAND TOTAL	**2926**	**2.2**	**10**	**<1**	**<1**	**1**	**2**	**4**	**7**	**14**

510: Sympathectomy (05.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	4.5	1	4	4	4	5	5	5	5
20-34	27	4.2	2	2	2	4	5	7	7	8
35-49	21	3.5	2	1	1	4	4	5	7	7
50-64	9	8.4	78	1	2	5	10	23	30	30
65+	9	6.9	40	3	3	5	8	17	23	23
2. MULTIPLE DX										
0-19 YRS	4	4.0	2	3	3	4	5	6	6	6
20-34	40	5.3	12	1	2	5	7	9	13	18
35-49	33	6.0	11	3	3	5	7	10	15	16
50-64	43	8.9	50	1	3	6	12	21	24	31
65+	68	8.4	23	3	4	7	10	16	19	24
TOT. SINGLE DX	68	4.9	19	2	2	4	5	8	9	29
" MULTIPLE DX	188	7.4	27	2	3	6	9	15	18	26
TOTAL 0-19 YRS	6	4.2	1	3	3	4	5	6	6	6
20-34	67	4.9	9	1	2	4	6	8	10	17
35-49	54	5.1	9	1	3	4	6	8	13	16
50-64	52	8.8	53	1	2	6	11	21	27	31
65+	77	8.3	25	3	4	7	10	16	20	24
GRAND TOTAL	**256**	**6.7**	**26**	**2**	**3**	**5**	**8**	**13**	**17**	**27**

511: Miscellaneous operations on sympathetic nerves and ganglia (05.0-05.11; 05.3-05.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	2.5	5	<1	<1	1	4	6	6	6
20-34	27	3.4	25	<1	<1	1	4	8	11	26
35-49	14	4.4	49	<1	1	2	4	8	24	28
50-64	6	2.2	1	<1	<1	2	3	4	4	4
65+	7	3.0	9	<1	<1	1	4	8	9	9
2. MULTIPLE DX										
0-19 YRS	3	11.0	112	3	3	7	19	23	23	23
20-34	29	7.3	69	<1	1	5	8	15	33	36
35-49	38	7.9	60	1	1	6	9	17	27	36
50-64	26	8.6	81	<1	1	6	12	20	27	41
65+	46	7.5	50	1	1	5	10	17	25	34
TOT. SINGLE DX	58	3.4	25	<1	<1	2	4	7	9	28
" MULTIPLE DX	142	7.9	62	1	1	5	10	18	26	37
TOTAL 0-19 YRS	7	6.1	61	<1	<1	3	7	20	23	23
20-34	56	5.5	51	<1	<1	4	6	10	24	36
35-49	52	6.9	59	1	1	5	8	15	28	36
50-64	32	7.4	72	<1	1	4	11	16	24	41
65+	53	6.9	47	1	1	5	9	15	24	34
GRAND TOTAL	**200**	**6.6**	**55**	**<1**	**<1**	**4**	**8**	**13**	**25**	**36**

512: Miscellaneous diagnostic and therapeutic procedures on nervous system (01.18-01.19; 03.31; 03.39; 03.91-03.92; 04.19; 04.8; 05.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

513: Thyroidectomy (06.2-06.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	82	2.2		1	1	2	3	3	4	5
20-34	512	2.2	1	1	1	2	3	3	4	6
35-49	666	2.3	1	1	1	2	3	4	4	6
50-64	406	2.4	1	1	1	2	3	4	4	6
65+	178	2.8	1	1	1	3	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	39	3.9	27	1	2	3	4	7	8	34
20-34	273	3.1	7	1	1	2	3	5	7	20
35-49	420	2.9	6	1	1	3	3	5	6	9
50-64	394	3.4	8	1	1	3	4	6	9	19
65+	376	4.1	12	1	2	3	5	7	10	23
TOT. SINGLE DX	1844	2.3	1	1	1	2	3	4	4	6
" MULTIPLE DX	1502	3.4	10	1	1	3	4	6	8	19
TOTAL 0-19 YRS	121	2.7	10	1	1	2	3	4	5	16
20-34	785	2.5	4	1	1	2	3	4	5	9
35-49	1086	2.5	4	1	1	2	3	4	5	8
50-64	800	2.9	5	1	1	2	3	4	6	12
65+	554	3.6	10	1	2	3	4	6	8	21
GRAND TOTAL	**3346**	**2.8**	**5**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

514: Operations on parathyroid and thyroid, except thyroidectomy (06.01-06.13; 06.7-06.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	106	1.3		<1	1	1	1	2	3	5
20-34	95	1.6		<1	1	1	2	3	4	4
35-49	91	2.1	2	1	1	2	3	4	5	10
50-64	87	2.4	1	1	1	2	3	4	4	6
65+	55	2.9	2	1	1	3	4	5	6	6
2. MULTIPLE DX										
0-19 YRS	23	3.8	23	<1	<1	2	5	10	14	21
20-34	70	4.3	34	1	1	2	5	8	13	37
35-49	153	4.5	19	1	2	3	5	8	11	24
50-64	229	4.9	28	1	2	3	5	9	17	31
65+	213	6.1	51	2	2	4	6	12	19	37
TOT. SINGLE DX	434	2.0	2	1	1	2	3	4	4	6
" MULTIPLE DX	688	5.1	35	1	1	3	5	9	16	32
TOTAL 0-19 YRS	129	1.7	6	<1	1	1	1	3	6	13
20-34	165	2.8	17	1	1	2	3	5	7	25
35-49	244	3.6	15	1	1	3	4	6	9	24
50-64	316	4.2	22	1	1	3	4	7	15	30
65+	268	5.5	43	1	2	4	6	10	14	34
GRAND TOTAL	**1122**	**3.9**	**24**	**1**	**1**	**3**	**4**	**7**	**11**	**27**

515: Operations on endocrine glands, except parathyroid and thyroid (07.00-07.17; 07.2-07.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	5.4	5	2	3	5	6	9	10	10
20-34	50	6.6	9	4	4	6	7	9	11	23
35-49	48	6.2	8	2	4	6	7	9	13	15
50-64	26	6.0	3	3	4	6	8	9	9	10
65+	13	6.4	2	4	4	6	7	8	9	9
2. MULTIPLE DX										
0-19 YRS	13	6.9	14	3	3	6	9	25	83	99+
20-34	52	8.5	36	4	4	7	9	16	22	33
35-49	88	8.8	43	4	5	7	10	14	18	44
50-64	119	9.6	74	3	5	8	10	14	24	61
65+	85	12.9	117	4	5	9	17	29	36	56
TOT. SINGLE DX	146	6.3	7	3	4	6	7	9	10	16
" MULTIPLE DX	357	9.9	72	4	5	7	11	18	24	58
TOTAL 0-19 YRS	22	6.3	11	2	3	6	9	12	46	99+
20-34	102	7.6	24	4	4	6	8	12	17	31
35-49	136	7.9	32	4	4	7	9	13	16	27
50-64	145	9.0	63	3	4	7	9	13	22	58
65+	98	12.1	107	4	5	8	14	23	32	55
GRAND TOTAL	**503**	**8.9**	**56**	**4**	**4**	**7**	**9**	**16**	**22**	**54**

516: Miscellaneous diagnostic and therapeutic procedures on endocrine system (06.19; 07.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

517: Excision or destruction of lesion or tissue of eyelid (08.11; 08.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	1.2		<1	<1	<1	<1	1	2	5
20-34	4	1.0		<1	<1	<1	1	1	1	1
35-49	10	1.9	2	<1	<1	1	2	4	6	6
50-64	14	1.1		<1	<1	<1	<1	1	2	2
65+	22	1.0		<1	<1	1	1	1	2	2
2. MULTIPLE DX										
0-19 YRS	4	3.8	18	<1	<1	2	6	10	10	10
20-34	2	3.5	13	1	1	3	6	6	6	6
35-49	12	5.9	69	<1	<1	3	6	19	28	29
50-64	11	7.2	106	<1	<1	1	16	24	27	27
65+	33	4.8	56	<1	<1	2	4	13	21	37
TOT. SINGLE DX	83	1.2	1	<1	<1	<1	1	1	2	6
" MULTIPLE DX	62	5.3	62	<1	<1	2	5	17	24	36
TOTAL 0-19 YRS	37	1.4	3	<1	<1	<1	<1	2	4	10
20-34	6	1.8	4	<1	<1	1	1	6	6	6
35-49	22	4.1	42	<1	<1	2	4	9	21	29
50-64	25	3.8	54	<1	<1	1	1	20	23	27
65+	55	3.3	37	<1	<1	1	3	8	14	36
GRAND TOTAL	**145**	**3.0**	**31**	**<1**	**<1**	**1**	**2**	**6**	**15**	**29**

518: Miscellaneous operations on eyelid (08.0; 08.3-08.8; 08.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	74	1.5	1	<1	<1	1	1	3	3	8
20-34	20	1.7	1	<1	<1	1	2	3	5	6
35-49	20	1.1		<1	<1	1	1	2	2	2
50-64	38	1.1		<1	<1	1	1	1	2	2
65+	50	1.2		<1	<1	<1	1	1	2	7
2. MULTIPLE DX										
0-19 YRS	188	3.0	17	<1	1	2	3	6	8	24
20-34	226	3.1	19	<1	<1	2	3	6	10	29
35-49	119	3.4	16	<1	1	2	4	6	14	22
50-64	111	2.9	13	<1	<1	1	3	7	10	22
65+	173	4.5	43	<1	<1	2	5	11	14	36
TOT. SINGLE DX	202	1.3	1	<1	<1	1	1	2	3	7
" MULTIPLE DX	817	3.4	23	<1	1	2	4	7	12	26
TOTAL 0-19 YRS	262	2.6	13	<1	<1	1	3	5	7	19
20-34	246	2.9	19	<1	<1	2	3	6	9	28
35-49	139	3.1	15	<1	1	2	3	6	13	21
50-64	149	2.4	11	<1	<1	1	2	6	9	20
65+	223	3.7	35	<1	<1	1	4	11	13	31
GRAND TOTAL	**1019**	**3.0**	**19**	**<1**	**<1**	**1**	**3**	**6**	**11**	**22**

519: Operations on lacrimal system (09.0-09.12; 09.2-09.3; 09.5-09.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	1.1		<1	<1	1	1	2	2	2
20-34	17	1.6		<1	1	1	2	3	4	4
35-49	20	1.2		<1	<1	1	1	2	3	3
50-64	24	1.2		<1	<1	1	1	2	2	2
65+	50	1.2		<1	1	1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	20	1.4		<1	<1	1	2	2	3	3
20-34	17	1.6	1	<1	1	1	2	3	4	4
35-49	15	1.3	1	<1	1	1	1	2	4	5
50-64	37	1.3		<1	<1	1	2	2	3	3
65+	75	2.9	23	1	1	1	3	5	10	31
TOT. SINGLE DX	136	1.2		<1	<1	1	1	2	3	3
" MULTIPLE DX	164	2.1	12	<1	1	1	2	3	5	15
TOTAL 0-19 YRS	45	1.2		<1	<1	1	1	2	2	3
20-34	34	1.6	1	<1	1	1	2	3	4	4
35-49	35	1.3	1	<1	1	1	1	2	3	5
50-64	61	1.2		<1	<1	1	1	2	2	3
65+	125	2.2	15	<1	1	1	2	4	6	20
GRAND TOTAL	**300**	**1.7**	**7**	**<1**	**<1**	**1**	**2**	**3**	**4**	**12**

520: Operations on conjunctiva (10.0-10.21; 10.3-10.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	5	1.2		<1	<1	1	1	2	2	2
35-49										
50-64	2	1.0		<1	<1	<1	<1	<1	<1	<1
65+	2	5.0	32	<1	<1	4	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	3	3.0	7	<1	<1	2	5	6	6	6
20-34	2	2.5	1	2	2	2	3	3	3	3
35-49										
50-64	9	5.7	44	2	2	3	5	17	23	23
65+	10	5.8	35	<1	<1	3	9	15	20	20
TOT. SINGLE DX	11	2.2	7	<1	<1	1	2	7	9	9
" MULTIPLE DX	24	5.1	32	<1	1	3	6	11	21	23
TOTAL 0-19 YRS	5	3.0	6	<1	<1	2	5	6	6	6
20-34	7	1.6	1	<1	<1	1	2	3	3	3
35-49										
50-64	11	4.8	39	<1	<1	3	4	13	22	23
65+	12	5.7	32	<1	<1	3	9	13	19	20
GRAND TOTAL	**35**	**4.2**	**25**	**<1**	**<1**	**2**	**5**	**9**	**17**	**23**

521: Corneal transplant (11.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	1.7		<1	<1	2	2	3	3	3
20-34	59	1.8	1	1	1	1	2	3	3	7
35-49	63	1.9		<1	1	2	3	3	3	6
50-64	38	1.7	1	1	1	1	2	4	5	5
65+	128	1.6		1	1	1	2	3	3	4
2. MULTIPLE DX										
0-19 YRS	16	2.6	2	1	1	2	4	4	5	6
20-34	30	2.6	2	1	1	2	3	5	7	7
35-49	48	2.0	1	<1	1	2	2	4	5	6
50-64	89	2.1	1	1	1	2	3	3	5	7
65+	430	2.3	2	1	1	2	3	4	4	8
TOT. SINGLE DX	299	1.7	1	1	1	1	2	3	3	5
" MULTIPLE DX	613	2.3	2	1	1	2	3	4	5	7
TOTAL 0-19 YRS	27	2.3	2	<1	1	2	3	4	5	6
20-34	89	2.1	2	1	1	2	3	3	5	7
35-49	111	1.9	1	1	1	2	2	3	4	6
50-64	127	2.0	2	1	1	2	3	3	5	6
65+	558	2.2	2	1	1	2	3	4	4	7
GRAND TOTAL	**912**	**2.1**	**2**	**1**	**1**	**2**	**3**	**4**	**4**	**7**

522: Miscellaneous operations on cornea (11.0-11.22; 11.3-11.5; 11.7-11.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	2.7	4	<1	<1	2	3	5	6	13
20-34	104	1.6	1	<1	<1	<1	2	3	4	5
35-49	62	1.4		<1	<1	<1	1	3	3	6
50-64	13	2.1	2	<1	<1	1	3	5	6	6
65+	19	1.9	4	<1	<1	1	2	3	7	10
2. MULTIPLE DX										
0-19 YRS	56	3.4	4	1	1	3	5	6	7	13
20-34	54	2.7	3	<1	<1	2	4	6	6	7
35-49	24	2.0	1	<1	<1	2	3	4	4	5
50-64	21	4.5	26	<1	<1	3	5	10	16	23
65+	44	5.6	124	<1	1	3	6	10	13	74
TOT. SINGLE DX	269	1.9	2	<1	<1	1	3	4	4	7
" MULTIPLE DX	199	3.6	33	<1	1	3	4	6	9	21
TOTAL 0-19 YRS	127	3.0	5	<1	1	3	4	6	6	13
20-34	158	2.0	2	<1	<1	1	3	4	5	6
35-49	86	1.6	1	<1	<1	1	2	3	4	6
50-64	34	3.6	18	<1	<1	2	4	7	11	23
65+	63	4.5	90	<1	<1	2	5	10	11	67
GRAND TOTAL	**468**	**2.6**	**16**	**<1**	**<1**	**2**	**3**	**5**	**6**	**13**

523: Operations for regulation of intraocular pressure (12.5-12.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	22	1.3		<1	1	1	1	2	3	3
20-34	3	2.0	3	<1	<1	1	3	4	4	4
35-49	22	1.5		<1	<1	1	2	3	3	4
50-64	35	1.9	3	<1	<1	1	2	4	7	9
65+	69	1.8	1	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	15	1.3		<1	1	1	1	3	3	3
20-34	22	2.5	6	<1	1	2	2	6	9	11
35-49	15	3.4	5	<1	1	3	4	8	8	8
50-64	58	3.6	13	1	1	2	4	9	12	19
65+	213	3.1	12	1	1	2	3	6	10	20
TOT. SINGLE DX	151	1.7	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	323	3.1	11	1	1	2	3	7	10	18
TOTAL 0-19 YRS	37	1.3		<1	1	1	1	3	3	3
20-34	25	2.5	6	<1	1	2	3	5	9	11
35-49	37	2.3	3	<1	<1	2	3	4	7	8
50-64	93	2.9	11	<1	<1	2	3	7	11	16
65+	282	2.8	10	<1	1	2	3	5	8	18
GRAND TOTAL	**474**	**2.6**	**9**	**<1**	**1**	**2**	**3**	**5**	**8**	**17**

524: Other operations on iris, ciliary body, sclera and anterior chamber (12.00-12.22; 12.3-12.4; 12.8-12.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	4.0	6	2	2	3	4	7	11	12
20-34	22	2.8	6	<1	1	2	3	4	8	13
35-49	19	1.9	2	<1	<1	1	3	4	6	6
50-64	23	1.7	2	<1	<1	1	2	4	5	6
65+	38	2.6	10	<1	<1	2	3	5	6	20
2. MULTIPLE DX										
0-19 YRS	22	3.6	7	1	1	3	4	8	10	12
20-34	27	4.9	7	2	2	5	6	8	10	13
35-49	19	3.3	6	<1	1	3	4	6	9	12
50-64	42	3.0	13	<1	1	2	3	7	10	21
65+	115	3.9	12	1	1	3	5	10	11	16
TOT. SINGLE DX	114	2.5	6	<1	<1	2	3	4	6	16
" MULTIPLE DX	225	3.8	11	1	1	3	5	9	11	16
TOTAL 0-19 YRS	34	3.8	7	1	2	3	4	7	11	12
20-34	49	3.9	8	1	1	3	5	7	10	13
35-49	38	2.6	5	<1	<1	2	3	5	6	12
50-64	65	2.6	10	<1	<1	1	3	6	8	19
65+	153	3.5	12	<1	1	2	4	10	11	17
GRAND TOTAL	**339**	**3.3**	**10**	**<1**	**1**	**2**	**4**	**7**	**10**	**16**

525: Intracapsular extraction of lens (13.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	1.4		<1	<1	1	2	2	2	2
20-34	1	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	5	3.0	9	<1	<1	1	5	8	8	8
50-64	18	1.2		<1	<1	<1	1	2	2	2
65+	108	1.2		<1	<1	<1	1	2	2	6
2. MULTIPLE DX										
0-19 YRS	6	2.0	1	1	1	2	2	4	4	4
20-34	3	4.3	1	3	3	5	5	5	5	5
35-49	13	3.7	42	<1	<1	2	3	8	22	25
50-64	21	6.6	286	<1	<1	2	3	13	48	77
65+	134	2.4	10	<1	<1	2	2	4	8	15
TOT. SINGLE DX	137	1.3	1	<1	<1	<1	1	2	2	8
" MULTIPLE DX	177	3.0	46	<1	<1	2	2	4	9	29
TOTAL 0-19 YRS	11	1.7	1	<1	<1	2	2	3	4	4
20-34	4	3.5	4	<1	<1	4	5	5	5	5
35-49	18	3.5	32	<1	<1	2	4	7	18	25
50-64	39	4.1	158	<1	<1	1	2	4	16	77
65+	242	1.9	7	<1	<1	1	2	3	4	12
GRAND TOTAL	**314**	**2.3**	**27**	**<1**	**<1**	**1**	**2**	**3**	**5**	**25**

526: Other lens extraction (13.2-13.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	1.2		<1	<1	1	1	2	3	3
20-34	8	1.6	3	<1	<1	<1	1	4	6	6
35-49	57	1.0		<1	<1	<1	<1	1	1	3
50-64	370	1.1		<1	<1	<1	<1	1	1	2
65+	1235	1.1		<1	<1	<1	<1	<1	1	2
2. MULTIPLE DX										
0-19 YRS	21	1.4		<1	<1	1	2	3	3	3
20-34	22	6.5	330	<1	<1	2	3	7	43	87
35-49	47	2.4	12	<1	<1	1	2	5	6	23
50-64	263	1.7	2	<1	<1	1	2	3	4	10
65+	1160	2.0	10	<1	<1	1	2	3	6	18
TOT. SINGLE DX	1683	1.1	1	<1	<1	<1	<1	1	1	2
" MULTIPLE DX	1513	2.1	14	<1	<1	1	2	3	5	17
TOTAL 0-19 YRS	34	1.3		<1	<1	1	1	2	3	3
20-34	30	5.2	245	<1	<1	1	3	5	14	87
35-49	104	1.6	6	<1	<1	<1	1	3	5	15
50-64	633	1.3	1	<1	<1	<1	1	2	3	6
65+	2395	1.5	6	<1	<1	<1	1	2	3	11
GRAND TOTAL	**3196**	**1.5**	**7**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**10**

527: Miscellaneous operations on lens (13.0; 13.7-13.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	2	1.0		<1	<1	<1	<1	<1	<1	<1
35-49	6	1.0		<1	<1	<1	1	1	1	1
50-64	32	1.4	2	<1	<1	<1	<1	2	4	9
65+	72	1.1		<1	<1	<1	<1	1	2	3
2. MULTIPLE DX										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	4	2.3	2	<1	<1	2	3	4	4	4
35-49	4	5.3	52	<1	<1	2	9	16	16	16
50-64	28	2.3	9	<1	<1	1	2	4	12	14
65+	128	2.3	11	<1	<1	1	2	4	8	19
TOT. SINGLE DX	115	1.2	1	<1	<1	<1	<1	1	2	6
" MULTIPLE DX	167	2.4	11	<1	<1	1	2	4	10	18
TOTAL 0-19 YRS	6	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	6	1.8	2	<1	<1	1	3	4	4	4
35-49	10	2.7	22	<1	<1	1	1	9	16	16
50-64	60	1.8	6	<1	<1	<1	1	3	7	14
65+	200	1.9	8	<1	<1	1	2	3	4	17
GRAND TOTAL	**282**	**1.9**	**7**	**<1**	**<1**	**<1**	**2**	**3**	**4**	**16**

528: Repair of retina (14.3-14.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	61	2.4	1	1	1	2	3	4	5	7
20-34	116	3.1	5	1	1	3	4	6	7	12
35-49	162	3.0	8	1	1	3	4	5	6	9
50-64	434	2.8	3	1	1	2	4	5	6	8
65+	437	2.8	2	1	1	2	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	65	3.4	5	1	1	3	4	5	6	15
20-34	220	3.6	4	1	1	3	5	6	7	9
35-49	262	3.5	4	1	1	3	4	6	7	10
50-64	605	3.3	4	1	1	3	4	5	7	13
65+	917	3.5	8	1	1	3	4	5	6	11
TOT. SINGLE DX	1210	2.8	4	1	1	2	4	5	6	8
" MULTIPLE DX	2069	3.4	6	1	1	3	4	6	7	11
TOTAL 0-19 YRS	126	2.9	4	1	1	3	4	5	5	13
20-34	336	3.4	4	1	1	3	4	6	7	10
35-49	424	3.3	6	1	1	3	4	6	7	10
50-64	1039	3.1	4	1	1	3	4	5	6	10
65+	1354	3.2	7	1	1	3	4	5	6	11
GRAND TOTAL	**3279**	**3.2**	**5**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

529: Miscellaneous operations on retina, choroid, and vitreous (14.0-14.11; 14.2; 14.6-14.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	1.9	1	<1	<1	1	3	4	5	5
20-34	19	3.2	8	1	1	2	4	8	10	11
35-49	19	2.6	2	<1	<1	2	4	5	6	7
50-64	34	2.5	4	1	1	2	3	4	7	11
65+	82	3.1	7	1	1	2	3	8	9	14
2. MULTIPLE DX										
0-19 YRS	50	2.6	2	1	1	2	3	5	7	7
20-34	154	3.8	7	1	1	3	5	7	10	15
35-49	127	3.5	19	1	1	3	4	6	7	21
50-64	238	3.2	4	1	1	3	4	5	7	11
65+	405	3.6	7	1	1	3	4	7	9	16
TOT. SINGLE DX	173	2.8	6	<1	1	2	3	6	9	11
" MULTIPLE DX	974	3.5	8	1	1	3	4	6	8	15
TOTAL 0-19 YRS	69	2.4	3	<1	<1	2	3	4	6	7
20-34	173	3.8	8	1	1	3	5	7	10	15
35-49	146	3.4	17	1	1	3	4	6	7	14
50-64	272	3.1	4	1	1	3	4	5	7	11
65+	487	3.5	8	1	1	3	4	7	9	15
GRAND TOTAL	**1147**	**3.4**	**8**	**1**	**1**	**3**	**4**	**6**	**8**	**14**

530: Resection and recession of ocular muscle (15.1-15.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	150	1.0		<1	<1	<1	1	1	1	2
20-34	20	1.0		<1	<1	<1	1	1	1	1
35-49	21	1.1		<1	<1	1	1	1	2	3
50-64	15	1.0		<1	<1	<1	1	1	1	1
65+	10	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	58	1.1		<1	<1	1	1	1	2	3
20-34	17	5.1	246	<1	<1	1	2	3	44	66
35-49	12	1.6	3	<1	<1	1	1	3	6	7
50-64	13	1.9	9	<1	<1	1	1	4	10	12
65+	15	1.3		<1	1	1	1	2	4	4
TOT. SINGLE DX	216	1.0		<1	<1	<1	1	1	1	3
" MULTIPLE DX	115	1.8	38	<1	<1	1	1	2	3	31
TOTAL 0-19 YRS	208	1.0		<1	<1	<1	1	1	1	3
20-34	37	2.9	114	<1	<1	1	1	2	3	66
35-49	33	1.3	1	<1	<1	1	1	2	3	7
50-64	28	1.4	4	<1	<1	1	1	1	3	12
65+	25	1.2		<1	<1	1	1	2	3	4
GRAND TOTAL	**331**	**1.3**	**13**	**<1**	**<1**	**1**	**1**	**1**	**2**	**5**

531. Miscellaneous operations on ocular muscle (15.01; 15.7-15.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.5	1	1	1	1	2	2	2	2
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	17.5	545	<1	<1	17	34	34	34	34
20-34										
35-49										
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
TOT. SINGLE DX	3	1.3		<1	<1	1	2	2	2	2
" MULTIPLE DX	3	12.0	363	<1	<1	<1	26	34	34	34
TOTAL 0-19 YRS	4	9.5	267	<1	<1	1	18	34	34	34
20-34										
35-49	1	1.0		<1	<1	<1	<1	<1	<1	<1
50-64										
65+	1	1.0		<1	<1	<1	<1	<1	<1	<1
GRAND TOTAL	**6**	**6.7**	**179**	**<1**	**<1**	**1**	**2**	**31**	**34**	**34**

532: Operations on orbit and eyeball (16.0-16.1; 16.22-16.23; 16.3-16.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	2.3	4	1	1	2	3	5	7	11
20-34	33	2.1	4	1	1	1	2	4	7	11
35-49	36	2.3	3	<1	<1	2	3	4	4	10
50-64	25	2.9	11	1	1	2	3	4	12	16
65+	44	2.5	8	1	1	2	3	4	6	19
2. MULTIPLE DX										
0-19 YRS	64	4.8	113	1	1	3	5	8	10	76
20-34	79	3.3	28	1	1	2	4	6	8	36
35-49	58	2.9	4	1	1	2	4	5	7	12
50-64	56	3.4	14	1	1	2	4	7	10	20
65+	132	3.8	13	1	1	3	5	8	11	20
TOT. SINGLE DX	184	2.4	6	1	1	2	3	4	7	14
" MULTIPLE DX	389	3.7	32	1	1	2	4	7	9	20
TOTAL 0-19 YRS	110	3.8	69	1	1	2	4	7	9	42
20-34	112	2.9	21	1	1	2	3	6	7	24
35-49	94	2.7	4	<1	1	2	4	5	7	11
50-64	81	3.3	13	1	1	2	3	7	10	20
65+	176	3.5	13	1	1	2	4	8	10	20
GRAND TOTAL	**573**	**3.3**	**24**	**1**	**1**	**2**	**4**	**6**	**9**	**19**

533: Misc. diagnostic and therapeutic procedures on eye (08.19; 08.91-08.93; 09.19; 09.4; 10.29; 11.29; 12.29; 14.19; 15.09; 16.21; 16.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

534: Operations on external ear (18.02-18.09; 18.12; 18.2-18.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	122	1.7	2	<1	<1	1	2	4	5	7
20-34	36	1.6	1	<1	<1	1	2	4	5	5
35-49	33	1.7	7	<1	<1	1	1	2	3	17
50-64	24	1.6	4	<1	<1	1	1	2	5	11
65+	28	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	172	2.9	16	<1	1	2	4	5	7	38
20-34	98	3.8	23	<1	1	2	4	9	13	27
35-49	68	3.8	24	<1	1	2	4	10	17	23
50-64	51	6.4	102	<1	1	4	8	12	17	65
65+	84	5.9	44	1	1	3	7	15	18	37
TOT. SINGLE DX	243	1.6	3	<1	<1	1	2	3	5	8
" MULTIPLE DX	473	4.1	35	<1	1	2	4	10	15	34
TOTAL 0-19 YRS	294	2.4	11	<1	<1	1	3	5	6	24
20-34	134	3.2	19	<1	<1	2	3	7	12	26
35-49	101	3.1	20	<1	<1	1	3	7	15	22
50-64	75	4.8	76	<1	<1	2	5	11	14	57
65+	112	4.8	38	<1	1	2	6	12	18	31
GRAND TOTAL	**716**	**3.3**	**25**	**<1**	**<1**	**2**	**4**	**7**	**12**	**26**

535: Stapes mobilization and stapedectomy (19.0-19.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	1.1		<1	<1	1	1	2	2	2
20-34	92	1.3	1	<1	<1	1	1	2	2	8
35-49	157	1.2		<1	1	1	1	2	2	3
50-64	95	1.2		<1	<1	1	1	2	2	4
65+	41	1.2		<1	<1	1	1	2	2	3
2. MULTIPLE DX										
0-19 YRS	28	1.3		<1	1	1	1	2	2	3
20-34	87	1.8	3	1	1	1	2	3	6	13
35-49	121	1.2		1	1	1	1	2	2	4
50-64	84	1.4	1	<1	1	1	1	2	3	8
65+	50	1.5	1	<1	1	1	2	3	4	5
TOT. SINGLE DX	410	1.2		<1	<1	1	1	2	2	3
" MULTIPLE DX	370	1.4	2	1	1	1	1	2	3	7
TOTAL 0-19 YRS	53	1.2		<1	<1	1	1	2	2	3
20-34	179	1.6	3	<1	1	1	1	3	4	11
35-49	278	1.2		<1	1	1	1	2	2	3
50-64	179	1.3	1	<1	1	1	1	2	3	6
65+	91	1.4	1	<1	1	1	2	2	3	5
GRAND TOTAL	**780**	**1.3**	**1**	**<1**	**1**	**1**	**1**	**2**	**3**	**6**

536: Tympanoplasty (19.4-19.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	228	1.1		<1	<1	1	1	1	2	3
20-34	163	1.1		<1	<1	1	1	1	2	3
35-49	137	1.1		<1	<1	1	1	1	2	3
50-64	125	1.1		<1	1	1	1	2	2	3
65+	42	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	243	1.1		<1	<1	1	1	1	2	3
20-34	164	1.2		<1	1	1	1	2	2	4
35-49	186	1.3		<1	1	1	1	2	3	6
50-64	148	1.5	1	1	1	1	2	2	3	5
65+	93	1.4		1	1	1	2	2	3	4
TOT. SINGLE DX	695	1.1		<1	<1	1	1	1	2	3
" MULTIPLE DX	834	1.3	1	<1	1	1	1	2	2	5
TOTAL 0-19 YRS	471	1.1		<1	<1	1	1	1	2	3
20-34	327	1.2		<1	<1	1	1	2	2	4
35-49	323	1.2	1	<1	<1	1	1	2	2	5
50-64	273	1.3	1	<1	1	1	1	2	2	5
65+	135	1.3		<1	1	1	2	2	3	4
GRAND TOTAL	**1529**	**1.2**		**<1**	**<1**	**1**	**1**	**2**	**2**	**4**

537: Myringotomy (20.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	484	1.1	1	<1	<1	<1	<1	<1	1	4
20-34	30	1.1		<1	<1	1	1	1	2	2
35-49	14	1.1		<1	<1	1	1	2	2	2
50-64	9	1.9	3	<1	<1	1	2	5	5	5
65+	4	1.3		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	714	1.7	6	<1	<1	1	1	3	6	13
20-34	29	3.7	61	<1	<1	1	2	8	13	42
35-49	31	4.9	125	<1	<1	2	3	10	16	62
50-64	26	6.4	225	<1	<1	2	8	10	25	78
65+	26	7.2	40	1	1	5	12	14	18	27
TOT. SINGLE DX	541	1.1	1	<1	<1	<1	<1	1	1	4
" MULTIPLE DX	826	2.2	22	<1	<1	1	1	4	9	16
TOTAL 0-19 YRS	1198	1.5	4	<1	<1	<1	1	2	4	12
20-34	59	2.4	32	<1	<1	1	1	3	8	39
35-49	45	3.7	88	<1	<1	1	2	7	12	62
50-64	35	5.3	171	<1	<1	1	5	9	11	78
65+	30	6.4	39	<1	1	4	11	14	16	27
GRAND TOTAL	**1367**	**1.8**	**14**	**<1**	**<1**	**<1**	**1**	**2**	**6**	**15**

538: Mastoidectomy (20.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	91	1.4	1	1	1	1	1	2	4	6
20-34	86	1.2		<1	1	1	1	2	2	4
35-49	62	1.5	1	1	1	1	1	3	5	7
50-64	58	1.3		<1	1	1	1	2	3	5
65+	17	1.6		1	1	1	2	3	4	4
2. MULTIPLE DX										
0-19 YRS	176	2.1	12	<1	1	1	2	4	7	19
20-34	141	1.5	2	1	1	1	1	2	4	10
35-49	155	2.1	10	1	1	1	2	3	7	18
50-64	149	2.9	31	1	1	1	2	7	14	27
65+	106	3.5	66	1	1	1	2	6	12	56
TOT. SINGLE DX	314	1.4	1	1	1	1	1	2	3	6
" MULTIPLE DX	727	2.3	22	1	1	1	2	4	8	22
TOTAL 0-19 YRS	267	1.8	8	<1	1	1	1	3	6	13
20-34	227	1.4	1	1	1	1	1	2	3	6
35-49	217	1.9	8	1	1	1	2	3	6	17
50-64	207	2.5	24	1	1	1	2	4	10	26
65+	123	3.3	57	1	1	1	2	6	12	53
GRAND TOTAL	**1041**	**2.0**	**16**	**1**	**1**	**1**	**2**	**3**	**6**	**18**

539: Miscellaneous operations on middle ear and inner ear (19.6-19.9; 20.1-20.32; 20.5-20.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	1.4	3	<1	<1	1	1	2	3	14
20-34	82	1.6	1	<1	<1	1	2	3	4	7
35-49	100	1.6	1	<1	1	1	2	3	4	6
50-64	83	1.4		<1	1	1	2	2	3	6
65+	45	1.5		<1	1	1	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	91	2.0	7	<1	<1	1	2	5	7	16
20-34	109	3.4	22	1	1	2	4	7	9	28
35-49	115	2.3	8	<1	1	1	3	4	5	17
50-64	90	3.0	13	<1	1	2	3	7	12	20
65+	53	3.8	84	<1	1	2	3	7	11	65
TOT. SINGLE DX	381	1.5	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	458	2.8	22	<1	1	1	3	6	9	22
TOTAL 0-19 YRS	162	1.8	6	<1	<1	1	1	3	6	15
20-34	191	2.6	14	<1	1	1	3	6	7	21
35-49	215	2.0	5	<1	1	1	2	3	4	10
50-64	173	2.2	8	<1	1	1	2	4	7	16
65+	98	2.8	47	<1	1	1	2	4	7	43
GRAND TOTAL	**839**	**2.2**	**13**	**<1**	**<1**	**1**	**2**	**4**	**7**	**17**

540: Other diagnostic and therapeutic procedures on ear (18.01; 18.11; 18.19; 20.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

541: Submucous resection of nasal septum (21.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	1.0		<1	<1	1	1	1	2	2
20-34	45	1.3		<1	1	1	1	2	3	4
35-49	27	1.0		<1	<1	1	1	1	2	2
50-64	22	1.2		<1	<1	1	1	2	3	3
65+	6	1.0		<1	<1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	109	1.4	1	<1	1	1	1	2	3	6
20-34	282	1.3		<1	1	1	1	2	3	4
35-49	255	1.5	2	<1	1	1	2	2	3	5
50-64	134	1.8	8	1	1	1	2	3	3	10
65+	48	2.2	6	<1	1	1	2	4	7	15
TOT. SINGLE DX	127	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	828	1.5	3	<1	1	1	2	2	3	6
TOTAL 0-19 YRS	136	1.3	1	<1	1	1	1	2	3	6
20-34	327	1.3		<1	1	1	1	2	3	4
35-49	282	1.4	2	<1	1	1	2	2	3	5
50-64	156	1.7	7	1	1	1	2	3	3	6
65+	54	2.1	6	<1	1	1	2	4	7	15
GRAND TOTAL	**955**	**1.5**	**2**	**<1**	**1**	**1**	**2**	**2**	**3**	**5**

542: Rhinoplasty (21.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	165	1.3		<1	<1	1	1	2	3	4
20-34	334	1.2		<1	<1	1	1	2	2	4
35-49	244	1.1		<1	<1	1	1	1	2	3
50-64	116	1.2		<1	<1	1	1	2	2	4
65+	52	1.3		<1	<1	1	1	2	4	5
2. MULTIPLE DX										
0-19 YRS	414	1.3		<1	1	1	1	2	3	6
20-34	857	1.5	5	<1	1	1	1	2	3	7
35-49	686	1.5	1	<1	1	1	2	2	3	6
50-64	389	1.8	3	1	1	1	2	4	5	10
65+	207	2.1	5	<1	1	1	2	4	6	14
TOT. SINGLE DX	911	1.2		<1	<1	1	1	2	2	4
" MULTIPLE DX	2553	1.6	3	<1	1	1	2	3	4	7
TOTAL 0-19 YRS	579	1.3	1	<1	<1	1	1	2	3	5
20-34	1191	1.4	4	<1	1	1	1	2	3	6
35-49	930	1.4	1	<1	1	1	1	2	3	6
50-64	505	1.7	3	<1	1	1	2	3	4	9
65+	259	2.0	4	<1	1	1	2	4	6	13
GRAND TOTAL	**3464**	**1.5**	**3**	**<1**	**1**	**1**	**1**	**2**	**3**	**6**

543: Other incision, excision of nose (21.1; 21.22; 21.3-21.4; 21.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	1.4	1	<1	<1	1	1	2	3	7
20-34	46	1.4		<1	<1	1	1	2	4	5
35-49	44	1.6	3	<1	<1	1	1	2	6	12
50-64	56	1.5	2	<1	<1	1	1	2	3	12
65+	46	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	97	1.7	2	<1	<1	1	2	3	5	8
20-34	226	2.0	16	1	1	1	2	3	5	22
35-49	229	1.4	1	<1	1	1	1	2	3	7
50-64	183	1.9	4	<1	1	1	2	4	5	13
65+	133	3.9	50	1	1	2	3	9	18	99+
TOT. SINGLE DX	228	1.5	2	<1	<1	1	1	2	4	8
" MULTIPLE DX	868	2.1	14	<1	1	1	2	4	6	20
TOTAL 0-19 YRS	133	1.6	2	<1	<1	1	2	3	5	8
20-34	272	1.9	13	<1	1	1	1	3	5	18
35-49	273	1.5	1	<1	1	1	1	2	3	7
50-64	239	1.8	4	<1	<1	1	2	3	5	13
65+	179	3.3	38	<1	1	1	3	7	12	87
GRAND TOTAL	**1096**	**2.0**	**11**	**<1**	**1**	**1**	**2**	**3**	**5**	**15**

544: Miscellaneous operations on nose (21.02-21.09; 21.7; 21.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	163	1.2	1	<1	<1	1	1	1	2	7
20-34	139	1.9	3	<1	<1	1	2	4	5	9
35-49	103	2.7	3	<1	1	2	4	6	7	8
50-64	93	3.4	6	<1	1	3	4	5	6	16
65+	88	3.3	5	1	1	3	5	5	8	12
2. MULTIPLE DX										
0-19 YRS	120	3.2	64	<1	<1	1	2	5	8	57
20-34	228	3.0	24	1	1	1	3	7	8	24
35-49	133	3.7	22	1	1	3	4	7	10	22
50-64	195	5.2	31	1	1	4	6	9	13	30
65+	380	4.7	20	1	1	4	6	9	12	27
TOT. SINGLE DX	586	2.3	4	<1	<1	1	3	5	6	9
" MULTIPLE DX	1056	4.1	29	1	1	3	5	8	11	30
TOTAL 0-19 YRS	283	2.0	29	<1	<1	1	1	3	6	20
20-34	367	2.6	17	<1	1	1	3	6	7	16
35-49	236	3.2	15	1	1	2	4	6	8	14
50-64	288	4.6	24	1	1	4	5	7	11	29
65+	468	4.4	18	1	1	4	5	9	11	23
GRAND TOTAL	**1642**	**3.5**	**21**	**<1**	**1**	**2**	**4**	**7**	**9**	**22**

545: Radical maxillary antrotomy (22.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	1.6	2	<1	1	1	1	4	6	8
20-34	109	1.8	3	<1	1	1	2	3	5	10
35-49	112	1.4	1	<1	1	1	1	2	3	8
50-64	79	1.6	3	<1	1	1	2	2	3	14
65+	60	1.7	4	<1	1	1	2	2	3	15
2. MULTIPLE DX										
0-19 YRS	63	2.6	11	<1	1	2	3	5	8	22
20-34	220	2.1	7	1	1	1	2	4	5	12
35-49	239	2.3	9	1	1	1	2	4	6	16
50-64	229	2.3	5	1	1	2	2	5	6	13
65+	158	3.1	34	1	1	2	3	6	8	25
TOT. SINGLE DX	396	1.6	3	<1	1	1	2	2	3	10
" MULTIPLE DX	909	2.4	13	1	1	1	2	4	6	15
TOTAL 0-19 YRS	99	2.3	8	<1	1	1	2	5	7	17
20-34	329	2.0	6	1	1	1	2	3	5	10
35-49	351	2.0	7	1	1	1	2	3	4	13
50-64	308	2.1	5	1	1	1	2	4	6	13
65+	218	2.7	26	1	1	2	3	5	7	24
GRAND TOTAL	**1305**	**2.2**	**10**	**1**	**1**	**1**	**2**	**4**	**6**	**13**

546: Miscellaneous operations on accessory sinus (22.0-22.11; 22.2; 22.4-22.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	41	2.1	4	<1	<1	1	2	5	7	8
20-34	81	1.9	1	<1	<1	1	2	4	5	6
35-49	89	1.8	2	<1	<1	1	2	4	5	9
50-64	67	2.3	3	<1	1	2	3	5	6	10
65+	45	2.1	3	<1	1	1	2	5	6	9
2. MULTIPLE DX										
0-19 YRS	91	4.0	23	<1	1	2	5	11	14	25
20-34	255	3.4	39	1	1	1	4	7	10	24
35-49	261	3.2	20	1	1	2	3	8	10	36
50-64	204	3.3	19	1	1	2	4	7	9	24
65+	171	5.0	58	1	1	2	6	12	17	40
TOT. SINGLE DX	323	2.0	3	<1	<1	1	2	4	6	9
" MULTIPLE DX	982	3.6	33	1	1	2	4	8	12	28
TOTAL 0-19 YRS	132	3.4	18	<1	<1	1	4	8	11	22
20-34	336	3.0	31	<1	1	1	3	6	9	23
35-49	350	2.8	16	1	1	1	3	7	9	19
50-64	271	3.1	16	1	1	2	4	6	9	21
65+	216	4.4	49	1	1	2	5	11	15	34
GRAND TOTAL	**1305**	**3.2**	**26**	**<1**	**1**	**2**	**4**	**7**	**10**	**23**

547: Tooth extraction (23.0-23.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	1.3		<1	<1	1	2	2	3	3
20-34	26	1.7		<1	<1	2	2	3	4	4
35-49	23	1.4		<1	<1	1	2	2	3	3
50-64	11	2.0	1	<1	<1	2	2	4	5	5
65+	7	1.6		<1	<1	1	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	103	3.0	16	<1	<1	2	3	6	12	22
20-34	130	5.5	89	1	1	3	6	12	19	95
35-49	100	5.9	98	<1	1	3	5	14	27	55
50-64	105	6.4	71	<1	1	2	7	18	27	38
65+	143	4.8	45	1	1	2	6	11	16	35
TOT. SINGLE DX	104	1.5	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	581	5.1	65	<1	1	2	5	12	20	39
TOTAL 0-19 YRS	140	2.6	13	<1	<1	2	2	5	9	21
20-34	156	4.9	77	1	1	2	5	11	18	89
35-49	123	5.1	83	<1	<1	2	4	12	23	49
50-64	116	6.0	66	<1	1	2	7	17	25	38
65+	150	4.6	44	1	1	2	5	10	16	33
GRAND TOTAL	**685**	**4.6**	**57**	**<1**	**1**	**2**	**4**	**11**	**18**	**37**

548: Tooth restoration and orthodontia (23.2-23.6; 24.6-24.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	1.0		<1	<1	<1	1	1	1	1
20-34	7	1.1		<1	<1	<1	1	2	2	2
35-49	4	1.5	1	<1	<1	1	2	3	3	3
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	40	1.8	2	<1	<1	1	2	3	4	9
20-34	21	4.4	29	<1	<1	2	5	11	17	24
35-49	13	7.4	136	<1	<1	2	7	31	35	36
50-64	5	1.8	1	1	1	1	2	4	4	4
65+	3	24.7	622	6	6	15	43	53	53	53
TOT. SINGLE DX	40	1.1		<1	<1	<1	1	1	2	3
" MULTIPLE DX	82	4.2	64	<1	<1	2	3	8	19	48
TOTAL 0-19 YRS	67	1.5	1	<1	<1	1	2	3	3	8
20-34	28	3.6	24	<1	<1	1	4	9	13	24
35-49	17	6.0	109	<1	<1	2	5	26	34	36
50-64	6	1.7	1	1	1	1	2	4	4	4
65+	4	18.8	555	1	1	10	34	53	53	53
GRAND TOTAL	**122**	**3.2**	**45**	**<1**	**<1**	**1**	**2**	**5**	**11**	**41**

549: Operations on teeth and gums except extraction and restoration (23.7; 24.0-24.12; 24.2-24.5; 24.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	24	1.5		<1	<1	1	2	3	3	3
20-34	22	2.3	5	<1	<1	2	3	4	8	12
35-49	41	2.2	2	<1	1	2	3	4	5	10
50-64	50	1.9	1	<1	1	2	2	3	5	7
65+	19	1.9		<1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	48	2.8	8	<1	1	2	3	5	6	20
20-34	41	3.5	13	<1	1	3	4	7	8	23
35-49	53	3.7	16	1	1	2	4	8	10	26
50-64	71	4.0	37	1	1	2	4	8	18	37
65+	71	5.2	102	1	1	2	4	11	15	67
TOT. SINGLE DX	156	2.0	2	<1	1	2	2	3	4	10
" MULTIPLE DX	284	4.0	42	1	1	2	4	8	12	28
TOTAL 0-19 YRS	72	2.4	6	<1	1	2	3	4	5	17
20-34	63	3.1	11	<1	1	2	4	6	8	22
35-49	94	3.0	11	1	1	2	3	7	9	20
50-64	121	3.1	23	1	1	2	3	5	9	28
65+	90	4.5	82	1	1	2	3	9	15	58
GRAND TOTAL	**440**	**3.3**	**28**	**1**	**1**	**2**	**3**	**6**	**9**	**27**

550: Operations on salivary glands and ducts (26.0-26.11; 26.2-26.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	53	1.4		<1	<1	1	2	2	2	3
20-34	187	1.8	1	1	1	1	2	3	4	7
35-49	256	1.7	1	<1	1	1	2	3	3	5
50-64	240	1.9	1	1	1	2	2	3	3	6
65+	204	2.0	1	1	1	2	3	3	4	7
2. MULTIPLE DX										
0-19 YRS	33	2.1	2	<1	1	2	2	3	6	8
20-34	90	2.1	2	1	1	2	2	3	4	10
35-49	147	2.5	9	1	1	2	3	4	6	11
50-64	213	3.0	21	1	1	2	3	5	8	22
65+	328	3.5	19	1	1	2	4	7	9	20
TOT. SINGLE DX	940	1.8	1	1	1	2	2	3	4	6
" MULTIPLE DX	811	3.0	16	1	1	2	3	5	8	18
TOTAL 0-19 YRS	86	1.6	1	<1	<1	1	2	2	3	7
20-34	277	1.9	2	1	1	2	2	3	4	8
35-49	403	2.0	4	1	1	2	2	3	4	9
50-64	453	2.4	11	1	1	2	3	4	6	14
65+	532	2.9	13	1	1	2	3	5	8	16
GRAND TOTAL	**1751**	**2.4**	**8**	**1**	**1**	**2**	**3**	**4**	**6**	**13**

551: Palatoplasty (27.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	202	2.4	1	1	1	2	3	4	5	7
20-34	5	2.8	8	1	1	2	4	8	8	8
35-49	12	1.3		1	1	1	2	2	3	3
50-64	10	1.5		1	1	1	2	3	3	3
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	194	3.3	10	1	1	3	4	5	6	12
20-34	17	2.2	3	1	1	1	3	5	6	7
35-49	29	2.6	5	1	1	2	3	5	8	12
50-64	28	2.8	6	1	1	2	3	5	8	13
65+	15	2.2	1	<1	1	2	3	4	4	4
TOT. SINGLE DX	230	2.3	2	1	1	2	3	4	5	7
" MULTIPLE DX	283	3.0	9	1	1	3	4	5	6	13
TOTAL 0-19 YRS	396	2.8	6	1	1	2	4	5	5	9
20-34	22	2.3	4	1	1	1	3	6	7	8
35-49	41	2.2	5	1	1	1	3	4	7	12
50-64	38	2.4	5	1	1	2	3	5	7	13
65+	16	2.2	1	<1	1	2	3	4	4	4
GRAND TOTAL	**513**	**2.7**	**6**	**1**	**1**	**2**	**3**	**5**	**5**	**9**

552: Operations on tongue, oral cavity and facial region except palatoplasty and operations on salivary glands (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	309	2.1	2	<1	<1	1	3	4	5	7
20-34	58	3.8	11	<1	<1	3	6	8	11	16
35-49	72	2.4	6	<1	<1	1	3	5	9	12
50-64	122	2.8	6	<1	<1	2	4	7	8	12
65+	101	2.8	8	<1	<1	2	3	7	7	17
2. MULTIPLE DX										
0-19 YRS	284	3.4	24	<1	1	2	4	6	8	33
20-34	217	4.3	49	<1	1	3	5	9	13	29
35-49	174	4.9	23	<1	1	3	6	11	15	22
50-64	283	7.2	91	1	1	4	9	15	26	48
65+	341	7.1	92	1	1	4	9	15	23	47
TOT. SINGLE DX	662	2.5	6	<1	<1	2	3	6	7	12
" MULTIPLE DX	1299	5.5	63	<1	1	3	7	12	19	36
TOTAL 0-19 YRS	593	2.7	14	<1	<1	2	3	5	7	13
20-34	275	4.2	42	<1	1	3	5	8	11	27
35-49	246	4.2	20	<1	1	2	6	10	14	20
50-64	405	5.9	70	<1	1	3	7	13	22	40
65+	442	6.1	77	<1	1	3	7	13	19	37
GRAND TOTAL	**1961**	**4.5**	**46**	**<1**	**1**	**2**	**5**	**10**	**15**	**32**

553: Tonsillectomy without adenoidectomy (28.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2168	1.1		<1	<1	1	1	1	2	3
20-34	1289	1.1		<1	1	1	1	2	2	3
35-49	200	1.2		<1	1	1	1	2	2	4
50-64	34	1.3		1	1	1	1	2	3	5
65+	7	1.1		<1	<1	1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	843	1.2		<1	1	1	1	2	3	5
20-34	610	1.4	1	1	1	1	1	2	3	6
35-49	116	1.8	5	1	1	1	2	3	5	15
50-64	26	2.4	6	<1	1	1	2	6	9	12
65+	13	3.2	9	1	1	2	3	9	11	11
TOT. SINGLE DX	3698	1.1		<1	<1	1	1	1	2	3
" MULTIPLE DX	1608	1.4	1	<1	1	1	1	2	3	6
TOTAL 0-19 YRS	3011	1.1		<1	<1	1	1	1	2	3
20-34	1899	1.2	1	<1	1	1	1	2	2	4
35-49	316	1.4	2	1	1	1	1	2	3	8
50-64	60	1.8	4	1	1	1	2	3	5	12
65+	20	2.5	7	<1	<1	2	3	6	9	11
GRAND TOTAL	**5306**	**1.2**	**1**	**<1**	**1**	**1**	**1**	**2**	**2**	**4**

554: Tonsillectomy with adenoidectomy (28.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2636	1.1		<1	<1	1	1	1	2	2
20-34	80	1.3		<1	1	1	1	2	3	3
35-49	8	1.4		<1	<1	1	2	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	2646	1.2	5	<1	<1	1	1	1	2	4
20-34	68	1.3		<1	1	1	1	2	3	82
35-49	14	4.5	41	1	1	2	5	17	21	22
50-64	4	3.0		2	2	3	4	4	4	4
65+	3	1.0		<1	<1	1	1	1	1	1
TOT. SINGLE DX	2726	1.1		<1	<1	1	1	1	2	2
" MULTIPLE DX	2735	1.2	5	<1	<1	1	1	1	2	4
TOTAL 0-19 YRS	5282	1.1	3	<1	<1	1	1	1	2	3
20-34	148	1.3		<1	1	1	1	2	3	8
35-49	22	3.4	28	<1	<1	1	3	8	18	22
50-64	5	3.0	1	2	2	3	3	4	4	4
65+	4	1.0		<1	<1	1	1	1	1	1
GRAND TOTAL	**5461**	**1.1**	**3**	**<1**	**<1**	**1**	**1**	**1**	**2**	**3**

555: Adenoidectomy without tonsillectomy (28.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	61	1.0		<1	<1	<1	1	1	1	1
20-34	3	2.7	8	<1	<1	1	5	6	6	6
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	193	1.1		<1	<1	1	1	1	1	5
20-34	6	1.3		1	1	1	1	3	3	3
35-49										
50-64										
65+										
TOT. SINGLE DX	64	1.1		<1	<1	<1	1	1	1	5
" MULTIPLE DX	199	1.1		<1	<1	1	1	1	2	5
TOTAL 0-19 YRS	254	1.1		<1	<1	<1	1	1	1	5
20-34	9	1.8	3	<1	<1	1	2	5	6	6
35-49										
50-64										
65+										
GRAND TOTAL	**263**	**1.1**		**<1**	**<1**	**<1**	**1**	**1**	**1**	**5**

556: Operations on pharynx except tonsillectomy and adenoidectomy (28.0-28.11; 28.4-28.5; 28.7-28.9; 29.0; 29.12; 29.2-29.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	293	1.7	2	<1	<1	1	2	4	4	8
20-34	217	1.9	1	<1	1	1	2	4	5	7
35-49	86	2.2	2	<1	1	2	3	5	6	9
50-64	85	2.2	3	<1	<1	2	3	5	5	12
65+	49	3.0	6	<1	1	1	4	7	8	11
2. MULTIPLE DX										
0-19 YRS	136	2.5	3	1	1	2	3	5	6	8
20-34	140	3.2	9	<1	1	2	4	6	10	18
35-49	121	4.5	66	1	1	2	4	9	17	48
50-64	154	5.1	63	1	1	2	5	12	18	42
65+	135	7.5	98	<1	1	4	8	17	26	48
TOT. SINGLE DX	730	2.0	3	<1	<1	1	2	4	5	8
" MULTIPLE DX	686	4.5	51	1	1	2	4	10	17	42
TOTAL 0-19 YRS	429	2.0	3	<1	<1	1	2	4	5	7
20-34	357	2.4	5	<1	1	2	3	4	6	13
35-49	207	3.6	41	1	1	2	3	7	10	36
50-64	239	4.1	44	<1	1	2	4	8	15	31
65+	184	6.3	78	<1	1	4	7	16	22	46
GRAND TOTAL	**1416**	**3.2**	**28**	**<1**	**1**	**2**	**3**	**6**	**10**	**27**

557: Other diagnostic and therapeutic procedures on nose, mouth, and pharynx (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	16	1.3		<1	<1	1	1	2	3	4
20-34	14	1.8	1	<1	<1	1	2	4	4	4
35-49	19	1.8	1	<1	<1	1	2	4	5	5
50-64	20	2.6	4	1	1	1	4	6	7	7
65+	22	2.1	2	<1	<1	2	3	4	5	7
2. MULTIPLE DX										
0-19 YRS	51	2.8	4	1	1	2	4	6	7	10
20-34	21	3.5	7	<1	<1	3	5	6	9	12
35-49	23	3.8	6	1	1	3	5	7	9	12
50-64	69	4.2	12	1	1	3	6	10	11	16
65+	150	3.9	9	1	1	3	5	8	9	16
TOT. SINGLE DX	91	1.9	2	<1	<1	1	3	4	5	7
" MULTIPLE DX	314	3.7	9	1	1	3	5	8	10	16
TOTAL 0-19 YRS	67	2.4	4	<1	<1	2	3	5	7	10
20-34	35	2.8	5	<1	<1	2	4	5	7	12
35-49	42	2.9	5	<1	1	2	4	6	7	12
50-64	89	3.8	11	1	1	3	5	9	10	16
65+	172	3.6	9	<1	1	3	5	8	9	16
GRAND TOTAL	**405**	**3.3**	**8**	**<1**	**1**	**2**	**4**	**7**	**9**	**15**

558: Excision of lesion of larynx (30.0; 31.43)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	47	1.2	1	<1	<1	<1	1	1	2	9
20-34	33	1.0		<1	<1	<1	1	1	1	1
35-49	66	1.2		<1	<1	1	1	1	2	6
50-64	93	1.5	5	<1	<1	1	1	2	5	16
65+	83	1.2		<1	<1	1	1	2	3	6
2. MULTIPLE DX										
0-19 YRS	21	5.2	201	<1	<1	1	2	10	36	66
20-34	26	3.9	80	<1	1	1	2	7	22	45
35-49	44	2.9	42	<1	<1	1	2	5	9	43
50-64	111	3.1	40	<1	<1	1	2	7	11	41
65+	148	4.2	55	<1	1	1	3	12	17	30
TOT. SINGLE DX	322	1.3	2	<1	<1	1	1	1	2	7
" MULTIPLE DX	350	3.7	59	<1	<1	1	2	9	15	45
TOTAL 0-19 YRS	68	2.4	64	<1	<1	<1	1	2	9	56
20-34	59	2.3	37	<1	<1	1	1	2	7	42
35-49	110	1.9	18	<1	<1	1	1	3	5	23
50-64	204	2.3	25	<1	<1	1	2	4	8	27
65+	231	3.2	37	<1	<1	1	2	9	15	27
GRAND TOTAL	**672**	**2.6**	**33**	**<1**	**<1**	**1**	**2**	**4**	**9**	**29**

559: Partial laryngectomy and local excision of lesion of trachea (30.1-30.2; 31.44; 31.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	4.0	30	<1	<1	2	4	14	16	16
20-34	2	8.0	98	<1	<1	7	15	15	15	15
35-49	9	3.6	19	<1	<1	1	5	11	14	14
50-64	14	7.5	8	2	4	8	9	11	12	13
65+	6	6.0	32	1	1	4	10	14	15	15
2. MULTIPLE DX										
0-19 YRS	4	4.0	12	<1	<1	3	6	9	9	9
20-34	10	10.7	440	<1	<1	5	7	39	70	70
35-49	11	7.0	49	1	1	3	10	19	21	21
50-64	28	10.5	65	1	1	9	15	19	27	36
65+	36	10.0	65	1	2	8	14	21	29	34
TOT. SINGLE DX	38	5.7	22	<1	<1	5	9	14	15	16
" MULTIPLE DX	89	9.6	100	1	1	7	14	19	26	57
TOTAL 0-19 YRS	11	4.0	22	<1	<1	2	5	12	16	16
20-34	12	10.3	370	<1	<1	5	7	31	64	70
35-49	20	5.5	37	<1	<1	2	8	16	19	21
50-64	42	9.5	48	1	1	8	14	17	22	36
65+	42	9.5	62	1	1	8	14	19	27	34
GRAND TOTAL	**127**	**8.4**	**80**	**<1**	**1**	**7**	**11**	**16**	**22**	**44**

560: Complete laryngectomy (30.3-30.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	4.0		4	4	4	4	4	4	4
20-34										
35-49	3	7.7	12	4	4	8	10	11	11	11
50-64	21	10.6	6	7	8	10	12	14	16	17
65+	21	11.7	13	7	7	10	14	17	19	20
2. MULTIPLE DX										
0-19 YRS	2	21.0	128	13	13	21	29	29	29	29
20-34	2	41.0	392	27	27	41	55	55	55	55
35-49	13	15.9	109	3	5	12	21	35	35	35
50-64	77	16.4	71	7	8	14	19	29	34	44
65+	96	17.6	96	8	9	14	20	35	41	44
TOT. SINGLE DX	46	10.8	12	6	7	10	13	15	17	20
" MULTIPLE DX	190	17.3	94	8	9	14	20	32	41	46
TOTAL 0-19 YRS	3	15.3	160	4	4	13	25	29	29	29
20-34	2	41.0	392	27	27	41	55	55	55	55
35-49	16	14.4	100	3	4	11	19	34	35	35
50-64	98	15.1	63	7	8	13	17	26	31	44
65+	117	16.5	87	8	9	13	18	32	40	43
GRAND TOTAL	**236**	**16.0**	**84**	**7**	**8**	**13**	**18**	**30**	**38**	**45**

561: Permanent tracheostomy (31.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.0		5	5	5	5	5	5	5
20-34										
35-49	1	2.0		2	2	2	2	2	2	2
50-64	5	4.6	6	2	2	4	6	8	8	8
65+	3	8.0	16	4	4	8	11	12	12	12
2. MULTIPLE DX										
0-19 YRS	6	30.0	824	<1	1	60	99+	99+	99+	99+
20-34	17	22.6	634	3	3	8	34	67	80	85
35-49	23	26.0	586	1	4	21	45	86	99+	99+
50-64	78	22.6	496	1	2	14	35	61	97	99+
65+	92	26.7	563	1	3	20	46	69	98	99+
TOT. SINGLE DX	11	5.4	9	2	2	5	7	10	12	12
" MULTIPLE DX	216	24.9	547	1	3	19	42	79	99+	99+
TOTAL 0-19 YRS	8	23.8	723	<1	1	52	99+	99+	99+	99+
20-34	17	22.6	634	3	3	8	34	67	80	85
35-49	24	25.0	585	1	2	20	43	85	99+	99+
50-64	83	21.6	485	1	2	14	33	60	96	99+
65+	95	26.1	557	1	3	20	45	69	97	99+
GRAND TOTAL	**227**	**24.0**	**539**	**1**	**3**	**18**	**41**	**75**	**99+**	**99+**

562: Operations on larynx and trachea except excision and permanent tracheostomy (31.0-31.1; 31.3; 31.6-31.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	19	5.3	15	1	1	6	8	9	13	16
20-34	7	8.9	144	1	1	5	9	30	35	35
35-49	10	6.4	39	<1	<1	5	9	16	19	19
50-64	19	4.4	135	<1	1	1	2	6	32	52
65+	13	1.8	3	<1	<1	1	2	5	7	7
2. MULTIPLE DX										
0-19 YRS	74	18.8	400	1	1	12	28	62	81	99+
20-34	70	25.5	564	2	3	18	37	63	93	99
35-49	80	21.6	479	1	1	17	39	59	78	99+
50-64	162	22.3	426	1	2	15	40	57	74	99+
65+	206	27.5	508	1	1	27	45	76	98	99+
TOT. SINGLE DX	68	4.9	63	<1	1	2	7	9	16	49
" MULTIPLE DX	592	24.0	482	1	2	20	41	62	87	99+
TOTAL 0-19 YRS	93	16.0	351	1	1	9	23	52	70	99+
20-34	77	24.0	547	1	2	16	35	61	85	99
35-49	90	19.9	453	1	1	13	33	57	76	99+
50-64	181	20.4	425	1	1	13	36	57	71	99+
65+	219	26.0	516	1	1	24	44	72	97	99+
GRAND TOTAL	**660**	**22.0**	**472**	**1**	**1**	**16**	**37**	**58**	**81**	**99+**

563: Incision and local excision or destruction of lesion of bronchus (32.0; 33.0; 33.24-33.25)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	3.0	4	1	1	2	5	6	6	6
20-34	20	6.8	51	<1	<1	5	10	12	22	32
35-49	36	4.1	19	<1	<1	2	6	10	13	21
50-64	84	3.7	14	<1	<1	2	5	8	11	19
65+	92	4.4	18	<1	<1	2	7	10	13	20
2. MULTIPLE DX										
0-19 YRS	23	8.2	61	1	2	7	10	15	25	37
20-34	214	11.8	86	2	3	10	15	23	28	56
35-49	388	11.8	128	1	2	9	15	23	31	66
50-64	826	9.0	63	1	1	7	12	19	24	39
65+	1765	10.1	72	1	2	8	13	20	26	47
TOT. SINGLE DX	242	4.2	20	<1	<1	2	6	9	13	20
" MULTIPLE DX	3216	10.2	78	1	2	8	13	20	26	46
TOTAL 0-19 YRS	33	6.6	49	1	1	5	10	12	18	37
20-34	234	11.4	85	1	3	9	15	23	28	50
35-49	424	11.1	124	1	1	8	15	22	29	62
50-64	910	8.5	61	1	1	7	11	19	24	37
65+	1857	9.9	71	1	2	8	13	19	25	47
GRAND TOTAL	**3458**	**9.7**	**77**	**1**	**2**	**8**	**13**	**20**	**26**	**45**

564: Bronchial resection and miscellaneous operations on bronchus (32.1; 33.41-33.42; 33.48; 33.91-33.92; 33.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49										
50-64	4	6.8	6	4	4	6	8	10	10	10
65+	4	12.3	95	4	4	9	19	26	26	26
TOT. SINGLE DX										
" MULTIPLE DX	9	10.0	48	4	4	7	12	21	26	26
TOTAL 0-19 YRS	1	14.0		14	14	14	14	14	14	14
20-34										
35-49										
50-64	4	6.8	6	4	4	6	8	10	10	10
65+	4	12.3	95	4	4	9	19	26	26	26
GRAND TOTAL	**9**	**10.0**	**48**	**4**	**4**	**7**	**12**	**21**	**26**	**26**

565: Local excision or destruction of lesion or tissue of lung (32.2-32.3; 33.26-33.27)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	9.1	27	2	5	8	11	17	20	21
20-34	44	6.3	15	1	2	5	8	12	15	19
35-49	69	6.1	10	3	3	6	7	9	12	21
50-64	133	6.8	14	1	3	6	8	11	14	21
65+	122	6.3	20	1	1	6	8	11	14	25
2. MULTIPLE DX										
0-19 YRS	46	10.8	103	4	4	7	12	22	30	62
20-34	145	11.8	124	3	4	8	14	24	29	71
35-49	229	10.2	85	2	4	8	12	19	22	53
50-64	614	9.5	51	2	3	8	12	19	23	34
65+	959	10.6	86	1	2	9	13	20	26	55
TOT. SINGLE DX	383	6.5	16	1	2	6	8	11	14	22
" MULTIPLE DX	1993	10.3	79	1	3	8	13	20	26	50
TOTAL 0-19 YRS	61	10.4	85	3	4	8	11	21	26	59
20-34	189	10.5	104	2	3	8	12	22	28	62
35-49	298	9.2	71	2	4	7	10	17	21	40
50-64	747	9.0	46	1	3	7	11	18	22	33
65+	1081	10.2	81	1	2	8	13	19	25	54
GRAND TOTAL	**2376**	**9.7**	**71**	**1**	**3**	**8**	**12**	**19**	**24**	**48**

566: Lobectomy and complete pneumonectomy (32.4-32.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	7.3	3	5	5	7	8	9	9	9
20-34	9	8.6	52	1	3	7	8	20	27	27
35-49	32	8.6	9	6	6	8	9	13	17	18
50-64	63	8.4	14	4	5	8	9	11	18	24
65+	77	8.5	8	4	5	8	10	12	13	19
2. MULTIPLE DX										
0-19 YRS	8	12.3	53	6	6	10	17	24	25	25
20-34	21	10.1	33	5	5	9	10	19	24	29
35-49	123	10.8	53	5	6	9	13	18	26	99+
50-64	481	11.9	72	6	6	9	13	19	27	85
65+	636	12.9	74	6	7	10	14	22	26	60
TOT. SINGLE DX	185	8.4	12	4	5	8	9	12	15	23
" MULTIPLE DX	1269	12.2	71	6	6	10	14	21	26	81
TOTAL 0-19 YRS	12	10.6	41	5	6	8	13	22	25	25
20-34	30	9.7	38	5	5	8	10	19	27	29
35-49	155	10.3	45	5	6	8	11	18	24	97
50-64	544	11.5	67	5	6	9	13	19	25	72
65+	713	12.4	69	6	7	10	14	21	25	50
GRAND TOTAL	**1454**	**11.8**	**65**	**5**	**6**	**9**	**13**	**20**	**25**	**68**

567: Bronchoscopy (using natural orifice) (33.22-33.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	138	1.6	4	<1	<1	1	1	2	5	12
20-34	27	6.0	17	<1	1	5	9	13	15	15
35-49	60	5.9	36	<1	<1	4	7	14	19	28
50-64	86	4.4	18	<1	<1	3	7	10	13	20
65+	75	6.2	27	<1	<1	5	10	14	15	20
2. MULTIPLE DX										
0-19 YRS	148	8.6	139	1	1	4	11	23	46	99+
20-34	225	10.4	113	1	2	8	14	21	30	74
35-49	293	9.6	64	1	2	8	13	20	25	60
50-64	617	10.0	92	1	2	8	13	19	27	56
65+	1461	12.1	105	2	3	10	15	25	31	49
TOT. SINGLE DX	386	4.1	21	<1	<1	2	5	11	14	20
" MULTIPLE DX	2744	11.0	102	1	2	8	14	22	30	55
TOTAL 0-19 YRS	286	5.2	86	<1	<1	1	6	14	24	71
20-34	252	9.9	105	1	2	7	13	21	29	72
35-49	353	9.0	61	1	2	7	12	20	24	46
50-64	703	9.4	86	1	1	7	12	18	24	55
65+	1536	11.8	103	1	3	9	15	24	31	49
GRAND TOTAL	**3130**	**10.2**	**97**	**1**	**1**	**8**	**14**	**21**	**28**	**52**

568: Miscellaneous operations on lung (32.6-32.9; 33.1; 33.3; 33.43; 33.49; 33.5; 33.93; 33.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	5.1	10	1	1	4	8	10	10	10
20-34	29	5.1	14	2	2	4	7	10	15	17
35-49	18	6.8	11	2	3	6	9	13	13	13
50-64	7	6.3	31	<1	<1	5	10	15	16	16
65+	2	5.0	18	2	2	5	8	8	8	8
2. MULTIPLE DX										
0-19 YRS	19	7.1	54	1	1	5	8	18	26	30
20-34	53	8.7	37	2	3	7	10	17	21	32
35-49	35	10.4	70	1	2	10	13	21	31	33
50-64	45	10.1	117	2	3	7	11	21	26	68
65+	74	12.3	109	3	4	8	17	25	34	56
TOT. SINGLE DX	63	5.7	14	1	2	5	7	11	14	17
" MULTIPLE DX	226	10.3	85	2	3	7	13	21	29	45
TOTAL 0-19 YRS	26	6.6	42	1	1	5	8	11	24	30
20-34	82	7.4	32	2	2	6	9	15	19	30
35-49	53	9.2	53	2	2	7	13	17	29	33
50-64	52	9.6	107	1	2	7	11	19	25	67
65+	76	12.1	108	3	4	8	16	25	33	56
GRAND TOTAL	**289**	**9.3**	**73**	**2**	**2**	**7**	**11**	**20**	**26**	**39**

569: Thoracotomy (34.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	99	4.5	6	2	2	4	6	8	9	14
20-34	414	4.5	7	2	2	4	6	8	10	14
35-49	191	5.3	15	2	2	4	6	10	13	22
50-64	67	5.2	7	2	2	5	6	9	10	13
65+	65	5.6	13	2	2	5	7	10	13	19
2. MULTIPLE DX										
0-19 YRS	251	11.4	191	3	3	7	11	24	45	74
20-34	558	7.7	55	2	2	5	9	15	20	40
35-49	500	8.6	76	2	2	6	10	16	22	47
50-64	692	9.1	62	2	3	7	11	18	23	50
65+	1167	11.2	90	2	3	9	14	22	29	47
TOT. SINGLE DX	836	4.9	10	2	2	4	6	9	11	16
" MULTIPLE DX	3168	9.7	86	2	3	7	12	19	27	51
TOTAL 0-19 YRS	350	9.5	149	2	3	6	9	20	37	73
20-34	972	6.3	38	2	2	5	8	12	16	35
35-49	691	7.7	62	2	2	6	9	15	20	38
50-64	759	8.7	59	2	3	6	11	17	22	49
65+	1232	10.9	88	2	3	8	14	22	29	46
GRAND TOTAL	**4004**	**8.7**	**74**	**2**	**2**	**6**	**11**	**17**	**23**	**47**

570: Operations on chest wall, pleura, and mediastinum except thoracotomy (34.1-34.27; 34.3-34.8; 34.93-34.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	6.0	24	1	2	5	7	9	10	33
20-34	89	5.4	19	<1	1	5	7	11	14	21
35-49	76	5.0	25	<1	1	4	7	9	16	26
50-64	91	4.6	13	1	1	4	6	9	13	18
65+	58	3.3	10	<1	1	2	5	9	11	13
2. MULTIPLE DX										
0-19 YRS	66	9.9	53	3	4	7	14	19	24	37
20-34	147	10.6	114	1	1	7	14	24	30	56
35-49	185	11.5	163	1	1	8	15	23	30	77
50-64	392	9.4	108	1	1	7	13	20	30	56
65+	599	9.3	85	1	1	7	12	19	25	51
TOT. SINGLE DX	385	4.9	19	<1	1	4	7	9	13	23
" MULTIPLE DX	1389	9.8	104	1	1	7	13	20	28	60
TOTAL 0-19 YRS	137	7.9	42	1	3	6	9	16	22	36
20-34	236	8.6	85	1	1	6	11	18	26	47
35-49	261	9.6	132	1	1	6	12	21	27	69
50-64	483	8.5	94	1	1	6	12	18	26	46
65+	657	8.8	82	1	1	7	12	18	24	47
GRAND TOTAL	**1774**	**8.8**	**90**	**1**	**1**	**6**	**11**	**18**	**25**	**47**

571: Open heart operations (35.1-35.51; 35.53-35.99; 37.5-37.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	130	7.0	10	2	5	7	8	10	12	20
20-34	27	8.0	9	5	6	7	8	13	17	17
35-49	34	8.7	10	6	6	8	9	12	17	20
50-64	59	9.4	5	7	7	9	11	12	13	19
65+	44	11.0	6	8	8	11	13	14	15	17
2. MULTIPLE DX										
0-19 YRS	302	11.0	73	5	6	9	12	19	27	63
20-34	97	13.8	109	6	7	10	16	25	35	59
35-49	259	12.8	64	6	7	10	14	21	31	45
50-64	720	14.3	91	7	8	12	16	24	30	58
65+	1046	15.7	94	8	8	13	18	25	34	62
TOT. SINGLE DX	294	8.4	10	5	5	8	10	12	14	19
" MULTIPLE DX	2424	14.3	91	6	7	12	16	24	32	61
TOTAL 0-19 YRS	432	9.8	58	4	5	8	11	16	23	55
20-34	124	12.5	94	5	6	9	14	23	32	54
35-49	293	12.3	59	6	7	10	14	20	30	45
50-64	779	13.9	86	7	8	11	15	23	29	58
65+	1090	15.5	92	8	8	13	18	25	34	61
GRAND TOTAL	**2718**	**13.7**	**86**	**6**	**7**	**11**	**16**	**23**	**30**	**59**

572: Direct heart revascularization (36.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.7	1	1	1	1	3	3	3	3
20-34	4	2.0	2	<1	<1	[illegible]	3	4	4	4
35-49	49	6.9	3	2	5	7	8	9	9	10
50-64	175	8.8	6	6	7	8	10	12	14	18
65+	122	9.7	11	6	7	9	11	14	16	24
2. MULTIPLE DX										
0-19 YRS	3	5.7	10	2	2	7	8	8	8	8
20-34	26	9.6	28	2	3	9	12	19	21	23
35-49	907	9.8	19	6	6	9	11	15	17	32
50-64	3950	11.1	41	6	7	9	12	16	20	36
65+	4360	13.2	62	7	8	11	15	20	27	50
TOT. SINGLE DX	353	8.7	9	6	6	8	10	12	14	20
" MULTIPLE DX	9246	11.9	51	7	7	10	13	18	23	43
TOTAL 0-19 YRS	6	3.7	9	1	1	2	7	8	8	8
20-34	30	8.6	32	1	1	8	11	17	20	23
35-49	956	9.7	19	6	6	8	11	14	17	31
50-64	4125	11.0	40	6	7	9	12	16	20	35
65+	4482	13.1	62	7	8	11	15	20	26	50
GRAND TOTAL	**9599**	**11.8**	**50**	**7**	**7**	**10**	**13**	**18**	**23**	**42**

573: Cardiac catheterization (37.21-37.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	175	1.3		<1	<1	1	1	2	2	7
20-34	140	2.4	6	<1	<1	1	2	6	9	12
35-49	874	2.1	4	<1	<1	1	2	5	7	11
50-64	1601	2.0	4	<1	<1	1	2	4	6	11
65+	897	2.0	5	<1	<1	1	2	5	7	12
2. MULTIPLE DX										
0-19 YRS	416	2.4	11	<1	<1	1	2	6	10	17
20-34	330	3.8	22	<1	1	2	5	8	12	22
35-49	3106	3.5	13	1	1	2	5	8	10	16
50-64	8940	3.6	16	1	1	2	5	9	11	18
65+	8161	4.5	24	1	1	2	6	10	14	24
TOT. SINGLE DX	3687	2.0	4	<1	<1	1	2	4	7	11
" MULTIPLE DX	20953	3.9	20	1	1	2	5	9	12	20
TOTAL 0-19 YRS	591	2.1	9	<1	<1	1	2	4	7	15
20-34	470	3.4	18	<1	1	2	4	8	10	20
35-49	3980	3.2	12	<1	1	2	4	8	10	15
50-64	10541	3.3	15	<1	1	2	4	8	10	17
65+	9058	4.2	23	<1	1	2	6	10	13	23
GRAND TOTAL	**24640**	**3.6**	**18**	**<1**	**1**	**2**	**5**	**9**	**11**	**19**

574: Pacemaker insertion, replacement, removal, and repair (37.7-37.8; 37.94-37.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	14	3.9	12	1	1	3	5	11	12	12
20-34	16	2.7	3	1	1	2	3	6	7	8
35-49	40	2.4	2	<1	1	2	3	5	6	7
50-64	94	3.0	6	1	1	2	3	6	7	14
65+	421	2.7	4	<1	1	2	3	6	7	10
2. MULTIPLE DX										
0-19 YRS	36	3.9	10	1	1	3	5	9	11	12
20-34	70	6.4	48	1	1	4	9	13	16	43
35-49	144	5.8	19	1	1	4	8	13	15	20
50-64	741	7.3	44	1	2	6	10	15	19	33
65+	4521	6.8	36	1	2	5	9	14	18	28
TOT. SINGLE DX	585	2.8	5	<1	1	2	3	6	7	11
" MULTIPLE DX	5512	6.9	37	1	2	5	9	14	18	29
TOTAL 0-19 YRS	50	3.9	11	1	1	3	5	10	11	12
20-34	86	5.7	42	1	1	4	7	13	15	39
35-49	184	5.0	18	1	1	3	7	11	14	19
50-64	835	6.8	42	1	1	5	9	14	18	33
65+	4942	6.5	35	1	2	5	8	13	17	28
GRAND TOTAL	**6097**	**6.5**	**36**	**1**	**1**	**5**	**8**	**13**	**17**	**28**

575: Miscellaneous operations on heart (35.0; 35.52; 36.00-36.09; 36.2-36.9; 37.0-37.1; 37.24-37.25; 37.3-37.4; 37.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	4.5	25	1	1	2	7	11	14	22
20-34	25	5.2	13	<1	1	5	7	10	12	16
35-49	174	3.9	7	1	1	3	6	8	9	12
50-64	410	3.5	6	1	1	3	5	7	8	13
65+	205	3.5	8	1	1	3	4	7	9	18
2. MULTIPLE DX										
0-19 YRS	25	11.4	418	1	1	6	9	31	53	99
20-34	118	7.7	77	1	2	5	9	15	27	47
35-49	1256	5.0	22	1	2	3	6	9	13	26
50-64	3262	4.9	20	1	2	3	6	9	12	21
65+	2647	5.9	32	1	2	4	8	12	16	28
TOT. SINGLE DX	847	3.7	8	1	1	3	5	7	9	14
" MULTIPLE DX	7308	5.3	28	1	2	4	7	10	14	26
TOTAL 0-19 YRS	58	7.5	202	1	1	3	8	14	27	94
20-34	143	7.3	67	1	1	5	8	14	22	44
35-49	1430	4.8	21	1	2	3	6	9	12	25
50-64	3672	4.7	19	1	2	3	6	9	12	21
65+	2852	5.8	31	1	2	4	7	12	15	28
GRAND TOTAL	**8155**	**5.2**	**26**	**1**	**2**	**4**	**7**	**10**	**13**	**25**

576: Other diagnostic and therapeutic procedures on larynx, trachea, bronchus, iungs and heart (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	118	2.3	7	<1	<1	1	2	5	7	16
20-34	61	3.2	11	<1	<1	1	5	9	10	15
35-49	61	3.9	20	<1	<1	2	5	10	12	24
50-64	94	2.8	13	<1	<1	1	2	7	10	20
65+	78	4.1	19	<1	<1	2	6	11	14	19
2. MULTIPLE DX										
0-19 YRS	468	4.3	42	1	1	3	5	9	13	99+
20-34	277	8.2	56	1	2	6	11	15	21	38
35-49	375	8.5	74	1	1	6	11	18	24	40
50-64	875	7.9	53	1	1	6	11	16	22	35
65+	2487	9.1	53	1	2	7	12	18	24	35
TOT. SINGLE DX	412	3.1	14	<1	<1	1	4	8	11	18
" MULTIPLE DX	4482	8.3	56	1	2	6	11	17	23	37
TOTAL 0-19 YRS	586	3.9	36	<1	1	2	4	8	13	78
20-34	338	7.3	52	<1	1	6	10	14	20	37
35-49	436	7.9	69	<1	1	6	10	17	24	38
50-64	969	7.4	52	1	1	5	10	16	21	35
65+	2565	9.0	53	1	2	7	12	18	24	35
GRAND TOTAL	**4894**	**7.8**	**55**	**1**	**1**	**6**	**11**	**16**	**22**	**36**

577: Ligation and stripping of varicose veins (38.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	1.9		1	1	2	2	3	3	3
20-34	314	2.0	1	1	1	2	2	3	4	8
35-49	557	2.0	2	1	1	2	2	3	4	7
50-64	336	2.2	2	1	1	2	3	4	4	6
65+	107	2.7	3	1	1	2	3	5	6	10
2. MULTIPLE DX										
0-19 YRS	5	2.0	1	1	1	2	3	4	4	4
20-34	99	2.7	6	1	1	2	3	5	9	14
35-49	202	2.8	4	1	1	2	4	5	7	12
50-64	204	3.1	5	1	1	2	4	6	8	13
65+	127	4.5	35	1	1	3	5	10	12	39
TOT. SINGLE DX	1322	2.1	3	1	1	2	3	4	4	8
" MULTIPLE DX	637	3.2	12	1	1	2	4	6	9	15
TOTAL 0-19 YRS	13	1.9	1	1	1	2	2	3	4	4
20-34	413	2.1	3	1	1	2	2	4	4	11
35-49	759	2.2	3	1	1	2	3	4	5	9
50-64	540	2.5	4	1	1	2	3	4	6	10
65+	234	3.7	21	1	1	2	4	7	11	21
GRAND TOTAL	**1959**	**2.4**	**6**	**1**	**1**	**2**	**3**	**4**	**6**	**11**

578: Systemic shunt or graft bypass (39.0-39.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	6.5	9	1	2	6	8	11	12	12
20-34	22	4.5	20	<1	<1	3	5	12	15	17
35-49	59	5.7	17	1	1	5	8	11	12	21
50-64	191	6.1	11	1	2	6	8	10	12	16
65+	200	6.6	10	1	2	6	8	11	13	16
2. MULTIPLE DX										
0-19 YRS	84	8.5	45	2	3	7	9	17	25	80
20-34	198	10.6	145	1	2	7	13	23	35	78
35-49	458	9.9	80	1	2	8	12	19	27	49
50-64	1623	9.9	64	2	3	8	11	18	25	43
65+	2913	11.8	80	4	5	9	14	22	29	51
TOT. SINGLE DX	489	6.2	12	1	1	6	8	10	13	17
" MULTIPLE DX	5276	10.9	78	2	4	9	13	20	28	50
TOTAL 0-19 YRS	101	8.2	40	2	3	7	9	16	23	70
20-34	220	10.0	136	1	1	7	12	22	33	75
35-49	517	9.5	75	1	2	8	11	19	25	48
50-64	1814	9.5	61	2	3	8	11	17	24	43
65+	3113	11.4	77	3	5	9	13	21	28	50
GRAND TOTAL	**5765**	**10.5**	**74**	**2**	**4**	**8**	**12**	**19**	**27**	**48**

579: Extracorporeal circulation (39.61)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	6.0		6	6	6	6	6	6	6
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	55.5	1	55	55	55	56	56	56	56
20-34										
35-49										
50-64										
65+	2	10.5	1	10	10	10	11	11	11	11
TOT. SINGLE DX	1	6.0		6	6	6	6	6	6	6
" MULTIPLE DX	4	33.0	675	10	10	33	55	56	56	56
TOTAL 0-19 YRS	3	39.0	817	6	6	55	56	56	56	56
20-34										
35-49										
50-64										
65+	2	10.5	1	10	10	10	11	11	11	11
GRAND TOTAL	**5**	**27.6**	**652**	**6**	**6**	**11**	**55**	**56**	**56**	**56**

580: Hemodialysis (39.95)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	7.8	58	1	1	6	14	17	17	17
20-34	10	2.2	1	<1	<1	2	3	4	4	4
35-49	5	2.6	4	<1	<1	2	4	6	6	6
50-64	7	3.3	2	1	1	3	4	6	6	6
65+	5	6.4	11	2	2	6	9	11	11	11
2. MULTIPLE DX										
0-19 YRS	50	5.4	27	1	2	4	5	12	16	27
20-34	478	5.0	41	1	1	3	6	9	14	35
35-49	555	5.0	24	1	1	4	6	10	14	25
50-64	992	5.5	24	1	1	4	7	11	14	26
65+	1149	6.6	49	1	2	5	8	13	18	36
TOT. SINGLE DX	31	3.9	13	<1	<1	3	5	9	11	17
" MULTIPLE DX	3224	5.7	36	1	1	4	7	11	16	30
TOTAL 0-19 YRS	54	5.6	29	1	2	4	6	13	17	27
20-34	488	5.0	41	1	1	3	6	9	14	35
35-49	560	5.0	25	1	1	4	6	10	14	25
50-64	999	5.4	24	1	1	4	7	11	14	26
65+	1154	6.6	49	1	2	5	8	13	18	36
GRAND TOTAL	**3255**	**5.7**	**36**	**1**	**1**	**4**	**7**	**11**	**16**	**29**

581: Other operations on blood vessels (38.0-38.22; 38.3-38.4; 38.6-38.92; 38.94; 38.98; 39.3-39.5; 39.62-39.91; 39.93-39.94; 39.96-39.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	209	5.0	11	1	1	4	7	9	11	14
20-34	157	4.2	22	<1	1	2	6	10	11	21
35-49	223	5.7	42	1	1	3	7	13	16	38
50-64	583	4.6	14	1	1	4	6	9	11	19
65+	1003	4.9	10	1	2	4	6	9	11	16
2. MULTIPLE DX										
0-19 YRS	2806	16.0	338	1	2	9	21	45	69	99+
20-34	827	7.2	77	1	1	4	9	17	26	46
35-49	1331	8.5	108	1	1	5	10	20	32	57
50-64	3729	8.5	95	1	2	6	10	17	26	57
65+	8220	9.0	77	1	2	7	11	18	25	48
TOT. SINGLE DX	2175	4.9	16	1	1	4	7	10	11	19
" MULTIPLE DX	16913	9.9	135	1	2	7	12	21	33	75
TOTAL 0-19 YRS	3015	15.2	324	1	2	8	20	43	68	99+
20-34	984	6.7	70	1	1	4	8	16	24	45
35-49	1554	8.1	100	1	1	5	10	19	29	57
50-64	4312	8.0	86	1	2	5	9	16	24	54
65+	9223	8.6	72	1	2	6	11	17	23	45
GRAND TOTAL	**19088**	**9.4**	**124**	**1**	**2**	**6**	**11**	**20**	**31**	**71**

582: Incision, excision of lymphatic structures (40.0-40.11; 40.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	110	3.2	10	<1	<1	2	4	8	11	14
20-34	161	2.8	23	<1	<1	1	2	6	9	30
35-49	160	1.9	1	<1	<1	1	2	4	5	8
50-64	159	2.8	8	<1	<1	2	3	7	9	16
65+	148	3.4	8	<1	<1	2	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	79	6.7	128	<1	1	4	7	11	13	76
20-34	135	6.0	74	<1	<1	4	8	11	19	37
35-49	239	5.6	41	1	1	3	7	13	17	33
50-64	424	6.7	77	1	1	4	8	14	18	31
65+	625	7.0	50	1	1	5	9	14	19	33
TOT. SINGLE DX	738	2.8	11	<1	<1	2	3	6	9	16
" MULTIPLE DX	1502	6.6	63	1	1	5	8	14	18	33
TOTAL 0-19 YRS	189	4.6	62	<1	<1	3	5	10	12	45
20-34	296	4.2	49	<1	<1	2	5	9	16	30
35-49	399	4.1	29	<1	<1	2	5	10	14	31
50-64	583	5.6	62	<1	1	4	7	12	16	26
65+	773	6.3	44	1	1	4	8	13	16	32
GRAND TOTAL	**2240**	**5.3**	**49**	**<1**	**1**	**3**	**7**	**12**	**15**	**30**

583: Radical excision of lymph nodes (40.3-40.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	3.8	4	2	2	3	5	7	8	8
20-34	24	5.3	11	1	1	5	8	10	11	12
35-49	52	2.6	2	1	1	2	3	5	7	8
50-64	68	3.5	7	1	1	3	5	7	9	14
65+	63	4.1	9	1	1	3	6	8	10	14
2. MULTIPLE DX										
0-19 YRS	10	8.5	78	3	3	6	8	21	33	33
20-34	68	6.6	11	1	2	6	8	11	14	15
35-49	117	6.3	34	1	2	5	8	13	17	64
50-64	220	6.4	47	1	2	4	8	13	18	32
65+	301	7.2	44	1	2	5	8	13	18	41
TOT. SINGLE DX	215	3.7	8	1	1	3	5	8	9	14
" MULTIPLE DX	716	6.8	41	1	2	5	8	13	17	37
TOTAL 0-19 YRS	18	6.4	49	2	2	4	8	9	23	33
20-34	92	6.3	12	1	2	6	8	11	13	15
35-49	169	5.1	27	1	1	4	7	10	15	42
50-64	288	5.7	39	1	1	4	7	11	16	30
65+	364	6.7	40	1	2	5	8	12	16	38
GRAND TOTAL	**931**	**6.1**	**35**	**1**	**1**	**5**	**8**	**11**	**15**	**33**

584: Miscellaneous operations on lymphatic system (40.6-40.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64	1	8.0		8	8	8	8	8	8	8
65+	1	9.0		9	9	9	9	9	9	9
2. MULTIPLE DX										
0-19 YRS	2	25.0	128	17	17	25	33	33	33	33
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	2	9.5	5	8	8	9	11	11	11	11
65+	2	17.0	450	2	2	17	32	32	32	32
TOT. SINGLE DX	2	8.5	1	8	8	8	9	9	9	9
" MULTIPLE DX	7	15.7	152	2	3	11	28	33	33	33
TOTAL 0-19 YRS	2	25.0	128	17	17	25	33	33	33	33
20-34	1	7.0		7	7	7	7	7	7	7
35-49										
50-64	3	9.0	3	8	8	8	10	11	11	11
65+	3	14.3	246	2	2	9	26	32	32	32
GRAND TOTAL	**9**	**14.1**	**124**	**2**	**4**	**9**	**21**	**33**	**33**	**33**

585: Bone marrow transplant (41.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	12.0		12	12	12	12	12	12	12
20-34	3	22.7	362	3	3	24	37	41	41	41
35-49	3	35.0	2700	5	5	5	72	95	95	95
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	9	42.3	378	3	14	44	58	64	66	66
20-34	2	26.0	288	14	14	26	38	38	38	38
35-49	1	79.0		79	79	79	79	79	79	79
50-64										
65+										
TOT. SINGLE DX	7	26.4	1099	3	3	12	37	84	95	95
" MULTIPLE DX	12	42.7	472	4	11	41	59	70	78	79
TOTAL 0-19 YRS	10	39.3	429	3	7	40	58	63	66	66
20-34	5	24.0	257	3	3	24	39	41	41	41
35-49	4	46.0	2284	5	5	42	87	95	95	95
50-64										
65+										
GRAND TOTAL	**19**	**36.7**	**720**	**3**	**4**	**37**	**56**	**74**	**88**	**95**

586: Miscellaneous operations on spleen and bone marrow (41.1-41.33; 41.4-41.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	240	4.4	6	1	1	4	5	7	9	15
20-34	159	6.0	28	1	2	5	7	10	16	34
35-49	99	5.0	16	1	2	5	6	8	9	26
50-64	102	6.6	40	1	2	5	7	11	23	35
65+	100	5.7	15	1	2	5	8	11	14	18
2. MULTIPLE DX										
0-19 YRS	410	10.4	107	2	2	7	13	23	29	53
20-34	528	10.4	112	2	3	7	11	22	32	60
35-49	510	10.9	110	2	3	8	13	22	33	64
50-64	832	10.8	106	2	3	7	13	24	32	52
65+	2251	10.1	79	2	3	8	12	20	27	48
TOT. SINGLE DX	700	5.4	20	1	2	5	6	9	12	26
" MULTIPLE DX	4531	10.4	95	2	3	7	12	21	29	53
TOTAL 0-19 YRS	650	8.2	79	1	2	5	9	19	24	45
20-34	687	9.4	97	2	3	7	10	19	27	56
35-49	609	9.9	100	2	3	7	11	20	30	61
50-64	934	10.3	101	2	2	7	12	23	31	50
65+	2351	9.9	78	2	3	7	12	20	26	48
GRAND TOTAL	**5231**	**9.7**	**88**	**2**	**3**	**7**	**11**	**20**	**28**	**49**

587: Other diagnostic and therapeutic procedures on vessels, lymphatic structures, and spleen (38.29; 38.93; 38.99; 39.92; 40.19; 41.38-41.39)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	7.0	96	1	1	4	8	16	20	56
20-34	55	5.4	29	<1	1	4	7	14	17	25
35-49	66	5.3	40	<1	<1	3	7	11	18	37
50-64	49	3.8	13	<1	1	2	7	9	12	16
65+	40	6.1	21	<1	1	5	9	13	15	17
2. MULTIPLE DX										
0-19 YRS	264	11.7	172	1	2	7	14	29	45	97
20-34	430	11.4	125	1	2	8	15	28	36	62
35-49	656	10.7	129	1	1	7	13	24	35	55
50-64	994	10.2	108	1	1	7	13	22	32	52
65+	1386	12.3	128	1	2	9	16	26	34	55
TOT. SINGLE DX	260	5.5	41	<1	1	3	7	12	16	38
" MULTIPLE DX	3730	11.3	127	1	2	8	15	26	35	59
TOTAL 0-19 YRS	314	10.9	163	1	2	7	13	28	45	88
20-34	485	10.7	118	1	1	7	14	26	35	61
35-49	722	10.2	123	1	1	7	13	23	35	55
50-64	1043	9.9	106	1	1	7	13	22	31	49
65+	1426	12.1	127	1	2	9	16	26	33	54
GRAND TOTAL	**3990**	**10.9**	**123**	**1**	**2**	**7**	**14**	**25**	**34**	**56**

588: Operations on the esophagus (42.0-42.21; 42.24; 42.3-42.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	46	2.2	7	<1	<1	1	2	5	10	13
20-34	23	2.5	6	<1	<1	1	4	6	8	10
35-49	50	4.0	13	1	1	3	5	8	9	19
50-64	71	4.1	16	<1	<1	2	7	8	12	20
65+	80	4.0	11	<1	<1	3	6	9	11	13
2. MULTIPLE DX										
0-19 YRS	81	8.7	262	<1	1	2	8	17	56	77
20-34	134	7.4	50	1	2	6	9	15	20	43
35-49	246	7.0	43	1	1	5	8	15	21	34
50-64	479	7.8	57	1	1	6	10	16	21	39
65+	994	8.7	86	1	2	6	11	19	26	51
TOT. SINGLE DX	270	3.6	12	<1	<1	2	5	8	10	17
" MULTIPLE DX	1934	8.2	79	1	2	6	10	17	24	47
TOTAL 0-19 YRS	127	6.3	179	<1	1	2	5	13	23	72
20-34	157	6.7	47	<1	1	5	8	14	18	42
35-49	296	6.5	40	1	1	4	8	14	19	34
50-64	550	7.3	54	<1	1	5	9	15	21	39
65+	1074	8.4	83	1	1	6	10	18	25	50
GRAND TOTAL	**2204**	**7.6**	**73**	**1**	**1**	**5**	**9**	**16**	**22**	**45**

589: Esophagoscopy and gastroscopy (natural orifice) (42.23; 44.13)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

590: Gastrotomy, pyloromyotomy (43.0; 43.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	287	2.9	1	2	2	3	3	4	5	8
20-34	3	4.0	1	3	3	4	5	5	5	5
35-49	1	7.0		7	7	7	7	7	7	7
50-64										
65+	4	7.0	18	3	3	6	10	13	13	13
2. MULTIPLE DX										
0-19 YRS	148	5.4	41	2	2	4	5	10	14	45
20-34	14	8.1	26	1	2	7	10	18	18	18
35-49	13	9.5	56	1	2	9	12	18	28	30
50-64	16	13.8	69	5	6	11	17	29	32	33
65+	24	16.4	104	4	6	14	19	34	36	39
TOT. SINGLE DX	295	3.0	2	2	2	3	3	4	5	8
" MULTIPLE DX	215	7.7	64	2	2	4	9	18	30	44
TOTAL 0-19 YRS	435	3.7	16	2	2	3	4	5	7	32
20-34	17	7.4	24	1	2	6	8	17	18	18
35-49	14	9.4	52	1	2	8	11	16	27	30
50-64	16	13.8	70	5	6	11	17	29	32	33
65+	28	15.1	102	3	5	13	18	33	35	39
GRAND TOTAL	**510**	**5.0**	**34**	**2**	**2**	**3**	**4**	**10**	**15**	**36**

591: Gastrostomy (43.1-43.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	4.6	13	1	1	3	8	10	10	10
20-34	2	6.5	1	6	6	6	7	7	7	7
35-49										
50-64	7	5.6	21	1	1	4	9	13	13	13
65+	19	5.2	31	1	1	3	6	13	19	23
2. MULTIPLE DX										
0-19 YRS	63	19.2	410	1	3	13	28	56	78	99+
20-34	33	22.6	530	3	5	14	32	59	77	95
35-49	42	21.0	340	2	4	14	33	61	87	99+
50-64	117	15.8	231	2	3	11	21	38	62	99+
65+	700	15.9	173	2	3	12	22	33	42	72
TOT. SINGLE DX	35	5.2	23	1	1	4	7	11	14	23
" MULTIPLE DX	955	16.6	217	2	3	12	22	35	47	99
TOTAL 0-19 YRS	70	17.7	390	1	2	9	26	51	74	99+
20-34	35	21.7	514	3	5	13	31	58	76	95
35-49	42	21.0	340	2	4	14	33	61	87	99+
50-64	124	15.3	225	2	3	11	20	36	59	99+
65+	719	15.7	173	2	3	12	21	33	42	70
GRAND TOTAL	**990**	**16.2**	**215**	**2**	**3**	**12**	**22**	**35**	**46**	**99**

592: Local excision or destruction of lesion or tissue of stomach (43.4; 44.14-44.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	19	3.9	4	1	1	4	6	7	8	9
35-49	47	4.4	11	<1	<1	3	6	8	11	18
50-64	54	4.6	8	<1	<1	4	6	8	10	14
65+	87	5.2	32	<1	<1	4	6	9	12	36
2. MULTIPLE DX										
0-19 YRS	14	8.8	120	1	2	5	8	21	37	42
20-34	142	6.9	82	<1	1	5	8	14	17	49
35-49	249	5.9	33	1	2	4	7	11	18	31
50-64	520	7.1	60	1	2	5	8	13	20	43
65+	1533	7.7	45	2	3	6	9	15	20	37
TOT. SINGLE DX	208	4.7	19	<1	<1	4	6	9	10	17
" MULTIPLE DX	2458	7.3	50	1	2	5	9	14	20	40
TOTAL 0-19 YRS	15	8.3	115	1	2	4	8	18	36	42
20-34	161	6.5	74	<1	1	4	7	13	17	45
35-49	296	5.7	30	<1	2	4	7	10	18	31
50-64	574	6.9	56	1	2	5	8	13	18	42
65+	1620	7.5	45	2	2	6	9	14	19	37
GRAND TOTAL	**2666**	**7.1**	**48**	**1**	**2**	**5**	**8**	**14**	**19**	**39**

593: Partial gastrectomy (43.5-43.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	5.0	7	2	2	6	7	7	7	7
20-34	28	8.5	14	4	5	8	9	14	18	20
35-49	55	8.5	8	5	6	8	10	12	14	19
50-64	58	9.0	5	6	6	9	10	12	13	17
65+	59	10.6	23	6	6	9	12	15	22	30
2. MULTIPLE DX										
0-19 YRS	7	13.0	34	5	6	14	16	22	23	23
20-34	65	12.7	100	6	7	10	13	20	33	67
35-49	199	12.6	80	6	6	10	13	21	29	54
50-64	350	15.3	139	6	7	12	17	24	36	75
65+	630	16.0	112	7	8	13	19	28	39	70
TOT. SINGLE DX	203	9.2	14	5	6	9	10	13	15	24
" MULTIPLE DX	1251	15.1	115	6	7	12	17	26	36	71
TOTAL 0-19 YRS	10	10.6	39	2	3	9	14	19	23	23
20-34	93	11.4	78	5	6	9	12	17	24	59
35-49	254	11.7	67	5	6	9	12	19	27	53
50-64	408	14.4	125	6	7	11	16	23	34	74
65+	689	15.5	107	7	8	13	18	27	38	68
GRAND TOTAL	**1454**	**14.3**	**105**	**6**	**7**	**11**	**16**	**24**	**34**	**66**

594: Total gastrectomy (43.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	1	10.0		10	10	10	10	10	10	10
35-49	4	8.5	11	5	5	8	11	13	13	13
50-64	13	11.3	7	8	8	10	13	16	16	16
65+	11	15.5	36	7	8	15	20	23	27	27
2. MULTIPLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	4	14.0	60	8	8	11	19	25	25	25
35-49	28	15.6	63	9	9	13	19	27	32	43
50-64	76	17.7	162	8	9	14	20	27	38	77
65+	143	19.0	157	8	9	15	21	36	43	73
TOT. SINGLE DX	29	12.5	24	7	8	11	15	20	21	27
" MULTIPLE DX	252	18.1	148	8	9	14	20	32	42	76
TOTAL 0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	5	13.2	49	8	8	10	17	25	25	25
35-49	32	14.7	62	8	9	12	18	24	31	43
50-64	89	16.8	144	8	9	13	18	26	37	77
65+	154	18.7	149	8	9	15	21	36	42	72
GRAND TOTAL	**281**	**17.5**	**138**	**8**	**9**	**14**	**19**	**31**	**40**	**75**

595: Vagotomy (44.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	36	8.1	11	5	5	7	9	14	16	18
35-49	59	7.8	4	4	6	7	9	11	11	16
50-64	25	9.0	10	5	6	9	10	12	15	19
65+	16	10.1	7	6	8	9	11	15	16	16
2. MULTIPLE DX										
0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	39	10.2	15	5	6	9	12	17	19	20
35-49	112	10.7	48	5	6	9	12	17	26	65
50-64	138	11.5	48	6	6	9	12	20	28	40
65+	180	15.7	99	6	7	13	19	29	47	99+
TOT. SINGLE DX	136	8.3	8	5	6	8	9	12	15	18
" MULTIPLE DX	470	12.8	70	6	6	10	15	23	32	92
TOTAL 0-19 YRS	1	11.0		11	11	11	11	11	11	11
20-34	75	9.2	14	5	5	8	11	16	18	20
35-49	171	9.7	35	5	6	8	11	15	21	45
50-64	163	11.1	44	5	6	9	11	19	25	39
65+	196	15.2	94	6	7	13	18	28	43	99+
GRAND TOTAL	**606**	**11.8**	**60**	**5**	**6**	**9**	**14**	**20**	**29**	**60**

596: Miscellaneous operations on stomach (44.11; 44.2-44.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	38	5.2	5	2	2	5	6	7	8	15
20-34	136	6.0	5	3	4	6	7	8	10	18
35-49	161	6.7	21	4	4	6	7	9	10	37
50-64	75	8.2	18	4	5	7	9	12	18	26
65+	58	8.8	15	3	4	9	10	15	17	20
2. MULTIPLE DX										
0-19 YRS	130	12.6	163	3	4	8	14	28	39	61
20-34	395	8.1	62	4	4	6	8	12	18	46
35-49	667	8.3	60	4	4	7	8	13	17	54
50-64	510	10.9	117	4	5	8	11	19	28	65
65+	782	15.2	134	5	6	12	19	28	38	75
TOT. SINGLE DX	468	6.9	16	3	4	6	8	10	12	21
" MULTIPLE DX	2484	11.2	110	4	4	8	12	22	30	65
TOTAL 0-19 YRS	168	10.9	137	2	4	7	11	23	38	51
20-34	531	7.6	49	4	4	6	8	11	16	42
35-49	828	8.0	53	4	4	7	8	12	16	49
50-64	585	10.6	106	4	5	8	11	18	27	63
65+	840	14.8	129	5	6	11	18	27	37	74
GRAND TOTAL	**2952**	**10.5**	**98**	**4**	**4**	**8**	**11**	**20**	**28**	**60**

597: Local excision or destruction of intestinal lesion or tissue (45.14-45.15; 45.25-45.27; 45.3-45.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	4.8	28	<1	1	4	6	8	12	30
20-34	95	4.2	7	<1	1	4	6	7	9	15
35-49	88	3.8	9	<1	<1	3	5	8	10	15
50-64	110	3.4	11	<1	<1	2	5	7	8	19
65+	141	3.9	69	<1	<1	2	5	8	11	26
2. MULTIPLE DX										
0-19 YRS	77	7.4	72	1	2	5	7	16	29	43
20-34	224	6.5	31	1	2	5	8	13	17	31
35-49	328	6.2	38	<1	2	5	7	12	18	28
50-64	640	6.8	61	<1	1	5	8	13	18	39
65+	1709	7.7	58	1	1	6	9	15	20	41
TOT. SINGLE DX	466	3.9	29	<1	<1	3	5	7	10	18
" MULTIPLE DX	2978	7.2	55	<1	1	5	9	15	20	39
TOTAL 0-19 YRS	109	6.6	60	1	1	4	7	14	26	40
20-34	319	5.8	25	1	2	5	7	11	15	30
35-49	416	5.7	33	<1	1	4	7	11	15	27
50-64	750	6.3	55	<1	<1	4	7	13	17	37
65+	1850	7.4	60	<1	1	6	9	15	20	40
GRAND TOTAL	**3444**	**6.8**	**53**	**<1**	**1**	**5**	**8**	**14**	**18**	**37**

598: Resection of small intestine (45.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	8.0	14	5	5	7	9	11	17	21
20-34	43	8.4	17	4	5	7	10	12	19	25
35-49	43	8.1	6	5	5	8	9	12	13	16
50-64	42	9.0	14	5	5	8	11	14	19	20
65+	44	9.9	25	5	6	9	11	15	21	29
2. MULTIPLE DX										
0-19 YRS	70	12.1	117	5	6	9	14	30	61	99+
20-34	172	11.9	106	5	6	9	13	22	31	76
35-49	210	13.7	147	5	6	10	15	24	41	69
50-64	344	15.7	161	6	7	12	18	29	40	81
65+	741	16.6	150	7	7	13	19	29	45	81
TOT. SINGLE DX	189	8.8	16	5	5	8	10	13	18	25
" MULTIPLE DX	1537	15.3	149	6	7	11	18	28	42	81
TOTAL 0-19 YRS	87	11.3	99	5	5	8	12	26	51	99+
20-34	215	11.2	91	5	6	8	12	20	28	74
35-49	253	12.8	128	5	6	9	14	22	32	64
50-64	386	14.9	149	6	7	11	17	27	36	77
65+	785	16.3	146	6	7	12	19	29	43	79
GRAND TOTAL	**1726**	**14.6**	**138**	**6**	**6**	**11**	**17**	**27**	**40**	**78**

599: Colectomy (45.7-45.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	6.8	7	3	4	7	8	10	12	15
20-34	91	9.1	25	4	5	8	10	14	21	31
35-49	195	8.1	9	5	5	7	9	10	12	25
50-64	419	8.6	6	5	6	8	9	12	14	18
65+	482	9.1	7	6	6	9	10	12	14	20
2. MULTIPLE DX										
0-19 YRS	88	14.5	153	3	5	10	18	29	37	71
20-34	300	12.4	101	5	6	9	13	23	36	56
35-49	683	11.7	67	6	6	9	13	19	25	45
50-64	1913	11.5	50	6	7	9	13	18	24	44
65+	4938	13.3	69	7	7	11	15	22	29	50
TOT. SINGLE DX	1208	8.7	9	5	6	8	10	12	14	21
" MULTIPLE DX	7922	12.7	67	6	7	10	14	21	28	49
TOTAL 0-19 YRS	109	13.0	134	3	4	9	16	26	36	64
20-34	391	11.7	86	5	6	9	12	21	27	52
35-49	878	10.9	57	5	6	9	12	17	23	43
50-64	2332	11.0	44	6	6	9	12	17	22	42
65+	5420	12.9	65	6	7	10	15	22	28	49
GRAND TOTAL	**9130**	**12.2**	**61**	**6**	**7**	**10**	**14**	**20**	**26**	**47**

600: Other incision, resection of intestine (45.0; 45.5; 46.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	5.2	2	4	4	5	6	7	9	9
20-34	9	7.1	11	3	4	7	8	13	13	13
35-49	10	6.8	8	2	3	7	9	10	10	10
50-64	9	7.8	7	2	4	8	9	11	11	11
65+	9	11.7	90	5	5	9	11	27	36	36
2. MULTIPLE DX										
0-19 YRS	25	11.7	93	3	3	9	13	35	56	99+
20-34	25	15.0	311	4	4	9	20	27	44	91
35-49	38	13.6	92	4	5	10	17	25	40	44
50-64	77	15.5	203	5	7	11	16	33	48	85
65+	216	14.4	90	5	6	12	16	28	34	53
TOT. SINGLE DX	50	7.5	24	3	4	7	9	11	13	36
" MULTIPLE DX	381	14.4	128	5	6	11	16	28	37	58
TOTAL 0-19 YRS	38	9.5	71	3	4	8	11	16	41	99+
20-34	34	12.9	241	3	4	8	13	24	28	91
35-49	48	12.2	83	3	4	9	14	22	37	44
50-64	86	14.7	189	5	6	11	15	27	46	81
65+	225	14.3	91	5	6	12	16	28	35	53
GRAND TOTAL	**431**	**13.6**	**120**	**4**	**5**	**11**	**15**	**26**	**36**	**55**

601: Intestinal anastomosis or repair (45.9; 46.4-46.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	106	5.3	6	2	2	5	7	9	10	11
20-34	120	6.8	5	3	4	7	8	10	10	13
35-49	133	7.1	11	3	4	7	8	10	13	18
50-64	126	7.5	9	3	4	7	9	11	12	20
65+	121	7.4	10	2	3	7	9	11	13	18
2. MULTIPLE DX										
0-19 YRS	185	9.5	99	2	3	7	10	21	30	75
20-34	267	9.9	65	4	5	8	11	17	25	48
35-49	289	11.6	107	4	5	8	12	21	29	62
50-64	470	11.5	74	4	5	9	13	22	27	57
65+	985	12.5	78	4	5	10	14	22	29	49
TOT. SINGLE DX	606	6.9	9	2	3	7	8	10	12	16
" MULTIPLE DX	2196	11.6	83	4	5	9	13	22	29	54
TOTAL 0-19 YRS	291	8.0	70	2	3	6	9	13	23	54
20-34	387	9.0	49	3	4	7	9	14	20	44
35-49	422	10.2	81	4	4	8	11	17	25	50
50-64	596	10.7	64	4	5	8	11	21	26	54
65+	1106	12.0	74	4	5	10	14	21	28	46
GRAND TOTAL	**2802**	**10.6**	**71**	**3**	**4**	**8**	**12**	**20**	**26**	**49**

602: Ileostomy, colostomy, and other enterostomy (46.1-46.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	7.5	2	6	6	7	9	9	9	9
20-34	7	8.3	9	5	5	8	10	13	13	13
35-49	4	11.0	6	8	8	11	13	13	13	13
50-64	12	8.3	8	5	5	8	10	12	15	15
65+	10	10.1	31	5	6	8	11	18	25	25
2. MULTIPLE DX										
0-19 YRS	27	13.0	121	4	4	9	17	31	59	99+
20-34	48	15.7	287	4	5	10	16	33	61	91
35-49	60	13.9	72	5	6	11	18	24	29	53
50-64	143	15.4	136	5	6	13	18	28	37	91
65+	403	17.0	137	5	7	14	21	31	41	60
TOT. SINGLE DX	39	8.9	13	5	5	8	10	13	14	25
" MULTIPLE DX	681	16.1	142	5	6	13	20	31	40	66
TOTAL 0-19 YRS	33	12.0	104	4	5	9	16	23	51	99+
20-34	55	14.7	257	4	5	10	14	31	54	90
35-49	64	13.8	69	5	7	11	16	23	29	52
50-64	155	14.8	130	5	6	12	17	27	37	88
65+	413	16.8	136	5	7	14	21	31	41	59
GRAND TOTAL	**720**	**15.7**	**138**	**5**	**6**	**12**	**19**	**30**	**39**	**66**

603: Appendectomy (47.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5763	3.2	3	1	2	3	4	5	7	9
20-34	4491	3.3	2	1	2	3	4	5	6	9
35-49	1711	3.8	3	2	2	3	5	6	8	10
50-64	678	4.6	6	2	2	4	6	8	9	14
65+	206	5.0	4	2	3	4	6	8	10	11
2. MULTIPLE DX										
0-19 YRS	1997	5.2	17	2	2	4	7	10	12	21
20-34	1802	5.0	12	2	2	4	6	8	11	18
35-49	882	5.9	11	2	3	5	8	10	12	17
50-64	655	7.8	37	2	3	7	9	13	17	31
65+	564	9.0	43	3	3	8	10	16	20	39
TOT. SINGLE DX	12849	3.4	4	1	2	3	4	6	7	10
" MULTIPLE DX	5900	5.9	21	2	2	5	7	10	14	23
TOTAL 0-19 YRS	7760	3.7	8	1	2	3	4	7	8	14
20-34	6293	3.8	6	2	2	3	4	6	8	13
35-49	2593	4.5	7	2	2	4	5	8	10	14
50-64	1333	6.2	24	2	2	5	8	11	13	21
65+	770	7.9	37	3	3	6	9	14	18	37
GRAND TOTAL	**18749**	**4.2**	**11**	**2**	**2**	**3**	**5**	**8**	**9**	**16**

604: Incidental appendectomy (47.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	50	2.9	1	1	2	3	3	5	5	6
20-34	45	4.4	8	2	2	4	5	7	10	16
35-49	18	3.3	1	2	2	3	4	5	5	5
50-64	3	4.0	13	1	1	3	7	8	8	8
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	33	5.6	23	2	3	4	6	9	14	28
20-34	36	5.1	10	2	3	4	6	8	12	19
35-49	12	6.3	7	4	4	5	7	10	13	13
50-64	6	6.8	4	4	4	7	9	9	9	9
65+	3	11.3	20	7	7	11	15	16	16	16
TOT. SINGLE DX	117	3.5	4	2	2	3	4	6	7	15
" MULTIPLE DX	90	5.8	15	2	3	5	7	9	13	24
TOTAL 0-19 YRS	83	4.0	12	1	2	3	4	6	8	24
20-34	81	4.7	9	2	2	4	5	7	10	18
35-49	30	4.5	6	2	2	4	5	7	9	13
50-64	9	5.9	8	1	2	6	8	9	9	9
65+	4	9.5	27	4	4	9	13	16	16	16
GRAND TOTAL	**207**	**4.5**	**10**	**2**	**2**	**4**	**5**	**8**	**9**	**17**

605: Operations on appendix except appendectomy (47.2-47.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	6.3	8	3	3	6	8	11	12	12
20-34	9	6.8	6	3	4	7	8	11	12	12
35-49	8	6.9	13	2	2	6	11	11	11	11
50-64	4	6.5	9	3	3	7	9	9	9	9
65+	4	7.8	15	2	2	9	10	11	11	11
2. MULTIPLE DX										
0-19 YRS	14	7.4	17	2	2	7	9	11	17	19
20-34	13	7.4	5	2	4	7	10	10	10	10
35-49	5	9.2	10	5	5	8	12	13	13	13
50-64	9	12.7	24	7	8	12	14	20	24	24
65+	6	13.7	38	8	8	11	18	23	24	24
TOT. SINGLE DX	38	6.7	9	2	3	6	9	11	12	12
" MULTIPLE DX	47	9.4	23	2	5	9	11	15	20	24
TOTAL 0-19 YRS	27	6.9	13	2	3	7	9	10	13	19
20-34	22	7.1	6	3	4	7	9	10	11	12
35-49	13	7.8	13	2	3	8	11	12	13	13
50-64	13	10.8	27	3	5	10	13	17	23	24
65+	10	11.3	36	2	5	10	12	21	24	24
GRAND TOTAL	**85**	**8.2**	**18**	**2**	**3**	**8**	**10**	**12**	**16**	**24**

606: Local excision or destruction of lesion or tissue of rectum (48.24-48.26; 48.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	2.2	3	<1	1	1	3	5	6	9
20-34	32	2.5	3	1	1	2	3	5	8	9
35-49	24	3.1	8	1	1	1	5	8	9	9
50-64	70	2.1	1	<1	1	2	3	4	5	6
65+	131	2.8	9	<1	1	2	3	5	7	14
2. MULTIPLE DX										
0-19 YRS	37	12.1	386	1	1	4	11	34	59	93
20-34	50	6.1	118	1	1	3	5	10	21	62
35-49	64	4.2	18	<1	1	2	6	10	14	19
50-64	125	5.0	48	1	1	3	6	9	15	32
65+	391	6.3	31	1	1	5	9	13	16	25
TOT. SINGLE DX	284	2.5	6	<1	1	2	3	5	6	9
" MULTIPLE DX	667	6.2	61	1	1	4	8	13	17	36
TOTAL 0-19 YRS	64	7.9	247	1	1	3	7	23	35	90
20-34	82	4.7	76	1	1	3	4	8	11	58
35-49	88	3.9	16	1	1	2	5	10	12	18
50-64	195	4.0	33	<1	1	3	4	8	11	20
65+	522	5.4	28	1	1	4	7	12	15	24
GRAND TOTAL	**951**	**5.1**	**47**	**1**	**1**	**3**	**6**	**11**	**14**	**32**

607: Other incision of rectum and incision or excision of perirectal tissue (48.0; 48.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	26	2.3	2	<1	<1	2	2	4	6	7
20-34	166	2.3	1	1	1	2	3	4	5	7
35-49	165	2.4	3	1	1	2	3	4	6	11
50-64	65	3.1	4	1	1	3	4	7	7	9
65+	19	2.3	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	22	4.2	18	1	1	3	5	9	16	17
20-34	105	3.7	25	1	1	2	4	6	10	33
35-49	141	3.1	6	1	1	2	4	6	8	14
50-64	119	5.6	68	1	1	3	5	12	20	46
65+	92	7.8	85	1	2	5	8	17	27	52
TOT. SINGLE DX	441	2.4	3	1	1	2	3	4	6	9
" MULTIPLE DX	479	4.8	45	1	1	3	5	9	16	37
TOTAL 0-19 YRS	48	3.2	10	<1	1	2	4	6	8	17
20-34	271	2.8	12	1	1	2	3	5	7	16
35-49	306	2.7	5	1	1	2	3	5	8	12
50-64	184	4.7	47	1	1	3	5	9	17	35
65+	111	6.9	76	1	1	4	8	15	24	49
GRAND TOTAL	**920**	**3.7**	**26**	**1**	**1**	**2**	**4**	**7**	**10**	**26**

608: Proctectomy (48.4-48.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	7.8	8	5	5	7	9	12	15	15
20-34	15	9.5	35	1	3	8	11	21	23	24
35-49	34	9.5	9	6	7	9	10	13	15	20
50-64	84	9.7	13	5	6	9	11	14	16	24
65+	124	9.8	9	5	6	9	12	14	16	18
2. MULTIPLE DX										
0-19 YRS	42	9.4	20	5	6	8	11	14	17	29
20-34	51	15.0	184	4	7	11	16	23	41	79
35-49	131	12.3	37	7	7	10	14	21	25	55
50-64	399	12.5	75	6	7	10	14	19	26	52
65+	945	14.8	79	7	8	12	17	25	34	49
TOT. SINGLE DX	269	9.6	12	5	6	9	11	14	16	21
" MULTIPLE DX	1568	13.9	79	7	7	11	16	23	30	51
TOTAL 0-19 YRS	54	9.0	18	5	5	8	11	14	16	29
20-34	66	13.8	155	4	6	11	14	22	34	77
35-49	165	11.7	33	6	7	10	13	19	24	43
50-64	483	12.0	65	6	7	10	13	19	23	51
65+	1069	14.2	74	7	8	12	16	24	31	48
GRAND TOTAL	**1837**	**13.2**	**71**	**6**	**7**	**11**	**15**	**22**	**29**	**49**

609: Miscellaneous operations on intestine (45.11; 45.13; 45.21; 45.23; 48.1; 48.21; 48.7; 48.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	124	3.1	4	<1	1	3	4	6	7	11
20-34	459	3.5	9	1	1	3	4	6	8	14
35-49	523	3.6	6	<1	1	3	4	6	8	14
50-64	485	3.6	8	<1	<1	3	4	7	8	15
65+	461	3.8	9	<1	<1	3	5	7	9	16
2. MULTIPLE DX										
0-19 YRS	284	5.1	39	1	1	3	6	9	16	39
20-34	1705	5.3	34	1	2	4	6	10	14	30
35-49	2637	5.4	26	1	2	4	6	10	14	28
50-64	3921	6.0	34	1	2	4	7	11	16	31
65+	8970	6.8	34	2	2	5	8	13	17	30
TOT. SINGLE DX	2052	3.6	8	<1	<1	3	4	7	8	14
" MULTIPLE DX	17517	6.2	33	1	2	5	7	12	16	29
TOTAL 0-19 YRS	408	4.5	30	1	1	3	5	8	14	32
20-34	2164	4.9	30	1	1	4	6	9	13	27
35-49	3160	5.1	24	1	2	4	6	10	14	25
50-64	4406	5.7	32	1	2	4	7	11	15	30
65+	9431	6.7	33	1	2	5	8	13	17	29
GRAND TOTAL	**19569**	**6.0**	**31**	**1**	**2**	**4**	**7**	**11**	**16**	**29**

610: Incision or excision of anal fistula (49.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	13	1.4		<1	<1	1	1	3	4	4
20-34	152	1.7	1	<1	1	1	2	3	4	5
35-49	187	1.8	1	<1	1	2	2	3	3	7
50-64	125	1.6		<1	<1	1	2	3	3	4
65+	37	1.7		<1	1	2	2	2	3	4
2. MULTIPLE DX										
0-19 YRS	9	2.3	3	<1	<1	1	4	5	5	5
20-34	125	2.2	2	1	1	2	3	4	5	8
35-49	240	1.9	1	1	1	2	2	3	4	6
50-64	170	2.6	4	1	1	2	3	5	7	14
65+	102	3.3	6	1	1	3	4	6	8	13
TOT. SINGLE DX	514	1.7	1	<1	1	1	2	3	3	5
" MULTIPLE DX	646	2.4	4	1	1	2	3	4	6	10
TOTAL 0-19 YRS	22	1.8	2	<1	<1	1	2	4	5	5
20-34	277	1.9	2	1	1	1	2	3	4	8
35-49	427	1.9	2	<1	1	2	2	3	4	6
50-64	295	2.2	3	<1	1	2	3	4	5	9
65+	139	2.9	5	1	1	2	4	6	7	13
GRAND TOTAL	**1160**	**2.1**	**3**	**<1**	**1**	**2**	**3**	**4**	**5**	**8**

611: Local excision or destruction of lesion or tissue of anus (49.23; 49.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.6		<1	<1	1	2	3	3	3
20-34	95	1.5		<1	<1	1	2	3	3	5
35-49	76	1.5	2	<1	<1	1	2	2	3	11
50-64	48	2.3	21	<1	<1	1	2	3	4	33
65+	21	2.2	2	<1	<1	2	3	5	6	6
2. MULTIPLE DX										
0-19 YRS	7	15.3	1206	<1	<1	2	4	76	94	94
20-34	114	2.3	3	1	1	2	3	4	5	11
35-49	154	2.3	2	1	1	2	3	4	6	8
50-64	109	2.9	8	1	1	2	3	5	6	17
65+	129	3.3	10	1	1	2	4	7	9	16
TOT. SINGLE DX	252	1.7	5	<1	<1	1	2	3	4	7
" MULTIPLE DX	513	2.9	22	1	1	2	3	5	7	12
TOTAL 0-19 YRS	19	6.6	448	<1	<1	2	3	4	53	94
20-34	209	1.9	2	<1	<1	1	2	3	5	10
35-49	230	2.0	3	<1	<1	2	2	4	5	9
50-64	157	2.7	13	1	1	2	3	4	6	28
65+	150	3.2	10	<1	1	2	4	7	8	13
GRAND TOTAL	**765**	**2.5**	**17**	**<1**	**1**	**2**	**3**	**4**	**6**	**11**

612: Hemorrhoidectomy (49.43-49.46)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.3		<1	<1	1	2	2	2	2
20-34	131	2.6	1	1	1	2	3	4	5	6
35-49	229	2.7	2	1	1	2	3	5	5	7
50-64	159	2.6	1	1	1	2	3	5	6	7
65+	52	2.7	1	1	1	3	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	13	2.4	1	1	1	2	3	4	4	4
20-34	619	3.1	5	1	1	3	4	5	6	8
35-49	1261	3.0	2	1	1	3	4	5	6	9
50-64	989	3.3	3	1	1	3	4	5	7	11
65+	585	3.9	9	1	2	3	5	7	10	15
TOT. SINGLE DX	575	2.6	2	1	1	2	3	4	5	7
" MULTIPLE DX	3467	3.3	5	1	1	3	4	5	7	11
TOTAL 0-19 YRS	17	2.1	1	<1	1	2	3	4	4	4
20-34	750	3.0	5	1	1	3	4	5	6	8
35-49	1490	3.0	3	1	1	3	4	5	6	9
50-64	1148	3.2	4	1	1	3	4	5	7	11
65+	637	3.8	9	1	1	3	5	6	10	14
GRAND TOTAL	**4042**	**3.2**	**4**	**1**	**1**	**3**	**4**	**5**	**6**	**11**

613: Miscellaneous operations on anus (49.0; 49.22; 49.47-49.49; 49.5-49.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	25	2.1	4	<1	1	2	2	3	6	11
20-34	137	2.5	4	1	1	2	3	5	6	10
35-49	126	2.0	2	<1	<1	1	2	4	6	7
50-64	72	2.4	3	1	1	2	3	5	6	9
65+	40	2.7	3	<1	1	2	4	5	6	8
2. MULTIPLE DX										
0-19 YRS	41	6.0	73	1	1	3	7	10	20	50
20-34	151	3.7	15	<1	1	2	5	7	10	20
35-49	174	3.2	5	1	1	3	4	7	8	11
50-64	149	4.7	38	1	1	3	5	10	13	42
65+	161	5.6	30	1	1	4	7	12	17	30
TOT. SINGLE DX	400	2.4	3	<1	1	2	3	5	6	9
" MULTIPLE DX	676	4.4	26	1	1	3	5	8	12	28
TOTAL 0-19 YRS	66	4.5	51	1	1	3	5	8	11	47
20-34	288	3.1	10	1	1	2	4	6	8	18
35-49	300	2.7	4	<1	1	2	4	6	7	10
50-64	221	3.9	28	1	1	2	4	8	11	32
65+	201	5.0	27	1	1	3	6	11	16	29
GRAND TOTAL	**1076**	**3.6**	**18**	**1**	**1**	**2**	**4**	**7**	**10**	**25**

614: Incision of liver (50.0; 50.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	7.0	3	5	5	7	8	9	9	9
20-34	8	7.5	16	4	4	6	8	14	17	17
35-49	6	7.7	6	5	5	7	10	11	11	11
50-64	5	9.4	62	1	1	10	16	19	19	19
65+	6	7.0	39	2	2	6	7	18	19	19
2. MULTIPLE DX										
0-19 YRS	4	9.8	11	6	6	10	12	13	13	13
20-34	16	15.1	119	2	3	12	20	31	38	41
35-49	26	20.2	392	3	4	14	22	67	76	99+
50-64	27	18.0	208	2	3	14	28	42	49	50
65+	50	17.0	153	1	2	17	22	29	36	67
TOT. SINGLE DX	29	7.7	22	2	2	6	9	16	19	19
" MULTIPLE DX	123	17.4	206	1	3	14	22	38	49	79
TOTAL 0-19 YRS	8	8.4	8	5	5	8	10	13	13	13
20-34	24	12.6	97	2	4	9	17	29	34	41
35-49	32	17.9	342	4	4	12	20	62	72	99+
50-64	32	16.7	193	1	2	14	24	41	48	50
65+	56	15.9	150	1	2	16	21	29	34	66
GRAND TOTAL	**152**	**15.6**	**185**	**1**	**2**	**12**	**20**	**30**	**46**	**72**

615: Miscellaneous operations on liver (50.11-50.12; 50.2-50.6; 50.92-50.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	2.7	4	1	1	2	4	5	8	9
20-34	92	2.6	6	<1	1	1	4	7	8	10
35-49	123	2.8	14	<1	1	1	3	7	13	19
50-64	100	2.4	7	<1	1	1	3	6	8	14
65+	64	3.1	11	<1	<1	1	4	8	11	16
2. MULTIPLE DX										
0-19 YRS	104	11.2	214	1	1	7	12	22	47	77
20-34	249	9.6	100	1	1	7	12	20	29	51
35-49	310	7.6	122	<1	1	4	9	18	27	74
50-64	515	7.5	64	1	1	6	10	15	23	42
65+	774	9.1	75	1	1	7	12	19	24	47
TOT. SINGLE DX	418	2.7	10	<1	1	1	3	7	9	15
" MULTIPLE DX	1952	8.6	92	1	1	6	11	18	26	54
TOTAL 0-19 YRS	143	8.9	172	1	1	5	9	18	32	76
20-34	341	7.7	85	1	1	5	10	18	24	48
35-49	433	6.2	97	<1	1	2	8	15	24	62
50-64	615	6.7	58	1	1	5	9	14	21	40
65+	838	8.6	73	1	1	7	11	18	24	47
GRAND TOTAL	**2370**	**7.6**	**82**	**1**	**1**	**5**	**10**	**17**	**23**	**50**

616: Cholecystectomy (51.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	221	4.4	3	2	3	4	5	7	8	11
20-34	2514	4.4	2	3	3	4	5	6	7	10
35-49	2487	4.7	3	3	3	4	5	7	8	11
50-64	1927	5.0	3	3	3	5	6	7	8	11
65+	1011	5.8	5	3	4	5	7	9	10	13
2. MULTIPLE DX										
0-19 YRS	219	6.3	27	3	3	5	7	10	12	24
20-34	2765	5.8	16	3	3	5	6	9	11	20
35-49	3716	6.1	19	3	3	5	7	9	11	22
50-64	4489	7.0	27	3	4	6	8	11	14	29
65+	6067	9.4	42	4	4	8	11	16	21	35
TOT. SINGLE DX	8160	4.8	4	3	3	4	6	7	8	11
" MULTIPLE DX	17256	7.4	31	3	4	6	8	12	16	30
TOTAL 0-19 YRS	440	5.4	16	2	3	4	6	9	10	16
20-34	5279	5.1	11	3	3	5	6	8	9	16
35-49	6203	5.5	13	3	3	5	6	8	10	18
50-64	6416	6.4	21	3	3	5	7	10	13	24
65+	7078	8.9	39	4	4	7	10	15	19	34
GRAND TOTAL	**25416**	**6.6**	**24**	**3**	**3**	**5**	**7**	**11**	**14**	**26**

617: Operations on biliary tract and gallbladder except cholecystectomy (51.01-51.13; 51.3-51.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	11.7	62	3	3	11	15	24	25	25
20-34	47	4.1	7	1	1	4	7	8	9	10
35-49	59	4.3	17	1	1	2	7	10	12	20
50-64	61	4.9	27	1	1	3	7	11	16	25
65+	114	6.7	34	1	1	6	10	13	16	29
2. MULTIPLE DX										
0-19 YRS	29	15.8	137	3	4	13	20	35	42	46
20-34	72	9.5	87	1	2	7	10	21	25	55
35-49	147	10.3	56	2	3	9	13	19	22	49
50-64	302	11.5	121	2	2	9	14	22	33	56
65+	910	12.3	109	2	3	10	15	23	30	55
TOT. SINGLE DX	287	5.5	27	1	1	4	8	12	14	25
" MULTIPLE DX	1460	11.8	107	2	3	9	15	22	30	54
TOTAL 0-19 YRS	35	15.1	125	3	3	12	19	33	41	46
20-34	119	7.4	63	1	1	6	9	14	23	45
35-49	206	8.6	53	1	1	7	12	16	21	41
50-64	363	10.4	111	1	1	8	13	21	30	55
65+	1024	11.6	104	1	2	10	15	22	28	53
GRAND TOTAL	**1747**	**10.8**	**99**	**1**	**2**	**9**	**14**	**21**	**28**	**52**

618: Operations on pancreas (52.01-52.12; 52.2-52.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	6.1	20	1	1	5	10	12	12	12
20-34	40	5.4	31	<1	1	4	7	12	19	25
35-49	60	5.6	29	<1	1	5	8	10	13	30
50-64	55	5.6	28	1	1	3	8	14	17	21
65+	70	6.7	51	1	1	4	9	16	22	35
2. MULTIPLE DX										
0-19 YRS	19	18.1	371	1	3	11	20	46	63	77
20-34	97	13.3	174	1	2	8	20	34	42	57
35-49	224	13.3	223	1	2	8	17	29	45	85
50-64	356	13.3	229	1	2	9	15	34	44	82
65+	610	11.8	137	1	2	8	14	25	38	65
TOT. SINGLE DX	232	5.9	36	1	1	4	8	14	19	28
" MULTIPLE DX	1306	12.7	184	1	2	8	15	29	41	69
TOTAL 0-19 YRS	26	14.8	302	1	1	10	16	44	52	77
20-34	137	11.0	145	1	1	6	14	27	38	54
35-49	284	11.7	193	1	2	7	14	27	42	76
50-64	411	12.3	209	1	1	8	14	30	41	75
65+	680	11.2	131	1	2	8	14	23	36	62
GRAND TOTAL	**1538**	**11.6**	**167**	**1**	**1**	**8**	**14**	**26**	**38**	**68**

619: Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity and abdominal wall (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	44	3.0	4	<1	1	2	4	7	7	8
20-34	158	4.1	10	1	1	3	5	8	10	16
35-49	159	4.2	13	<1	1	3	5	8	11	22
50-64	152	3.6	6	<1	<1	3	5	7	9	14
65+	145	3.8	10	<1	<1	3	5	8	11	16
2. MULTIPLE DX										
0-19 YRS	84	5.7	34	1	1	4	6	10	16	35
20-34	436	5.8	51	1	1	4	6	10	18	34
35-49	520	5.4	20	1	2	4	7	11	14	22
50-64	868	5.7	33	1	2	4	7	11	15	33
65+	2921	6.8	33	2	2	5	8	13	17	29
TOT. SINGLE DX	658	3.9	10	<1	<1	3	5	8	10	16
" MULTIPLE DX	4829	6.3	34	1	2	5	8	12	17	30
TOTAL 0-19 YRS	128	4.8	25	1	1	3	6	9	13	28
20-34	594	5.4	41	1	1	4	6	10	16	32
35-49	679	5.1	19	1	1	4	6	10	14	23
50-64	1020	5.4	30	1	1	4	7	10	14	31
65+	3066	6.6	33	1	2	5	8	13	17	28
GRAND TOTAL	**5487**	**6.0**	**32**	**1**	**2**	**5**	**7**	**12**	**16**	**29**

620: Unilateral repair of inguinal hernia (53.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	633	1.2		<1	<1	1	1	2	2	4
20-34	865	1.5	1	<1	<1	1	2	3	3	4
35-49	918	1.5		<1	<1	1	2	3	3	5
50-64	1177	1.6	1	<1	<1	1	2	3	3	6
65+	979	1.9	2	<1	<1	1	2	3	4	7
2. MULTIPLE DX										
0-19 YRS	410	2.3	53	<1	<1	1	2	3	4	60
20-34	471	1.9	5	1	1	1	2	3	4	8
35-49	582	2.1	10	<1	1	1	2	4	5	7
50-64	1184	2.3	5	1	1	2	3	4	6	11
65+	2462	3.2	18	1	1	2	4	6	9	19
TOT. SINGLE DX	4572	1.6	1	<1	<1	1	2	3	3	5
" MULTIPLE DX	5109	2.7	16	<1	1	2	3	5	7	17
TOTAL 0-19 YRS	1043	1.6	22	<1	<1	1	1	2	3	8
20-34	1336	1.7	3	<1	1	1	2	3	4	6
35-49	1500	1.7	5	<1	1	1	2	3	4	6
50-64	2361	1.9	3	<1	1	1	2	3	5	8
65+	3441	2.9	14	<1	1	2	3	5	8	18
GRAND TOTAL	**9681**	**2.2**	**10**	**<1**	**<1**	**1**	**2**	**4**	**5**	**12**

621: Bilateral repair of inguinal hernia (53.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	152	1.2		<1	<1	1	1	2	3	3
20-34	105	1.6		1	1	1	2	3	3	5
35-49	194	1.8		1	1	2	2	3	4	5
50-64	328	1.9	1	1	1	2	2	3	4	5
65+	192	1.9	1	<1	1	2	3	3	4	6
2. MULTIPLE DX										
0-19 YRS	207	4.4	138	<1	<1	1	2	12	66	99+
20-34	87	2.0	1	1	1	2	3	4	4	6
35-49	185	2.0	1	1	1	2	2	3	4	6
50-64	303	2.4	3	1	1	2	3	4	6	9
65+	456	3.0	7	1	1	2	4	6	7	14
TOT. SINGLE DX	971	1.7	1	<1	1	1	2	3	4	5
" MULTIPLE DX	1238	2.9	27	1	1	2	3	5	7	53
TOTAL 0-19 YRS	359	3.1	82	<1	<1	1	2	4	30	99+
20-34	192	1.8	1	1	1	2	2	3	4	5
35-49	379	1.9	1	1	1	2	2	3	4	6
50-64	631	2.1	2	1	1	2	3	4	5	7
65+	648	2.7	6	1	1	2	3	5	6	12
GRAND TOTAL	**2209**	**2.4**	**16**	**<1**	**1**	**2**	**3**	**4**	**5**	**20**

622: Unilateral or bilateral repair of femoral hernia (53.2-53.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	1.4		<1	<1	1	2	3	3	3
20-34	45	1.8		<1	<1	2	2	3	4	5
35-49	44	1.8		<1	1	2	2	3	4	4
50-64	59	2.5	4	1	1	2	3	6	7	10
65+	90	3.3	5	1	1	3	4	7	8	11
2. MULTIPLE DX										
0-19 YRS	2	2.0	2	1	1	2	3	3	3	3
20-34	24	1.8	1	<1	1	1	2	3	5	6
35-49	42	2.2	2	1	1	2	3	4	6	6
50-64	60	3.6	22	1	1	2	4	6	9	32
65+	240	6.7	40	1	1	5	9	14	19	46
TOT. SINGLE DX	245	2.5	4	<1	1	2	3	5	7	10
" MULTIPLE DX	368	5.4	34	1	1	3	7	12	16	33
TOTAL 0-19 YRS	9	1.6	1	<1	<1	1	2	3	3	3
20-34	69	1.8	1	<1	<1	1	2	3	4	6
35-49	86	2.0	2	1	1	2	3	3	4	6
50-64	119	3.1	14	1	1	2	4	6	8	22
65+	330	5.8	34	1	1	4	8	12	16	31
GRAND TOTAL	**613**	**4.2**	**24**	**1**	**1**	**3**	**5**	**9**	**13**	**26**

623: Repair of umbilical hernia (53.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	65	1.4	2	<1	<1	<1	1	2	3	10
20-34	84	1.6	1	<1	<1	1	2	3	4	5
35-49	125	1.6		<1	<1	1	2	3	4	5
50-64	132	2.0	2	<1	<1	1	3	4	5	8
65+	62	1.9	1	<1	<1	2	2	3	4	5
2. MULTIPLE DX										
0-19 YRS	27	2.1	4	<1	<1	1	2	6	8	9
20-34	73	3.5	28	<1	1	2	3	6	9	34
35-49	164	3.2	13	1	1	2	4	6	8	21
50-64	187	3.6	14	<1	1	3	4	8	10	17
65+	195	5.1	39	1	1	3	6	10	14	29
TOT. SINGLE DX	468	1.7	2	<1	<1	1	2	3	4	6
" MULTIPLE DX	646	3.9	24	<1	1	3	5	8	10	24
TOTAL 0-19 YRS	92	1.6	3	<1	<1	<1	1	3	6	10
20-34	157	2.5	15	<1	<1	1	3	4	6	28
35-49	289	2.5	9	<1	<1	2	3	5	7	10
50-64	319	2.9	10	<1	<1	2	4	6	9	15
65+	257	4.3	32	<1	1	3	5	9	13	24
GRAND TOTAL	**1114**	**3.0**	**15**	**<1**	**<1**	**2**	**3**	**6**	**9**	**18**

624: Repair of other hernia of anterior abdominal wall (53.5-53.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	37	1.4	1	<1	<1	1	1	2	4	7
20-34	157	2.2	2	<1	<1	2	3	4	5	9
35-49	420	2.8	3	<1	1	2	4	5	6	8
50-64	455	3.1	3	1	1	3	4	5	6	8
65+	342	3.4	4	1	1	3	5	6	7	11
2. MULTIPLE DX										
0-19 YRS	26	4.2	21	<1	1	3	5	11	16	20
20-34	166	3.8	6	1	1	3	5	6	8	13
35-49	498	4.4	10	1	2	4	5	8	10	19
50-64	808	5.0	16	1	1	4	6	9	11	24
65+	1122	5.7	25	1	2	5	7	11	13	27
TOT. SINGLE DX	1411	2.9	4	<1	1	2	4	5	6	9
" MULTIPLE DX	2620	5.1	19	1	1	4	6	9	12	24
TOTAL 0-19 YRS	63	2.6	11	<1	<1	1	3	5	9	19
20-34	323	3.0	5	<1	1	2	4	5	7	13
35-49	918	3.7	8	1	1	3	5	6	8	15
50-64	1263	4.3	13	1	1	4	5	8	10	19
65+	1464	5.2	22	1	1	4	6	10	12	25
GRAND TOTAL	**4031**	**4.3**	**15**	**1**	**1**	**4**	**5**	**8**	**11**	**20**

625: Repair of diaphragmatic and other hernia (53.7-53.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	9	5.9	14	<1	<1	6	8	11	12	12
20-34	8	4.3	4	1	2	4	5	7	8	8
35-49	13	6.0	11	1	2	5	8	11	13	13
50-64	19	6.7	17	1	1	7	8	14	15	15
65+	21	6.3	8	1	1	8	8	9	10	10
2. MULTIPLE DX										
0-19 YRS	24	17.4	469	4	5	10	17	32	83	88
20-34	40	8.8	175	2	2	6	9	17	51	99+
35-49	86	6.9	11	3	4	6	8	11	14	19
50-64	115	8.3	31	3	4	7	10	13	17	40
65+	172	11.3	59	4	5	9	14	21	28	88
TOT. SINGLE DX	70	6.1	12	1	1	6	8	11	13	15
" MULTIPLE DX	437	9.7	81	3	4	7	11	18	24	85
TOTAL 0-19 YRS	33	14.2	368	1	4	8	13	26	73	88
20-34	48	8.0	149	1	2	6	8	12	27	99+
35-49	99	6.8	11	3	4	6	8	11	14	19
50-64	134	8.1	30	3	4	7	10	13	16	39
65+	193	10.7	56	4	5	8	13	21	28	78
GRAND TOTAL	**507**	**9.2**	**73**	**3**	**4**	**7**	**10**	**17**	**22**	**83**

626: Incision, excision of abdominal wall and peritoneum except laparotomy (54.0; 54.22-54.23; 54.3-54.4; 54.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	2.7	4	<1	<1	2	4	6	8	10
20-34	174	3.5	10	<1	<1	3	5	7	8	17
35-49	139	4.2	9	<1	1	4	5	8	11	15
50-64	114	5.1	15	1	1	4	7	10	13	18
65+	74	4.7	11	1	1	4	6	10	12	16
2. MULTIPLE DX										
0-19 YRS	137	6.8	63	<1	1	5	8	14	18	54
20-34	353	7.0	56	1	2	5	8	15	20	41
35-49	560	8.5	73	1	2	6	10	18	24	46
50-64	814	8.3	48	1	2	7	10	17	23	36
65+	1133	10.3	74	2	3	8	13	20	27	44
TOT. SINGLE DX	588	4.0	11	<1	1	3	5	8	10	16
" MULTIPLE DX	2997	8.8	66	1	2	7	11	18	24	43
TOTAL 0-19 YRS	224	5.2	44	<1	1	4	7	10	15	36
20-34	527	5.9	44	1	1	4	7	13	17	32
35-49	699	7.6	63	1	1	6	9	16	21	44
50-64	928	7.9	45	1	2	6	10	17	21	36
65+	1207	9.9	72	1	2	8	13	19	26	43
GRAND TOTAL	**3585**	**8.1**	**60**	**1**	**2**	**6**	**10**	**17**	**22**	**40**

627: Laparotomy (54.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	185	4.0	5	1	2	4	5	7	9	12
20-34	348	4.2	5	1	2	4	5	7	9	14
35-49	152	5.3	9	2	2	5	7	9	9	18
50-64	74	7.0	17	1	3	6	8	13	17	20
65+	64	8.5	25	2	3	8	10	14	18	27
2. MULTIPLE DX										
0-19 YRS	307	7.6	54	2	3	6	9	14	19	39
20-34	850	7.2	73	2	3	5	8	13	18	56
35-49	488	9.6	87	2	3	7	11	20	27	56
50-64	482	13.1	159	3	4	9	14	28	40	79
65+	710	13.8	101	4	5	11	17	26	34	66
TOT. SINGLE DX	823	5.0	11	1	2	4	6	9	11	17
" MULTIPLE DX	2837	10.3	103	2	3	7	12	21	30	60
TOTAL 0-19 YRS	492	6.3	39	2	2	4	7	12	16	38
20-34	1198	6.3	55	2	2	4	7	11	16	45
35-49	640	8.6	73	2	3	6	9	17	24	49
50-64	556	12.3	145	3	4	9	14	25	39	78
65+	774	13.4	97	4	5	11	17	25	32	62
GRAND TOTAL	**3660**	**9.1**	**88**	**2**	**3**	**6**	**11**	**18**	**26**	**56**

628: Laparoscopy (excluding that for destruction of fallopian tubes) (54.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	246	2.3	2	<1	<1	2	3	5	6	7
20-34	957	2.1	3	<1	<1	1	3	4	5	9
35-49	175	1.8	2	<1	<1	1	2	4	5	7
50-64	14	1.6	1	<1	<1	1	2	4	5	5
65+	8	2.0	1	<1	<1	1	3	4	4	4
2. MULTIPLE DX										
0-19 YRS	276	3.2	6	<1	1	3	4	7	9	12
20-34	1365	2.8	6	<1	<1	2	4	6	7	13
35-49	333	3.2	17	<1	<1	2	4	7	9	17
50-64	38	4.7	18	<1	<1	3	8	11	14	16
65+	42	7.0	59	1	1	3	11	19	22	32
TOT. SINGLE DX	1400	2.1	3	<1	<1	1	3	4	5	8
" MULTIPLE DX	2054	3.0	10	<1	<1	2	4	6	8	15
TOTAL 0-19 YRS	522	2.8	5	<1	<1	2	4	6	7	11
20-34	2322	2.5	5	<1	<1	1	3	5	7	11
35-49	508	2.7	12	<1	<1	1	4	6	8	13
50-64	52	3.8	16	<1	<1	2	5	10	13	16
65+	50	6.2	54	<1	1	2	10	18	21	32
GRAND TOTAL	**3454**	**2.6**	**7**	**<1**	**<1**	**1**	**4**	**5**	**7**	**13**

629: Peritoneal dialysis (54.98)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

630: Miscellaneous operations on abdominal wall and peritoneum (54.5-54.7; 54.92-54.97; 54.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	5.4	6	1	2	6	7	8	10	13
20-34	288	5.2	12	<1	1	4	7	9	11	20
35-49	212	6.5	15	2	3	6	8	10	14	20
50-64	176	8.0	18	2	4	7	10	12	15	27
65+	153	8.5	17	2	4	8	10	13	18	21
2. MULTIPLE DX										
0-19 YRS	184	9.8	134	2	2	6	11	18	36	74
20-34	958	5.6	42	1	1	4	6	11	14	34
35-49	764	7.6	41	2	2	6	9	15	20	34
50-64	751	11.6	104	2	3	9	15	22	33	57
65+	1294	12.8	73	3	5	11	15	22	29	47
TOT. SINGLE DX	900	6.6	17	1	2	6	8	11	14	21
" MULTIPLE DX	3951	9.7	77	2	3	7	12	19	26	46
TOTAL 0-19 YRS	255	8.6	103	1	2	6	9	16	29	71
20-34	1246	5.5	36	1	1	4	6	10	13	26
35-49	976	7.3	36	2	2	6	9	14	19	32
50-64	927	10.9	90	2	3	9	13	20	31	55
65+	1447	12.4	69	3	5	10	15	22	28	45
GRAND TOTAL	**4851**	**9.1**	**66**	**1**	**3**	**7**	**11**	**18**	**23**	**44**

631: Complete nephrectomy (55.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	17	5.8	3	3	3	6	7	8	9	10
20-34	41	5.8	2	4	4	6	6	8	9	10
35-49	56	6.8	4	4	5	7	8	9	11	14
50-64	66	7.3	4	4	5	7	8	10	11	14
65+	67	8.4	9	5	5	8	10	12	14	19
2. MULTIPLE DX										
0-19 YRS	67	6.5	14	2	3	5	8	13	16	86
20-34	126	10.8	121	4	4	7	10	20	39	58
35-49	195	9.6	53	4	5	7	10	18	23	56
50-64	336	9.5	42	4	5	8	11	15	18	38
65+	544	12.1	79	6	6	9	13	20	26	54
TOT. SINGLE DX	247	7.1	6	4	4	7	8	10	11	15
" MULTIPLE DX	1268	10.6	68	4	5	8	12	18	24	55
TOTAL 0-19 YRS	84	6.4	13	2	3	5	8	11	14	72
20-34	167	9.6	97	4	4	6	9	18	32	57
35-49	251	9.0	43	4	5	7	9	16	21	33
50-64	402	9.2	37	4	5	8	10	14	17	33
65+	611	11.7	73	5	6	9	13	19	25	52
GRAND TOTAL	**1515**	**10.0**	**60**	**4**	**5**	**8**	**11**	**17**	**22**	**49**

632: Miscellaneous operations on kidney (55.0-55.1; 55.23-55.24; 55.3-55.4; 55.6-55.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	145	3.5	9	1	1	2	5	7	9	13
20-34	242	4.2	13	1	1	3	6	8	11	21
35-49	175	4.3	12	1	1	3	6	9	10	20
50-64	148	4.3	12	1	1	3	6	9	11	15
65+	66	5.0	19	<1	1	4	7	10	15	21
2. MULTIPLE DX										
0-19 YRS	267	7.6	42	1	1	6	10	15	21	31
20-34	565	7.8	53	1	1	6	10	16	21	34
35-49	546	8.3	58	1	1	7	11	17	22	36
50-64	571	8.6	90	1	1	6	11	17	20	50
65+	690	9.1	66	1	2	7	12	18	24	38
TOT. SINGLE DX	776	4.2	13	1	1	3	6	8	11	21
" MULTIPLE DX	2639	8.4	65	1	1	7	11	17	22	37
TOTAL 0-19 YRS	412	6.1	34	1	1	4	8	13	19	27
20-34	807	6.7	44	1	1	5	8	14	19	31
35-49	721	7.3	50	1	1	6	10	15	20	34
50-64	719	7.7	77	1	1	6	10	16	19	47
65+	756	8.7	64	1	1	7	11	17	23	37
GRAND TOTAL	**3415**	**7.4**	**56**	**1**	**1**	**6**	**10**	**16**	**20**	**34**

633: Ureterotomy (56.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	3.1	5	<1	<1	3	5	6	7	7
20-34	107	4.3	6	1	1	4	6	8	9	10
35-49	127	4.7	10	1	1	4	6	9	11	15
50-64	106	4.8	9	1	1	5	7	9	11	12
65+	56	5.4	17	<1	1	5	7	9	12	23
2. MULTIPLE DX										
0-19 YRS	15	5.9	67	<1	1	3	5	24	26	27
20-34	104	6.0	18	1	2	5	8	11	13	24
35-49	146	6.0	18	1	1	6	8	11	14	23
50-64	217	6.4	26	1	1	5	8	13	16	27
65+	250	9.4	67	1	2	8	13	18	24	38
TOT. SINGLE DX	404	4.7	10	1	1	4	6	9	10	14
" MULTIPLE DX	732	7.3	41	1	1	6	9	14	18	31
TOTAL 0-19 YRS	23	4.9	46	<1	1	3	5	11	25	27
20-34	211	5.2	13	1	1	5	7	10	11	17
35-49	273	5.4	15	1	1	5	7	10	13	19
50-64	323	5.9	21	1	1	5	8	11	14	25
65+	306	8.7	61	1	2	7	11	17	22	38
GRAND TOTAL	**1136**	**6.4**	**31**	**1**	**1**	**5**	**8**	**12**	**16**	**27**

634: Ureteral diversion (56.5-56.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	160	5.4	4	2	3	5	7	8	8	13
20-34	12	4.8	4	2	2	5	6	8	9	9
35-49	5	7.2	18	1	1	7	9	13	13	13
50-64	6	10.8	100	3	3	6	21	25	26	26
65+	5	8.2	11	3	3	9	10	12	12	12
2. MULTIPLE DX										
0-19 YRS	174	7.1	14	2	3	6	8	12	14	23
20-34	50	9.8	45	3	4	8	12	16	21	43
35-49	40	11.3	53	5	6	9	13	18	24	45
50-64	41	12.4	81	3	5	11	16	23	25	54
65+	76	18.0	340	4	5	12	18	45	63	88
TOT. SINGLE DX	188	5.7	8	2	3	5	7	8	9	18
" MULTIPLE DX	381	10.6	111	3	4	8	12	18	26	64
TOTAL 0-19 YRS	334	6.3	10	2	3	6	7	10	12	19
20-34	62	8.8	42	3	3	7	10	15	19	41
35-49	45	10.8	51	5	6	9	12	17	22	45
50-64	47	12.2	82	3	4	11	16	23	26	54
65+	81	17.4	325	4	5	11	17	40	58	88
GRAND TOTAL	**569**	**9.0**	**83**	**3**	**3**	**7**	**10**	**15**	**21**	**49**

635: Miscellaneous operations on ureter (56.0-56.1; 56.32-56.33; 56.4; 56.8-56.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	48	3.6	8	<1	1	3	5	7	8	16
20-34	361	2.7	3	1	1	2	4	5	6	9
35-49	532	2.7	3	1	1	2	3	5	6	9
50-64	338	2.8	5	<1	1	2	4	5	7	13
65+	143	3.1	5	1	1	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	55	6.3	56	<1	1	4	8	13	24	41
20-34	275	4.2	22	1	1	3	5	8	10	25
35-49	411	4.1	12	1	1	3	5	8	10	19
50-64	366	5.1	44	1	1	3	6	11	14	24
65+	437	6.1	45	1	1	4	8	12	18	36
TOT. SINGLE DX	1422	2.8	4	1	1	2	4	5	7	11
" MULTIPLE DX	1544	5.0	33	1	1	3	6	10	14	30
TOTAL 0-19 YRS	103	5.0	35	<1	1	4	6	9	14	36
20-34	636	3.3	12	1	1	3	4	6	8	15
35-49	943	3.3	8	1	1	3	4	7	9	15
50-64	704	4.0	27	1	1	3	5	9	12	19
65+	580	5.4	38	1	1	4	7	11	16	32
GRAND TOTAL	**2966**	**3.9**	**21**	**1**	**1**	**3**	**5**	**8**	**11**	**21**

636: Cystoscopy and urethroscopy (55.21-55.22; 56.31; 57.32; 58.22)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	98	2.0	14	<1	<1	<1	1	4	6	23
20-34	219	2.7	4	<1	<1	2	4	6	8	10
35-49	293	2.8	7	<1	<1	2	4	6	8	14
50-64	258	2.4	4	<1	<1	2	3	5	7	11
65+	195	2.4	5	<1	<1	1	3	5	7	14
2. MULTIPLE DX										
0-19 YRS	169	3.0	18	<1	<1	1	4	7	10	38
20-34	332	6.0	57	<1	1	4	7	11	23	41
35-49	491	5.7	56	<1	1	4	7	11	17	44
50-64	772	5.8	47	<1	1	4	7	13	17	38
65+	1930	7.6	68	1	1	6	9	16	22	40
TOT. SINGLE DX	1063	2.6	7	<1	<1	2	3	6	7	12
" MULTIPLE DX	3694	6.6	60	<1	1	4	8	14	20	39
TOTAL 0-19 YRS	267	2.7	17	<1	<1	1	3	6	8	32
20-34	551	4.7	39	<1	1	3	5	9	13	35
35-49	784	4.6	40	<1	1	3	6	10	14	36
50-64	1030	5.0	39	<1	<1	3	6	11	16	34
65+	2125	7.1	65	<1	1	5	9	15	21	39
GRAND TOTAL	**4757**	**5.7**	**51**	**<1**	**<1**	**4**	**7**	**12**	**18**	**37**

637: Transurethral excision or destruction of bladder lesion (57.33; 57.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	2.3	1	1	1	3	3	3	3	3
20-34	22	2.1	2	<1	<1	2	3	5	6	6
35-49	111	1.8	1	<1	1	1	2	3	3	8
50-64	375	1.9	3	<1	1	1	2	3	4	5
65+	770	2.0	2	<1	1	1	2	4	5	7
2. MULTIPLE DX										
0-19 YRS	11	4.8	23	1	1	3	7	12	17	17
20-34	65	2.4	3	1	1	2	3	5	6	9
35-49	156	2.9	7	1	1	2	3	6	9	14
50-64	640	3.2	16	1	1	2	3	7	9	22
65+	2826	3.9	22	1	1	3	4	8	12	24
TOT. SINGLE DX	1281	1.9	3	<1	1	1	2	4	4	7
" MULTIPLE DX	3698	3.7	21	1	1	2	4	8	11	23
TOTAL 0-19 YRS	14	4.3	19	1	1	3	6	10	15	17
20-34	87	2.4	3	<1	1	2	3	5	6	9
35-49	267	2.4	6	<1	1	2	3	5	8	12
50-64	1015	2.7	12	1	1	2	3	5	7	19
65+	3596	3.5	19	1	1	2	4	7	11	22
GRAND TOTAL	**4979**	**3.3**	**17**	**1**	**1**	**2**	**4**	**7**	**9**	**21**

638: Miscellaneous operations on bladder (57.0-57.2; 57.34; 57.51-57.93; 57.96-57.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	3.4	5	1	1	2	5	7	8	9
20-34	55	4.0	8	1	1	3	6	7	10	13
35-49	81	3.7	5	1	1	3	5	7	8	11
50-64	132	4.5	13	1	1	3	7	10	12	16
65+	138	4.5	16	<1	1	3	6	11	13	19
2. MULTIPLE DX										
0-19 YRS	127	7.4	51	1	2	5	9	17	23	57
20-34	142	8.7	145	1	1	6	9	20	35	99+
35-49	187	7.2	63	1	1	5	8	14	25	85
50-64	414	8.0	66	1	2	6	10	16	22	45
65+	1148	7.8	59	1	1	6	10	16	21	40
TOT. SINGLE DX	446	4.2	12	1	1	3	6	9	11	15
" MULTIPLE DX	2018	7.8	67	1	1	6	10	16	22	46
TOTAL 0-19 YRS	167	6.4	44	1	1	4	8	13	21	43
20-34	197	7.4	112	1	1	5	8	15	29	99
35-49	268	6.1	48	1	1	4	7	12	17	59
50-64	546	7.2	56	1	1	5	10	15	20	42
65+	1286	7.4	56	1	1	5	10	16	20	38
GRAND TOTAL	**2464**	**7.2**	**59**	**1**	**1**	**5**	**9**	**15**	**20**	**43**

639: Urethral meatotomy (58.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	1.0		<1	<1	<1	<1	1	1	1
20-34										
35-49	2	2.5	1	2	2	2	3	3	3	3
50-64	4	1.8	2	<1	<1	1	2	4	4	4
65+										
2. MULTIPLE DX										
0-19 YRS	15	1.9	2	<1	<1	1	2	5	5	5
20-34	1	7.0		7	7	7	7	7	7	7
35-49	4	3.3	11	<1	<1	2	5	8	8	8
50-64	5	8.6	154	<1	<1	2	14	30	30	30
65+	10	4.0	26	<1	<1	2	4	12	18	18
TOT. SINGLE DX	17	1.4	1	<1	<1	<1	1	3	4	4
" MULTIPLE DX	35	3.7	32	<1	<1	2	4	8	16	30
TOTAL 0-19 YRS	26	1.5	1	<1	<1	<1	1	3	5	5
20-34	1	7.0		7	7	7	7	7	7	7
35-49	6	3.0	7	<1	<1	2	3	8	8	8
50-64	9	5.6	91	<1	<1	1	5	22	30	30
65+	10	4.0	27	<1	<1	2	4	12	18	18
GRAND TOTAL	**52**	**3.0**	**23**	**<1**	**<1**	**1**	**3**	**6**	**9**	**30**

640: Excision of urethral lesion, repair of urethra (58.23-58.24; 58.3-58.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	203	2.6	4	<1	1	2	4	6	7	9
20-34	53	1.9	1	<1	<1	1	3	4	5	6
35-49	54	3.0	4	<1	1	2	4	6	7	10
50-64	35	2.7	5	<1	<1	2	3	6	7	11
65+	42	2.5	3	<1	<1	2	3	5	6	9
2. MULTIPLE DX										
0-19 YRS	136	3.0	6	<1	1	2	4	6	8	12
20-34	40	3.6	15	<1	1	2	4	8	13	19
35-49	76	4.0	11	<1	1	4	5	8	12	78
50-64	86	3.7	9	1	1	3	5	7	9	16
65+	162	4.2	16	1	1	3	6	9	11	24
TOT. SINGLE DX	387	2.6	4	<1	1	2	3	5	7	9
" MULTIPLE DX	500	3.7	12	1	1	3	5	7	10	19
TOTAL 0-19 YRS	339	2.8	5	<1	1	2	4	6	8	9
20-34	93	2.6	8	<1	1	2	3	5	7	17
35-49	130	3.6	9	<1	1	3	5	7	10	34
50-64	121	3.4	9	<1	1	2	5	7	9	16
65+	204	3.9	15	1	1	3	5	8	11	22
GRAND TOTAL	**887**	**3.2**	**9**	**<1**	**1**	**2**	**4**	**7**	**8**	**16**

641: Urethral dilation (58.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	32	1.2		<1	<1	<1	<1	1	3	4
20-34	18	1.6	1	<1	<1	1	2	2	5	6
35-49	15	2.1	3	<1	<1	1	3	4	7	8
50-64	15	2.6	10	<1	<1	1	3	6	11	13
65+	14	1.9	2	<1	<1	1	3	4	6	6
2. MULTIPLE DX										
0-19 YRS	56	1.4	2	<1	<1	<1	1	2	3	12
20-34	36	4.4	54	<1	<1	2	5	11	12	43
35-49	55	4.0	11	<1	<1	2	6	10	10	12
50-64	78	4.4	21	<1	<1	3	6	9	11	29
65+	323	7.7	68	1	1	5	9	16	22	40
TOT. SINGLE DX	94	1.8	3	<1	<1	<1	2	4	6	11
" MULTIPLE DX	548	6.0	53	<1	<1	4	7	13	18	35
TOTAL 0-19 YRS	88	1.3	2	<1	<1	<1	<1	2	3	10
20-34	54	3.5	38	<1	<1	1	3	8	11	42
35-49	70	3.6	10	<1	<1	2	6	9	10	12
50-64	93	4.1	20	<1	<1	3	6	9	12	26
65+	337	7.4	67	1	1	5	9	16	22	38
GRAND TOTAL	**642**	**5.4**	**48**	**<1**	**<1**	**3**	**7**	**12**	**17**	**33**

642: Miscellaneous operations on urethra (58.0; 58.21; 58.5; 58.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	1.7	2	<1	<1	1	2	4	6	7
20-34	62	2.0	16	<1	<1	1	2	3	5	29
35-49	51	2.0	4	<1	<1	1	2	5	6	10
50-64	41	1.8	2	<1	<1	1	2	4	6	7
65+	53	1.9	1	<1	<1	1	2	4	5	6
2. MULTIPLE DX										
0-19 YRS	48	2.8	35	<1	<1	1	3	5	6	42
20-34	107	2.6	20	1	1	1	3	5	6	29
35-49	83	3.5	19	1	1	2	4	9	12	24
50-64	128	3.0	4	1	1	2	4	6	7	11
65+	383	4.2	21	1	1	3	5	9	12	28
TOT. SINGLE DX	238	1.9	6	<1	<1	1	2	4	6	9
" MULTIPLE DX	749	3.6	19	1	1	2	4	8	10	27
TOTAL 0-19 YRS	79	2.4	23	<1	<1	1	2	5	6	32
20-34	169	2.4	19	<1	1	1	2	4	5	30
35-49	134	2.9	14	<1	1	1	3	7	10	17
50-64	169	2.7	4	1	1	2	4	6	7	10
65+	436	3.9	20	1	1	2	5	8	12	27
GRAND TOTAL	**987**	**3.2**	**17**	**<1**	**1**	**2**	**4**	**7**	**10**	**26**

643: Urethral suspension (59.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	29	4.3	2	2	2	4	5	6	7	10
35-49	172	4.6	1	3	3	5	5	6	7	8
50-64	144	4.8	2	3	3	5	5	7	8	9
65+	83	5.3	3	3	3	5	6	8	9	10
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	51	99+	99+	99+	99+
20-34	69	5.1	4	2	3	5	6	8	8	14
35-49	377	5.2	2	3	4	5	6	7	8	10
50-64	351	5.5	4	3	3	5	7	8	9	11
65+	261	6.4	14	3	3	6	7	9	11	20
TOT. SINGLE DX	430	4.8	2	3	3	5	5	7	8	9
" MULTIPLE DX	1059	5.6	6	3	3	5	6	8	9	14
TOTAL 0-19 YRS	3	1.7	1	1	1	2	51	99+	99+	99+
20-34	98	4.9	4	2	3	5	6	7	8	13
35-49	549	5.0	2	3	3	5	6	7	8	10
50-64	495	5.3	4	3	3	5	6	8	9	11
65+	344	6.2	12	3	3	6	7	9	10	17
GRAND TOTAL	**1489**	**5.4**	**5**	**3**	**3**	**5**	**6**	**8**	**9**	**13**

644: Other repair of stress incontinence (59.3-59.4; 59.6-59.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	3.0	2	2	2	3	4	4	4	4
20-34	26	4.1	2	2	2	4	5	6	6	6
35-49	139	3.9	2	2	2	4	5	6	7	8
50-64	157	3.8	3	2	2	4	5	6	6	9
65+	110	4.7	4	2	2	5	6	7	9	13
2. MULTIPLE DX										
0-19 YRS	2	3.5	5	2	2	3	5	5	5	5
20-34	49	4.8	6	2	3	4	5	7	8	19
35-49	261	4.5	5	2	2	4	5	7	9	16
50-64	279	4.9	8	2	3	4	6	7	8	20
65+	324	5.1	7	2	2	5	6	8	9	15
TOT. SINGLE DX	434	4.1	3	2	2	4	5	6	7	10
" MULTIPLE DX	915	4.9	7	2	3	4	6	8	9	16
TOTAL 0-19 YRS	4	3.3	2	2	2	3	4	5	5	5
20-34	75	4.5	5	2	3	4	5	6	8	16
35-49	400	4.3	4	2	2	4	5	6	8	13
50-64	436	4.5	7	2	2	4	5	7	8	13
65+	434	5.0	7	2	2	5	6	8	9	14
GRAND TOTAL	**1349**	**4.6**	**6**	**2**	**2**	**4**	**5**	**7**	**8**	**14**

645: Ureteral catheterization (59.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.3		<1	<1	1	2	2	2	2
20-34	39	2.7	3	1	1	2	4	5	6	10
35-49	42	3.0	4	<1	1	2	4	7	7	9
50-64	34	2.4	3	<1	1	2	3	5	7	8
65+	23	2.6	3	<1	<1	2	4	6	7	7
2. MULTIPLE DX										
0-19 YRS	9	4.1	20	<1	<1	4	5	11	15	15
20-34	56	4.8	34	1	1	3	5	9	17	34
35-49	75	4.0	8	1	1	3	6	8	9	13
50-64	104	6.2	39	<1	1	4	7	14	22	30
65+	143	7.3	101	1	1	4	9	16	22	38
TOT. SINGLE DX	141	2.7	4	<1	1	2	4	6	7	9
" MULTIPLE DX	387	5.9	57	1	1	4	7	13	19	32
TOTAL 0-19 YRS	12	3.4	16	<1	<1	2	4	9	14	15
20-34	95	3.9	22	1	1	3	4	7	11	29
35-49	117	3.6	8	1	1	3	5	7	9	12
50-64	138	5.3	33	<1	1	3	6	12	20	30
65+	166	6.7	90	1	1	4	8	14	22	34
GRAND TOTAL	**528**	**5.1**	**45**	**1**	**1**	**3**	**6**	**11**	**16**	**30**

646: Miscellaneous operations on urinary tract (59.0-59.21, 59.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.6	8	1	1	3	6	7	7	7
20-34	54	1.8	1	1	1	1	2	4	5	8
35-49	93	1.6	1	<1	1	1	2	3	5	7
50-64	99	1.5	1	1	1	1	1	3	4	6
65+	66	1.9	2	<1	1	1	2	4	5	7
2. MULTIPLE DX										
0-19 YRS	9	5.6	34	1	1	5	6	14	20	20
20-34	57	3.6	12	1	1	2	5	8	13	15
35-49	95	3.9	20	1	1	2	4	13	15	20
50-64	109	4.4	24	1	1	2	6	10	17	23
65+	109	7.3	123	1	1	3	9	19	24	58
TOT. SINGLE DX	317	1.7	2	1	1	1	2	4	5	7
" MULTIPLE DX	379	5.0	52	1	1	2	6	13	18	28
TOTAL 0-19 YRS	14	4.9	24	1	1	5	6	8	17	20
20-34	111	2.7	8	1	1	1	4	6	8	15
35-49	188	2.7	13	<1	1	1	3	7	13	18
50-64	208	3.0	15	1	1	1	3	8	10	19
65+	175	5.2	84	1	1	2	5	15	21	36
GRAND TOTAL	**696**	**3.5**	**32**	**1**	**1**	**1**	**4**	**8**	**14**	**24**

647: Miscellaneous diagnostic and therapeutic procedures on urinary tract (55.29; 56.39; 57.31; 57.39; 57.94-57.95; 58.29; 59.29)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

648: Transurethral prostatectomy (60.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	3	2.0	1	1	1	2	3	3	3	3
35-49	25	3.5	4	1	2	3	4	5	7	12
50-64	845	3.4	1	1	2	3	4	5	6	8
65+	1781	3.7	3	1	2	4	4	6	6	9
2. MULTIPLE DX										
0-19 YRS	10	3.7	4	1	1	4	6	6	6	6
20-34	6	7.3	36	2	2	5	12	16	17	17
35-49	100	5.0	84	2	2	3	5	7	10	53
50-64	2975	4.0	9	1	2	3	4	6	8	16
65+	11813	5.1	18	2	2	4	6	9	12	23
TOT. SINGLE DX	2655	3.6	3	1	2	3	4	5	6	8
" MULTIPLE DX	14904	4.9	18	2	2	4	5	8	12	21
TOTAL 0-19 YRS	11	3.5	4	1	1	3	5	6	6	6
20-34	9	5.6	30	1	1	3	8	15	17	17
35-49	125	4.7	69	2	2	3	5	7	10	34
50-64	3820	3.9	8	1	2	3	4	6	8	15
65+	13594	4.9	17	2	2	4	5	8	12	21
GRAND TOTAL	**17559**	**4.7**	**16**	**2**	**2**	**4**	**5**	**8**	**11**	**20**

649: Other prostatectomy (60.3-60.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49	4	5.3	9	<1	<1	6	7	8	8	8
50-64	118	8.2	8	4	5	8	10	12	14	18
65+	200	7.8	5	4	5	7	9	11	12	15
2. MULTIPLE DX										
0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	1	41.0		41	41	41	41	41	41	41
35-49	5	8.0	4	6	6	8	9	11	11	11
50-64	309	8.6	11	4	6	8	10	13	16	19
65+	953	9.4	20	5	5	8	11	14	18	26
TOT. SINGLE DX	322	7.9	7	4	5	7	9	12	13	16
" MULTIPLE DX	1270	9.2	19	5	6	8	10	14	17	25
TOTAL 0-19 YRS	2	3.5	13	1	1	3	6	6	6	6
20-34	1	41.0		41	41	41	41	41	41	41
35-49	9	6.8	8	<1	2	7	8	10	11	11
50-64	427	8.5	11	4	5	8	10	13	15	19
65+	1153	9.1	18	5	5	8	10	14	17	25
GRAND TOTAL	**1592**	**8.9**	**17**	**4**	**5**	**8**	**10**	**14**	**16**	**24**

650: Miscellaneous operations on prostate and seminal vesicles (60.0; 60.11-60.15; 60.7-60.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	3	1.7	1	1	1	1	3	3	3	3
35-49	10	1.1		<1	<1	<1	1	2	2	2
50-64	108	1.5		<1	<1	1	2	3	3	6
65+	182	1.4	1	<1	<1	1	1	2	3	8
2. MULTIPLE DX										
0-19 YRS	2	3.5	1	3	3	3	4	4	4	4
20-34	2	2.5	5	1	1	2	4	4	4	4
35-49	15	2.5	3	<1	1	2	4	5	6	6
50-64	177	3.2	12	<1	<1	2	3	9	11	21
65+	630	4.2	23	<1	1	2	5	10	14	24
TOT. SINGLE DX	304	1.4	1	<1	<1	1	1	2	3	7
" MULTIPLE DX	826	3.9	21	<1	1	2	5	9	12	23
TOTAL 0-19 YRS	3	3.0	1	2	2	3	4	4	4	4
20-34	5	2.0	2	1	1	1	3	4	4	4
35-49	25	1.9	2	<1	<1	1	2	5	5	6
50-64	285	2.5	9	<1	<1	1	3	6	9	19
65+	812	3.5	20	<1	<1	2	4	8	12	23
GRAND TOTAL	**1130**	**3.2**	**17**	**<1**	**<1**	**2**	**4**	**8**	**11**	**21**

651: Operations on scrotum and tunica vaginalis (61.0-61.11; 61.2-61.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	67	1.4		<1	<1	1	2	3	4	5
20-34	53	1.5		<1	<1	1	2	3	4	5
35-49	41	2.2	4	<1	<1	1	3	6	7	8
50-64	37	1.7	1	<1	1	1	2	4	5	6
65+	20	1.8	2	<1	<1	1	2	4	6	6
2. MULTIPLE DX										
0-19 YRS	49	2.1	16	<1	<1	1	2	4	6	28
20-34	61	3.5	20	1	1	2	4	6	11	29
35-49	52	5.0	31	1	1	3	6	12	21	23
50-64	56	4.9	56	1	1	2	5	11	17	47
65+	105	6.6	86	1	1	3	9	14	18	60
TOT. SINGLE DX	218	1.7	2	<1	<1	1	2	4	5	7
" MULTIPLE DX	323	4.8	51	1	1	2	5	11	17	36
TOTAL 0-19 YRS	116	1.7	7	<1	<1	1	2	3	5	15
20-34	114	2.6	12	<1	<1	2	3	5	7	21
35-49	93	3.8	21	1	1	2	4	8	13	22
50-64	93	3.7	37	1	1	2	3	9	12	37
65+	125	5.8	76	<1	1	3	8	13	17	58
GRAND TOTAL	**541**	**3.5**	**34**	**<1**	**1**	**2**	**4**	**8**	**12**	**28**

652: Orchiectomy (62.3-62.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	94	1.4		<1	<1	1	2	3	3	4
20-34	168	1.6	1	<1	1	1	2	3	4	5
35-49	88	1.9	3	<1	1	1	2	4	7	9
50-64	44	2.0	4	<1	1	1	2	6	8	9
65+	128	1.6	1	<1	<1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	108	1.9	3	<1	1	1	2	3	4	11
20-34	105	3.9	39	1	1	2	4	8	11	42
35-49	66	3.5	27	1	1	2	4	7	16	31
50-64	136	4.6	42	1	1	2	6	10	16	28
65+	770	5.3	46	1	1	3	7	12	17	34
TOT. SINGLE DX	522	1.6	2	<1	1	1	2	3	4	8
" MULTIPLE DX	1185	4.7	41	1	1	2	6	11	15	33
TOTAL 0-19 YRS	202	1.6	2	<1	1	1	2	3	3	7
20-34	273	2.5	17	1	1	1	3	5	8	14
35-49	154	2.6	14	<1	1	1	2	6	8	21
50-64	180	4.0	34	<1	1	2	5	9	13	23
65+	898	4.8	42	<1	1	2	6	11	16	32
GRAND TOTAL	**1707**	**3.8**	**31**	**<1**	**1**	**2**	**4**	**9**	**13**	**26**

653: Orchiopexy (62.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	456	1.2		<1	<1	1	1	2	2	3
20-34	67	1.3		<1	<1	1	1	2	3	3
35-49	10	1.5		<1	<1	1	2	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	210	1.7	12	<1	<1	1	2	2	4	10
20-34	19	1.9		<1	1	2	2	3	4	5
35-49	6	1.3		<1	<1	1	1	3	3	3
50-64										
65+	1	3.0		3	3	3	3	3	3	3
TOT. SINGLE DX	534	1.2		<1	<1	1	1	2	2	3
" MULTIPLE DX	236	1.7	12	<1	<1	1	2	3	4	10
TOTAL 0-19 YRS	666	1.3	4	<1	<1	1	1	2	2	5
20-34	86	1.4	1	<1	<1	1	2	2	3	4
35-49	16	1.4	1	<1	<1	1	2	3	3	3
50-64	1	3.0		3	3	3	3	3	3	3
65+	1	3.0		3	3	3	3	3	3	3
GRAND TOTAL	**770**	**1.4**	**4**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

654: Miscellaneous operations on testis (62.0-62.12; 62.2; 62.6-62.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	71	1.2		<1	<1	1	1	2	2	3
20-34	25	1.4		<1	<1	1	2	2	3	3
35-49	25	1.4		<1	<1	1	2	2	3	3
50-64	15	1.3		<1	<1	1	1	2	3	3
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	41	1.7	1	<1	<1	1	2	3	4	6
20-34	19	1.8	2	<1	<1	1	2	4	6	6
35-49	15	1.7	1	<1	<1	1	2	4	5	5
50-64	7	2.6	5	<1	<1	2	4	6	7	7
65+	13	6.7	58	1	1	4	10	18	25	27
TOT. SINGLE DX	137	1.3		<1	<1	1	1	2	3	3
" MULTIPLE DX	95	2.5	12	<1	<1	1	2	5	7	22
TOTAL 0-19 YRS	112	1.4	1	<1	<1	1	2	2	3	5
20-34	44	1.6	1	<1	<1	1	2	3	4	6
35-49	40	1.5	1	<1	<1	1	2	3	4	5
50-64	22	1.7	2	<1	<1	1	2	3	5	7
65+	14	6.3	57	1	1	3	9	17	25	27
GRAND TOTAL	**232**	**1.8**	**5**	**<1**	**<1**	**1**	**2**	**3**	**4**	**13**

655: Interruption of vas deferens (63.6-63.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	14	1.1		<1	<1	<1	<1	1	2	2
35-49	13	1.0		<1	<1	<1	<1	1	1	1
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34	13	1.1		<1	<1	1	1	2	2	2
35-49	7	1.1		<1	<1	<1	1	2	2	2
50-64	3	4.3	16	2	2	2	7	9	9	9
65+	2	11.0	128	3	3	11	19	19	19	19
TOT. SINGLE DX	27	1.0		<1	<1	<1	<1	1	1	2
" MULTIPLE DX	25	2.3	15	<1	<1	1	2	3	11	19
TOTAL 0-19 YRS										
20-34	27	1.1		<1	<1	<1	1	1	2	2
35-49	20	1.1		<1	<1	<1	1	1	2	2
50-64	3	4.3	16	2	2	2	7	9	9	9
65+	2	11.0	128	3	3	11	19	19	19	19
GRAND TOTAL	**52**	**1.6**	**7**	**<1**	**<1**	**<1**	**1**	**2**	**3**	**19**

656: Miscellaneous operations on spermatic cord, epididymis, and vas deferens (63.01; 63.1-63.5; 63.8-63.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	113	1.4		<1	<1	1	1	2	3	6
20-34	116	1.3		<1	<1	1	1	2	3	6
35-49	111	1.3		<1	<1	1	1	2	3	4
50-64	94	1.5	3	<1	<1	1	1	2	4	11
65+	42	1.5		<1	<1	1	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	78	1.3		<1	<1	1	1	2	3	5
20-34	125	1.6	2	<1	<1	1	2	3	4	10
35-49	98	2.2	29	<1	<1	1	2	3	4	35
50-64	86	2.2	5	<1	1	1	2	4	7	14
65+	122	2.5	7	<1	1	2	3	6	8	14
TOT. SINGLE DX	476	1.4	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	509	2.0	9	<1	<1	1	2	4	5	12
TOTAL 0-19 YRS	191	1.3	1	<1	<1	1	1	2	3	5
20-34	241	1.5	2	<1	<1	1	1	2	4	9
35-49	209	1.7	14	<1	<1	1	2	2	3	10
50-64	180	1.8	4	<1	<1	1	2	3	5	14
65+	164	2.3	6	<1	1	1	2	5	7	13
GRAND TOTAL	**985**	**1.7**	**5**	**<1**	**<1**	**1**	**2**	**3**	**4**	**10**

657: Circumcision, other than newborn (64.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	128	1.0		<1	<1	<1	<1	1	1	2
20-34	13	1.1		<1	<1	<1	1	1	2	2
35-49	14	1.1		<1	<1	<1	1	2	2	2
50-64	16	1.2		<1	<1	1	1	1	3	4
65+	17	1.1		<1	<1	<1	1	2	2	2
2. MULTIPLE DX										
0-19 YRS	59	5.1	103	<1	<1	1	3	15	25	57
20-34	18	2.3	11	<1	<1	1	1	7	12	14
35-49	16	4.1	55	<1	<1	1	2	20	23	24
50-64	34	2.9	14	<1	<1	1	3	8	12	17
65+	55	4.3	16	<1	1	3	6	11	14	15
TOT. SINGLE DX	188	1.1		<1	<1	<1	1	1	1	3
" MULTIPLE DX	182	4.1	47	<1	<1	1	5	12	15	35
TOTAL 0-19 YRS	187	2.3	36	<1	<1	<1	1	2	10	34
20-34	31	1.8	7	<1	<1	1	1	3	8	14
35-49	30	2.7	31	<1	<1	1	1	3	22	24
50-64	50	2.4	10	<1	<1	1	2	6	10	17
65+	72	3.6	15	<1	<1	1	6	10	13	15
GRAND TOTAL	**370**	**2.5**	**26**	**<1**	**<1**	**1**	**1**	**6**	**11**	**24**

658: Miscellaneous operations on penis (64.11; 64.2-64.5; 64.92-64.93; 64.95-64.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	33	2.1	3	<1	<1	1	3	5	5	9
20-34	32	2.9	3	<1	1	2	4	6	7	8
35-49	57	2.6	4	1	1	2	3	4	6	12
50-64	166	2.3	2	1	1	2	3	4	5	8
65+	137	2.1	2	<1	1	2	2	4	5	8
2. MULTIPLE DX										
0-19 YRS	44	2.3	3	<1	<1	2	3	5	7	9
20-34	70	3.7	26	1	1	2	4	7	11	32
35-49	170	3.0	8	1	1	2	3	6	9	16
50-64	455	3.0	13	1	1	2	3	5	6	17
65+	397	3.2	20	1	1	2	3	5	10	27
TOT. SINGLE DX	425	2.3	3	<1	1	2	3	4	6	9
" MULTIPLE DX	1136	3.1	16	1	1	2	3	5	8	20
TOTAL 0-19 YRS	77	2.2	3	<1	<1	1	3	5	6	9
20-34	102	3.5	19	1	1	2	4	7	8	29
35-49	227	2.9	7	1	1	2	3	6	8	15
50-64	621	2.8	11	1	1	2	3	5	6	15
65+	534	2.9	16	1	1	2	3	5	8	21
GRAND TOTAL	**1561**	**2.9**	**12**	**1**	**1**	**2**	**3**	**5**	**7**	**17**

659: Miscellaneous diagnostic and therapeutic procedures on male genital tract (60.18-60.19; 61.19; 62.19; 63.09; 64.0; 64.19; 64.91; 64.94)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

660: Local excision or destruction of ovarian lesion or tissue (65.12; 65.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	175	3.5	1	1	2	4	4	5	6	7
20-34	641	3.5	1	2	2	3	4	5	6	8
35-49	90	3.9	3	1	2	4	4	5	7	12
50-64	10	5.0	6	<1	1	4	7	9	9	9
65+	8	7.6	15	5	5	6	8	14	17	17
2. MULTIPLE DX										
0-19 YRS	182	4.3	5	2	2	4	5	7	8	16
20-34	1312	4.0	2	2	2	4	5	6	7	10
35-49	261	4.4	6	2	3	4	5	6	8	18
50-64	41	9.6	39	3	4	8	14	20	22	27
65+	39	9.5	38	2	3	8	13	17	24	29
TOT. SINGLE DX	924	3.6	2	1	2	3	4	5	6	9
" MULTIPLE DX	1835	4.3	6	2	3	4	5	6	8	16
TOTAL 0-19 YRS	357	3.9	4	2	2	4	4	6	7	11
20-34	1953	3.8	3	2	2	4	4	5	6	10
35-49	351	4.3	6	1	3	4	5	6	7	17
50-64	51	8.7	36	3	3	6	11	17	22	27
65+	47	9.2	35	2	4	7	12	17	23	29
GRAND TOTAL	**2759**	**4.1**	**5**	**2**	**2**	**4**	**5**	**6**	**7**	**14**

661: Unilateral oophorectomy or salpingo-oophorectomy (65.3-65.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	92	3.8	1	2	2	4	4	5	6	9
20-34	536	3.9	1	2	3	4	4	5	6	9
35-49	231	4.1	1	3	3	4	5	5	6	10
50-64	38	5.1	8	2	3	4	6	9	12	15
65+	21	6.0	11	3	3	5	7	9	14	18
2. MULTIPLE DX										
0-19 YRS	129	4.8	6	2	3	4	5	8	9	16
20-34	1485	4.5	4	3	3	4	5	6	8	14
35-49	692	4.7	7	3	3	4	5	7	9	14
50-64	97	7.6	54	2	3	6	8	13	18	49
65+	105	9.3	31	4	4	8	11	17	20	32
TOT. SINGLE DX	918	4.0	2	2	3	4	5	5	6	10
" MULTIPLE DX	2508	4.9	10	3	3	4	5	7	10	17
TOTAL 0-19 YRS	221	4.4	5	2	3	4	5	7	9	14
20-34	2021	4.4	4	2	3	4	5	6	7	13
35-49	923	4.6	6	3	3	4	5	6	8	13
50-64	135	6.9	43	2	3	5	7	12	17	48
65+	126	8.8	30	3	4	7	10	16	19	31
GRAND TOTAL	**3426**	**4.7**	**8**	**2**	**3**	**4**	**5**	**7**	**9**	**16**

662: Bilateral oophorectomy or salpingo-oophorectomy (65.5-65.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	70	4.1	1	2	3	4	5	6	6	7
35-49	114	4.5	2	2	3	4	5	6	7	12
50-64	75	4.9	2	3	3	5	6	7	8	10
65+	35	5.5	5	3	4	5	6	8	9	16
2. MULTIPLE DX										
0-19 YRS	5	7.0	18	3	3	5	11	13	13	13
20-34	439	4.6	4	3	3	4	5	6	8	15
35-49	825	5.1	8	3	3	5	6	7	9	15
50-64	329	6.7	19	3	3	5	8	12	15	29
65+	277	8.3	19	4	4	7	10	13	18	25
TOT. SINGLE DX	295	4.6	3	3	3	4	5	7	7	11
" MULTIPLE DX	1875	5.8	13	3	3	5	6	9	12	21
TOTAL 0-19 YRS	6	6.3	17	3	3	4	10	13	13	13
20-34	509	4.6	4	3	3	4	5	6	7	14
35-49	939	5.1	8	3	3	4	6	7	9	14
50-64	404	6.3	17	3	3	5	7	11	15	26
65+	312	8.0	19	4	4	7	10	13	17	25
GRAND TOTAL	**2170**	**5.6**	**12**	**3**	**3**	**5**	**6**	**9**	**12**	**20**

663: Miscellaneous operations on ovary (65.0-65.11; 65.7-65.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	2.5	2	<1	<1	2	3	4	5	7
20-34	258	1.8	1	<1	<1	1	3	4	4	6
35-49	80	1.5	2	<1	<1	1	1	3	4	11
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	55	4.0	12	1	1	3	5	7	9	22
20-34	640	3.2	2	<1	1	3	4	5	6	8
35-49	174	2.9	4	<1	<1	3	4	5	6	11
50-64	7	5.4	9	<1	1	5	8	9	9	9
65+	7	7.7	38	2	2	8	9	18	20	20
TOT. SINGLE DX	378	1.8	2	<1	<1	1	2	4	4	7
" MULTIPLE DX	883	3.3	4	<1	<1	3	4	5	6	9
TOTAL 0-19 YRS	95	3.3	8	<1	1	3	4	6	7	19
20-34	898	2.8	3	<1	<1	3	4	5	6	8
35-49	254	2.4	4	<1	<1	1	4	5	6	12
50-64	7	5.4	9	<1	1	5	8	9	9	9
65+	7	7.7	39	2	2	8	9	18	20	20
GRAND TOTAL	**1261**	**2.8**	**4**	**<1**	**<1**	**3**	**4**	**5**	**6**	**9**

664: Bilateral endoscopic destruction or occlusion of fallopian tubes (66.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.0		<1	<1	<1	<1	<1	<1	<1
20-34	485	1.1		<1	<1	<1	<1	1	1	4
35-49	360	1.0		<1	<1	<1	<1	<1	1	2
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2	3.0	8	<1	<1	2	5	5	5	5
20-34	317	1.5	1	<1	<1	1	2	3	3	6
35-49	213	1.4	4	<1	<1	<1	1	2	3	10
50-64										
65+										
TOT. SINGLE DX	848	1.1		<1	<1	<1	<1	1	1	3
" MULTIPLE DX	532	1.5	3	<1	<1	1	1	3	3	6
TOTAL 0-19 YRS	5	1.8	3	<1	<1	<1	2	5	5	5
20-34	802	1.3	1	<1	<1	<1	1	2	3	5
35-49	573	1.2	2	<1	<1	<1	<1	1	2	5
50-64										
65+										
GRAND TOTAL	**1380**	**1.2**	**1**	**<1**	**<1**	**<1**	**1**	**2**	**2**	**5**

665: Other bilateral tubal interruption or salpingectomy (66.3; 66.5; 66.63)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	3.4	6	1	1	3	6	6	6	6
20-34	508	1.6		<1	<1	1	2	3	3	5
35-49	191	1.5	1	<1	<1	1	2	3	4	6
50-64	2	2.5	1	2	2	2	3	3	3	3
65+										
2. MULTIPLE DX										
0-19 YRS	19	2.8	1	1	1	3	4	5	5	5
20-34	1816	2.5	6	1	1	2	3	4	4	6
35-49	436	2.6	3	1	1	2	3	4	5	6
50-64	4	4.8	4	3	3	5	6	7	7	7
65+										
TOT. SINGLE DX	706	1.6	1	<1	<1	1	2	3	4	5
" MULTIPLE DX	2275	2.5	6	1	1	2	3	4	4	6
TOTAL 0-19 YRS	24	3.0	2	1	1	3	4	5	6	6
20-34	2324	2.3	6	<1	1	2	3	4	4	6
35-49	627	2.2	3	<1	<1	2	3	4	4	6
50-64	6	4.0	4	2	2	3	6	7	7	7
65+										
GRAND TOTAL	**2981**	**2.3**	**5**	**<1**	**1**	**2**	**3**	**4**	**4**	**6**

666: Miscellaneous operations on fallopian tube (66.0-66.11; 66.4; 66.61-66.62; 66.69-66.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	141	3.5	1	2	2	3	4	5	5	6
20-34	1701	3.4	1	2	2	3	4	5	5	6
35-49	274	3.4	1	1	2	3	4	5	5	8
50-64	3	2.3	1	1	1	3	3	3	3	3
65+	1	5.0		5	5	5	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	129	4.1	8	2	2	4	5	6	7	19
20-34	2399	3.8	1	2	2	4	4	5	6	9
35-49	499	3.9	2	2	2	4	4	5	6	11
50-64	7	8.9	57	3	3	5	12	22	24	24
65+	6	8.7	54	2	2	5	18	18	18	18
TOT. SINGLE DX	2120	3.4	1	2	2	3	4	5	5	7
" MULTIPLE DX	3040	3.8	3	2	2	4	4	5	6	9
TOTAL 0-19 YRS	270	3.8	4	2	2	3	4	5	6	11
20-34	4100	3.6	2	2	2	4	4	5	5	8
35-49	773	3.7	2	2	2	4	4	5	6	10
50-64	10	6.9	49	[illegible]	2	4	7	19	24	24
65+	7	8.1	47	[illegible]	2	5	15	18	18	18
GRAND TOTAL	**5160**	**3.6**	**2**	**2**	**2**	**4**	**4**	**5**	**6**	**8**

667: Conization of cervix (67.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	1.4	1	<1	<1	<1	1	3	5	5
20-34	134	1.2		<1	<1	1	1	1	2	5
35-49	84	1.2		<1	<1	1	1	1	3	4
50-64	35	1.1		<1	<1	1	1	1	2	4
65+	12	1.3		<1	<1	1	1	3	4	4
2. MULTIPLE DX										
0-19 YRS	3	1.7		1	1	2	2	2	2	2
20-34	127	1.9	7	<1	<1	1	2	4	5	13
35-49	76	2.0	3	<1	<1	1	2	5	7	8
50-64	31	1.8	2	<1	<1	1	2	4	5	7
65+	26	1.5		<1	<1	1	2	3	3	4
TOT. SINGLE DX	276	1.2		<1	<1	1	1	1	3	5
" MULTIPLE DX	263	1.9	5	<1	<1	1	2	4	6	8
TOTAL 0-19 YRS	14	1.4	1	<1	<1	<1	1	3	4	5
20-34	261	1.5	4	<1	<1	1	1	3	4	7
35-49	160	1.6	2	<1	<1	1	1	3	5	8
50-64	66	1.4	1	<1	<1	1	1	3	4	7
65+	38	1.4	1	<1	<1	1	2	3	4	4
GRAND TOTAL	**539**	**1.5**	**3**	**<1**	**<1**	**1**	**1**	**3**	**4**	**7**

668: Other excision or destruction of lesion or tissue of cervix (67.11-67.12; 67.3-67.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	1.0		<1	<1	<1	1	1	1	1
20-34	50	1.5	2	<1	<1	1	1	2	3	12
35-49	35	1.7	1	<1	<1	1	2	3	5	6
50-64	14	3.0	7	<1	<1	2	4	6	10	11
65+	19	4.1	5	<1	1	4	6	7	8	8
2. MULTIPLE DX										
0-19 YRS	4	2.0	2	1	1	2	3	4	4	4
20-34	46	2.7	11	<1	<1	2	3	6	11	18
35-49	64	3.2	7	<1	<1	2	5	6	8	14
50-64	59	5.1	25	<1	<1	3	8	10	13	27
65+	87	5.7	19	1	2	5	7	10	15	27
TOT. SINGLE DX	130	2.0	4	<1	<1	1	2	5	6	11
" MULTIPLE DX	260	4.4	18	<1	<1	3	6	9	11	20
TOTAL 0-19 YRS	16	1.3	1	<1	<1	1	1	2	3	4
20-34	96	2.1	7	<1	<1	1	2	4	7	15
35-49	99	2.6	6	<1	<1	1	4	6	7	13
50-64	73	4.7	23	<1	<1	3	7	10	13	26
65+	106	5.4	17	1	1	5	7	9	12	24
GRAND TOTAL	**390**	**3.6**	**14**	**<1**	**<1**	**2**	**5**	**8**	**11**	**17**

669: Repair and plastic operations on cervix (67.5-67.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	1.4		<1	<1	1	2	2	3	3
20-34	365	1.6	1	<1	1	1	2	3	4	8
35-49	58	1.3		<1	1	1	1	2	2	3
50-64	2	1.5	1	<1	<1	1	2	2	2	2
65+										
2. MULTIPLE DX										
0-19 YRS	5	2.2	1	1	1	2	3	4	4	4
20-34	143	3.2	65	<1	1	2	3	5	8	24
35-49	33	2.2	5	<1	1	1	2	5	6	12
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
TOT. SINGLE DX	440	1.6	2	<1	1	1	2	3	4	8
" MULTIPLE DX	183	3.0	52	<1	1	2	3	5	7	17
TOTAL 0-19 YRS	20	1.6	1	<1	<1	1	2	3	4	4
20-34	508	2.1	20	<1	1	1	2	4	5	12
35-49	91	1.6	2	<1	1	1	2	3	4	10
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	1.0		1	1	1	1	1	1	1
GRAND TOTAL	**623**	**2.0**	**17**	**<1**	**1**	**1**	**2**	**3**	**5**	**11**

670: Hysterotomy and excision of lesion of uterus (68.0; 68.13-68.14; 68.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	7	4.3	3	1	1	5	5	6	6	6
20-34	128	3.9	7	<1	2	4	5	5	6	12
35-49	79	3.5	1	1	1	4	4	5	5	6
50-64	3	1.3		<1	<1	1	2	2	2	2
65+	1	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	16	4.8	14	<1	1	4	6	10	14	16
20-34	410	4.2	3	1	2	4	5	6	7	11
35-49	213	4.5	9	1	1	4	5	6	9	17
50-64	20	5.6	50	<1	<1	3	6	17	24	26
65+	22	8.7	54	1	2	6	12	20	24	29
TOT. SINGLE DX	218	3.7	5	<1	1	4	5	5	5	7
" MULTIPLE DX	681	4.5	9	1	2	4	5	6	9	18
TOTAL 0-19 YRS	23	4.6	11	<1	1	4	5	8	12	16
20-34	538	4.1	4	1	2	4	5	6	7	11
35-49	292	4.2	8	1	1	4	5	6	7	15
50-64	23	5.0	46	<1	<1	3	6	14	24	26
65+	23	8.5	53	1	2	6	12	20	24	29
GRAND TOTAL	**899**	**4.3**	**8**	**1**	**2**	**4**	**5**	**6**	**8**	**17**

671: Abdominal hysterectomy (68.3-68.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	4.3		4	4	5	5	6	6	6
20-34	531	4.6	2	3	3	4	5	6	7	10
35-49	1075	4.6	1	3	3	4	5	6	7	9
50-64	376	5.0	3	3	4	5	6	6	7	10
65+	206	5.5	3	3	4	5	6	7	8	12
2. MULTIPLE DX										
0-19 YRS	50	5.4	5	3	3	5	6	8	10	14
20-34	5360	4.9	3	3	3	5	5	6	8	12
35-49	13928	5.0	3	3	3	5	5	7	8	12
50-64	3278	5.6	8	3	4	5	6	8	9	16
65+	1719	7.1	21	4	4	6	8	11	15	26
TOT. SINGLE DX	2193	4.8	2	3	3	5	5	6	7	10
" MULTIPLE DX	24335	5.2	6	3	4	5	6	7	8	14
TOTAL 0-19 YRS	55	5.3	5	3	3	5	6	8	10	14
20-34	5891	4.9	3	3	3	5	5	6	8	11
35-49	15003	4.9	3	3	3	5	5	7	8	12
50-64	3654	5.5	8	3	4	5	6	7	9	16
65+	1925	7.0	20	4	4	6	7	11	14	26
GRAND TOTAL	**26528**	**5.2**	**5**	**3**	**4**	**5**	**6**	**7**	**8**	**14**

672: Vaginal hysterectomy (68.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.0	8	3	3	5	7	7	7	7
20-34	471	3.5	1	2	2	3	4	5	5	6
35-49	587	3.8	1	2	3	4	4	5	6	8
50-64	174	4.6	2	3	3	4	5	7	7	9
65+	158	5.1	1	3	3	5	6	7	7	9
2. MULTIPLE DX										
0-19 YRS	9	3.0	1	1	1	3	4	5	5	5
20-34	2313	4.0	1	2	3	4	5	5	6	8
35-49	5022	4.1	2	2	3	4	5	6	6	9
50-64	1240	4.9	5	3	3	5	6	7	8	11
65+	955	5.9	14	3	4	5	7	8	9	16
TOT. SINGLE DX	1392	4.0	2	2	3	4	5	6	6	8
" MULTIPLE DX	9539	4.4	4	2	3	4	5	6	7	10
TOTAL 0-19 YRS	11	3.4	3	1	1	3	4	6	7	7
20-34	2784	3.9	2	2	3	4	5	5	6	8
35-49	5609	4.1	2	2	3	4	5	6	6	9
50-64	1414	4.9	5	3	3	5	6	7	8	11
65+	1113	5.8	13	3	4	5	6	8	9	15
GRAND TOTAL	**10931**	**4.3**	**4**	**2**	**3**	**4**	**5**	**6**	**7**	**9**

673: Radical hysterectomy and pelvic evisceration (68.6-68.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	12	8.3	5	4	6	8	10	12	12	12
35-49	10	9.9	17	6	6	8	11	17	20	20
50-64	4	8.5	6	5	5	9	10	11	11	11
65+	2	12.0	128	4	4	12	20	20	20	20
2. MULTIPLE DX										
0-19 YRS										
20-34	32	9.9	20	4	5	9	12	18	19	21
35-49	50	10.6	36	4	5	9	12	22	26	29
50-64	27	15.0	154	5	7	10	19	22	46	63
65+	37	16.3	85	7	8	16	18	24	33	56
TOT. SINGLE DX	28	9.2	15	4	5	8	11	13	20	20
" MULTIPLE DX	146	12.7	73	5	6	10	16	21	26	56
TOTAL 0-19 YRS										
20-34	44	9.5	17	4	5	9	11	15	18	21
35-49	60	10.5	33	4	6	9	12	20	24	29
50-64	31	14.2	139	5	6	10	18	21	42	63
65+	39	16.1	85	6	7	16	19	24	32	56
GRAND TOTAL	**174**	**12.1**	**65**	**4**	**6**	**10**	**15**	**21**	**24**	**53**

674: Dilation and curettage of uterus for termination of pregnancy (69.01)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	1.4		<1	<1	1	2	2	4	5
20-34	138	1.3		<1	<1	1	1	2	3	5
35-49	31	1.4	1	<1	<1	1	1	2	5	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	23	1.6	1	<1	<1	1	2	3	4	5
20-34	145	3.4	29	<1	<1	1	3	8	14	29
35-49	22	1.5		<1	<1	1	2	3	4	4
50-64										
65+										
TOT. SINGLE DX	189	1.3	1	<1	<1	1	1	2	3	6
" MULTIPLE DX	190	3.0	23	<1	<1	1	3	6	11	27
TOTAL 0-19 YRS	43	1.5	1	<1	<1	1	2	3	4	5
20-34	283	2.4	16	<1	<1	1	2	4	8	25
35-49	53	1.4	1	<1	<1	1	1	2	4	7
50-64										
65+										
GRAND TOTAL	**379**	**2.2**	**13**	**<1**	**<1**	**1**	**2**	**4**	**6**	**24**

675: Other dilation and curettage (69.02; 69.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	587	1.3		<1	<1	1	1	2	3	4
20-34	3501	1.3	1	<1	<1	1	1	2	3	5
35-49	1098	1.1		<1	<1	1	1	1	2	5
50-64	220	1.1		<1	<1	<1	<1	1	2	4
65+	89	1.2		<1	<1	<1	1	2	2	6
2. MULTIPLE DX										
0-19 YRS	252	2.4	6	<1	1	2	3	4	6	15
20-34	1955	2.2	9	<1	<1	1	3	4	6	11
35-49	1295	1.8	4	<1	<1	1	2	4	5	10
50-64	392	2.0	6	<1	<1	1	2	4	6	15
65+	356	3.8	30	<1	<1	1	4	9	14	30
TOT. SINGLE DX	5495	1.2	1	<1	<1	1	1	2	2	5
" MULTIPLE DX	4250	2.2	9	<1	<1	1	2	4	6	14
TOTAL 0-19 YRS	839	1.6	3	<1	<1	1	2	3	4	7
20-34	5456	1.6	4	<1	<1	1	2	3	4	8
35-49	2393	1.5	2	<1	<1	1	1	3	4	8
50-64	612	1.7	4	<1	<1	<1	1	3	5	13
65+	445	3.3	26	<1	<1	1	3	8	12	29
GRAND TOTAL	**9745**	**1.7**	**5**	**<1**	**<1**	**1**	**1**	**3**	**4**	**10**

676: Aspiration curettage for termination of pregnancy (69.51)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	27	1.3		<1	<1	<1	1	2	3	3
20-34	174	1.2		<1	<1	<1	1	2	3	4
35-49	33	1.1		<1	<1	1	1	1	2	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	35	2.6	11	<1	<1	1	3	5	11	16
20-34	186	2.3	14	<1	<1	1	2	5	7	15
35-49	34	1.7	2	<1	<1	1	2	3	5	9
50-64										
65+										
TOT. SINGLE DX	234	1.2		<1	<1	<1	1	2	3	4
" MULTIPLE DX	255	2.3	12	<1	<1	1	2	5	8	15
TOTAL 0-19 YRS	62	2.0	7	<1	<1	1	2	4	7	15
20-34	360	1.8	8	<1	<1	1	1	3	5	14
35-49	67	1.4	2	<1	<1	1	1	2	4	8
50-64										
65+										
GRAND TOTAL	**489**	**1.8**	**7**	**<1**	**<1**	**1**	**1**	**3**	**5**	**13**

677: Other aspiration curettage (69.52; 69.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	124	1.3		<1	<1	1	1	2	3	6
20-34	868	1.2		<1	<1	1	1	1	2	4
35-49	158	1.1		<1	<1	1	1	1	2	4
50-64	1	1.0		1	1	1	1	1	1	1
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	41	2.5	6	<1	<1	1	3	6	8	12
20-34	285	2.0	3	<1	<1	1	2	4	5	9
35-49	91	1.9	4	<1	<1	1	2	4	8	10
50-64	1	9.0		9	9	9	9	9	9	9
65+	3	4.7	12	1	1	5	7	8	8	8
TOT. SINGLE DX	1152	1.2		<1	<1	1	1	1	2	4
" MULTIPLE DX	421	2.0	4	<1	<1	1	2	4	7	10
TOTAL 0-19 YRS	165	1.6	2	<1	<1	1	1	3	4	8
20-34	1153	1.4	1	<1	<1	1	1	2	3	6
35-49	249	1.4	2	<1	<1	1	1	2	3	9
50-64	2	5.0	32	1	1	5	9	9	9	9
65+	4	3.8	12	1	1	3	6	8	8	8
GRAND TOTAL	**1573**	**1.4**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**8**

678: Repair and plastic operations on supporting structures of uterus (69.2-69.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34	20	2.9	1	<1	1	3	4	5	5	5
35-49	6	2.3	2	1	1	2	4	4	4	4
50-64	5	3.4	1	2	2	4	4	4	4	4
65+	2	4.0		4	4	4	4	4	4	4
2. MULTIPLE DX										
0-19 YRS	3	6.0	37	2	2	3	10	13	13	13
20-34	98	3.9	1	1	3	4	5	6	6	8
35-49	25	3.8	2	2	2	3	4	7	7	7
50-64	6	3.0	1	2	2	3	4	4	4	4
65+	9	4.2	2	2	2	4	5	6	7	7
TOT. SINGLE DX	33	2.9	2	1	1	3	4	4	5	5
" MULTIPLE DX	141	3.9	3	2	2	4	5	6	7	9
TOTAL 0-19 YRS	3	6.0	37	2	2	3	10	13	13	13
20-34	118	3.7	2	1	2	4	5	5	6	8
35-49	31	3.5	3	1	1	3	4	6	7	7
50-64	11	3.2	1	2	2	4	4	4	4	4
65+	11	4.2	2	2	3	4	5	6	7	7
GRAND TOTAL	**174**	**3.7**	**3**	**1**	**2**	**4**	**4**	**5**	**6**	**9**

679: Miscellaneous operations on uterus, cervix, and supporting structures (67.0; 68.12; 69.1; 69.4; 69.91; 69.93-69.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	2.1	1	1	1	2	3	4	5	5
20-34	90	2.5	2	<1	<1	2	4	4	5	10
35-49	17	3.0	6	<1	<1	2	4	7	9	10
50-64	9	2.6	2	<1	<1	3	3	5	5	5
65+	11	2.8	2	1	1	3	4	5	5	5
2. MULTIPLE DX										
0-19 YRS	21	2.9	2	1	1	3	4	5	6	6
20-34	196	3.1	5	<1	1	3	4	5	6	12
35-49	59	3.5	16	<1	<1	3	4	6	8	28
50-64	32	2.9	4	<1	1	2	4	5	8	10
65+	32	3.5	3	2	2	3	4	6	8	9
TOT. SINGLE DX	145	2.5	3	<1	<1	2	4	4	5	10
" MULTIPLE DX	340	3.2	7	<1	1	3	4	5	7	11
TOTAL 0-19 YRS	39	2.5	2	1	1	2	4	4	5	6
20-34	286	2.9	5	<1	1	3	4	5	6	10
35-49	76	3.4	14	<1	<1	3	4	6	8	25
50-64	41	2.8	4	<1	<1	2	4	5	7	10
65+	43	3.3	3	1	2	3	4	5	8	9
GRAND TOTAL	**485**	**3.0**	**6**	**<1**	**1**	**3**	**4**	**5**	**6**	**10**

680: Plastic repair of cystocele and rectocele (70.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	37	3.5	14	1	1	3	4	5	6	24
35-49	132	3.6	2	1	2	3	5	6	7	8
50-64	261	3.8	2	2	2	4	5	6	7	7
65+	239	4.2	2	2	2	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	3	5.3	1	4	4	6	6	6	6	6
20-34	79	3.7	4	1	2	3	4	6	8	11
35-49	387	4.5	4	2	2	4	5	7	8	10
50-64	662	4.5	3	2	3	4	5	7	8	10
65+	700	4.9	4	2	3	5	6	7	9	13
TOT. SINGLE DX	670	3.9	3	2	2	4	5	6	7	9
" MULTIPLE DX	1831	4.6	4	2	2	4	6	7	8	12
TOTAL 0-19 YRS	4	4.5	4	2	2	5	6	6	6	6
20-34	116	3.6	7	1	1	3	4	6	8	16
35-49	519	4.3	4	2	2	4	5	7	7	9
50-64	923	4.3	3	2	2	4	5	7	7	10
65+	939	4.7	4	2	2	5	6	7	8	12
GRAND TOTAL	**2501**	**4.4**	**4**	**2**	**2**	**4**	**5**	**7**	**8**	**11**

681: Other colporrhaphy (70.6-70.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	23	2.4	7	<1	<1	1	3	6	9	12
20-34	133	2.8	4	<1	1	2	4	5	7	12
35-49	47	3.0	4	<1	1	3	4	6	6	11
50-64	29	3.9	3	1	1	4	5	6	7	9
65+	36	4.6	3	1	2	5	6	7	8	8
2. MULTIPLE DX										
0-19 YRS	22	2.5	3	<1	<1	2	3	6	6	6
20-34	71	3.4	6	1	1	3	4	6	9	15
35-49	64	4.5	11	<1	1	4	6	8	10	19
50-64	71	5.0	9	1	2	5	6	7	9	19
65+	93	6.7	61	3	3	5	7	10	13	52
TOT. SINGLE DX	268	3.2	5	<1	1	3	4	6	7	11
" MULTIPLE DX	321	4.9	26	1	1	4	6	8	10	20
TOTAL 0-19 YRS	45	2.4	5	<1	1	1	3	6	7	12
20-34	204	3.0	5	<1	1	2	4	5	7	14
35-49	111	3.9	9	<1	1	3	5	7	9	17
50-64	100	4.6	8	1	1	4	6	7	8	18
65+	129	6.1	46	2	3	5	7	9	11	35
GRAND TOTAL	**589**	**4.1**	**17**	**1**	**1**	**4**	**5**	**7**	**9**	**17**

682: Miscellaneous operations on vagina (70.0-70.1; 70.22-70.24; 70.3-70.4; 70.8-70.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	36	2.3	2	<1	<1	2	3	5	6	6
20-34	164	2.8	5	<1	<1	2	4	5	8	11
35-49	52	3.2	8	<1	<1	3	4	6	7	16
50-64	32	2.8	3	<1	<1	3	4	5	6	7
65+	59	3.2	2	<1	1	3	4	5	7	8
2. MULTIPLE DX										
0-19 YRS	55	3.4	9	<1	<1	2	5	8	9	13
20-34	281	3.7	9	<1	1	3	4	7	10	14
35-49	135	4.7	12	<1	1	4	6	9	11	18
50-64	133	5.6	28	1	2	4	6	10	15	24
65+	257	5.5	24	1	2	4	6	10	14	26
TOT. SINGLE DX	343	2.9	5	<1	<1	2	4	5	7	11
" MULTIPLE DX	861	4.6	18	1	1	4	6	9	12	21
TOTAL 0-19 YRS	91	3.0	7	<1	<1	2	4	6	8	13
20-34	445	3.3	8	<1	1	3	4	7	10	12
35-49	187	4.3	12	<1	1	4	6	9	11	18
50-64	165	5.1	25	1	1	4	6	10	14	18
65+	316	5.0	22	1	2	4	6	9	12	25
GRAND TOTAL	**1204**	**4.1**	**15**	**<1**	**1**	**3**	**5**	**8**	**11**	**19**

683: Incision and excision of lesion of vulva and perineum (71.0-71.11; 71.2-71.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	31	1.7	1	<1	<1	1	2	3	3	7
20-34	105	1.6	1	<1	<1	1	2	3	4	7
35-49	60	1.4		<1	<1	1	1	2	3	5
50-64	30	1.4		<1	<1	1	1	3	4	4
65+	11	1.7	1	<1	<1	1	2	4	5	5
2. MULTIPLE DX										
0-19 YRS	29	3.4	9	<1	<1	3	5	7	9	15
20-34	95	2.4	4	<1	1	2	3	4	7	12
35-49	70	2.8	10	<1	1	2	3	6	12	15
50-64	40	4.8	54	<1	<1	2	5	12	20	40
65+	71	5.5	32	<1	1	4	8	11	19	29
TOT. SINGLE DX	237	1.5	1	<1	<1	1	2	3	4	6
" MULTIPLE DX	305	3.6	21	<1	1	2	4	8	12	21
TOTAL 0-19 YRS	60	2.5	6	<1	<1	2	3	6	7	14
20-34	200	2.0	3	<1	<1	1	2	4	5	9
35-49	130	2.2	6	<1	<1	1	2	4	7	14
50-64	70	3.3	34	<1	<1	1	3	6	12	36
65+	82	5.0	30	<1	<1	3	6	11	18	28
GRAND TOTAL	**542**	**2.7**	**13**	**<1**	**<1**	**1**	**3**	**5**	**9**	**19**

684: Vulvectomy (71.5-71.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	7	4.6	15	<1	<1	3	9	9	9	9
35-49	9	4.3	9	1	1	3	7	9	9	9
50-64	9	4.8	31	1	1	2	6	15	17	17
65+	15	6.0	29	1	1	4	11	14	15	16
2. MULTIPLE DX										
0-19 YRS										
20-34	12	3.4	5	1	1	3	5	7	8	8
35-49	15	6.1	16	1	1	4	10	12	13	13
50-64	23	9.0	60	1	1	8	10	19	26	36
65+	50	9.1	32	2	3	8	12	16	19	29
TOT. SINGLE DX	43	4.8	21	<1	1	3	8	12	15	17
" MULTIPLE DX	100	7.9	36	1	2	7	11	15	19	32
TOTAL 0-19 YRS	3	1.0		<1	<1	<1	1	1	1	1
20-34	19	3.8	9	<1	<1	3	7	9	9	9
35-49	24	5.5	14	1	1	4	8	11	12	13
50-64	32	7.8	54	1	1	7	10	18	21	36
65+	65	8.4	33	1	2	8	12	16	19	28
GRAND TOTAL	**143**	**7.0**	**34**	**1**	**1**	**6**	**10**	**14**	**18**	**29**

685: Miscellaneous operations on vulva and perineum (71.7-71.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	20	1.5		<1	<1	1	2	3	4	4
20-34	40	1.8		<1	<1	2	2	3	4	4
35-49	11	2.6	3	1	1	2	3	5	8	8
50-64	7	1.3		<1	<1	1	2	2	2	2
65+	1	2.0		2	2	2	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	10	4.0	26	<1	<1	2	4	11	18	18
20-34	40	3.2	6	1	1	2	3	6	7	15
35-49	14	7.2	191	1	1	3	5	18	46	54
50-64	3	2.3		2	2	2	3	3	3	3
65+	8	4.8	20	1	1	3	6	13	15	15
TOT. SINGLE DX	79	1.8	1	<1	<1	1	2	3	4	7
" MULTIPLE DX	75	4.2	45	1	1	2	4	7	15	45
TOTAL 0-19 YRS	30	2.3	10	<1	<1	1	3	4	5	18
20-34	80	2.5	4	<1	1	2	3	5	6	13
35-49	25	5.2	111	1	1	2	4	8	24	54
50-64	10	1.6		<1	<1	1	2	3	3	3
65+	9	4.4	19	1	1	3	5	12	15	15
GRAND TOTAL	**154**	**3.0**	**24**	**<1**	**1**	**2**	**3**	**5**	**7**	**18**

686: Miscellaneous diagnostic and therapeutic procedures on female genital system (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.0		<1	<1	<1	1	1	1	1
20-34	5	1.4		<1	<1	<1	2	2	2	2
35-49	1	1.0		1	1	1	1	1	1	1
50-64										
65+	1	1.0		1	1	1	1	1	1	1
2. MULTIPLE DX										
0-19 YRS	1	22.0		22	22	22	22	22	22	22
20-34	5	2.4	4	<1	<1	1	4	5	5	5
35-49	6	5.7	14	<1	<1	5	9	11	11	11
50-64	3	4.7	40	1	1	1	9	12	12	12
65+	5	12.2	228	1	1	8	18	38	38	38
TOT. SINGLE DX	11	1.2		<1	<1	1	1	2	2	2
" MULTIPLE DX	20	7.2	83	<1	<1	4	10	17	30	38
TOTAL 0-19 YRS	5	5.2	88	<1	<1	1	6	22	22	22
20-34	10	1.9	2	<1	<1	1	2	4	5	5
35-49	7	5.0	15	<1	<1	4	8	11	11	11
50-64	3	4.7	40	1	1	1	9	12	12	12
65+	6	10.3	203	1	1	5	12	35	38	38
GRAND TOTAL	**31**	**5.0**	**61**	**<1**	**<1**	**1**	**6**	**12**	**22**	**38**

687: Low forceps with and without episiotomy (72.0-72.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	705	1.9		1	1	2	2	3	3	4
20-34	4837	2.1		1	1	2	3	3	3	4
35-49	304	2.3	1	1	1	2	3	3	4	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1027	2.4	5	1	1	2	3	3	4	9
20-34	7402	2.5	2	1	1	2	3	4	4	6
35-49	637	2.6	1	1	1	2	3	4	4	6
50-64										
65+										
TOT. SINGLE DX	5846	2.1	1	1	1	2	3	3	3	4
" MULTIPLE DX	9066	2.5	3	1	1	2	3	4	4	6
TOTAL 0-19 YRS	1732	2.2	3	1	1	2	3	3	4	5
20-34	12239	2.3	2	1	1	2	3	3	4	5
35-49	941	2.5	1	1	1	2	3	4	4	6
50-64										
65+										
GRAND TOTAL	**14912**	**2.3**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

688: Breech extraction (72.5-72.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	1.5		1	1	1	2	2	2	2
20-34	57	1.9		1	1	2	2	3	3	6
35-49	11	1.6		1	1	2	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	26	2.7	25	<1	1	2	2	3	9	27
20-34	210	2.3	4	1	1	2	3	3	4	9
35-49	28	2.7	5	1	1	2	3	4	9	12
50-64										
65+										
TOT. SINGLE DX	72	1.8	1	1	1	2	2	3	3	6
" MULTIPLE DX	264	2.4	6	1	1	2	3	3	5	12
TOTAL 0-19 YRS	30	2.6	22	1	1	2	2	3	5	27
20-34	267	2.2	4	1	1	2	3	3	4	8
35-49	39	2.4	5	1	1	2	3	4	7	12
50-64										
65+										
GRAND TOTAL	**336**	**2.3**	**5**	**1**	**1**	**2**	**3**	**3**	**4**	**10**

689: Other extraction procedures to assist delivery (72.2-72.4; 72.7-72.9; 73.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	419	1.9		1	1	2	2	3	3	5
20-34	3358	2.1		1	1	2	3	3	3	4
35-49	295	2.3		1	1	2	3	3	4	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	767	2.3	2	1	1	2	3	3	4	6
20-34	5984	2.4	1	1	1	2	3	4	4	6
35-49	674	2.7	7	1	1	2	3	4	4	7
50-64										
65+										
TOT. SINGLE DX	4072	2.1	1	1	1	2	3	3	3	4
" MULTIPLE DX	7425	2.4	2	1	1	2	3	4	4	6
TOTAL 0-19 YRS	1186	2.2	2	1	1	2	3	3	4	6
20-34	9342	2.3	1	1	1	2	3	3	4	5
35-49	969	2.5	6	1	1	2	3	4	4	6
50-64										
65+										
GRAND TOTAL	**11497**	**2.3**	**2**	**1**	**1**	**2**	**3**	**3**	**4**	**5**

690: Other procedures to assist delivery (73.0-73.1; 73.3-73.6; 73.91-73.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8859	1.8		1	1	2	2	3	3	4
20-34	61906	1.8		1	1	2	2	3	3	4
35-49	4623	1.9		1	1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	3756	2.3	5	1	1	2	3	4	4	9
20-34	30279	2.3	2	1	1	2	3	3	4	7
35-49	3401	2.4	2	1	1	2	3	4	4	7
50-64										
65+										
TOT. SINGLE DX	75388	1.8	1	1	1	2	2	3	3	4
" MULTIPLE DX	37436	2.3	3	1	1	2	3	3	4	7
TOTAL 0-19 YRS	12615	1.9	2	1	1	2	2	3	3	6
20-34	92185	1.9	1	1	1	2	2	3	3	5
35-49	8024	2.1	2	1	1	2	3	3	4	6
50-64										
65+										
GRAND TOTAL	**112824**	**1.9**	**2**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

691: Low cervical cesarean section (74.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	964	3.9	1	2	3	4	4	5	6	8
20-34	10814	3.8	1	3	3	4	4	5	5	7
35-49	1009	4.0	1	3	3	4	5	5	6	8
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	2964	4.6	5	3	3	4	5	6	8	13
20-34	31812	4.4	6	3	3	4	5	6	7	12
35-49	4354	4.8	12	3	3	4	5	6	7	18
50-64										
65+										
TOT. SINGLE DX	12787	3.9	2	3	3	4	4	5	5	7
" MULTIPLE DX	39130	4.5	7	3	3	4	5	6	7	13
TOTAL 0-19 YRS	3928	4.4	4	3	3	4	5	6	7	13
20-34	42626	4.3	5	3	3	4	5	5	6	11
35-49	5363	4.7	10	3	3	4	5	6	7	16
50-64										
65+										
GRAND TOTAL	**51917**	**4.3**	**6**	**3**	**3**	**4**	**5**	**6**	**6**	**12**

692: Other cesarean section (74.0; 74.2; 74.4; 74.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	40	3.9		2	3	4	4	5	6	6
20-34	265	4.1	9	3	3	4	4	5	6	9
35-49	21	4.0	1	2	3	4	5	5	6	7
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	78	4.7	4	3	3	4	5	7	7	16
20-34	681	5.1	13	3	3	4	5	7	10	21
35-49	128	6.3	23	3	3	5	6	11	15	29
50-64										
65+										
TOT. SINGLE DX	326	4.1	8	3	3	4	4	5	6	8
" MULTIPLE DX	887	5.2	14	3	3	4	5	7	11	23
TOTAL 0-19 YRS	118	4.4	4	3	3	4	5	6	7	15
20-34	946	4.8	13	3	3	4	5	7	8	19
35-49	149	6.0	21	3	3	5	6	10	15	27
50-64										
65+										
GRAND TOTAL	**1213**	**4.9**	**13**	**3**	**3**	**4**	**5**	**7**	**9**	**22**

693: Other abdominal operation to remove embryo or fetus (74.3; 74.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	11	2.9	2	1	1	3	4	5	7	7
20-34	130	3.1	1	1	2	3	4	5	5	6
35-49	14	3.6	1	2	2	4	4	5	5	5
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	9	3.8	2	2	2	3	5	6	6	6
20-34	156	3.8	2	2	2	4	4	5	7	10
35-49	14	3.6	1	2	2	3	4	6	6	6
50-64										
65+										
TOT. SINGLE DX	155	3.2	1	1	2	3	4	5	5	6
" MULTIPLE DX	179	3.8	2	2	2	4	4	6	6	10
TOTAL 0-19 YRS	20	3.3	3	1	1	3	4	6	7	7
20-34	286	3.5	2	2	2	3	4	5	6	9
35-49	28	3.6	1	2	2	4	4	5	6	6
50-64										
65+										
GRAND TOTAL	**334**	**3.5**	**2**	**2**	**2**	**3**	**4**	**5**	**6**	**8**

694: Intra-amniotic injection for abortion (75.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	49	1.1		<1	<1	1	1	2	2	4
20-34	63	1.3		<1	<1	1	1	2	3	5
35-49	6	1.7		1	1	2	2	3	3	3
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	13	1.3		<1	<1	1	1	2	4	4
20-34	42	1.6	2	<1	<1	1	1	3	4	11
35-49	20	1.3		<1	<1	1	1	2	3	3
50-64										
65+										
TOT. SINGLE DX	118	1.3	1	<1	<1	1	1	2	3	5
" MULTIPLE DX	75	1.5	2	<1	<1	1	1	2	4	9
TOTAL 0-19 YRS	62	1.2		<1	<1	1	1	2	2	4
20-34	105	1.4	2	<1	<1	1	1	2	4	8
35-49	26	1.4		<1	<1	1	2	3	3	3
50-64										
65+										
GRAND TOTAL	**193**	**1.3**	**1**	**<1**	**<1**	**1**	**1**	**2**	**3**	**5**

695: Diagnostic amniocentesis (75.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	73	4.7	36	<1	1	3	6	12	17	36
20-34	402	3.5	18	<1	1	2	4	7	9	22
35-49	32	3.3	9	<1	<1	2	4	7	12	13
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	79	4.1	15	1	1	3	5	8	14	19
20-34	363	4.4	22	<1	1	3	5	9	14	25
35-49	38	5.1	46	<1	1	3	5	12	22	34
50-64										
65+										
TOT. SINGLE DX	507	3.6	21	<1	1	2	4	7	10	22
" MULTIPLE DX	480	4.4	23	1	1	3	5	9	14	26
TOTAL 0-19 YRS	152	4.4	25	1	1	3	5	9	15	21
20-34	765	3.9	21	<1	1	3	5	7	11	24
35-49	70	4.3	30	<1	1	2	4	10	13	32
50-64										
65+										
GRAND TOTAL	**987**	**4.0**	**22**	**<1**	**1**	**3**	**5**	**7**	**13**	**25**

696: Intra-uterine procedures on fetus and amnion (75.2-75.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	702	1.7		<1	<1	1	2	3	3	5
20-34	4643	1.8		<1	<1	2	2	3	3	4
35-49	344	1.8		<1	<1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	369	2.0	1	<1	1	2	2	3	4	6
20-34	2367	2.2	3	<1	1	2	3	3	4	8
35-49	227	2.4	2	<1	1	2	3	4	5	10
50-64										
65+										
TOT. SINGLE DX	5689	1.7	1	<1	<1	2	2	3	3	4
" MULTIPLE DX	2963	2.2	3	<1	1	2	3	3	4	8
TOTAL 0-19 YRS	1071	1.8	1	<1	<1	2	2	3	3	6
20-34	7010	1.9	2	<1	1	2	2	3	3	6
35-49	571	2.0	2	<1	<1	2	2	3	4	8
50-64										
65+										
GRAND TOTAL	**8652**	**1.9**	**2**	**<1**	**<1**	**2**	**2**	**3**	**3**	**6**

697: Miscellaneous obstetric procedures (73.8; 73.93-73.94; 73.99; 75.4-75.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1465	1.7	1	1	1	2	2	3	3	4
20-34	11238	1.7		1	1	2	2	3	3	4
35-49	935	1.7		1	1	2	2	3	3	4
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS	1569	2.0	1	1	1	2	2	3	4	6
20-34	13630	2.0	1	1	1	2	2	3	4	5
35-49	1562	2.2	2	1	1	2	3	3	4	6
50-64										
65+										
TOT. SINGLE DX	13638	1.7	1	1	1	2	2	3	3	4
" MULTIPLE DX	16761	2.0	2	1	1	2	2	3	4	6
TOTAL 0-19 YRS	3034	1.9	1	1	1	2	2	3	3	5
20-34	24868	1.9	1	1	1	2	2	3	3	5
35-49	2497	2.0	2	1	1	2	2	3	3	5
50-64										
65+										
GRAND TOTAL	**30399**	**1.9**	**1**	**1**	**1**	**2**	**2**	**3**	**3**	**5**

698: Excision of facial bone (76.11; 76.2-76.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	21	3.0	3	<1	1	3	4	5	6	7
20-34	26	3.3	9	<1	1	3	4	6	12	13
35-49	28	2.0	2	<1	<1	1	2	5	5	7
50-64	22	4.7	21	<1	1	3	6	10	16	21
65+	19	4.3	19	1	1	3	4	11	15	18
2. MULTIPLE DX										
0-19 YRS	15	3.9	12	<1	1	3	4	11	12	12
20-34	28	5.6	30	1	1	4	7	12	16	27
35-49	26	3.7	11	<1	1	3	4	9	12	14
50-64	54	7.9	66	1	1	4	12	19	23	36
65+	52	8.7	66	1	1	7	11	16	27	41
TOT. SINGLE DX	116	3.4	11	<1	1	2	4	7	11	19
" MULTIPLE DX	175	6.8	51	1	1	4	10	15	19	36
TOTAL 0-19 YRS	36	3.3	7	<1	1	3	4	7	10	12
20-34	54	4.5	21	1	1	3	5	10	13	27
35-49	54	2.8	7	<1	1	2	3	6	9	14
50-64	76	6.9	55	1	1	4	9	18	21	36
65+	71	7.5	57	1	1	5	11	15	19	40
GRAND TOTAL	**291**	**5.4**	**38**	**1**	**1**	**3**	**7**	**13**	**17**	**35**

699: Repair and plastic operations on facial bones (76.4-76.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	396	2.3	3	1	1	2	3	3	4	7
20-34	894	2.4	1	1	1	2	3	4	4	6
35-49	443	2.5	1	1	1	2	3	4	5	7
50-64	85	2.4	1	1	1	2	3	4	4	8
65+	16	1.9		1	1	2	3	3	3	3
2. MULTIPLE DX										
0-19 YRS	411	2.8	3	1	1	3	3	4	5	8
20-34	585	2.8	2	1	1	3	3	4	5	7
35-49	384	2.9	2	1	1	3	4	5	6	10
50-64	124	3.1	4	1	2	3	3	5	7	14
65+	42	5.0	25	1	1	3	5	11	18	23
TOT. SINGLE DX	1834	2.4	2	1	1	2	3	4	4	7
" MULTIPLE DX	1546	2.9	4	1	1	3	4	5	6	11
TOTAL 0-19 YRS	807	2.6	4	1	1	2	3	4	4	8
20-34	1479	2.5	2	1	1	2	3	4	5	7
35-49	827	2.7	2	1	1	2	3	4	5	8
50-64	209	2.8	4	1	1	2	3	4	5	11
65+	58	4.2	21	1	1	3	4	11	14	23
GRAND TOTAL	**3380**	**2.6**	**3**	**1**	**1**	**2**	**3**	**4**	**5**	**8**

700: Closed reduction of maxillofacial fractures (76.70; 76.71; 76.73; 76.75; 76.78)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	77	1.8	2	<1	1	1	2	3	5	9
20-34	165	2.6	8	1	1	2	3	5	8	14
35-49	29	2.0	1	1	1	1	3	4	4	6
50-64	2	1.0		1	1	1	1	1	1	1
65+	6	3.0	3	1	1	3	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	131	3.3	22	1	1	2	3	7	10	27
20-34	235	4.3	44	1	1	3	4	8	13	39
35-49	98	4.5	16	1	1	3	6	9	11	22
50-64	20	6.0	17	1	2	5	8	12	15	16
65+	16	6.2	87	1	1	3	6	11	31	39
TOT. SINGLE DX	279	2.3	6	<1	1	2	3	4	7	11
" MULTIPLE DX	500	4.2	34	1	1	3	5	8	12	33
TOTAL 0-19 YRS	208	2.8	16	1	1	2	3	5	8	24
20-34	400	3.6	30	1	1	2	4	7	11	27
35-49	127	3.9	14	1	1	3	5	8	10	20
50-64	22	5.5	18	1	1	4	7	12	15	16
65+	22	5.3	65	1	1	3	5	11	22	39
GRAND TOTAL	**779**	**3.5**	**25**	**1**	**1**	**2**	**4**	**7**	**10**	**26**

701: Open reduction of maxillofacial fractures (76.72; 76.74; 76.76-76.77; 76.79)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	147	2.0	2	<1	1	1	2	4	5	9
20-34	299	2.1	2	1	1	1	3	4	5	8
35-49	117	2.5	6	<1	1	1	3	6	9	13
50-64	27	2.7	7	<1	1	2	3	5	9	14
65+	10	1.7		1	1	2	2	3	3	3
2. MULTIPLE DX										
0-19 YRS	240	5.2	49	1	1	3	5	12	19	36
20-34	563	5.1	37	1	1	3	6	10	14	33
35-49	223	5.4	30	1	1	4	7	12	16	30
50-64	90	7.1	112	1	1	4	8	12	16	70
65+	62	8.6	115	1	2	6	11	16	18	74
TOT. SINGLE DX	600	2.2	4	1	1	1	3	4	6	10
" MULTIPLE DX	1178	5.5	49	1	1	3	6	12	16	34
TOTAL 0-19 YRS	387	4.0	34	1	1	2	4	8	15	33
20-34	862	4.0	27	1	1	2	5	8	12	31
35-49	340	4.4	24	1	1	3	5	10	14	29
50-64	117	6.1	91	1	1	3	7	12	15	57
65+	72	7.6	105	1	1	5	10	16	18	68
GRAND TOTAL	**1778**	**4.4**	**36**	**1**	**1**	**3**	**5**	**10**	**13**	**31**

702: Miscellaneous maxillofacial surgery (76.0; 76.91-76.95; 76.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	18	2.3	1	1	1	2	3	4	5	5
20-34	25	2.9	9	1	1	2	4	5	11	13
35-49	25	2.2	4	<1	1	2	2	6	7	9
50-64	18	1.9	2	<1	<1	1	2	5	6	6
65+	10	1.3		<1	<1	1	2	2	2	2
2. MULTIPLE DX										
0-19 YRS	27	2.9	4	1	1	2	3	5	7	10
20-34	39	4.6	29	1	1	2	6	12	18	24
35-49	24	4.0	14	<1	1	3	5	6	12	20
50-64	28	4.0	7	1	2	3	5	8	9	14
65+	20	3.7	9	1	1	3	5	7	11	14
TOT. SINGLE DX	96	2.3	4	<1	1	2	3	4	6	12
" MULTIPLE DX	138	3.9	15	1	1	3	5	8	12	20
TOTAL 0-19 YRS	45	2.6	3	1	1	2	3	5	6	10
20-34	64	3.9	22	1	1	2	4	10	15	23
35-49	49	3.1	10	1	1	2	4	6	8	20
50-64	46	3.2	7	<1	1	2	4	6	8	14
65+	30	2.9	8	1	1	2	3	6	7	14
GRAND TOTAL	**234**	**3.2**	**11**	**1**	**1**	**2**	**4**	**6**	**9**	**19**

703: Incision and division of bones except facial (77.0-77.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	230	3.8	21	1	1	3	4	7	10	29
20-34	163	4.1	78	<1	1	2	4	6	10	49
35-49	163	3.7	8	<1	1	3	5	7	9	16
50-64	171	4.2	4	<1	1	4	5	7	8	10
65+	46	4.8	9	1	2	4	6	7	11	18
2. MULTIPLE DX										
0-19 YRS	260	4.6	23	1	1	3	5	10	13	26
20-34	219	5.9	75	1	1	4	6	11	20	45
35-49	198	5.1	39	1	1	3	6	10	13	32
50-64	307	5.2	40	1	1	4	6	9	12	43
65+	162	6.7	38	1	1	5	8	13	18	38
TOT. SINGLE DX	773	4.0	26	1	1	3	5	7	9	18
" MULTIPLE DX	1146	5.4	43	1	1	4	6	10	15	39
TOTAL 0-19 YRS	490	4.3	23	1	1	3	5	9	12	28
20-34	382	5.1	77	1	1	3	5	10	15	48
35-49	361	4.4	26	1	1	3	5	8	11	27
50-64	478	4.9	28	1	1	4	6	8	10	33
65+	208	6.3	33	1	2	4	8	13	17	33
GRAND TOTAL	**1919**	**4.8**	**37**	**1**	**1**	**3**	**5**	**9**	**12**	**31**

704: Bunionectomy (77.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	101	1.6		<1	1	1	2	3	3	4
20-34	193	2.0	1	<1	1	2	3	3	4	6
35-49	260	2.1	1	<1	1	2	3	4	4	7
50-64	307	2.1	1	<1	1	2	3	4	4	6
65+	95	2.3	2	<1	<1	2	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	171	2.0	1	1	1	2	3	4	4	5
20-34	329	2.1	2	1	1	2	3	4	4	8
35-49	611	2.2	1	1	1	2	3	4	5	7
50-64	913	2.4	2	1	1	2	3	4	5	8
65+	702	2.6	4	1	1	2	3	5	6	9
TOT. SINGLE DX	956	2.1	1	<1	1	2	3	4	4	6
" MULTIPLE DX	2726	2.4	3	1	1	2	3	4	5	8
TOTAL 0-19 YRS	272	1.8	1	1	1	2	2	3	4	5
20-34	522	2.1	2	<1	1	2	3	4	4	7
35-49	871	2.2	2	<1	1	2	3	4	5	7
50-64	1220	2.3	2	1	1	2	3	4	5	7
65+	797	2.6	4	<1	1	2	3	4	6	9
GRAND TOTAL	**3682**	**2.3**	**2**	**<1**	**1**	**2**	**3**	**4**	**5**	**7**

705: Excision of bone except facial (77.4; 77.6-77.9; 79.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	785	2.6	8	<1	1	2	3	5	7	17
20-34	1023	2.8	8	<1	1	2	3	6	8	15
35-49	807	2.9	17	<1	1	2	3	5	7	15
50-64	476	3.0	8	<1	1	2	4	6	8	14
65+	226	4.0	24	<1	<1	3	5	8	14	22
2. MULTIPLE DX										
0-19 YRS	484	6.0	75	1	1	3	7	14	23	46
20-34	1216	6.6	90	1	1	3	7	16	26	51
35-49	1142	5.9	77	1	1	3	6	14	21	50
50-64	995	7.7	125	1	1	4	9	20	29	67
65+	977	8.8	98	1	1	6	11	20	29	47
TOT. SINGLE DX	3317	2.9	12	<1	1	2	3	6	8	16
" MULTIPLE DX	4814	7.1	96	1	1	3	8	17	26	52
TOTAL 0-19 YRS	1269	3.9	37	<1	1	2	4	8	13	33
20-34	2239	4.9	57	<1	1	2	5	11	17	42
35-49	1949	4.7	55	<1	1	2	5	10	16	42
50-64	1471	6.2	93	1	1	3	6	15	23	59
65+	1203	7.9	88	1	1	4	10	18	27	46
GRAND TOTAL	**8131**	**5.4**	**66**	**<1**	**1**	**3**	**6**	**12**	**19**	**44**

706: Repair and plastic operation on bone except facial (78.0-78.5; 78.7-78.9, 79.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	379	4.3	29	1	1	3	4	9	16	30
20-34	302	3.4	10	<1	1	2	4	7	9	18
35-49	154	3.7	6	1	1	3	5	7	10	12
50-64	94	4.9	9	1	1	4	7	8	10	16
65+	144	7.2	12	2	3	7	9	12	14	18
2. MULTIPLE DX										
0-19 YRS	238	6.8	70	1	1	4	8	16	25	39
20-34	331	6.8	81	1	1	4	8	14	21	54
35-49	208	6.8	102	1	1	4	7	13	27	56
50-64	227	8.5	87	1	2	6	10	17	28	44
65+	587	10.4	46	3	4	9	13	19	22	41
TOT. SINGLE DX	1073	4.4	18	1	1	3	6	9	12	23
" MULTIPLE DX	1691	8.5	72	1	2	7	11	17	23	44
TOTAL 0-19 YRS	617	5.3	47	1	1	3	5	12	20	35
20-34	633	5.2	51	1	1	3	6	11	15	39
35-49	362	5.5	64	1	1	3	6	10	15	46
50-64	321	7.5	67	1	2	6	9	14	21	42
65+	831	9.9	43	3	4	8	12	18	22	40
GRAND TOTAL	**2764**	**6.9**	**55**	**1**	**1**	**5**	**9**	**14**	**20**	**40**

707: Removal of internal fixation device (76.97; 78.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	528	1.6	4	<1	<1	1	2	3	4	8
20-34	792	1.9	4	<1	<1	1	2	4	5	8
35-49	446	2.1	6	<1	<1	1	2	4	5	10
50-64	313	2.2	6	<1	<1	1	2	4	6	13
65+	230	2.9	10	<1	<1	2	3	7	9	17
2. MULTIPLE DX										
0-19 YRS	195	3.4	34	<1	<1	2	3	6	9	31
20-34	430	4.7	43	<1	1	3	5	10	17	36
35-49	303	4.8	42	1	1	3	6	10	15	40
50-64	291	5.8	58	1	1	3	7	13	20	39
65+	443	7.6	58	1	1	5	10	18	22	39
TOT. SINGLE DX	2309	2.0	6	<1	<1	1	2	4	5	11
" MULTIPLE DX	1662	5.5	51	1	1	3	7	13	19	38
TOTAL 0-19 YRS	723	2.1	13	<1	<1	1	2	4	5	17
20-34	1222	2.9	20	<1	<1	2	3	6	8	26
35-49	749	3.2	22	<1	<1	2	3	6	9	27
50-64	604	3.9	35	<1	<1	2	4	10	14	27
65+	673	6.0	47	<1	1	3	8	15	20	32
GRAND TOTAL	**3971**	**3.5**	**28**	**<1**	**<1**	**2**	**4**	**8**	**12**	**28**

708: Closed reduction of fracture of femur with internal fixation (79.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	87	11.4	115	1	2	7	19	27	33	47
20-34	47	9.1	40	4	5	8	9	14	18	41
35-49	24	9.5	18	3	4	10	12	13	17	21
50-64	46	7.3	17	3	3	7	9	11	15	25
65+	101	8.6	8	4	5	8	11	12	13	16
2. MULTIPLE DX										
0-19 YRS	102	13.4	66	2	5	12	19	24	28	40
20-34	103	13.8	120	4	5	10	17	25	38	62
35-49	42	13.9	187	4	5	10	17	23	35	86
50-64	91	11.4	106	4	5	9	12	17	24	66
65+	721	11.4	45	5	6	10	13	18	25	41
TOT. SINGLE DX	305	9.3	47	3	3	8	11	16	23	40
" MULTIPLE DX	1059	11.9	66	5	6	10	13	20	26	46
TOTAL 0-19 YRS	189	12.5	90	2	2	10	19	24	30	43
20-34	150	12.3	99	4	5	9	14	22	30	58
35-49	66	12.3	130	3	4	10	13	21	27	78
50-64	137	10.0	80	3	4	8	11	16	22	61
65+	822	11.0	42	5	6	10	12	17	23	39
GRAND TOTAL	**1364**	**11.3**	**63**	**4**	**5**	**10**	**13**	**20**	**26**	**45**

709: Open reduction of fracture of femur with internal fixation (79.35; 79.55)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	115	6.0	18	1	2	5	8	11	15	22
20-34	118	7.8	27	2	3	7	10	13	14	30
35-49	119	7.4	27	2	3	6	9	12	16	56
50-64	180	7.9	20	4	4	7	9	12	14	22
65+	837	9.8	15	5	5	9	12	14	17	22
2. MULTIPLE DX										
0-19 YRS	213	12.1	96	3	4	9	15	22	27	53
20-34	323	14.0	119	4	5	11	17	25	39	61
35-49	283	13.3	107	4	5	10	16	25	36	55
50-64	598	12.4	71	5	6	10	15	21	28	54
65+	4899	12.1	49	5	6	11	14	19	24	39
TOT. SINGLE DX	1369	8.8	20	3	4	8	11	14	16	23
" MULTIPLE DX	6316	12.3	60	5	6	11	14	20	25	45
TOTAL 0-19 YRS	328	10.0	78	2	3	8	13	19	24	52
20-34	441	12.4	102	3	4	10	15	22	30	58
35-49	402	11.6	91	3	4	9	14	22	32	55
50-64	778	11.4	63	4	5	9	13	19	25	48
65+	5736	11.8	46	5	6	10	14	18	23	38
GRAND TOTAL	**7685**	**11.7**	**55**	**5**	**6**	**10**	**14**	**19**	**24**	**44**

710: Reduction of fracture of femur without internal fixation (79.05; 79.25; 79.45)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	223	7.4	75	1	1	4	8	23	28	35
20-34	9	4.6	26	1	1	2	6	13	17	17
35-49	6	5.5	15	2	2	5	7	12	12	12
50-64	11	8.2	15	2	3	7	11	14	15	15
65+	24	7.0	39	1	1	6	10	14	20	27
2. MULTIPLE DX										
0-19 YRS	158	13.0	146	1	2	9	20	27	39	53
20-34	31	16.3	335	2	2	11	19	49	57	77
35-49	24	10.1	50	1	2	8	15	20	24	28
50-64	18	13.4	163	3	5	8	13	35	44	49
65+	110	13.3	168	3	4	9	17	27	41	68
TOT. SINGLE DX	273	7.3	67	1	1	4	9	20	27	34
" MULTIPLE DX	341	13.2	164	2	3	9	18	28	42	58
TOTAL 0-19 YRS	381	9.7	112	1	1	5	14	24	30	47
20-34	40	13.7	289	1	1	8	15	39	53	77
35-49	30	9.2	46	1	2	7	13	19	23	28
50-64	29	11.4	112	2	4	8	11	28	37	49
65+	134	12.2	151	2	3	8	14	25	39	58
GRAND TOTAL	**614**	**10.6**	**130**	**1**	**1**	**7**	**14**	**24**	**31**	**51**

711: Closed reduction of fracture with internal fixation, except maxillofacial and femur (79.10-79.14; 79.16-79.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	361	2.4	11	<1	1	1	2	4	9	19
20-34	191	2.6	16	<1	<1	1	3	5	7	14
35-49	137	2.5	5	<1	<1	2	3	5	7	14
50-64	97	2.1	2	<1	1	2	3	5	6	8
65+	100	2.2	3	1	1	2	2	4	5	12
2. MULTIPLE DX										
0-19 YRS	120	5.1	48	1	1	3	5	13	23	55
20-34	171	5.6	47	1	1	4	7	11	17	40
35-49	103	5.7	37	1	1	3	7	13	20	31
50-64	82	5.3	30	1	1	4	6	11	15	31
65+	153	6.3	69	1	1	4	6	13	18	51
TOT. SINGLE DX	886	2.4	10	<1	1	1	3	5	7	14
" MULTIPLE DX	629	5.7	49	1	1	3	6	12	20	38
TOTAL 0-19 YRS	481	3.1	22	<1	1	2	3	7	12	29
20-34	362	4.0	33	<1	1	2	5	9	12	28
35-49	240	3.9	21	<1	1	2	4	9	13	24
50-64	179	3.6	18	<1	1	2	5	7	10	27
65+	253	4.7	48	1	1	3	5	9	14	44
GRAND TOTAL	**1515**	**3.8**	**29**	**<1**	**1**	**2**	**4**	**8**	**13**	**30**

712: Open reduction of fracture with internal fixation, except maxillofacial and femur (79.30-79.34; 79.36-79.39; 79.50-79.54; 79.56-79.59)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1853	2.2	2	<1	1	2	3	4	5	8
20-34	2563	2.8	4	1	1	2	4	5	7	10
35-49	1639	3.3	5	1	1	3	4	6	7	11
50-64	1066	3.8	6	1	1	3	5	7	8	13
65+	633	4.4	8	1	1	4	6	8	10	14
2. MULTIPLE DX										
0-19 YRS	886	4.9	53	1	1	3	5	10	14	46
20-34	1963	5.6	43	1	1	4	7	11	17	33
35-49	1370	5.8	40	1	1	4	7	11	17	35
50-64	1141	6.6	47	1	2	5	8	13	18	37
65+	1385	8.0	53	2	2	6	9	15	20	37
TOT. SINGLE DX	7754	3.0	5	1	1	2	4	6	7	12
" MULTIPLE DX	6745	6.2	48	1	1	4	7	12	18	36
TOTAL 0-19 YRS	2739	3.0	21	1	1	2	3	5	8	21
20-34	4526	4.0	23	1	1	3	5	8	11	26
35-49	3009	4.4	23	1	1	3	5	8	11	26
50-64	2207	5.2	30	1	1	4	6	10	14	28
65+	2018	6.8	42	1	2	5	8	13	17	32
GRAND TOTAL	**14499**	**4.5**	**28**	**1**	**1**	**3**	**5**	**9**	**12**	**27**

713: Other reduction of fracture without internal fixation, except maxillofacial and femur (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1925	1.7	3	<1	<1	1	2	3	4	12
20-34	462	2.6	4	<1	1	2	3	5	7	11
35-49	330	2.7	4	<1	1	2	3	5	7	12
50-64	286	2.8	12	<1	1	2	3	5	8	12
65+	232	2.6	3	1	1	2	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	654	4.0	45	1	1	2	4	8	14	33
20-34	513	6.0	76	1	1	3	7	12	20	44
35-49	345	5.9	84	1	1	3	6	11	20	54
50-64	334	5.5	42	1	1	4	7	11	16	29
65+	699	5.9	38	1	1	4	7	12	16	31
TOT. SINGLE DX	3235	2.1	5	<1	<1	1	2	4	6	11
" MULTIPLE DX	2545	5.4	55	1	1	3	6	11	16	38
TOTAL 0-19 YRS	2579	2.3	16	<1	<1	1	2	4	7	19
20-34	975	4.4	45	<1	1	2	5	9	13	35
35-49	675	4.4	48	<1	1	3	5	9	12	31
50-64	620	4.2	31	1	1	3	5	9	12	27
65+	931	5.1	32	1	1	3	6	11	14	26
GRAND TOTAL	**5780**	**3.5**	**30**	**<1**	**1**	**2**	**4**	**8**	**11**	**25**

714: Closed reduction of dislocation (79.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	141	3.6	18	<1	1	2	4	10	14	18
20-34	106	1.8	3	<1	<1	1	2	3	5	11
35-49	62	2.2	9	<1	<1	1	2	4	7	20
50-64	77	2.5	6	<1	<1	2	3	6	10	12
65+	180	3.7	13	<1	1	2	5	8	11	16
2. MULTIPLE DX										
0-19 YRS	82	4.4	27	1	1	3	5	9	19	77
20-34	138	6.3	71	<1	1	3	7	14	23	43
35-49	67	6.6	82	1	1	2	8	16	24	51
50-64	106	5.4	54	1	1	3	7	11	15	49
65+	303	6.7	55	1	1	4	9	13	18	48
TOT. SINGLE DX	566	3.0	12	<1	<1	2	4	7	10	17
" MULTIPLE DX	696	6.1	58	1	1	4	8	13	19	46
TOTAL 0-19 YRS	223	3.9	22	<1	1	2	4	10	15	27
20-34	244	4.3	47	<1	<1	2	5	10	15	41
35-49	129	4.5	52	<1	1	2	5	12	20	34
50-64	183	4.2	36	<1	1	2	5	10	12	37
65+	483	5.6	41	1	1	4	7	12	16	32
GRAND TOTAL	**1262**	**4.7**	**40**	**<1**	**1**	**3**	**6**	**11**	**15**	**39**

715: Open reduction of dislocation (79.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	108	2.3	6	<1	1	2	3	4	5	17
20-34	184	2.0	1	<1	1	2	3	4	4	7
35-49	70	1.9	2	1	1	1	2	4	5	8
50-64	30	3.6	14	1	1	3	4	6	7	21
65+	19	4.5	15	<1	1	4	5	10	15	17
2. MULTIPLE DX										
0-19 YRS	63	5.2	45	1	1	3	6	13	21	34
20-34	113	4.4	39	1	1	3	5	8	12	38
35-49	54	4.9	39	1	1	3	5	11	16	36
50-64	25	6.6	42	1	1	4	8	15	21	28
65+	42	11.6	196	1	2	8	13	23	28	87
TOT. SINGLE DX	411	2.3	5	1	1	2	3	4	5	14
" MULTIPLE DX	297	5.9	68	1	1	3	7	13	20	36
TOTAL 0-19 YRS	171	3.4	23	1	1	2	3	6	13	29
20-34	297	2.9	17	1	1	2	3	5	8	14
35-49	124	3.2	21	1	1	2	3	6	11	29
50-64	55	5.0	29	1	1	3	6	13	18	28
65+	61	9.4	150	1	2	6	12	20	24	81
GRAND TOTAL	**708**	**3.8**	**34**	**1**	**1**	**2**	**4**	**7**	**13**	**27**

716: Arthrotomy and division of joint capsule (80.0-80.1; 80.4)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	336	2.4	6	<1	<1	1	3	5	8	14
20-34	378	2.7	8	<1	1	2	3	5	9	14
35-49	247	2.5	5	<1	<1	2	3	5	7	14
50-64	117	4.2	27	<1	<1	2	5	11	15	29
65+	72	6.9	68	1	1	5	8	14	20	50
2. MULTIPLE DX										
0-19 YRS	317	5.7	59	<1	1	3	6	14	19	42
20-34	505	4.2	31	<1	1	2	5	10	15	29
35-49	380	5.7	77	<1	1	3	6	13	24	52
50-64	298	7.6	107	1	1	3	10	17	28	54
65+	376	13.9	192	1	2	10	19	29	47	66
TOT. SINGLE DX	1150	3.0	14	<1	<1	2	3	6	10	18
" MULTIPLE DX	1876	7.3	102	<1	1	3	9	18	27	54
TOTAL 0-19 YRS	653	4.0	35	<1	<1	2	4	9	14	31
20-34	883	3.6	22	<1	1	2	4	8	12	21
35-49	627	4.5	52	<1	1	2	4	9	16	47
50-64	415	6.7	88	<1	1	3	8	16	22	49
65+	448	12.8	179	1	2	9	16	28	44	65
GRAND TOTAL	**3026**	**5.6**	**73**	**<1**	**1**	**3**	**6**	**14**	**21**	**49**

717: Excision of intervertebral disc (80.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	101	4.8	8	1	2	4	6	9	11	15
20-34	2875	5.4	9	2	2	5	7	9	11	16
35-49	4213	5.5	10	2	2	5	7	9	12	17
50-64	1742	5.9	11	2	3	5	7	10	13	19
65+	513	7.2	14	3	3	6	9	12	14	21
2. MULTIPLE DX										
0-19 YRS	48	9.6	64	2	3	7	14	21	25	36
20-34	1032	7.6	36	3	3	6	9	13	18	29
35-49	2260	7.2	25	2	3	6	9	13	16	25
50-64	1819	7.9	37	3	3	6	9	14	17	31
65+	1217	10.3	49	4	5	8	12	18	23	43
TOT. SINGLE DX	9444	5.6	10	2	3	5	7	9	12	18
" MULTIPLE DX	6376	8.1	36	3	3	7	10	14	19	32
TOTAL 0-19 YRS	149	6.4	31	2	2	5	7	13	18	35
20-34	3907	5.9	17	2	3	5	7	10	13	21
35-49	6473	6.1	16	2	3	5	7	11	13	22
50-64	3561	6.9	25	2	3	6	8	12	15	24
65+	1730	9.4	41	3	4	8	11	17	21	35
GRAND TOTAL	**15820**	**6.6**	**22**	**2**	**3**	**5**	**8**	**12**	**15**	**24**

718: Excision of semilunar cartilage of knee joint (80.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	144	1.3		<1	<1	1	1	3	3	5
20-34	432	1.4		<1	<1	1	1	3	3	6
35-49	320	1.4	1	<1	<1	1	1	2	4	8
50-64	196	1.5	1	<1	<1	1	1	3	4	6
65+	85	1.7	1	<1	<1	1	2	3	4	8
2. MULTIPLE DX										
0-19 YRS	275	2.2	2	<1	<1	2	3	4	5	9
20-34	848	2.2	4	<1	<1	2	3	4	5	9
35-49	628	2.1	3	<1	<1	1	2	4	6	9
50-64	584	2.0	6	<1	<1	1	2	4	6	10
65+	402	2.3	6	<1	<1	1	3	5	7	12
TOT. SINGLE DX	1177	1.4	1	<1	<1	1	1	3	4	6
" MULTIPLE DX	2737	2.1	5	<1	<1	1	3	4	6	10
TOTAL 0-19 YRS	419	1.9	2	<1	<1	1	3	4	5	8
20-34	1280	2.0	3	<1	<1	1	2	4	5	8
35-49	948	1.8	3	<1	<1	1	2	4	5	9
50-64	780	1.9	5	<1	<1	1	2	4	5	8
65+	487	2.2	6	<1	<1	1	2	4	6	11
GRAND TOTAL	**3914**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**4**	**5**	**9**

719: Miscellaneous excisions of joint structures (80.2-80.3; 80.7-80.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	480	1.8	4	<1	<1	1	1	3	5	14
20-34	821	1.7	4	<1	<1	1	2	3	4	10
35-49	483	1.9	6	<1	<1	1	2	3	5	11
50-64	272	1.9	4	<1	<1	1	2	4	6	11
65+	114	2.4	6	<1	<1	1	3	6	8	12
2. MULTIPLE DX										
0-19 YRS	353	3.1	18	<1	<1	1	3	7	14	22
20-34	817	2.9	18	<1	<1	1	3	6	10	22
35-49	662	3.1	33	<1	<1	1	3	6	11	32
50-64	509	3.7	30	<1	<1	2	4	9	13	30
65+	417	6.4	72	<1	<1	3	8	17	25	40
TOT. SINGLE DX	2170	1.8	5	<1	<1	1	2	3	5	11
" MULTIPLE DX	2758	3.7	34	<1	<1	2	3	9	15	31
TOTAL 0-19 YRS	833	2.3	11	<1	<1	1	2	5	9	19
20-34	1638	2.3	12	<1	<1	1	2	4	7	17
35-49	1145	2.6	22	<1	<1	1	2	5	7	27
50-64	781	3.1	22	<1	<1	1	3	7	11	24
65+	531	5.5	60	<1	<1	2	6	15	23	39
GRAND TOTAL	**4928**	**2.9**	**22**	**<1**	**<1**	**1**	**3**	**6**	**11**	**24**

720: Spinal fusion (81.0)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	127	7.7	7	4	4	8	9	10	12	18
20-34	220	7.9	16	3	4	7	9	13	16	23
35-49	320	6.8	14	2	3	6	9	12	14	19
50-64	131	6.4	15	2	3	5	8	12	14	19
65+	38	7.9	40	2	3	6	9	14	20	36
2. MULTIPLE DX										
0-19 YRS	145	12.2	92	5	6	9	13	21	30	53
20-34	329	12.3	94	4	5	9	15	25	33	81
35-49	455	10.5	65	3	4	8	11	19	29	41
50-64	367	11.3	95	3	4	8	13	23	30	63
65+	188	13.7	128	4	5	11	16	24	38	65
TOT. SINGLE DX	836	7.2	16	2	3	7	9	12	14	21
" MULTIPLE DX	1484	11.7	91	4	5	9	13	23	31	61
TOTAL 0-19 YRS	272	10.1	58	4	5	8	11	16	22	37
20-34	549	10.6	68	3	5	8	12	19	27	65
35-49	775	8.9	48	3	3	7	10	16	22	37
50-64	498	10.0	79	3	4	8	11	19	26	52
65+	226	12.7	118	3	4	10	15	23	35	64
GRAND TOTAL	**2320**	**10.1**	**68**	**3**	**4**	**8**	**11**	**18**	**25**	**46**

721: Arthrodesis and stabilization of joint (81.1-81.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	61	2.8	5	<1	1	2	4	5	8	11
20-34	164	2.7	3	<1	1	2	4	5	6	12
35-49	190	3.2	4	<1	1	3	5	6	7	10
50-64	226	3.0	4	<1	<1	2	4	6	7	10
65+	103	3.0	5	<1	<1	2	4	7	8	10
2. MULTIPLE DX										
0-19 YRS	82	3.1	2	<1	1	3	4	5	6	8
20-34	259	4.3	28	1	1	3	5	9	13	28
35-49	253	4.3	11	1	1	3	5	8	10	19
50-64	353	3.8	8	1	1	3	5	7	9	12
65+	237	5.2	53	<1	1	3	6	10	18	32
TOT. SINGLE DX	744	3.0	5	<1	1	2	4	6	7	10
" MULTIPLE DX	1184	4.2	22	1	1	3	5	8	10	25
TOTAL 0-19 YRS	143	3.0	4	<1	1	2	4	5	7	10
20-34	423	3.7	20	1	1	3	4	7	10	20
35-49	443	3.8	9	1	1	3	5	7	9	14
50-64	579	3.5	7	<1	1	3	5	7	8	12
65+	340	4.5	40	<1	<1	3	5	8	13	29
GRAND TOTAL	**1928**	**3.7**	**16**	**<1**	**1**	**3**	**5**	**7**	**9**	**19**

722: Total hip replacement (81.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	10	9.9	33	7	7	8	9	18	26	26
20-34	74	8.5	7	4	5	8	10	11	13	18
35-49	194	9.0	13	5	5	8	10	13	15	25
50-64	687	9.0	7	5	6	9	11	13	14	16
65+	1290	10.2	13	6	7	10	12	14	16	21
2. MULTIPLE DX										
0-19 YRS	10	8.7	8	5	6	8	10	13	14	14
20-34	128	9.7	28	5	5	9	11	15	18	37
35-49	372	10.7	37	6	6	10	12	16	19	45
50-64	1228	11.0	37	6	7	10	12	16	20	32
65+	4118	12.1	40	6	7	11	14	18	22	37
TOT. SINGLE DX	2255	9.7	12	5	6	9	11	14	15	20
" MULTIPLE DX	5856	11.8	40	6	7	10	13	17	21	36
TOTAL 0-19 YRS	20	9.3	20	6	7	8	10	13	20	26
20-34	202	9.2	21	5	5	8	10	13	17	29
35-49	566	10.1	30	5	6	9	11	15	18	33
50-64	1915	10.3	28	5	6	9	12	15	18	28
65+	5408	11.7	35	6	7	10	13	17	21	34
GRAND TOTAL	**8111**	**11.2**	**33**	**6**	**7**	**10**	**13**	**16**	**20**	**33**

723: Other arthroplasty of hip (81.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	15	5.6	16	<1	2	4	8	10	14	16
20-34	23	5.5	7	1	2	5	8	9	10	10
35-49	30	8.9	34	2	4	7	11	13	14	35
50-64	102	8.7	5	5	6	9	10	12	13	15
65+	474	10.2	16	5	6	9	12	15	17	24
2. MULTIPLE DX										
0-19 YRS	13	11.7	64	2	3	10	14	25	29	30
20-34	22	13.5	174	4	5	8	14	34	49	56
35-49	57	10.2	33	2	4	10	13	16	22	29
50-64	255	11.8	52	5	6	10	13	21	28	71
65+	2801	12.5	47	6	7	11	14	19	24	39
TOT. SINGLE DX	644	9.6	16	5	6	9	11	14	17	22
" MULTIPLE DX	3148	12.4	49	6	7	11	14	19	25	41
TOTAL 0-19 YRS	28	8.4	46	1	2	7	11	16	25	30
20-34	45	9.4	103	2	3	7	9	14	33	56
35-49	87	9.8	34	2	4	9	12	15	21	33
50-64	357	11.0	41	5	6	9	12	16	25	42
65+	3275	12.2	44	6	7	11	14	19	23	37
GRAND TOTAL	**3792**	**11.9**	**44**	**6**	**7**	**10**	**14**	**19**	**23**	**37**

724: Arthroplasty of knee (81.41-81.47)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	635	2.9	2	1	1	3	4	4	5	7
20-34	1146	3.1	2	1	1	3	4	5	6	9
35-49	397	4.0	9	<1	1	3	5	8	11	15
50-64	575	8.4	14	2	4	8	10	13	15	20
65+	1358	9.7	11	5	6	9	12	14	15	18
2. MULTIPLE DX										
0-19 YRS	638	3.5	3	1	1	3	4	6	7	11
20-34	1639	3.7	5	1	2	3	4	6	7	12
35-49	785	4.7	18	1	1	4	5	9	12	22
50-64	1005	9.2	23	2	4	9	11	15	16	26
65+	3200	11.1	25	5	7	10	13	16	19	29
TOT. SINGLE DX	4111	6.1	17	1	2	5	9	12	14	17
" MULTIPLE DX	7267	7.8	30	2	2	7	11	14	16	25
TOTAL 0-19 YRS	1273	3.2	3	1	1	3	4	5	6	11
20-34	2785	3.4	5	1	1	3	4	5	7	11
35-49	1182	4.5	15	1	1	4	5	9	12	19
50-64	1580	8.9	20	2	4	9	11	14	16	23
65+	4558	10.7	22	5	6	10	13	15	18	26
GRAND TOTAL	**11378**	**7.2**	**26**	**1**	**2**	**6**	**10**	**13**	**16**	**22**

725: Repair of other joint (81.3; 81.48-81.49; 81.7-81.8; 81.93-81.96; 81.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	529	2.0	1	1	1	2	2	3	4	5
20-34	1436	2.1	1	1	1	2	3	4	4	6
35-49	763	2.2	1	1	1	2	3	4	4	6
50-64	575	2.4	3	1	1	2	3	4	5	10
65+	313	3.1	6	1	1	2	4	6	8	13
2. MULTIPLE DX										
0-19 YRS	168	2.8	9	1	1	2	3	5	7	26
20-34	597	2.5	6	1	1	2	3	4	5	10
35-49	628	2.6	4	1	1	2	3	5	6	10
50-64	744	3.0	7	1	1	2	4	5	7	14
65+	600	4.4	17	1	1	3	5	9	12	21
TOT. SINGLE DX	3616	2.2	2	1	1	2	3	4	5	8
" MULTIPLE DX	2737	3.1	9	1	1	2	4	6	8	15
TOTAL 0-19 YRS	697	2.2	3	1	1	2	3	4	5	8
20-34	2033	2.2	3	1	1	2	3	4	4	7
35-49	1391	2.4	3	1	1	2	3	4	5	8
50-64	1319	2.8	6	1	1	2	3	5	6	12
65+	913	4.0	14	1	1	3	5	8	11	18
GRAND TOTAL	**6353**	**2.6**	**6**	**1**	**1**	**2**	**3**	**5**	**6**	**12**

726: Incision and division of muscle, tendon, fascia, and bursa (82.0; 83.0-83.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	207	2.6	7	<1	<1	2	3	5	8	14
20-34	242	2.6	4	<1	<1	2	4	6	7	10
35-49	173	2.3	4	<1	<1	1	3	5	7	11
50-64	114	2.0	4	<1	<1	1	2	4	6	11
65+	52	2.2	7	<1	<1	<1	2	6	9	13
2. MULTIPLE DX										
0-19 YRS	232	4.4	26	<1	1	3	5	10	14	24
20-34	278	5.8	40	1	1	4	7	12	18	39
35-49	226	5.9	37	1	1	4	8	13	18	32
50-64	159	6.9	77	<1	1	4	8	15	19	56
65+	179	8.7	82	1	1	6	9	18	27	46
TOT. SINGLE DX	788	2.4	6	<1	<1	1	3	5	7	13
" MULTIPLE DX	1074	6.2	51	1	1	4	7	13	19	40
TOTAL 0-19 YRS	439	3.5	18	<1	<1	2	4	8	12	22
20-34	520	4.3	26	<1	<1	3	5	9	12	32
35-49	399	4.4	26	<1	<1	2	5	10	14	29
50-64	273	4.9	53	<1	<1	2	6	11	16	44
65+	231	7.3	73	<1	<1	5	8	16	25	45
GRAND TOTAL	**1862**	**4.6**	**35**	**<1**	**<1**	**3**	**5**	**10**	**15**	**31**

727: Excision of lesion of muscle, tendon, fascia, and bursa (82.2; 83.21; 83.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	121	1.3		<1	<1	<1	1	2	3	6
20-34	219	1.5	1	<1	<1	<1	1	3	4	8
35-49	197	1.6	1	<1	<1	1	2	3	5	7
50-64	131	2.3	8	<1	<1	1	2	4	8	18
65+	91	2.1	2	<1	<1	1	3	5	6	8
2. MULTIPLE DX										
0-19 YRS	43	4.5	76	<1	<1	2	4	10	15	55
20-34	108	6.3	70	<1	<1	2	8	16	26	38
35-49	124	5.7	78	<1	<1	3	5	14	22	53
50-64	166	6.5	103	<1	1	3	7	15	25	48
65+	234	7.5	82	<1	1	5	10	17	24	45
TOT. SINGLE DX	759	1.7	3	<1	<1	1	2	3	5	9
" MULTIPLE DX	675	6.5	85	<1	1	3	8	16	24	47
TOTAL 0-19 YRS	164	2.1	22	<1	<1	1	2	3	7	17
20-34	327	3.1	29	<1	<1	1	2	7	12	33
35-49	321	3.2	35	<1	<1	1	3	6	12	34
50-64	297	4.7	66	<1	<1	2	4	10	19	42
65+	325	6.0	66	<1	<1	3	7	14	20	39
GRAND TOTAL	**1434**	**4.0**	**47**	**<1**	**<1**	**1**	**4**	**9**	**16**	**36**

728: Division and resection of muscle, tendon, and fascia of hand (82.1; 82.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	1.9	3	<1	<1	1	2	5	6	6
20-34	29	2.1	3	<1	<1	1	2	6	6	7
35-49	46	1.7	3	<1	<1	1	1	4	6	9
50-64	123	1.2		<1	<1	1	1	2	2	5
65+	91	1.2		<1	<1	1	1	2	2	4
2. MULTIPLE DX										
0-19 YRS	10	3.8	10	<1	<1	3	6	9	10	10
20-34	29	3.7	17	<1	<1	2	4	12	14	15
35-49	35	2.9	11	<1	<1	2	3	7	10	16
50-64	85	1.8	6	<1	1	1	2	2	4	17
65+	103	2.2	9	<1	1	1	2	4	9	18
TOT. SINGLE DX	297	1.4	1	<1	<1	1	1	2	4	6
" MULTIPLE DX	262	2.4	10	<1	<1	1	2	5	10	17
TOTAL 0-19 YRS	18	2.9	8	<1	<1	2	4	7	9	10
20-34	58	2.9	11	<1	<1	2	3	7	12	15
35-49	81	2.2	7	<1	<1	1	2	6	8	14
50-64	208	1.5	3	<1	<1	1	1	2	3	11
65+	194	1.7	5	<1	<1	1	2	3	4	15
GRAND TOTAL	**559**	**1.9**	**5**	**<1**	**<1**	**1**	**2**	**3**	**6**	**15**

729: Repair and plastic operations on hand (82.4-82.8; 82.91; 82.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	183	1.3		<1	<1	1	1	2	3	5
20-34	316	1.5	1	<1	<1	1	2	3	3	7
35-49	132	1.6	1	<1	<1	1	2	3	4	7
50-64	72	1.3		<1	<1	1	1	2	3	4
65+	27	1.9	1	<1	1	1	2	3	4	6
2. MULTIPLE DX										
0-19 YRS	196	1.8	1	<1	1	1	2	3	5	7
20-34	425	2.4	8	<1	1	1	3	4	8	15
35-49	200	2.1	3	<1	1	1	2	4	6	10
50-64	100	2.1	4	<1	1	1	2	4	5	14
65+	59	2.4	4	<1	<1	1	3	5	6	11
TOT. SINGLE DX	730	1.5	1	<1	<1	1	2	3	3	6
" MULTIPLE DX	980	2.2	5	<1	1	1	2	4	6	13
TOTAL 0-19 YRS	379	1.5	1	<1	<1	1	2	3	4	6
20-34	741	2.0	5	<1	<1	1	2	4	5	13
35-49	332	1.9	3	<1	<1	1	2	4	5	10
50-64	172	1.7	3	<1	<1	1	2	3	4	12
65+	86	2.2	4	<1	1	1	3	5	5	11
GRAND TOTAL	**1710**	**1.9**	**4**	**<1**	**<1**	**1**	**2**	**3**	**5**	**11**

730: Resection and suture of muscle, tendon, fascia, except hand (83.4-83.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	136	1.8	2	<1	<1	1	2	4	4	7
20-34	443	2.0	2	<1	1	2	2	4	5	9
35-49	520	2.4	3	<1	1	2	3	4	6	8
50-64	577	2.6	2	1	1	2	3	4	5	8
65+	264	3.0	2	1	1	3	4	5	6	9
2. MULTIPLE DX										
0-19 YRS	102	3.4	29	<1	1	2	3	6	9	35
20-34	282	3.3	24	<1	1	2	4	6	9	14
35-49	329	3.5	12	1	1	3	4	6	10	20
50-64	554	3.5	9	1	1	3	4	6	9	17
65+	445	4.8	31	1	1	3	5	8	13	28
TOT. SINGLE DX	1940	2.4	3	<1	1	2	3	4	5	8
" MULTIPLE DX	1712	3.8	20	1	1	3	4	7	10	22
TOTAL 0-19 YRS	238	2.5	14	<1	1	2	3	4	6	18
20-34	725	2.5	11	<1	1	2	3	5	7	12
35-49	849	2.9	7	<1	1	2	3	5	7	15
50-64	1131	3.1	6	1	1	3	4	5	7	13
65+	709	4.2	21	1	1	3	5	7	10	25
GRAND TOTAL	**3652**	**3.1**	**11**	**1**	**1**	**2**	**4**	**5**	**7**	**16**

731: Miscellaneous operations on muscle, tendon, fascia, and bursa, except hand (83.71-83.93; 83.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	300	2.0	1	<1	1	2	3	3	4	6
20-34	309	2.5	4	<1	1	2	3	4	5	11
35-49	245	2.3	2	<1	1	2	3	4	5	10
50-64	122	2.6	3	1	1	2	3	4	6	11
65+	42	3.9	6	1	1	3	5	7	9	11
2. MULTIPLE DX										
0-19 YRS	316	3.0	27	1	1	2	3	4	6	34
20-34	201	4.2	69	1	1	2	4	8	13	94
35-49	158	4.7	63	1	1	2	4	10	20	46
50-64	126	4.2	33	1	1	3	5	7	11	37
65+	94	7.2	83	1	1	4	8	19	46	99+
TOT. SINGLE DX	1018	2.4	3	<1	1	2	3	4	5	10
" MULTIPLE DX	895	4.2	51	1	1	2	4	7	15	50
TOTAL 0-19 YRS	616	2.5	15	<1	1	2	3	4	5	15
20-34	510	3.2	31	1	1	2	3	5	8	40
35-49	403	3.3	28	1	1	2	3	5	9	27
50-64	248	3.4	19	1	1	2	4	6	8	26
65+	136	6.2	62	1	1	4	7	16	23	99+
GRAND TOTAL	**1913**	**3.2**	**27**	**1**	**1**	**2**	**3**	**5**	**8**	**33**

732: Amputation of fingers and thumb (84.01-84.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	1.6	2	<1	<1	1	1	3	4	10
20-34	92	1.7	1	<1	<1	1	2	3	4	8
35-49	32	1.6	1	<1	<1	1	2	3	4	5
50-64	31	1.6		<1	<1	1	2	3	4	5
65+	25	1.8	2	<1	<1	1	2	3	5	8
2. MULTIPLE DX										
0-19 YRS	31	3.7	39	1	1	2	4	6	13	35
20-34	102	3.2	17	<1	1	2	3	8	11	22
35-49	103	5.3	109	<1	1	2	5	12	16	64
50-64	73	5.0	41	<1	1	2	7	12	21	31
65+	74	6.8	105	<1	1	2	7	19	29	53
TOT. SINGLE DX	219	1.7	2	<1	<1	1	2	3	4	8
" MULTIPLE DX	383	4.9	66	<1	1	2	5	11	18	38
TOTAL 0-19 YRS	70	2.5	20	<1	1	1	2	5	6	31
20-34	194	2.5	11	<1	<1	1	3	5	9	18
35-49	135	4.4	86	<1	1	2	4	10	15	48
50-64	104	4.0	32	<1	1	2	4	10	16	29
65+	99	5.5	84	<1	1	2	5	14	25	53
GRAND TOTAL	**602**	**3.7**	**45**	**<1**	**1**	**2**	**3**	**8**	**14**	**31**

733: Amputation of hand, forearm, and upper arm (84.00; 84.03-84.09)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	4.0	20	1	1	2	5	12	12	12
20-34	3	4.7	8	3	3	3	7	8	8	8
35-49	6	3.0	4	1	1	2	3	7	7	7
50-64	4	5.3	14	2	2	5	8	9	9	9
65+	1	6.0		6	6	6	6	6	6	6
2. MULTIPLE DX										
0-19 YRS	5	10.8	64	5	5	6	16	24	24	24
20-34	8	10.5	58	2	2	8	17	22	22	22
35-49	9	8.3	81	1	1	5	9	24	29	29
50-64	7	15.3	427	4	4	5	14	52	61	61
65+	13	12.5	276	1	1	7	14	27	58	65
TOT. SINGLE DX	19	4.2	10	1	1	3	7	9	11	12
" MULTIPLE DX	42	11.5	181	1	2	6	13	23	42	65
TOTAL 0-19 YRS	10	7.4	51	1	1	5	12	18	24	24
20-34	11	8.9	50	2	2	7	12	21	22	22
35-49	15	6.2	55	1	1	4	7	17	26	29
50-64	11	11.6	286	2	2	5	12	33	59	61
65+	14	12.1	259	1	1	7	13	23	56	65
GRAND TOTAL	**61**	**9.2**	**138**	**1**	**2**	**6**	**12**	**19**	**26**	**65**

734: Amputation of toes (84.11)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	12	2.1	2	<1	<1	2	2	4	7	7
20-34	27	3.4	16	<1	<1	2	4	7	10	21
35-49	18	4.6	27	<1	<1	3	4	14	17	18
50-64	13	5.3	14	1	2	5	7	10	14	15
65+	23	5.1	12	<1	1	6	8	9	11	13
2. MULTIPLE DX										
0-19 YRS	21	4.7	38	<1	1	2	5	13	22	24
20-34	65	9.4	93	1	1	7	11	22	32	45
35-49	145	13.2	120	2	2	12	17	27	32	45
50-64	297	12.3	129	1	2	9	16	25	33	54
65+	498	11.2	97	1	2	9	14	23	31	48
TOT. SINGLE DX	93	4.2	16	<1	<1	3	6	9	13	20
" MULTIPLE DX	1026	11.6	110	1	2	9	15	24	32	49
TOTAL 0-19 YRS	33	3.7	26	<1	1	2	4	7	18	24
20-34	92	7.6	78	<1	1	5	9	20	30	42
35-49	163	12.2	118	1	2	11	16	25	32	43
50-64	310	12.0	126	1	2	9	16	25	32	53
65+	521	11.0	96	1	2	9	14	22	30	47
GRAND TOTAL	**1119**	**11.0**	**106**	**1**	**2**	**8**	**15**	**23**	**30**	**48**

735: Below-knee amputation (84.15)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	10.0	102	3	3	6	16	25	25	25
20-34	7	6.0	34	<1	<1	3	9	16	17	17
35-49	6	6.0	3	3	3	6	8	8	8	8
50-64	4	10.0	28	4	4	10	14	15	15	15
65+	11	10.3	21	5	5	10	12	17	21	21
2. MULTIPLE DX										
0-19 YRS	6	24.2	675	6	6	17	23	70	75	75
20-34	45	18.4	229	5	6	17	26	49	83	99+
35-49	94	16.7	182	5	7	12	19	31	51	69
50-64	226	18.0	161	6	7	15	23	33	45	94
65+	591	16.7	146	5	6	13	21	31	40	63
TOT. SINGLE DX	32	8.5	31	2	3	7	11	16	21	25
" MULTIPLE DX	962	17.1	160	5	6	14	22	32	44	81
TOTAL 0-19 YRS	10	18.5	463	3	4	10	23	50	75	75
20-34	52	16.7	220	3	4	14	23	42	75	99+
35-49	100	16.0	178	5	6	11	18	31	50	68
50-64	230	17.9	160	6	7	15	23	33	45	93
65+	602	16.6	145	5	6	13	21	31	40	63
GRAND TOTAL	**994**	**16.9**	**158**	**5**	**6**	**13**	**21**	**32**	**44**	**81**

736: Above-knee amputation (84.16-84.17)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	8	9.8	154	2	2	6	8	31	40	40
20-34	1	7.0		7	7	7	7	7	7	7
35-49	3	8.0	21	3	3	9	11	12	12	12
50-64	5	9.8	42	5	5	7	13	21	21	21
65+	13	7.7	11	3	4	8	9	11	16	17
2. MULTIPLE DX										
0-19 YRS	5	9.0	101	4	4	5	11	27	27	27
20-34	7	18.7	236	3	4	16	23	44	49	49
35-49	19	19.4	255	1	3	15	26	37	52	65
50-64	93	15.7	104	6	7	13	20	28	33	60
65+	503	14.4	116	3	5	11	19	29	35	70
TOT. SINGLE DX	30	8.6	51	3	3	7	9	14	21	40
" MULTIPLE DX	627	14.7	121	4	5	12	19	29	36	68
TOTAL 0-19 YRS	13	9.5	124	2	3	5	8	30	38	40
20-34	8	17.3	220	3	4	12	23	41	49	49
35-49	22	17.8	237	1	3	13	25	37	48	65
50-64	98	15.4	103	6	6	12	20	28	32	58
65+	516	14.2	115	3	5	11	19	29	35	69
GRAND TOTAL	**657**	**14.5**	**119**	**3**	**5**	**11**	**19**	**29**	**36**	**67**

737: Other amputation of lower extremity (84.10; 84.12-84.14; 84.18-84.19)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	4	5.0	8	2	2	5	7	8	8	8
20-34	3	20.0	148	12	12	14	29	34	34	34
35-49	4	7.0	2	6	6	7	8	9	9	9
50-64	2	2.5	5	<1	<1	2	4	4	4	4
65+	3	12.7	374	1	1	2	27	35	35	35
2. MULTIPLE DX										
0-19 YRS	9	7.7	50	1	1	7	10	19	24	24
20-34	14	13.7	304	1	2	8	12	49	57	59
35-49	50	16.0	170	3	4	12	21	36	48	54
50-64	89	18.0	186	4	4	14	25	39	44	64
65+	149	16.3	157	4	5	13	20	31	43	66
TOT. SINGLE DX	16	9.4	110	<1	1	6	10	32	35	35
" MULTIPLE DX	311	16.4	172	3	4	12	21	35	44	65
TOTAL 0-19 YRS	13	6.8	37	1	2	7	9	14	22	24
20-34	17	14.8	272	1	2	9	14	45	55	59
35-49	54	15.4	163	3	4	11	19	35	46	54
50-64	91	17.7	188	3	4	14	25	39	44	64
65+	152	16.2	160	4	5	13	20	32	43	66
GRAND TOTAL	**327**	**16.1**	**171**	**3**	**4**	**12**	**21**	**35**	**44**	**64**

738: Reattachment of extremity (84.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	28	4.1	30	1	1	2	5	7	14	29
20-34	21	3.7	7	<1	1	3	5	7	9	11
35-49	14	5.0	10	1	2	5	7	10	12	12
50-64	6	6.2	11	1	1	6	8	11	11	11
65+	3	3.3	4	<1	<1	4	5	5	5	5
2. MULTIPLE DX										
0-19 YRS	20	9.9	70	2	3	7	10	28	29	29
20-34	21	7.8	32	1	1	7	11	17	18	18
35-49	14	6.3	8	2	3	6	7	11	12	12
50-64	8	7.3	78	1	2	4	8	23	28	28
65+	7	10.9	105	1	1	7	18	26	28	28
TOT. SINGLE DX	72	4.3	17	1	1	3	6	8	11	25
" MULTIPLE DX	70	8.3	50	1	2	6	11	18	28	29
TOTAL 0-19 YRS	48	6.5	54	1	1	5	7	13	28	29
20-34	42	5.8	24	1	1	5	7	14	17	18
35-49	28	5.6	10	2	2	5	7	11	12	12
50-64	14	6.8	47	1	1	4	8	13	25	28
65+	10	8.6	84	<1	<1	5	14	24	28	28
GRAND TOTAL	**142**	**6.3**	**37**	**1**	**1**	**5**	**7**	**12**	**19**	**29**

739: Revision of amputation stump (84.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	6	3.0	7	<1	<1	2	4	8	8	8
20-34	26	2.3	3	<1	<1	2	3	6	21	99+
35-49	28	2.3	2	<1	1	2	3	5	5	6
50-64	13	3.8	16	<1	<1	3	4	10	14	15
65+	8	7.8	144	<1	<1	2	9	29	36	36
2. MULTIPLE DX										
0-19 YRS	11	2.1	2	<1	<1	1	3	5	5	5
20-34	31	7.0	116	<1	1	3	8	15	25	57
35-49	43	8.8	120	1	1	6	12	19	46	99+
50-64	76	10.7	135	1	2	8	12	20	25	69
65+	139	11.3	113	1	2	8	17	25	29	86
TOT. SINGLE DX	81	3.1	20	<1	<1	2	4	6	10	79
" MULTIPLE DX	300	10.0	119	1	1	7	12	23	28	80
TOTAL 0-19 YRS	17	2.4	4	<1	<1	2	3	5	7	8
20-34	57	4.8	70	<1	<1	2	5	12	22	97
35-49	71	6.3	84	1	1	3	7	16	25	91
50-64	89	9.7	124	1	1	7	11	19	23	66
65+	147	11.1	115	1	2	8	16	25	30	85
GRAND TOTAL	**381**	**8.5**	**106**	**1**	**1**	**5**	**11**	**21**	**27**	**82**

740: Miscellaneous operations on musculoskeletal system (84.40; 84.44; 84.48; 84.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	1	1.0		1	1	1	1	1	1	1
20-34	1	1.0		1	1	1	1	1	1	1
35-49	4	5.5	35	1	1	3	9	14	14	14
50-64	3	4.0	13	1	1	3	7	8	8	8
65+	6	7.3	24	1	1	8	12	12	12	12
2. MULTIPLE DX										
0-19 YRS	2	13.5	85	7	7	13	20	20	20	20
20-34	2	4.5	1	4	4	4	5	5	5	5
35-49	2	2.5	5	<1	<1	2	4	4	4	4
50-64	5	3.6	10	1	1	2	6	8	8	8
65+	8	7.9	6	5	5	8	10	11	12	12
TOT. SINGLE DX	15	5.3	23	1	1	4	10	12	14	14
" MULTIPLE DX	19	6.4	21	<1	1	6	9	11	16	20
TOTAL 0-19 YRS	3	9.3	94	1	1	7	17	20	20	20
20-34	3	3.3	4	1	1	4	5	5	5	5
35-49	6	4.5	24	<1	<1	3	5	13	14	14
50-64	8	3.8	10	1	1	2	7	8	8	8
65+	14	7.6	13	2	3	8	11	12	12	12
GRAND TOTAL	**34**	**5.9**	**21**	**1**	**1**	**5**	**9**	**12**	**14**	**20**

741: Other diagnostic and therapeutic procedures on musculoskeletal structure (for ICD-9-CM codes, see Appendix)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

742: Local exision or destruction of lesion of breast (85.11-85.12; 85.20-85.23)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	35	1.3		<1	<1	<1	1	2	4	4
20-34	208	1.4		<1	<1	<1	1	2	4	6
35-49	593	1.5	1	<1	<1	<1	1	3	4	6
50-64	582	1.5	1	<1	<1	<1	2	3	4	6
65+	395	2.0	4	<1	<1	1	3	4	5	8
2. MULTIPLE DX										
0-19 YRS	5	3.0	15	<1	<1	1	4	10	10	10
20-34	123	2.5	15	<1	<1	1	2	5	8	21
35-49	465	3.0	25	<1	<1	1	3	6	10	36
50-64	573	3.2	36	<1	<1	2	3	6	10	25
65+	741	4.0	20	<1	<1	2	5	10	13	23
TOT. SINGLE DX	1813	1.6	2	<1	<1	<1	2	3	4	6
" MULTIPLE DX	1907	3.4	26	<1	<1	2	4	7	11	26
TOTAL 0-19 YRS	40	1.5	2	<1	<1	<1	1	3	4	10
20-34	331	1.8	7	<1	<1	<1	2	3	5	10
35-49	1058	2.1	12	<1	<1	1	2	4	6	15
50-64	1155	2.3	20	<1	<1	1	2	4	6	18
65+	1136	3.3	16	<1	<1	2	4	7	11	21
GRAND TOTAL	**3720**	**2.5**	**15**	**<1**	**<1**	**1**	**3**	**5**	**8**	**18**

743: Simple mastectomy (85.41-85.42)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	5	1.4		1	1	1	2	2	2	2
20-34	20	2.4	1	<1	1	2	3	4	5	5
35-49	78	3.3	2	1	1	3	4	5	6	9
50-64	108	3.4	3	1	1	3	4	5	6	10
65+	133	3.5	3	1	1	3	4	5	7	9
2. MULTIPLE DX										
0-19 YRS	1	3.0		3	3	3	3	3	3	3
20-34	32	3.1	1	1	1	3	4	5	6	6
35-49	150	3.4	3	1	2	3	4	5	6	8
50-64	213	4.0	10	1	2	3	5	7	8	15
65+	312	4.8	24	1	2	4	6	9	12	28
TOT. SINGLE DX	344	3.3	3	1	1	3	4	5	6	9
" MULTIPLE DX	708	4.2	15	1	2	3	5	7	9	16
TOTAL 0-19 YRS	6	1.7	1	1	1	2	2	3	3	3
20-34	52	2.8	2	1	1	3	4	5	5	6
35-49	228	3.4	3	1	1	3	4	5	6	8
50-64	321	3.8	8	1	2	3	5	6	8	14
65+	445	4.4	18	1	2	4	5	8	10	22
GRAND TOTAL	**1052**	**3.9**	**11**	**1**	**1**	**3**	**5**	**6**	**9**	**14**

744: Extended simple mastectomy and radical mastectomy (85.43-85.48)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	5.5	25	2	2	5	9	9	9	9
20-34	69	3.9	3	2	2	4	5	6	7	11
35-49	493	3.6	2	2	2	3	4	5	6	9
50-64	801	3.7	2	2	2	3	4	6	7	8
65+	884	4.0	2	2	2	4	5	6	7	9
2. MULTIPLE DX										
0-19 YRS	1	2.0		2	2	2	2	2	2	2
20-34	78	4.0	3	2	2	4	5	5	9	11
35-49	724	4.0	4	2	2	4	5	6	7	11
50-64	1321	4.3	5	2	2	4	5	7	8	12
65+	2111	4.9	8	2	2	4	6	8	10	16
TOT. SINGLE DX	2249	3.8	3	2	2	4	5	6	7	9
" MULTIPLE DX	4235	4.6	7	2	2	4	5	7	9	14
TOTAL 0-19 YRS	3	4.3	16	2	2	2	7	9	9	9
20-34	147	4.0	4	2	2	4	5	6	8	11
35-49	1217	3.8	4	2	2	4	5	6	7	10
50-64	2122	4.1	4	2	2	4	5	7	8	11
65+	2995	4.7	7	2	2	4	6	7	9	14
GRAND TOTAL	**6484**	**4.3**	**6**	**2**	**2**	**4**	**5**	**7**	**8**	**12**

745: Miscellaneous operations on breast (85.0; 85.24-85.25; 85.3; 85.5-85.8; 85.93-85.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	221	2.0	1	<1	1	2	3	3	4	6
20-34	495	2.3	1	1	1	2	3	4	4	7
35-49	493	2.5	1	1	1	2	3	4	5	7
50-64	314	2.4	1	1	1	2	3	4	4	7
65+	86	2.3	1	<1	1	2	3	4	5	6
2. MULTIPLE DX										
0-19 YRS	79	2.2	2	1	1	2	3	3	4	11
20-34	415	2.7	3	1	1	2	3	4	5	10
35-49	1006	2.8	4	1	1	2	4	5	6	9
50-64	725	3.0	5	1	1	3	4	5	6	14
65+	213	3.2	8	1	1	3	4	6	8	16
TOT. SINGLE DX	1609	2.3	2	1	1	2	3	4	4	7
" MULTIPLE DX	2438	2.9	5	1	1	2	4	5	6	11
TOTAL 0-19 YRS	300	2.1	2	1	1	2	3	3	4	7
20-34	910	2.5	3	1	1	2	3	4	5	8
35-49	1499	2.7	3	1	1	2	3	4	6	9
50-64	1039	2.8	4	1	1	2	3	5	6	11
65+	299	3.0	7	1	1	2	4	5	7	16
GRAND TOTAL	**4047**	**2.6**	**4**	**1**	**1**	**2**	**3**	**4**	**5**	**9**

746: Incision and excision of pilonidal cyst or sinus (86.03; 86.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	178	1.6		<1	1	1	2	3	3	6
20-34	350	1.7	1	<1	1	1	2	3	4	6
35-49	80	1.9	2	<1	<1	1	2	4	6	8
50-64	18	2.6	1	<1	<1	2	4	5	5	5
65+	4	3.8	11	<1	<1	3	6	8	8	8
2. MULTIPLE DX										
0-19 YRS	41	3.6	31	<1	<1	2	3	6	12	35
20-34	71	3.0	17	1	1	2	3	6	15	83
35-49	25	2.4	2	<1	1	2	4	5	5	5
50-64	10	3.0	6	1	1	2	5	7	8	8
65+	4	3.8	6	1	1	3	5	7	7	7
TOT. SINGLE DX	630	1.7	1	<1	1	1	2	3	4	6
" MULTIPLE DX	151	3.1	18	1	1	2	3	5	8	35
~~TOTAL 0-19 YRS~~	219	1.9	7	<1	1	1	2	3	4	11
20-34	421	1.9	4	<1	1	1	2	3	4	12
35-49	105	2.0	2	<1	1	1	2	5	5	8
50-64	28	2.8	3	<1	1	2	4	5	6	8
65+	8	3.8	8	<1	<1	3	6	8	8	8
GRAND TOTAL	**781**	**2.0**	**5**	**<1**	**1**	**1**	**2**	**4**	**5**	**10**

747: Local excision or destruction of lesion or tissue of skin and subcutaneous tissue (86.11; 86.3)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	260	1.5	2	<1	<1	1	1	3	4	7
20-34	259	2.2	7	<1	<1	1	2	5	8	13
35-49	299	2.4	17	<1	<1	1	2	5	8	17
50-64	216	2.1	7	<1	<1	1	2	4	7	12
65+	165	2.4	8	<1	<1	1	3	6	8	16
2. MULTIPLE DX										
0-19 YRS	210	5.9	136	<1	<1	2	5	13	42	99+
20-34	318	8.0	118	<1	1	3	9	23	32	50
35-49	381	7.9	111	<1	1	4	10	20	31	55
50-64	409	7.1	86	<1	<1	4	9	19	25	48
65+	766	9.4	112	1	1	6	12	21	28	55
TOT. SINGLE DX	1199	2.1	9	<1	<1	1	2	4	7	15
" MULTIPLE DX	2084	8.1	112	<1	1	4	10	21	30	62
TOTAL 0-19 YRS	470	3.5	67	<1	<1	1	3	6	12	68
20-34	577	5.4	77	<1	<1	2	5	14	25	47
35-49	680	5.5	78	<1	<1	2	6	14	23	45
50-64	625	5.4	65	<1	<1	3	6	13	22	40
65+	931	8.1	101	<1	1	5	10	18	26	51
GRAND TOTAL	**3283**	**5.9**	**83**	**<1**	**<1**	**2**	**7**	**15**	**23**	**47**

748: Other incision, excision, and suture of skin (86.04-86.09; 86.22; 86.4-86.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARI-ANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	718	3.2	16	<1	<1	2	4	7	10	19
20-34	1059	3.7	19	<1	1	2	5	8	10	24
35-49	608	4.0	19	<1	1	3	5	9	13	23
50-64	410	4.1	20	<1	<1	2	5	8	12	25
65+	316	5.2	33	<1	1	3	7	12	17	29
2. MULTIPLE DX										
0-19 YRS	1955	4.5	46	<1	1	2	5	9	15	39
20-34	3710	5.8	65	<1	1	3	7	13	21	47
35-49	2294	8.2	117	1	1	5	10	18	29	62
50-64	2135	10.3	137	1	1	7	13	24	35	70
65+	3664	11.2	141	1	2	8	14	25	36	70
TOT. SINGLE DX	3111	3.8	21	<1	1	2	5	8	11	23
" MULTIPLE DX	13758	8.1	109	1	1	5	10	19	29	59
TOTAL 0-19 YRS	2673	4.1	39	<1	1	2	5	8	14	35
20-34	4769	5.3	56	<1	1	3	6	12	18	42
35-49	2902	7.3	100	1	1	4	8	16	25	57
50-64	2545	9.3	124	1	1	6	12	21	31	64
65+	3980	10.7	136	1	1	7	14	24	35	68
GRAND TOTAL	**16869**	**7.3**	**96**	**1**	**1**	**4**	**9**	**17**	**26**	**55**

749: Free skin grafts (86.6; 86.91)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	126	4.3	17	<1	<1	3	6	11	13	19
20-34	134	4.2	18	<1	1	3	6	8	11	25
35-49	89	5.4	39	<1	1	3	7	13	17	34
50-64	76	5.9	53	<1	<1	3	7	14	19	40
65+	65	8.9	64	<1	1	6	14	18	23	37
2. MULTIPLE DX										
0-19 YRS	138	11.4	217	<1	1	5	14	32	38	75
20-34	259	13.6	191	1	1	10	18	31	42	70
35-49	199	12.8	203	1	1	8	18	35	42	93
50-64	215	14.4	198	1	1	10	21	36	46	85
65+	449	15.7	202	1	2	12	21	32	42	73
TOT. SINGLE DX	490	5.3	35	<1	1	3	7	13	17	28
" MULTIPLE DX	1260	14.1	203	1	1	10	19	33	42	75
TOTAL 0-19 YRS	264	8.0	134	<1	1	4	10	20	33	58
20-34	393	10.4	152	1	1	7	14	23	38	68
35-49	288	10.5	164	1	1	6	14	29	38	81
50-64	291	12.1	174	<1	1	8	17	31	42	73
65+	514	14.9	190	1	2	12	20	31	41	69
GRAND TOTAL	**1750**	**11.7**	**171**	**1**	**1**	**7**	**16**	**29**	**38**	**70**

750: Pedicle graft of skin (86.7)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	39	2.9	10	<1	<1	1	4	8	10	14
20-34	59	3.4	20	<1	1	2	3	8	8	30
35-49	32	5.6	55	<1	<1	2	6	20	24	25
50-64	19	5.8	47	<1	1	3	6	16	23	27
65+	15	7.4	98	1	1	2	8	23	32	35
2. MULTIPLE DX										
0-19 YRS	48	7.1	140	<1	<1	3	7	23	38	99+
20-34	137	13.0	295	1	1	6	18	36	55	74
35-49	125	14.6	237	1	1	9	23	41	52	99+
50-64	77	11.9	213	1	1	7	16	30	43	66
65+	104	17.0	326	1	1	9	25	43	59	72
TOT. SINGLE DX	164	4.3	36	<1	<1	2	5	9	19	31
" MULTIPLE DX	491	13.5	265	1	1	7	20	37	53	74
TOTAL 0-19 YRS	87	5.2	85	<1	<1	2	5	14	25	86
20-34	196	10.1	232	<1	1	4	10	28	43	69
35-49	157	12.8	213	<1	1	6	20	35	48	97
50-64	96	10.7	186	1	1	5	12	27	42	64
65+	119	15.8	307	1	1	8	24	42	56	72
GRAND TOTAL	**655**	**11.2**	**223**	**<1**	**1**	**5**	**15**	**31**	**44**	**70**

751: Miscellaneous operations on skin and subcutaneous tissue (86.02; 86.23-86.25; 86.8; 86.99)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	118	1.7	3	<1	<1	1	2	3	5	11
20-34	85	2.0	3	<1	<1	1	3	4	6	10
35-49	92	2.3	5	<1	<1	2	3	4	6	14
50-64	73	1.8	1	<1	<1	1	2	3	3	9
65+	38	1.5		<1	<1	1	2	3	3	5
2. MULTIPLE DX										
0-19 YRS	114	4.2	98	<1	<1	2	3	7	17	61
20-34	137	4.8	57	<1	1	2	4	10	21	35
35-49	203	3.5	13	1	1	3	4	7	9	23
50-64	185	3.3	8	1	1	3	4	7	9	12
65+	194	7.4	95	1	1	4	9	19	27	65
TOT. SINGLE DX	406	1.9	3	<1	<1	1	2	3	5	10
" MULTIPLE DX	833	4.7	53	<1	1	3	5	9	16	36
TOTAL 0-19 YRS	232	2.9	51	<1	<1	1	2	4	7	39
20-34	222	3.7	39	<1	<1	2	3	7	14	32
35-49	295	3.1	11	<1	1	2	4	6	8	19
50-64	258	2.9	7	<1	1	2	4	6	8	12
65+	232	6.4	84	<1	1	3	8	16	25	57
GRAND TOTAL	**1239**	**3.8**	**38**	**<1**	**<1**	**2**	**4**	**8**	**12**	**32**

752: Miscellaneous diagnostic and therapeutic procedures on breast, skin, and subcutaneous tissue (85.19; 85.91-85.92; 86.01; 86.19; 86.26; 86.92)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

753: Encephalography and ventriculography (87.01-87.02)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	9	2.0	1	1	1	2	3	4	4	4
35-49	1	1.0		1	1	1	1	1	1	1
50-64	2	4.0	18	1	1	4	7	7	7	7
65+	13	4.1	12	1	1	2	5	10	12	12
2. MULTIPLE DX										
0-19 YRS	11	4.1	8	1	1	4	7	8	8	8
20-34	13	4.3	14	<1	1	3	6	9	13	14
35-49	15	3.0	9	<1	1	2	3	6	11	13
50-64	25	6.9	33	1	2	5	9	15	18	25
65+	127	8.1	32	1	2	7	10	15	17	29
TOT. SINGLE DX	27	3.0	9	1	1	2	4	8	10	12
″ MULTIPLE DX	191	7.0	31	1	1	6	9	14	16	25
TOTAL 0-19 YRS	13	3.6	8	1	1	2	6	8	8	8
20-34	22	3.4	10	<1	1	2	4	8	11	14
35-49	16	2.9	9	<1	1	2	3	6	11	13
50-64	27	6.7	32	1	2	5	9	15	17	25
65+	140	7.7	32	1	2	7	10	15	17	27
GRAND TOTAL	**218**	**6.5**	**30**	**1**	**1**	**5**	**9**	**14**	**16**	**25**

754: Myelography (87.21)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	111	1.9	4	<1	1	1	2	4	7	11
20-34	2451	2.1	7	<1	1	1	2	5	8	13
35-49	3360	1.9	6	<1	1	1	2	4	7	12
50-64	1911	1.7	3	<1	1	1	1	3	6	10
65+	731	1.9	6	<1	1	1	1	4	7	13
2. MULTIPLE DX										
0-19 YRS	74	4.6	92	1	1	2	4	8	20	62
20-34	1429	3.3	16	1	1	1	4	8	11	19
35-49	2371	3.3	19	1	1	1	4	8	11	21
50-64	1999	3.1	15	1	1	1	4	8	11	20
65+	1583	4.5	39	1	1	2	6	11	16	31
TOT. SINGLE DX	8564	1.9	6	<1	1	1	2	4	7	12
″ MULTIPLE DX	7456	3.5	23	1	1	1	4	9	12	23
TOTAL 0-19 YRS	185	3.0	41	<1	1	1	2	6	9	34
20-34	3880	2.5	11	1	1	1	2	7	9	16
35-49	5731	2.5	12	1	1	1	2	6	9	17
50-64	3910	2.4	10	1	1	1	2	6	9	17
65+	2314	3.7	30	1	1	1	4	10	14	27
GRAND TOTAL	**16020**	**2.7**	**15**	**1**	**1**	**1**	**2**	**7**	**10**	**18**

755: Cerebral arteriography (88.41)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	57	3.1	23	1	1	2	3	7	11	26
20-34	163	2.8	14	<1	1	1	3	6	11	16
35-49	207	2.8	9	1	1	1	3	8	11	14
50-64	322	2.3	7	<1	1	1	2	5	7	16
65+	361	2.4	7	<1	1	1	3	6	8	14
2. MULTIPLE DX										
0-19 YRS	47	6.0	94	<1	1	2	6	13	23	54
20-34	195	5.4	36	1	1	3	7	13	16	35
35-49	390	5.5	44	1	1	3	6	13	19	31
50-64	1009	5.4	49	1	1	3	7	12	17	33
65+	1993	5.0	28	1	1	4	7	10	14	25
TOT. SINGLE DX	1110	2.6	10	<1	1	1	3	6	9	16
″ MULTIPLE DX	3634	5.2	37	1	1	3	7	11	16	29
TOTAL 0-19 YRS	104	4.4	57	<1	1	2	4	10	17	45
20-34	358	4.2	28	1	1	2	5	12	15	32
35-49	597	4.6	34	1	1	2	5	11	16	28
50-64	1331	4.6	41	1	1	2	5	11	16	30
65+	2354	4.6	26	1	1	3	6	10	13	24
GRAND TOTAL	**4744**	**4.6**	**32**	**1**	**1**	**3**	**6**	**10**	**15**	**26**

756: Coronary arteriography (88.55-88.57)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2	1.0		1	1	1	1	1	1	1
20-34	9	2.9	11	1	1	1	3	9	11	11
35-49	81	2.0	5	<1	<1	1	2	4	6	13
50-64	169	2.1	9	<1	<1	1	2	5	7	10
65+	103	1.6	2	<1	<1	1	1	3	5	9
2. MULTIPLE DX										
0-19 YRS	2	2.5	5	1	1	2	4	4	4	4
20-34	35	4.4	46	1	1	2	3	12	23	31
35-49	292	2.7	8	1	1	2	3	6	8	12
50-64	924	2.9	8	<1	1	2	4	6	8	15
65+	943	3.4	18	<1	1	2	4	8	10	20
TOT. SINGLE DX	364	1.9	6	<1	<1	1	2	4	7	11
″ MULTIPLE DX	2196	3.1	13	<1	1	2	4	7	9	16
TOTAL 0-19 YRS	4	1.8	2	1	1	1	3	4	4	4
20-34	44	4.1	39	1	1	2	3	11	19	31
35-49	373	2.5	8	<1	1	1	3	6	8	12
50-64	1093	2.8	9	<1	1	2	3	6	8	15
65+	1046	3.2	17	<1	1	2	4	8	10	20
GRAND TOTAL	**2560**	**2.9**	**12**	**<1**	**1**	**2**	**4**	**7**	**9**	**15**

757: Other arteriography and phlebography (88.40; 88.42-88.49; 88.50-88.54; 88.58; 88.6)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	75	3.6	13	<1	1	2	5	9	10	19
20-34	330	4.1	11	1	1	3	7	9	10	13
35-49	416	4.0	10	<1	1	3	7	9	10	13
50-64	454	3.7	11	<1	1	2	6	9	10	14
65+	482	3.4	11	<1	1	2	5	9	10	13
2. MULTIPLE DX										
0-19 YRS	140	3.8	25	<1	<1	2	5	8	10	21
20-34	526	6.3	45	1	1	5	8	12	15	39
35-49	961	6.0	37	1	1	5	8	12	15	31
50-64	1945	5.7	32	1	1	4	8	11	15	25
65+	3764	6.2	37	1	1	5	8	12	16	30
TOT. SINGLE DX	1757	3.8	11	<1	1	2	6	9	10	13
" MULTIPLE DX	7336	6.0	36	1	1	5	8	12	15	29
TOTAL 0-19 YRS	215	3.7	21	<1	<1	2	5	8	10	19
20-34	856	5.5	33	1	1	4	8	11	13	23
35-49	1377	5.4	30	1	1	4	7	11	14	27
50-64	2399	5.3	29	1	1	4	8	11	14	24
65+	4246	5.8	35	1	1	5	8	12	15	29
GRAND TOTAL	**9093**	**5.6**	**32**	**1**	**1**	**4**	**8**	**11**	**14**	**26**

758: Other radiography and special diagnostic procedures (87.03-87.17; 87.22-87.99; 88.0-88.3; 88.7-88.9; 92.0-92.1)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3834	2.8	11	<1	1	2	3	5	7	15
20-34	6241	3.2	13	<1	1	2	4	6	8	16
35-49	4405	3.5	15	1	1	2	4	7	9	20
50-64	3206	3.7	12	1	1	3	5	7	10	16
65+	2896	4.4	15	1	1	3	5	8	11	19
2. MULTIPLE DX										
0-19 YRS	7676	5.2	60	1	1	3	5	10	18	45
20-34	12521	4.9	34	1	1	3	6	10	14	32
35-49	12816	5.3	31	1	1	4	6	10	14	30
50-64	20179	5.8	29	1	2	4	7	11	15	27
65+	53976	6.8	31	2	2	5	9	13	16	29
TOT. SINGLE DX	20582	3.4	14	1	1	2	4	7	9	18
" MULTIPLE DX	107168	6.1	34	1	2	5	8	12	16	30
TOTAL 0-19 YRS	11510	4.4	45	1	1	3	5	8	14	38
20-34	18762	4.3	28	1	1	3	5	8	12	28
35-49	17221	4.8	28	1	1	3	6	9	13	29
50-64	23385	5.5	28	1	1	4	7	11	14	26
65+	56872	6.7	31	2	2	5	8	13	16	28
GRAND TOTAL	**127750**	**5.7**	**32**	**1**	**1**	**4**	**7**	**11**	**15**	**29**

759: Therapeutic radiology and nuclear therapy (92.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

760: Special therapies and rehabilitation (93.0-93.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	2905	4.0	33	1	1	2	4	7	17	30
20-34	1119	4.3	16	1	1	3	5	8	10	21
35-49	1039	4.7	21	1	1	4	6	8	11	23
50-64	807	4.7	19	1	1	4	6	9	11	23
65+	792	5.3	33	1	1	4	7	10	12	34
2. MULTIPLE DX										
0-19 YRS	5049	5.6	78	1	1	3	5	11	22	53
20-34	2043	7.0	73	1	1	4	8	15	24	53
35-49	2561	6.6	49	1	2	5	8	12	18	36
50-64	4375	6.9	50	1	2	5	8	13	19	36
65+	12743	7.7	47	2	2	6	9	15	20	36
TOT. SINGLE DX	6662	4.4	27	1	1	3	5	8	13	28
" MULTIPLE DX	26771	7.0	56	1	2	5	8	14	20	40
TOTAL 0-19 YRS	7954	5.0	63	1	1	3	4	10	20	45
20-34	3162	6.1	55	1	1	4	7	13	19	44
35-49	3600	6.1	42	1	1	4	7	11	16	34
50-64	5182	6.6	47	1	2	5	8	12	18	34
65+	13535	7.6	47	2	2	6	9	14	20	36
GRAND TOTAL	**33433**	**6.5**	**52**	**1**	**2**	**4**	**8**	**13**	**19**	**38**

761: Psychiatric diagnostic and therapeutic procedures (94.0-94.5)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

762: Non-specific removal of foreign body (98.0-98.2)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

763: Other non-operative therapeutic procedures (99.0-99.9)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
2. MULTIPLE DX										
0-19 YRS										
20-34										
35-49										
50-64										
65+										
TOT. SINGLE DX										
" MULTIPLE DX										
TOTAL 0-19 YRS										
20-34										
35-49										
50-64										
65+										
GRAND TOTAL										

"This group consists of procedures that are coded for indexing, quality review, and purposes other than their effect on length of stay. For the purpose of operation length of stay tables, patients with only these procedures are not considered "operated" patients."

764: Miscellaneous diagnostic and therapeutic procedures (89.0-91.9; 95.0-97.8)

TYPE OF PATIENT (1)	TOTAL PATIENTS (2)	AVG. STAY (3)	VARIANCE (4)	PERCENTILES						
				5TH (5)	10TH (6)	50TH (7)	75TH (8)	90TH (9)	95TH (10)	99TH (11)
1. SINGLE DX										
0-19 YRS	3116	2.5	9	<1	<1	2	3	4	5	12
20-34	3542	2.3	8	<1	<1	1	2	4	6	14
35-49	1904	3.1	15	<1	1	2	3	6	8	18
50-64	1806	3.4	10	1	1	2	4	7	9	15
65+	1732	4.1	16	1	1	3	5	8	10	17
2. MULTIPLE DX										
0-19 YRS	7809	5.4	78	1	1	3	5	10	19	55
20-34	5624	4.3	38	<1	1	2	5	9	14	34
35-49	7053	4.6	28	1	1	3	5	9	13	28
50-64	13901	5.2	27	1	1	4	7	10	14	28
65+	36272	6.2	30	1	2	5	8	12	15	27
TOT. SINGLE DX	12100	2.9	12	<1	<1	2	3	6	8	15
" MULTIPLE DX	70659	5.6	36	1	1	4	7	11	15	30
TOTAL 0-19 YRS	10925	4.5	60	<1	1	3	4	8	15	49
20-34	9166	3.5	28	<1	<1	2	4	7	11	23
35-49	8957	4.3	26	1	1	3	5	9	12	26
50-64	15707	5.0	26	1	1	4	6	10	13	26
65+	38004	6.1	30	1	2	5	8	12	15	27
GRAND TOTAL	**82759**	**5.2**	**33**	**1**	**1**	**4**	**6**	**10**	**14**	**29**

Appendix

ICD-9-CM Codes for Selected Diagnosis and Operation Groups

ICD-9-CM Codes for Selected Diagnosis Groups

ICD-9-CM codes for diagnosis groups 193, 268, 286, 287, 290 and 380

193	Nongastric peptic ulcer with hemorrhage or perforation	532.00; 532.10; 532.20; 532.40; 532.50; 532.60; 533.00; 533.10; 533.20; 533.40; 533.50; 533.60; 534.00; 534.10; 534.20; 534.40; 534.50; 534.60
268	Miscellaneous complications of pregnancy without delivery	644.00; 644.03; 645.03; 646.0-646.4 with 5th digit 3; 646.73; 646.83; 646.93; 651-656 with 5th digit 3; 657 with 5th digit 3; 658.0-658.1 with 5th digit 0 or 3; 658.23; 658.33; 658.8-658.9 with 5th digit 0 or 3; 659.03; 659.10; 659.13; 659.4-663.9 with 5th digit 3; 665.03; 665.83; 665.93; 668.0-669.2 with 5th digit 3; 669.8-669.9 with 5th digit 3; 671.0-671.3 with 5th digit 3; 671.5-671.9 with 5th digit 3; 673.0-674.0 with 5th digit 3; 675.0-676.9 with 5th digit 3
286	Other obstetrical trauma	664.5-664.9 with 5th digit 0 or 1; 665.0 with 5th digit 0 or 1; 665.1 with 5th digit 0, 1, or 2; 665.2 with 5th digit 0 or 2; 665.3-665.6 with 5th digit 0 or 1; 665.7-665.9 with 5th digit 0, 1, or 2
287	Miscellaneous complications of delivery	642 with 5th digit 0, 1, or 2; 643.0-643.9 with 5th digit 1; 644.20-644.21; 645.00-645.01; 646.00-646.01; 646.1-646.2 with 5th digit 0, 1, or 2; 646.30-646.31; 646.4-646.6 with 5th digit 0, 1, or 2; 646.70-646.71; 646.80-646.82; 646.90-646.91; 655-657 with 5th digit 0 or 1; 658.01; 658.41; 658.81; 658.91; 659.00-659.01; 659.11; 659.21; 659.3-659.9 with 5th digit 0 or 1; 661.30-661.31; 666.20; 666.22; 668.0-668.9 with 5th digit 0, 1, or 2; 669.0-669.2 with 5th digit 0, 1, or 2; 669.30; 669.32; 669.40-669.42; 669.50-669.51; 669.70-669.71; 669.8-669.9 with 5th digit 0, 1, or 2; 670.02; 671.0-671.2 with 5th digit 0, 1, or 2; 671.30-671.31; 671.40; 671.42; 671.5-671.9 with 5th digit 0, 1, or 2; 672.02; 673-674.0 with 5th digit 0, 1, or 2; 674.1-674.9 with 5th digit 0 or 2; 675-676 with 5th digit 0, 1, or 2
290	Other puerperal complications	646.14; 646.24; 646.44; 646.84; 654.04; 654.14; 654.3-654.9 with 5th digit 4; 664 with 5th digit 4; 665.1-665.9 with 5th digit 4; 668.0-669.4 with 5th digit 4; 669.8-669.9 with 5th digit 4; 671.0-671.2 with 5th digit 4; 671.4-671.9 with 5th digit 4; 673.0-676.9 with 5th digit 4
380	Third degree burns	941-946 with 4th digit 3, 4, or 5; 948.00; 948.10-948.11; 948.20-948.22; 948.30-948.33; 948.40-948.44; 948.50-948.55; 948.60-948.66; 948.70-948.77; 948.80-948.88; 948.90-948.99; 949 with 4th digit 3, 4, or 5

ICD-9-CM Codes for Selected Operation Groups

ICD-9-CM codes for operation groups 552, 557, 576, 619, 686, 713 and 741

552	Operations on tongue, oral cavity, and facial region except palatoplasty and operations on salivary glands	25.01-25.02; 25.1-25.5; 25.92-25.99; 27.0-27.24; 27.3-27.5; 27.7; 27.92-27.99
557	Other diagnostic and therapeutic procedures on nose, mouth, and pharynx	21.00-21.01; 21.21; 21.29; 22.19; 24.19; 25.09; 25.91; 26.19; 27.29; 27.91; 28.19; 29.11; 29.19
576	Other diagnostic and therapeutic procedures on larnyx, trachea, bronchus, lungs, and heart	31.41-31.42; 31.48-31.49; 33.21; 33.28-33.29; 34.28-34.29; 34.91-34.92; 37.29
619	Miscellaneous diagnostic and therapeutic procedures on digestive tract, abdominal cavity, and abdominal wall	42.22; 42.29; 44.12; 44.19; 45.12; 45.19; 45.22; 45.24; 45.28-45.29; 48.22-48.23; 48.29; 49.21; 49.29; 49.41-49.42; 50.19; 51.19; 52.19; 54.29
686	Miscellaneous diagnostic and therapeutic procedures on female genital system	65.19; 66.19; 67.19; 68.11; 68.19; 69.6; 69.7; 69.92; 70.21; 70.29; 71.19
713	Other reduction of fracture without internal fixation, except maxillofacial and femur	79.00-79.04; 79.06-79.09; 79.20-79.24; 79.26-79.29; 79.40-79.44; 79.46-79.49
741	Other diagnostic and therapeutic procedures on musculoskeletal structure	76.19; 76.96; 81.91-81.92; 81.98; 82.92-82.96; 83.29; 83.94-83.98; 84.41-84.43; 84.45-84.47

Index

Part I: Diagnosis Index
Part II: Operation Index

If a diagnosis or operation does not appear in the Index, its corresponding *ICD-9-CM* code can be found in the *International Classification of Diseases, 9th Revision, Clinical Modification*, Commission on Professional and Hospital Activities, Ann Arbor, Michigan, 1978, *Volume 2 Diseases: Alphabetic Index* or *Volume 3 Procedures: Tabular List and Alphabetic Index*. New *ICD-9-CM* codes added in 1986 are reflected in this index.

DIAGNOSIS INDEX

This diagnosis index lists common diagnoses and gives the number of the *ICD-9-CM List A* Diagnosis Group to which each diagnosis belongs.

Group No. Title

- 211 Abdominal angina
- 165 Abdominal aortic aneurysm
- 338 Abdominal pain
- 258 Abortion, except spontaneous, elective, legal, therapeutic and threatened
  - 255 Elective
  - 256 Illegal
  - 258 Missed
  - 256 Self-induced
  - 257 Spontaneous
  - 255 Therapeutic
  - 259 Threatened
- Abscess
  - 210 Anal
  - 312 Bone
  - 292 Digit
  - 188 Mouth
  - 188 Salivary gland
  - 291 Skin and subcutaneous tissue, except digit
  - 188 Tongue
- 81 Acidosis, except diabetic
  - 72 Diabetic
- 12 Acquired immunodeficiency syndrome (AIDS)
- Addiction — *see Dependence*
- Adenocarcinoma — *see Neoplasm, malignant*
- 245 Adenomyosis
- 110 Adjustment reaction
- 207 Adynamic ileus
- 12 AIDS, including AIDS-related complex or condition
- 107 Alcohol abuse
- 104 Alcohol dependence
- 107 Alcohol intoxication, except in chronic alcoholism
  - 104 in chronic alcoholism
- 92 Alcoholic psychosis
- 104 Alcoholism, chronic
- 81 Alkalosis
- 183 Allergic bronchitis
- 1 Amebiasis
- 140 AMI
- 340 Amnesia
- 372 Amputation, traumatic, lower limb
  - 371 Upper limb
- 79 Amyloidosis
- 210 Anal abscess
- 210 Anal fissure
- 210 Anal fistula
- 391 Anaphylactic shock, except due to drugs
  - 386 due to drugs
- 84 Anemia, except iron deficiency, sickle cell, and of pregnancy
  - 84 Aplastic

Group No. Title

- Anemia, except iron deficiency, sickle cell, and of pregnancy (continued)
  - 82 Iron deficiency
  - 267 of pregnancy
  - 269 of pregnancy, with delivery
  - 83 Sickle cell
- 166 Aneurysm, except aorta
  - 165 Aorta
- 211 Angina, abdominal
- 141 Angina pectoris
- 54 Angioma
- 301 Ankylosis
- Anomaly, congenital
  - 318 Central nervous system
  - 320 Circulatory system
  - 323 Digestive system, except cleft palate and lip, and pyloric stenosis
  - 319 Ear
  - 319 Eye
  - 327 Generalized
  - 325 Genitourinary system, except undescended testis and urethral stenosis
  - 320 Heart
  - 317 Musculoskeletal system, except clubfoot
  - 323 Respiratory system
- 340 Anorexia, except nervosa
- 111 Anorexia nervosa
- 140 Anterior wall infarction
- 101 Anxiety reaction or neurosis, except depression
- 102 Anxiety depression
- 165 Aortic aneurysm
- Aortic valve disease — *see Valvular disease*
- 128 Aphakia
- 84 Aplastic anemia
- 199 Appendicitis, except acute
  - 197 Acute, without peritonitis
  - 198 Acute, with peritonitis
  - 199 Recurrent
- 148 Arrhythmia, heart
- 168 Arterial disease, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
- 164 Arteriosclerosis, except cerebral and coronary
  - 163 Cerebral
  - 143 Coronary
- 151 Arteriosclerotic cardiovascular disease
- 91 Arteriosclerotic dementia or psychosis
- 143 Arteriosclerotic heart disease
- 164 Arteriosclerotic vascular disease
- 299 Arthritis, except osteo- and rheumatoid
  - 298 Osteo-, except spine

DIAGNOSIS INDEX (continued)

Group No.	Title
	Arthritis, except osteo- and rheumatoid (continued)
303	Osteo-, spine
299	Pyogenic
297	Rheumatoid, except spine
302	Rheumatoid, spine
339	Ascites
151	ASCVD
143	ASHD
183	Asthma
183	Asthmatic bronchitis
	Atherosclerosis — *see Arteriosclerosis*
147	Atrial fibrillation and flutter
76	Avitaminosis
145	Bacterial endocarditis
234	Bacteriuria, except in pregnancy
266	in pregnancy
287	in pregnancy, with delivery
311	Baker's cyst
235	Benign prostatic hyperplasia (BPH)
234	Bladder disease, except calculus and cystitis
48	Blast cell leukemia
	Bleeding
251	Menopausal
251	Postmenopausal
221	Blind loop syndrome
129	Blindness
148	Block, heart
332	Bloody nose
313	Bone disease, except osteomyelitis and osteoarthritis
123	Borderline glaucoma
1	Botulism
67	Bowen's disease
235	BPH
121	Break, retinal
242	Breast disease, except fibrocystic
241	Fibrocystic
183	Bronchial asthma
174	Bronchiolitis, acute
181	Bronchitis, except acute
174	Acute
181	Chronic
179	Bronchopneumonia
6	Brucellosis
376	Bruise, except eye and orbit
375	Eye and orbit
310	Bunion
381	Burn, any site, except third degree
380	Third degree
309	Bursitis
	Calculus
217	Bile duct, except cystic
231	Bladder
215	Cystic bile duct
	Calculus (continued)
215	Gallbladder
228	Renal
188	Salivary gland
229	Ureter
231	Urethra
	Cancer — *see Neoplasm, malignant*
	Carcinoma — *see Neoplasm, malignant*
67	Carcinoma in situ, except cervix
66	Cervix
148	Cardiac arrest
390	Postoperative
109	Cardiac neurosis
189	Cardiospasm
119	Carpal tunnel syndrome
125	Cataract, except senile and diabetic
73	Diabetic
124	Senile
221	Celiac disease
	Cellulitis
292	Digit
291	Skin and subcutaneous tissue, except digit
117	Central nervous system disease, except epilepsy, inflammatory, multiple sclerosis, and paralysis agitans
	Cerebral hemorrhage, except subarachnoid
154	without paralysis
155	with paralysis
	Cerebrovascular accident
161	without paralysis
162	with paralysis
268	Cervical incompetence
280	with delivery
246	Cervical infection
246	Cervicitis
340	Chemical diabetes mellitus
385	Chemical poisoning
398	Chemotherapy session or treatment
8	Chickenpox
97	Childhood psychoses
218	Cholangitis
	Cholecystitis
216	without cholelithiasis
215	with cholelithiasis
217	Choledocholithiasis
215	Cholelithiasis
36	Choriocarcinoma
128	Chorioretinitis
213	Cirrhosis, except Laennec's
212	Alcoholic
213	Biliary
212	Laennec's
321	Cleft palate and lip
122	Closed-angle glaucoma

DIAGNOSIS INDEX (continued)

Group No.	Title
326	Clubfoot
173	Cold, head
	Colic
215	Biliary
337	Renal
208	Colitis, except mucous and ulcerative
211	Mucous
211	Ulcerative
296	Collagen disease, NOS
340	Coma, except diabetic and hepatic
72	Diabetic
214	Hepatic
11	Common warts
	Complication of
390	Amputation stump
387	Cardiac pacemaker
	Drugs — *see Effect, adverse*
387	Grafts
387	Internal orthopedic device
391	Medical care, except drugs
387	Prosthesis
390	Surgery NEC
387	Transplanted organ
364	Concussion, current or unspecified
149	Congestive heart failure
127	Conjunctivitis
376	Contusion, except eye or orbit
375	Eye and orbit
329	Convulsions, except epileptic
116	Epileptic
184	COPD
143	Coronary artery disease
142	Coronary insufficiency, except chronic
143	Chronic
140	Coronary occlusion, acute
336	Cough
8	Cowpox
314	Coxa valgum, varum
83	Crisis, sickle cell
211	Crohn's disease
174	Croupous bronchitis
367	Crush injury, except chest and limbs
366	Chest
377	Limbs
75	Cushing's syndrome
	CVA
161	without paralysis
162	with paralysis
128	Cyclitis
	Cyst
311	Baker's
188	Mouth
243	Ovarian
293	Pilonidal
121	Retinal
	Cyst (continued)
294	Sebaceous
311	Synovial
241	Cystic breast
218	Cystic duct remnant
77	Cystic fibrosis
232	Cystitis
266	of pregnancy
248	Cystocele
134	Deafness
295	Decubitus
	Deficiency
112	Mental
76	Nutritional
	Deformity, congenital — *see Anomaly, congenital*
316	Deformity, musculoskeletal, acquired
128	Degeneration, globe of eye
81	Dehydration
340	Delirium, except acute and subacute
89	Acute or subacute
270	Delivery, NOS
	Delivery, complicated by:
278	Abnormality, bony pelvis
272	Abruptio placentae
287	Acute toxemia
276	Breech presentation
278	Cephalopelvic disproportion
281	Cesarean section, previous
287	Complication NOS
278	Disproportion, cephalopelvic
278	Disproportion, fetopelvic
287	Eclampsia
278	Fetopelvic disproportion
287	Hypertensive disorder
279	Inertia, uterine
277	Malpresentation, except breech
275	Multiple fetation
272	Placenta, abruptio
271	Placenta previa
287	Pre-eclampsia
282	Premature rupture of membranes
272	Premature separation of the placenta
276	Presentation, breech
281	Previous cesarean section
279	Prolonged labor, NOS
282	Rupture of membranes, premature
287	Toxemia
279	Uterine inertia
270	Delivery, normal
270	Delivery, uncomplicated
90	Dementia, except arteriosclerotic
91	Arteriosclerotic
90	Presenile
90	Senile

DIAGNOSIS INDEX (continued)

Group No.	Title
	Dependence
104	Alcoholic
106	Amphetamine
106	Barbiturate
106	Cocaine
105	Heroin
106	LSD
106	Marijuana
105	Methadone
105	Morphine
105	Opioid
111	Depression, except neurotic, postpartum, and psychotic
102	Neurotic
267	Postpartum
98	Psychotic
102	Depressive neurosis
98	Depressive psychosis
102	Depressive reaction
301	Derangement, joint except knee
300	Knee joint
295	Dermatitis
15	Dermatomycosis
121	Detachment of retina
175	Deviated nasal septum
	Diabetes mellitus
340	Chemical
71	Uncomplicated
73	Uncontrolled
	Diabetic complications
72	Acidosis
73	Cataract
72	Coma
73	Gangrene
73	Nephropathy
73	Neuropathy
73	Retinopathy
73	Ulcer
	Dialysis
397	Peritoneal
397	Renal
204	Diaphragmatic hernia
208	Diarrhea, except infectious and functional
211	Functional
1	Infectious
6	Diphtheria
	Disease
199	Appendix, except acute appendicitis
151	Arteriosclerotis cardiovascular
168	Artery, except cerebrovascular, arteriosclerosis, aneurysm, embolism, thrombosis, and gangrene
13	Arthropod-borne
79	Autoimmune
6	Bacterial, except intestinal, tuberculosis, strep throat, and septicemia

Group No.	Title
	Disease (continued)
218	Biliary ducts
234	Bladder, except calculus and cystitis
313	Bone, except osteomyelitis and osteoarthritis
242	Breast, except fibrocystic
241	Breast, fibrocystic
221	Celiac
	Central nervous system
7	Enteroviral
113	Inflammatory, except enteroviral
117	Noninflammatory, except epilepsy, multiple sclerosis, and paralysis agitans
	Cerebrovascular — *see Cerebrovascular accident*
136	Chronic rheumatic heart
296	Connective tissue, diffuse
143	Coronary artery
211	Crohn's
75	Cushing's
187	Dental
209	Diverticular
196	Duodenum, except ulcer and inflammatory
134	Ear, except inflammatory and otosclerosis
75	Endocrine, except ovary, thyroid, and diabetes mellitus
189	Esophagus
129	Eye, except inflammatory, strabismus, cataract, glaucoma, and retinal detachment
128	Eye, inflammatory, except lacrimal tract
252	Fallopian tube, except endometriosis
316	Fascia
252	Female genitalia, except adnexa, endometriosis, infective, prolapse, and menstrual
216	Gallbladder
252	Gynecologic, except adnexa, endometriosis, infective, prolapse, and menstrual
	Heart
138	Hypertensive
143	Ischemic, except infarction and angina pectoris
136	Rheumatic, chronic
150	Other, except arrhythmia and bacterial endocarditis
86	Hematopoietic, except anemia, hemophilia, and leukemia
328	Hemolytic, newborn
46	Hodgkin's
137	Hypertensive, except heart
138	Hypertensive, heart
17	Infectious, except bacterial, viral, arthropod-borne, venereal, mycotic, and helminthiases
211	Intestine, except gastroenteritis, diverticular, appendix, anus, and hernia
1	Intestine, infectious
143	Ischemic heart, except acute infarction and angina pectoris

DIAGNOSIS INDEX (continued)

Group No.	Title
	Disease (continued)
187	Jaw
301	Joint, except internal derangement, ruptured disc, and sacroiliac
306	Joint, sacroiliac
230	Kidney, except nephritis, nephrosis, infection, and calculus
73	Kimmelstiel-Wilson
127	Lacrimal tract, inflammation
188	Lip
214	Liver, except infectious and serum hepatitis, and Laennec's cirrhosis
186	Lung, except pneumonia, obstructive, and pneumothorax
184	Lung, obstructive, except asthma, bronchitis, and emphysema
240	Male genitalia, except prostate, hydrocele, and inflammatory
132	Meniere's
188	Mouth, except dental
117	Muscle, except deformity
120	Nervous system, except CNS and sciatica
184	Obstructive lung, except asthma, bronchitis, and emphysema
252	Ovary, except endometriosis
313	Paget's, bone
32	Paget's, breast
219	Pancreas
252	Parametrium, except endometriosis
17	Parasitic, except helminthiasis
114	Parkinson's
244	Pelvic inflammatory
196	Peptic
328	Perinatal
120	Peripheral nervous system, except sciatica
211	Peritoneum
186	Pleura
236	Prostate, except hypertrophy
186	Respiratory, upper, except acute URI, hypertrophy of tonsils and adenoids, deviated nasal septum, and nasal and laryngeal polyps
	Rheumatic
135	Active
136	Chronic
188	Salivary gland
83	Sickle-cell
295	Skin, except infective, pilonidal and sebaceous cysts
196	Stomach, except ulcer and inflammatory
187	Teeth
316	Tendon, except tenosynovitis
188	Tongue
340	Undiagnosed
186	Upper respiratory, except URI, tonsils, deviated nasal septum, and nasal and laryngeal polyps
230	Ureter, except calculus
234	Urethra, except calculus and stricture
14	Venereal
12	Viral, except enteroviral CNS, that with exanthem, viral hepatitis, infectious mononucleosis, and viral warts
8	Viral with exanthem
359	Dislocation, joint, except knee and shoulder
358	Knee
357	Shoulder
	Disorder
111	Behavior
81	Electrolyte
79	Immunodeficiency
250	Menstruation, except metrorrhagia
103	Personality
109	Psychophysiologic
305	Displacement of intervertebral disc, except lumbar
304	Displacement of lumbar disc
165	Dissecting aortic aneurysm
209	Diverticulitis
209	Diverticulosis
189	Diverticulum, esophagus
209	Diverticulum, intestine
108	Drug abuse, except alcohol
106	Drug dependence, except opioid
105	Opioid
93	Drug-induced psychosis
384	Drug poisoning or overdose
93	Drug withdrawal syndrome or symptoms
107	Drunkenness
196	Duodenal disease, except ulcer and inflammation
	Duodenal ulcer — *see Ulcer, duodenal*
195	Duodenitis
1	Dysentery
74	Dysfunction, ovarian
317	Dysfunction, somatic (osteopathic)
253	Dysmenorrhea
253	Dyspareunia
336	Dyspnea
117	Dystrophy, muscular
337	Dysuria
329	Eclampsia
261	of pregnancy
287	of pregnancy, with delivery
254	Ectopic pregnancy
	Effect, adverse
386	Drugs NOS
384	Drug, overdose or wrong substance given or taken
386	External conditions
385	Nonmedical substance
386	Radiation
386	Temperature
268	Elderly primigravida

DIAGNOSIS INDEX (continued)

Group No.	Title
287	Elderly primigravida, with delivery
255	Elective abortion
392	Elective sterilization
81	Electrolyte imbalance or disorder
	Embolism
167	Arterial, except cerebral and precerebral
	Cerebral
158	without paralysis
159	with paralysis
	Precerebral
156	without paralysis
157	with paralysis
144	Pulmonary, except postoperative
390	Pulmonary, postoperative
172	Vein
182	Emphysema
113	Encephalitis, except viral
12	Viral
18	Viral, late effect
145	Endocarditis, acute and subacute bacterial
75	Endocrine disease, except ovary, thyroid, and diabetes mellitus
245	Endometriosis
247	Endometritis, except puerperal
288	Puerperal
69	Enlarged thyroid
208	Enteritis, except bacterial, regional, and viral
1	Bacterial
208	Noninfectious
211	Regional
1	Viral
238	Epididymitis
116	Epilepsy
332	Epistaxis
6	Erysipelas
67	Erythroplasia
172	Esophageal varices
189	Esophagitis
189	Esophagospasm
137	Essential benign hypertension
	Examination
398	Follow-up
298	Medical
	Failure
149	Heart
390	Heart, postoperative
225	Renal, except chronic
224	Renal, chronic
186	Respiratory (acute)
340	Fainting
263	False labor
	Fever
135	Active rheumatic
330	NOS (FUO)

Group No.	Title
	Fever (continued)
1	Paratyphoid
288	Puerperal
4	Scarlet
1	Typhoid
12	Yellow
	Fibrillation or flutter
147	Atrial
148	Ventricular
241	Fibrocystic breast
77	Fibrocystic disease, pancreas
56	Fibroma, uterus
16	Filariasis
210	Fissure, anal
210	Fistula, anal
128	Flat anterior chamber
1	Food poisoning
379	Foreign body in body orifice, except eye
378	Foreign body in eye
	Fracture
354	Ankle
349	Arm, lower
348	Arm, upper
354	Bimalleolar
350	Carpal
355	Clavicle
349	Colles
343	Face bone
352	Femur, except upper end
351	Femur, upper end
353	Fibula, except lateral malleolus
350	Finger
354	Foot
350	Hand
398	Healed, aftercare, except removal of fixation device
396	Healed, aftercare, removal of fixation device
351	Hip
348	Humerus
354	Knee
354	Lateral malleolus
353	Leg, lower, except ankle
352	Leg, upper, except hip
343	Mandible
354	Medial malleolus
350	Metacarpal
354	Metatarsal
356	Multiple bones
343	Nose
354	Patella
347	Pelvis
349	Radius
346	Rib
355	Scapula
342	Skull, base
341	Skull, vault

DIAGNOSIS INDEX (continued)

Group No.	Title
	Fracture (continued)
	Spine
344	without cord injury
345	with cord injury
346	Sternum
354	Tarsal
346	Thorax
353	Tibia, except articulating surface
354	Toe
354	Trimalleolar
349	Ulna
	Vertebra
344	without cord injury
345	with cord injury
330	FUO
216	Gallbladder disease
311	Ganglion, tendon sheath
334	Gangrene, except gas gangrene
6	Gangrene, gas
	Gastric ulcer — *see Ulcer, gastric*
195	Gastritis
208	Gastroenteritis, except infectious
1	Infectious
208	Noninfectious
220	Gastrointestinal hemorrhage
	Gastrojejunal ulcer
192	without complication
193	with complication
164	Generalized arteriosclerosis
3	Generalized tuberculosis
314	Genu valgum or varum, except congenital
327	Congenital
220	GI hemorrhage
123	Glaucoma, except acute
122	Acute
122	Closed-angle
122	Open-angle
222	Glomerulonephritis, except acute
223	Acute
69	Goiter
14	Gonorrhea
80	Gout
387	Graft-versus-Host disease, except of bone marrow
391	Bone marrow
116	Grand mal epilepsy
268	Grand multiparity
392	Grand multiparity, without pregnancy
268	Habitual aborter
252	Habitual aborter, without pregnancy
310	Hallux valgus or varus, except congenital
327	Congenital
310	Hammer toe
331	Headache, except migraine and tension
118	Migraine
111	Tension
398	Healed fracture aftercare, except removal of fixation device
396	Removal of fixation device
140	Heart attack
149	Heart failure
390	Heart failure, postoperative
16	Helminthiasis
54	Hemangioma
220	Hematemesis
	Hematoma
286	Pelvic, with delivery
290	Pelvic, postpartum
388	Postoperative wound
84	Hemolytic anemia, except hereditary and newborn
83	Hereditary
328	Newborn
328	Hemolytic disease of newborn
85	Hemophilia
336	Hemoptysis
	Hemorrhage
265	Antepartum, except early
260	Antepartum, early
172	Blood vessel, spontaneous
220	Gastrointestinal
154	Intracerebral, except subarachnoid, without paralysis
155	with paralysis
258	Postabortal
388	Postoperative wound
274	Postpartum, except delayed or secondary
289	delayed or secondary
260	Pregnancy, early
289	Puerperal, after 24 hours
	Subarachnoid
152	without paralysis
153	with paralysis
171	Hemorrhoids
214	Hepatitis, except chronic and viral
213	Chronic
9	Infectious
9	Serum
9	Viral
	Hernia, without complication
205	Abdominal, except inguinal
204	Diaphragmatic
205	Femoral
204	Hiatal
203	Incisional
200	Inguinal
203	Postoperative
202	Umbilical
203	Ventral

DIAGNOSIS INDEX (continued)

Group No.	Title
	Hernia, with complication
206	Abdominal, except inguinal
206	Diaphragmatic
206	Femoral
206	Hiatal
206	Incisional
201	Inguinal
206	Postoperative
206	Umbilical
206	Ventral
105	Heroin dependence or addiction
8	Herpes simplex
18	Late effect
8	Herpes zoster
18	Late effect
79	Histiocytosis
12	HIV infection
46	Hodgkin's disease
12	Human immunodeficiency virus (disease) (illness)
237	Hydrocele
318	Hydrocephaly
79	Hyperbilirubinemia, except neonatal
328	Neonatal
79	Hypercalcemia
262	Hyperemesis gravidarum
75	Hyperinsulinism
79	Hyperlipoproteinemia
75	Hyperparathyroidism
235	Hyperplasia of prostate
81	Hyperpotassemia
137	Hypertension, except renal and of pregnancy
261	of pregnancy
287	of pregnancy, with delivery
139	Renal
139	Renovascular
128	Hypertensive retinopathy
70	Hyperthyroidism
177	Hypertrophy of tonsils and adenoids
79	Hypogammaglobulinemia
75	Hypoparathyroidism
81	Hypopotassemia
172	Hypotension
70	Hypothyroidism
81	Hypovolemia
211	Ileitis, regional
207	Ileus, paralytic or adynamic
340	Ill-defined conditions
79	Immunodeficiency disorder
160	Impending CVA
292	Impetigo
257	Incomplete abortion
337	Incontinence
125	Infantile cataract
122	Infantile glaucoma

Group No.	Title
140	Infarction, acute myocardial
	Infection
232	Bladder
312	Bone
246	Cervix
227	Kidney, except nephritis, nephrosis, and acute pyelonephritis
6	Meningococcal
389	Postoperative wound
288	Puerperal, major
292	Skin and subcutaneous tissue, except cellulitis and abscess
173	Upper respiratory, except streptococcal
234	Urinary tract
266	Urinary tract, in pregnancy
247	Uterine, except cervix
247	Vaginal
247	Vulvar
389	Wound, postoperative
10	Infectious mononucleosis
	Infertility
252	Female
240	Male
	Inflammation
113	Central nervous system
129	Eye, except lacrimal tract
127	Lacrimal tract
180	Influenza
180	Influenzal pneumonia
	Inguinal hernia
200	without complication
201	with complication
	Injury
328	Birth
373	Blood vessel
377	Crush, except abdomen and chest
367	Abdomen
366	Chest
365	Head, except concussion
367	Internal, except chest
366	Chest
358	Knee ligament or meniscus
374	Late effect
363	Musculoskeletal, except back and sacroiliac region
362	Back
361	Sacroiliac region
382	Nerve
386	Radiation
374	Late effect
382	Spinal cord
376	Superficial
	Insufficiency, heart valve — *see Valvular disease*
186	Insufficiency, respiratory (acute)
250	Intermenstrual bleeding
160	Intermittent cerebral ischemia

DIAGNOSIS INDEX (continued)

Group No. Title
301 Internal derangement of joint, except knee
300 Knee
211 Intestinal disease, except gastroenteritis, diverticular, appendix, anus, and hernia
107 Intoxication, acute alcohol
98 Involutional melancholia
128 Iridocyclitis
128 Iritis
82 Iron deficiency anemia
211 Irritable colon or bowel
143 Ischemic heart disease, except acute or subacute
142 Acute or subacute, except acute myocardial infarction
163 Ischemic cerebrovascular disease, generalized

116 Jacksonian epilepsy
340 Jaundice, except newborn
328 of newborn
125 Juvenile cataract
Juvenile diabetes — *see Diabetes mellitus*

230 Kidney disease, except nephritis, nephrosis, infection, and calculus
227 Kidney infection, except nephritis, nephrosis, and acute pyelonephritis
73 Kimmelstiel-Wilson disease
316 Kyphosis

Laceration
370 Abdominal wall
371 Arm
370 Back
365 Cerebral
370 Chest
368 Eye
371 Hand
369 Head, except eye
372 Leg
372 Lower limb
370 Multiple sites
369 Neck
285 Perineum, except first and second degree, with delivery
284 First and second degree, with delivery
370 Trunk
371 Upper limb
255 Legal abortion
48 Leukemia, except lymphocytic
47 Lymphocytic
214 Liver disease, except infectious and serum hepatitis and Laennec's cirrhosis
6 Lockjaw
316 Lordosis
108 LSD reaction
308 Lumbago

Group No. Title
306 Lumbosacral instability
186 Lung disease, except pneumonia, and obstructive
88 Lymphadenitis, except acute and mesenteric lymphadenitis
292 Acute
87 Mesenteric
333 Lymphadenopathy
12 in HIV infection (disease) (syndrome)
54 Lymphangioma
172 Lymphedema
49 Lymphosarcoma

128 Macular degeneration, retina
221 Malabsorption syndrome
13 Malaria
30 Malignant melanoma, skin
99 Manic-depressive psychosis
99 Manic psychosis
242 Mastitis, except puerperal
290 Puerperal
8 Measles
18 Late effect
119 Median nerve entrapment
30 Melanoma, malignant
132 Meniere's disease
113 Meningitis, except tuberculous and viral
3 Tuberculous
7 Viral
18 Late effect
251 Menopause
250 Menstrual disorder, except metrorrhagia
112 Mental deficiency or retardation
211 Mesenteric artery syndrome
87 Mesenteric lymphadenitis
247 Metritis
249 Metrorrhagia
118 Migraine
3 Miliary tuberculosis
Mitral valve disease — *see Valvular disease*
327 Mongolism
15 Moniliasis
10 Mononucleosis
211 Mucous colitis
Multiparity
268 without delivery
392 without pregnancy
268 Multiple pregnancy
275 with delivery
115 Multiple sclerosis
12 Mumps
117 Muscular dystrophy
15 Mycosis
140 Myocardial infarction, acute

DIAGNOSIS INDEX (continued)

Group No. Title

- 176 Nasal polyp
- 339 Nausea
- Neoplasm, benign
  - 61 Bladder
  - 53 Bone
  - 63 Brain
  - 55 Breast
  - 52 Bronchus
  - 50 Buccal cavity
  - 57 Cervix
  - 53 Connective tissue
  - 51 Digestive
  - 65 Endocrine, except thyroid
  - 62 Eye
  - Genitalia
    - 59 Female, except uterus and ovary
    - 60 Male
  - 61 Kidney
  - 52 Larynx
  - 52 Lung
  - 53 Muscle
  - 63 Nervous system
  - 58 Ovary
  - 50 Pharynx
  - 60 Prostate
  - 52 Respiratory
  - 60 Scrotum
  - 54 Skin
  - 52 Thymus
  - 64 Thyroid
  - 61 Ureter
  - 61 Urethra
  - 61 Urinary
  - 57 Uterus, except fibroma
    - 56 Fibroma
  - 59 Vagina
  - 59 Vulva
- Neoplasm, malignant
  - 44 Adrenal gland
  - 39 Bladder
  - 29 Bone
  - 42 Brain
  - 32 Breast
  - 27 Bronchus
  - 19 Buccal cavity
  - 43 Cerebral meninges
  - 33 Cervix uteri
  - 23 Colon
  - 29 Connective tissue
  - 44 Endocrine glands
  - 20 Esophagus
  - 41 Eye
  - 36 Fallopian tube
  - Genitalia
    - 36 Female, except uterus and ovary

Group No. Title

- Neoplasm, malignant (continued)
    - 38 Male, except prostate
  - 45 Ill-defined sites
  - 25 Intestine, except colon and rectum
    - 23 Large, except rectum
    - 22 Small
  - 40 Kidney
  - 23 Large intestine, except rectum
  - 27 Lung
  - 49 Lymphatic, except Hodgkin's disease
  - 45 Metastatic
  - 19 Mouth
  - 43 Nervous system, except brain
  - 35 Ovary
  - 26 Pancreas
  - 19 Pharynx
  - 44 Pituitary gland
  - 36 Placenta
  - 37 Prostate
  - 24 Rectum
  - 28 Respiratory system, except bronchus and lung
  - 38 Scrotum
  - 45 Secondary
  - 31 Skin, except genitalia
  - 22 Small intestine
  - 43 Spinal cord and meninges
  - 21 Stomach
  - 44 Thyroid gland
  - 40 Ureter
  - 40 Urethra
  - 40 Urinary tract, except bladder
  - 34 Uterus, except cervix
  - 36 Vagina
  - 36 Vulva
- 49 Neoplasm, lymphatic, except leukemia and Hodgkin's disease
- 68 Neoplasm, unspecified type, any site
- 222 Nephritis, except acute
  - 223 Acute
- 222 Nephrosis, except tubular
  - 225 Tubular
- 222 Nephropathy, except diabetic
  - 73 Diabetic
- 109 Nervous gastritis
- 315 Neuralgia, except sciatic and trigeminal
  - 307 Sciatic
  - 120 Trigeminal
- 315 Neuritis, except median and sciatic
  - 119 Median
  - 307 Sciatic
- 120 Neuroma, except amputation stump
  - 390 Amputation stump
- 103 Neurosis, except anxiety, cardiac, and depressive
  - 101 Anxiety
  - 109 Cardiac

DIAGNOSIS INDEX (continued)

Group No.	Title
	Neurosis, except anxiety, cardiac, and depressive (continued)
102	Depressive
	Nevus
54	Skin
327	Vascular
	Newborn, hospital
394	Multiple
393	Single term
394	Twin
	Newborn, nonhospital
395	Multiple
395	Single
270	Normal delivery
125	Nuclear cataract
84	Nutritional anemia
128	Nystagmus
78	Obesity
268	Obstructed labor
280	with delivery
	Obstruction
218	Bile duct, except calculus
207	Intestinal, except postoperative
390	Intestinal, postoperative
172	Portal vein
172	Vena cava
184	Obstructive pulmonary disease NOS (COPD)
	Occlusion
158	Cerebral, without paralysis
159	Cerebral, with paralysis
156	Precerebral, without paralysis
157	Precerebral, with paralysis
122	Open-angle glaucoma
105	Opioid dependence or addiction
128	Optic atrophy
238	Orchitis
90	Organic brain syndrome, except acute and arteriosclerotic
89	Acute
91	Arteriosclerotic
89	Transient
298	Osteoarthritis, except spinal
303	Spinal
312	Osteomyelitis
317	Osteopathic somatic dysfunction
	Otitis media
130	Chronic and unspecified
131	Acute
133	Otosclerosis
243	Ovarian cyst
252	Ovarian disease, except endometriosis and dysfunction
74	Ovarian dysfunction
254	Ovarian pregnancy

Group No.	Title
74	Ovary, polycystic
384	Overdose, drug
	Paget's disease — *see Disease, Paget's*
	Pain
338	Abdominal
335	Chest
253	Female genital organ
331	Head
335	Precordial
219	Pancreatic disease
128	Papilledema
114	Paralysis agitans
207	Paralytic ileus
100	Paranoia, except schizophrenic
94	Paranoid schizophrenia
114	Parkinsonism
146	Paroxysmal atrial or supraventricular tachycardia
17	Pediculosis
	Peptic ulcer — *see Ulcer, peptic*
189	Perforation, esophagus
397	Peritoneal dialysis treatment
211	Peritonitis, except due to appendicitis
84	Pernicious anemia
6	Pertussis
314	Pes planus
116	Petit mal epilepsy
240	Peyronie's disease
239	Phimosis
169	Phlebitis
244	PID
171	Piles
293	Pilonidal cyst
16	Pinworm infection
70	PKU
264	Placenta previa
271	with delivery
11	Plantar warts
186	Pleural disease
186	Pleurisy
179	Pneumonia, except influenzal
180	with influenza
	Pneumothorax
185	Spontaneous
366	Traumatic
385	Poisoning, except food and drug
384	Drug
1	Food
374	Late effect
7	Poliomyelitis
18	Late effect
74	Polycystic ovary
68	Polycythemia, except secondary
86	Secondary

DIAGNOSIS INDEX (continued)

Group No. Title

- 268 Polyhydramnios
  - 287 with delivery
- Polyp
  - 211 Anal
  - 68 Bladder
  - 252 Cervix
  - 211 Intestinal
  - 178 Laryngeal
  - 176 Nasal
  - 211 Rectal
  - 176 Sinus
  - 178 Vocal cord
- 172 Portal vein thrombosis
- 218 Postcholecystectomy syndrome
- 211 Postgastrectomy dumping syndrome
- 172 Postmastectomy lymphedema
- 390 Postoperative wound, dehiscence
- 389 Postoperative wound, infection
- 290 Postpartum complication, NEC
- 267 Postpartum depression
- 269 Postpartum depression, with delivery
- 3 Pott's disease
- Precerebral occlusion
  - 156 without paralysis
  - 157 with paralysis
- 340 Prediabetes
- 261 Pre-eclampsia
  - 287 with delivery
- 123 Preglaucoma
- 398 Pregnancy
  - 254 Ectopic
  - 254 Ovarian
  - 268 Post-term
  - 287 Post-term, with delivery
  - 254 Tubal
  - 398 Undelivered
- 268 Premature rupture of membranes
  - 282 with delivery
- 253 Premenstrual tension
- Prenatal hemorrhage
  - 265 except threatened abortion
  - 272 with delivery
- 125 Presenile cataract
- 90 Presenile dementia or psychosis
- Prolapse
  - 128 Iris
  - 248 Uterovaginal
- 171 Prolapsed hemorrhoids
- 236 Prostatic disease, except hypertrophy
  - 235 Hypertrophy
- Proteinuria
  - 340 except postural
  - 223 Postural or orthostatic
- Psychogenic
  - 109 Diarrhea
  - 109 Hyperventilation

Group No. Title

- Psychogenic (continued)
  - 109 Paralysis
  - 109 Vomiting
- 116 Psychomotor epilepsy
- 100 Psychosis
  - 92 Alcoholic
  - 91 Arteriosclerotic
  - 98 Depressive
  - 93 Drug-induced
  - 99 Manic-depressive
  - 89 Organic, acute or transient
  - 90 Organic, chronic, except arteriosclerotic
  - 90 Senile
- 98 Psychotic depression
- 290 Puerperal complication
  - 287 with delivery
- 144 Pulmonary embolism
- 182 Pulmonary emphysema
- 1 Pulmonary tuberculosis
- Pulmonary valve disease — *see Valvular disease*
- 227 Pyelitis, except acute
  - 226 Acute
- 227 Pyelonephritis, except acute
  - 226 Acute
- 332 Pyloric stenosis, congential
- 330 Pyrexia of unknown origin
  - 288 Puerperal

- 12 Rabies
- 398 Radiotherapy session or treatment
- 340 Rash
- Reaction
  - 101 Anxiety
  - 102 Depressive
  - 386 Drug, NEC
  - 391 Transfusion
- 248 Rectocele, female
- 239 Redundant prepuce
- 211 Regional enteritis
- 396 Removal of internal fixation device
- 228 Renal calculus
- 397 Renal dialysis treatment
- 225 Renal failure, except chronic
  - 224 Chronic
- 139 Renal hypertension
- 139 Renovascular hypertension
- 186 Respiratory distress, acute
- 2 Respiratory tuberculosis
- 128 Retained intraocular foreign body
- 273 Retained placenta
- 112 Retardation, mental
- 337 Retention, urine
- Retinal
  - 121 Cyst
  - 121 Detachment

DIAGNOSIS INDEX (continued)

Group No.	Title
	Retinal (continued)
121	Hemorrhage
121	Tear
128	Retinitis pigmentosa
328	Rh (Rhesus) disease of newborn
135	Rheumatic fever, active
136	Rheumatic heart disease, chronic
316	Rheumatism
297	Rheumatoid arthritis, except spine
302	Spine
13	Rickettsiosis
8	Rubella
18	Late effect
	Rupture
172	Blood vessel
304	Lumbar disc
305	of intervertebral disc, except lumbar
243	Ovarian cyst
268	Uterus
286	Uterus, with delivery
290	Uterus, postpartum
198	Ruptured appendix
306	Sacroiliac instability
1	Salmonellosis
244	Salpingitis
	Sarcoma — *see Neoplasm, malignant, connective tissue*
96	Schizophrenia, except paranoid, childhood, and acute schizophrenic episode
95	Acute episode
97	Childhood
94	Paranoid
307	Sciatica
115	Sclerosis, multiple
316	Scoliosis
294	Sebaceous cyst
329	Seizure, except epileptic
116	Epileptic
256	Self-induced abortion
124	Senile cataract
90	Senile dementia or psychosis
340	Senility
357	Separation, shoulder
5	Sepsis
288	Puerperal
5	Septicemia
288	Puerperal
9	Serum hepatitis
391	Serum sickness
	Shock
391	Anaphylactic, except due to drug
386	Anaphylactic, due to drug
333	Nontraumatic

Group No.	Title
	Shock (continued)
390	Postoperative
383	Traumatic
83	Sickle cell anemia or crisis
178	Sinusitis
295	Skin disease, except infective and pilonidal and sebaceous cysts
292	Skin infection, except cellulitis
305	Slipped intervertebral disc, except lumbar
304	Slipped lumbar disc
8	Smallpox
317	Somatic dysfuntion, osteopathic
240	Spermatocele
318	Spina bifida
302	Spondylitis, ankylosing
303	Spondylosis
257	Spontaneous abortion
172	Spontaneous hemorrhage of blood vessel
185	Spontaneous pneumothorax
363	Sprain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
170	Stasis dermatitis
116	Status epilepticus
221	Steatorrhea
74	Stein-Leventhal syndrome
48	Stem cell leukemia
	Stenosis
322	Pyloric, congenital
233	Urethral, except congenital
325	Urethral, congenital
	Heart valve — *see Valvular disease*
392	Sterilization, elective
196	Stomach disease, except ulcer and inflammation
	Stomach ulcer — *see Ulcer, gastric*
188	Stomatitis
126	Strabismus
363	Strain, except knee, back, and sacroiliac region
362	Back
360	Knee
361	Sacroiliac region
4	Streptococcal sore throat
253	Stress incontinence, female
233	Stricture of urethral meatus, except congenital
325	Stricture, urethra, congenital
	Stroke
161	without paralysis
162	with paralysis
145	Subacute bacterial endocarditis
	Subarachnoid hemorrhage
152	without paralysis
153	with paralysis
292	Subcutaneous infection, except cellulitis

DIAGNOSIS INDEX (continued)

Group No.	Title
	Syndrome, organic brain — *see Organic brain syndrome*
308	Syndrome, vertebrogenic pain
309	Synovitis
14	Syphilis
296	Systemic lupus erythematosus (SLE)
333	Tachycardia, except paroxysmal
148	Paroxysmal, except atrial
146	Paroxysmal atrial or supraventricular
314	Talipes deformity, acquired
16	Tapeworm infestation
	Tear
358	Medial meniscus, current injury
300	Media meniscus, old
121	Retinal
	Tenosynovitis
309	except spine
308	Spine
111	Tension headache
255	Termination of pregnancy
6	Tetanus
165	Thoracic aortic aneurysm
259	Threatened abortion
86	Thrombocytopenia
169	Thrombophlebitis
172	Thrombophlebitis migrans
	Thrombosis
167	Arterial, except cerebral and precerebral
158	Cerebral, without paralysis
159	Cerebral, with paralysis
172	Portal vein
156	Precerebral, without paralysis
157	Precerebral, with paralysis
172	Vein
70	Thyroid disease, except nodule or goiter
69	Thyroid nodule or goiter
70	Thyrotoxicosis
160	TIA
120	Tic douloureux
177	Tonsillitis, chronic
261	Toxemia of pregnancy
287	with delivery
261	Toxemia of the puerperium
287	with delivery
174	Tracheobronchitis, acute
391	Transfusion reaction
160	Transient ischemic attack (TIA)
125	Traumatic cataract
	Treatment
398	Chemotherapy
397	Dialysis
398	Physical therapy
398	Radiotherapy
16	Trichinosis
17	Trichomoniasis
	Tricuspid valve disease — *see Valvular disease*
120	Trigeminal neuralgia
232	Trigonitis
254	Tubal pregnancy
	Tuberculosis
3	Bone
18	Late effect
2	Lung
3	Nonrespiratory
2	Respiratory
3	Tuberculous meningitis
363	Twisted ankle
13	Typhus
	Ulcer
295	Decubitus
192	Duodenal
193	Duodenal, with hemorrhage or perforation
190	Gastric
191	Gastric, with hemorrhage or perforation
192	Gastrojejunal
193	Gastrojejunal, with hemorrhage or perforation
192	Peptic, except gastric
193	Peptic, except gastric, with hemorrhage or perforation
194	Peptic, any site, with obstruction
295	Skin
170	Varicose, lower extremity
211	Ulcerative colitis
73	Uncontrolled diabetes mellitus
324	Undescended testis
340	Undiagnosed disease
306	Unstable low back
173	Upper respiratory infection, acute, except streptococcal
225	Uremia, except chronic
224	Chronic
229	Ureteral calculus
230	Ureteral disease, except calculus
231	Urethral calculus
234	Urethral disease, except calculus and stricture
233	Urethral stenosis, except congenital
325	Congenital
233	Urethral stricuture, except congenital
325	Congenital
234	Urethitis
266	in pregnancy
173	URI
234	Urinary tract infection
266	in pregnancy
57	Uterine fibroma
248	Uterine prolapse
128	Uveitis

DIAGNOSIS INDEX (continued)

Group No.	Title
247	Vaginal infection
	Vaginitis
247	except atrophic and senile
251	Atrophic or senile
314	Valgus deformity, limb
	Valvular disease
150	Nonrheumatic
136	Rheumatic
172	Varices, esophagus
170	Varicose ulcer of lower extremity
170	Varicose veins of lower extremities
314	Varus deformity, limb
14	VD
14	Venereal disease
11	Venereal wart
308	Vertebrogenic pain syndrome
340	Vertigo
12	Viral encephalitis
18	Late effect
7	Viral meningitis
18	Late effect
11	Viral wart
128	Vitreous abscess
128	Vitreous prolapse
255	Voluntary abortion
207	Volvulus
339	Vomiting
262	Vomiting of pregnancy
247	Vulvar infection
247	Vulvitis
11	Warts, viral
6	Whooping cough
	Withdrawal
92	Alcohol
93	Drug
390	Wound dehiscence, postoperative
	Wound infection
389	Postoperative
383	Posttraumatic
	Wound, open — *see Laceration*
12	Yellow fever

OPERATION INDEX

This operation index lists common operations and gives the number of the *ICD-9-CM List B* Operation Group to which each operation belongs.

Group No.	Title
555	Adenoidectomy, except with tonsillectomy
554	with tonsillectomy
515	Adrenalectomy
549	Alveolectomy
549	Alveoloplasty
695	Amniocentesis (diagnostic)
694	for termination of pregnancy
	Amputation
668	Cervix
732	Finger
737	Foot
733	Forearm
733	Hand
737	Hip
736	Leg, above knee
735	Leg, below knee
739	Revision (any site)
732	Thumb
734	Toe
733	Upper arm
	Anastomosis
617	Bile duct
581	Blood vessel
617	Gallbladder
601	Intestine
609	Rectum
757	Angiocardiography, except coronary vessels
756	Coronary vessels
757	Angiography, except cardiac and cerebral vessels
756	Cardiac vessels
755	Cerebral vessels
581	Angioplasty, except coronary
575	Coronary artery
581	Percutaneous transluminal, except coronary
575	Coronary
581	Angioscopy
546	Antrotomy, except radical maxillary
545	Radical maxillary
572	Aortocoronary bypass
757	Aortography
603	Appendectomy, except incidental
604	Incidental
	Arteriography
757	Aorta
755	Cerebral
756	Coronary
757	Femoral
755	Head
756	Heart
757	Renal
741	Arthrocentesis
721	Arthrodesis, except spinal
720	Spinal
725	Arthroplasty, except hip, knee, and temporomandibular
723	Hip, except total replacement
722	Total replacement
724	Knee
699	Temporomandibular
719	Arthroscopy
716	Arthrotomy
	Artifical
686	Insemination
690	Rupture of membranes for delivery
	Aspiration
752	Breast, except for biopsy
742	Biopsy
741	Bursa
682	Cul-de-sac
677	Curettage, uterus, except for termination of pregnancy
674	Termination of pregnancy
651	Hydrocele, except of spermatic cord
656	Spermatic cord
632	Kidney
614	Liver, percutaneous, except for biopsy
615	Biopsy
537	Middle ear
546	Nasal sinus
663	Ovary
752	Skin
656	Spermatocele
529	Vitreous
	Augmentation
745	Breast
699	Chin
	Balloon
581	Angioplasty, except coronary
575	Coronary
571	Valvuloplasty, heart
	Biopsy
515	Adrenal gland
611	Anus
638	Bladder, except transurethral approach
637	Transurethral approach
705	Bone, except facial
698	Facial
586	Bone marrow
501	Brain
742	Breast

OPERATION INDEX (continued)

Group No. Title

- Biopsy (continued)
  - 563 Bronchus
  - 501 Cerebral meninges
  - 668 Cervix
  - 597 Colon
  - 597 Duodenum
  - 668 Endocervical
  - 588 Esophagus
  - 532 Eyeball
  - 517 Eyelid
  - 666 Fallopian tubes
  - 597 Intestine (large) (small)
  - 719 Joint structure
  - 632 Kidney
  - 597 Large intestine
  - 558 Larynx
  - 552 Lip
  - 615 Liver
  - 565 Lung
  - 582 Lymph nodes
  - 570 Mediastinum
  - Meninges
    - 501 Cerebral
    - 507 Spinal
  - 727 Muscle
  - 543 Nose
  - 532 Orbit
  - 660 Ovary, except by aspiration
    - 663 Aspiration
  - 618 Pancreas
  - 658 Penis
  - 508 Peripheral nerve
  - 626 Peritoneum
  - 556 Pharynx
  - 570 Pleura
  - 650 Prostate
  - 606 Rectum
  - 651 Scrotum
  - 747 Skin
  - 597 Small intestine
  - 507 Spinal meninges
  - 654 Testes
  - 514 Thyroid
  - 552 Tongue
  - 559 Trachea
  - 670 Uterus
  - 682 Vagina
  - 558 Vocal cord
  - 683 Vulva
- 518 Blepharorrhaphy
- 763 Blood transfusion, except intrauterine exchange
  - 696 Intrauterine exchange
- 585 Bone marrow transplant
- 745 Breast augmentation
- 688 Breech extraction for delivery

Group No. Title

- 567 Bronchoscopy
- 704 Bunionectomy
- 730 Bursectomy, except of hand
  - 728 Hand
- 726 Bursotomy
- Bypass, graft or shunt
  - 572 Aortocoronary
  - 578 Blood vessels (systemic)
  - 572 Coronary
  - 596 Gastric
  - 572 Heart
  - 579 Heart-lung
  - 601 Intestine
  - 596 Stomach
  - 634 Urinary

- 763 Cancer chemotherapy
- Cardiac
  - 573 Catheterization
  - 764 Function tests
  - Massage
    - 763 Closed
    - 575 Open
  - 574 Pacemaker insertion or replacement
  - 575 Revascularization, except coronary bypass
    - 572 Coronary bypass
  - 764 Stress tests
- 509 Carpal tunnel decompression or release
- 760 Cast application
- 758 C.A.T. scan
- 526 Cataract extraction, except intracapsular
  - 525 Intracapsular
- Catheterization
  - 647 Bladder, except suprapubic approach
    - 638 Suprapubic approach
  - 581 Blood vessel
  - 573 Cardiac
  - 645 Ureteral
  - 647 Urethral, indwelling
  - 587 Vein, except umbilical
    - 581 Umbilical
- 669 Cerclage, cervix
- 692 Cesarean section, except low cervical
  - 691 Low cervical
- 717 Chemonucleolysis
- 763 Chemotherapy
- 758 Cholangiogram (intravenous) (percutaneous)
- 616 Cholecystectomy
- 758 Cholecystogram
- 617 Cholecystotomy
- 764 Circulatory monitoring
- 657 Circumcision, except newborn
- Closure
  - 617 Cholecystostomy
  - 601 Colostomy

OPERATION INDEX (continued)

Group No. Title

- Closure (continued)
  - Fistula — *see Fistulectomy*
  - 596 Gastric anastomosis
  - 601 Sigmoidostomy
  - 570 Thoracostomy
  - 635 Ureterostomy
  - 640 Urethrostomy
- 599 Colectomy
- 568 Collapse of lung, surgical
- 619 Colonoscopy, except surgical approach
  - 609 Surgical approach (transabdominal)
- 602 Colostomy, except loop
  - 600 Loop
- 681 Colporrhaphy, except for cystocele or rectocele repair
  - 680 Cystocele or rectocele repair
- 758 Computerized axial tomography (C.A.T. scan)
- 667 Conization of cervix
- 520 Conjunctivoplasty
- 764 Consultation
- Control of hemorrhage
  - 638 Bladder
  - 581 Blood vessel
  - 569 Chest
  - 627 Laparotomy site
  - 544 Nose, except by anterior packing
    - 557 Anterior packing
  - 569 Pleura
  - 581 Postoperative, not elsewhere classified
  - 650 Prostate
  - 590 Stomach
  - 556 Tonsil
- 521 Corneal transplant
- 572 Coronary bypass
- 503 Cranioplasty
- 502 Craniotomy
- 668 Cryoconization, cervix
- 682 Culdocentesis
- 682 Culdoscopy, except for tubal ligation
  - 664 Tubal ligation
- 523 Cyclocryotherapy (eye)
- 523 Cyclodialysis
- 638 Cystectomy (bladder)
- 680 Cystocele repair
- 636 Cystoscopy
- 638 Cyctostomy
- 638 Cystotomy

- 675 D and C (uterus), except for termination of pregnancy
  - 674 Termination of pregnancy
- 519 Dacryocystorhinostomy
- Debridement
  - 748 Burn (skin)
  - 705 Fracture, except of skull
    - 503 Skull

Group No. Title

- Debridement (continued)
  - 752 Nail, nail bed, nail fold
  - 748 Skin (infection) (wound)
- Decompression
  - 509 Carpal tunnel
  - 502 Cranial
  - 506 Laminectomy
  - 506 Spinal
- Delivery
  - 690 Artificial rupture of membranes
  - 688 Breech extraction
  - 692 Cesarean section, except low cervical
    - 691 Low cervical
  - 689 Forceps, except low forceps
    - 687 Low forceps
  - 689 Internal and combined version
- 751 Dermabrasion
- 601 Derotation, intestine
- 580 Dialysis, except peritoneal
  - 629 Peritoneal
- Dilation
  - 638 Bladder (neck)
  - 635 Ureteral meatus
  - 645 Ureterovesical orifice
  - 641 Urethra, urethrovesical junction
- 675 Dilation and curettage (D and C), uterus, except for termination of pregnancy
  - 674 Termination of pregnancy
- Dislocation-reduction, except temporomandibular
  - 714 Closed
  - 715 Open
  - 702 Temporomandibular (joint)
- Division
  - Adhesions — *see Lysis, adhesions*
  - 613 Anal sphincter
  - 726 Fascia, except of hand
    - 728 Hand
  - 508 Peripheral nerve
  - 511 Sympathetic nerve or ganglion
- 659 Dorsal or lateral slit of prepuce
- Drainage — *see also Incision (and drainage)*
  - 647 Bladder, except surgical approach
    - 638 Surgical approach (suprapubic)
    - 569 Chest
  - 537 Middle ear
- 763 Drug therapy
- 598 Duodenectomy

- 764 ECG (electrocardiogram)
- 758 Echoencephalography
- 764 EEG (eletroencephalogram)
- 764 EKG (electrocardiogram)
- 764 Electrocardiogram (ECG) (EKG)
- 764 Electroencephalogram (EEG)
- 752 Electrolysis, skin

OPERATION INDEX (continued)

Group No. Title

- 753 Encephalography
- Endoscopy
  - 617 Biliary tract
  - 636 Bladder
  - 567 Bronchus
  - 619 Colon, except surgical approach
    - 609 Surgical approach (transabdominal)
  - 682 Cul-de-sac, except for tubal ligation
    - 664 Tubal ligation
  - 589 Esophagus
  - 589 Gastric, except surgical approach
    - 596 Surgical approach (transabdominal)
  - 647 Ileal conduit
  - 576 Larynx
  - 628 Peritoneum
  - 557 Pharynx
  - 609 Small intestine
  - 589 Stomach, except surgical approach
    - 596 Surgical approach (transabdominal)
  - 570 Thorax, transpleural
  - 636 Urethra
  - 679 Uterus
  - 686 Vagina
- 602 Enterostomy
- 532 Enucleation, eyeball
- 533 Epilation, eyelid
- 697 Episioperinorrhaphy
- 697 Episiorrhaphy
- 690 Episiotomy, except with forceps delivery
  - 687 with low forceps delivery
  - 689 with other forceps delivery
- 544 Epistaxis control, except by anterior packing
  - 557 Anterior packing
- 618 ERCP (endoscopic retrograde cholangiopancreatography), except of biliary tract
  - 617 Biliary tract
- 588 Esophagectomy
- 589 Esophagoscopy, except surgical approach
  - 619 Surgical approach
- 588 Esophagotomy
- 508 ESWL (extracorporeal shock wave lithotripsy)
- 613 Evacuation, hemorrhoids
- Evisceration
  - 532 Eyeball
  - 673 Pelvic
- Examination
  - 764 Eye
  - 764 General physical
  - 764 Gynecologic
  - 764 Pelvic
  - 761 Psychiatric
- 763 Exchange transfusion, except intrauterine
  - 696 Intrauterine

Group No. Title

- Excision — *see also Excision of lesion (and destruction of tissue)*
  - 610 Anal fistula
  - 727 Baker's cyst
  - 705 Bone, except facial
    - 699 Facial, except partial
      - 698 Partial
  - 556 Branchial cleft cyst
  - 704 Bunion
  - 517 Chalazion, eyelid
  - 599 Colon
  - 665 Fallopian tubes, bilateral, except endoscopic approach
    - 664 Endoscopic approach
  - 670 Fibroid, uterine
  - 616 Gallbladder
  - 508 Ganglion, except of tendon
    - 727 Tendon (of hand)
  - 612 Hemorrhoids
  - Hydrocele
    - 679 Round ligament
    - 656 Spermatic cord
    - 651 Tunica vaginalis
  - 717 Intervertebral disc or cartilage
  - 719 Joint, except intervertebral disc and cartilage of knee
    - 717 Intervertebral disc
    - 718 Knee cartilage
  - 631 Kidney, except partial
    - 632 Partial
  - 718 Knee cartilage (semilunar)
  - 582 Lymph nodes, except radical
    - 583 Radical
  - 508 Neuroma, peripheral nerve
  - Ovary
    - 662 Bilateral
    - 661 Unilateral
  - 550 Parotid gland
  - 746 Pilonidal cyst or sinus
  - 515 Pituitary gland
  - 649 Prostate, except transurethral approach
    - 648 Transurethral approach
  - 522 Pterygium
  - 747 Sebaceous cyst, except of eyelid
    - 517 Eyelid, eyebrow
  - 718 Semilunar cartilage, knee
  - 586 Spleen
  - 514 Thyroglossal duct or tract
  - 513 Thyroid
  - 751 Toenail
  - 552 Tongue
  - 553 Tonsil, except with adenoids
    - 554 with adenoids
  - 556 Tonsil tag

OPERATION INDEX (continued)

Group No. Title

- Excision (continued)
  - Tubes and ovaries
    - 662 Bilateral
    - 661 Unilateral
  - 670 Uterine fibroid
  - 577 Varicocele, except of spermatic cord
    - 656 Spermatic cord
- Excision of lesion (and destruction of tissue)
  - 626 Abdominal wall
  - 611 Anus
  - 617 Bile duct
  - 638 Bladder, except transurethral approach
    - 637 Transurethral approach
  - 705 Bone, except facial
    - 698 Facial
  - 501 Brain
  - 742 Breast
  - 563 Bronchus
  - 501 Cerebral meninges
  - 668 Cervix, except by conization
    - 667 Conization
  - 597 Colon
  - 520 Conjunctiva
  - 522 Cornea
  - 597 Duodenum
  - 534 Ear, external
  - 588 Esophagus
  - 532 Eye
  - 517 Eyelid
  - 666 Fallopian tube
  - 549 Gingiva, gums
  - 597 Intestine
  - 524 Iris
  - 632 Kidney
  - 597 Large intestine
  - 558 Larynx
  - 552 Lip
  - 565 Lung
  - Meninges
    - 501 Cerebral
    - 507 Spinal
  - 727 Muscle
  - Nerve
    - 508 Peripheral
    - 511 Sympathetic
  - 543 Nose, except submucous resection
    - 541 Submucous resection
  - 660 Ovary
  - 550 Parotid gland
  - 658 Penis
  - Perineum
    - 683 Female
    - 747 Male
  - 508 Peripheral nerve

Group No. Title

- Excision of lesion (continued)
  - 607 Perirectal tissue
  - 626 Peritoneum
  - 606 Rectum
  - 550 Salivary gland
  - 524 Sclera
  - 651 Scrotum
  - 747 Skin, except radical and of pilonidal cyst or sinus
    - 746 Pilonidal cyst or sinus
    - 748 Radical
  - 501 Skull
  - 597 Small intestine
  - 507 Spinal meninges
  - 592 Stomach
  - 727 Tendon
  - 654 Testis
  - 552 Tongue
  - 559 Trachea
  - 635 Ureter
  - 640 Urethra
  - 679 Uterine ligament
  - 670 Uterus
  - 682 Vagina
  - 559 Vocal cord
  - 683 Vulva
- Exenteration
  - 532 Eyeball, orbit
  - 673 Pelvic
- Exploration
  - 627 Abdominal cavity
  - 617 Bile duct
  - 632 Kidney
- 627 Exploratory laparotomy
- 600 Exteriorization, intestine
- 579 Extracorporeal circulation
- 508 Extracorporeal shock wave lithotripsy (ESWL)
- Extraction
  - 688 Breech, for delivery
  - 547 Dental
  - 686 Menstrual
  - 547 Teeth
  - 689 Vacuum, for delivery

- 751 Face lift
- 730 Fasciectomy, except of hand
  - 728 Hand
- 726 Fasciotomy, except of hand
  - 728 Hand
- Fistulectomy
  - 610 Anal
  - 638 Bladder
  - 556 Branchial cleft
  - 564 Bronchus
  - 601 Intestine
  - 542 Nasal

OPERATION INDEX (continued)

Group No.	Title
	Fistulectomy (continued)
542	Nasolabial
546	Oroantral
609	Perirectal
556	Pharynx
640	Rectourethral
679	Rectouterine
681	Rectovaginal
638	Rectovesical
609	Rectum
562	Tracheoesophageal
523	Fistulization, sclera (for glaucoma)
741	Fitting, limb prosthesis
706	Fixation, internal, of bone, except with fracture-reduction
	with fracture-reduction — *see Fracture-reduction*
689	Forceps delivery, except low forceps
687	Low forceps
	Formation
581	Arteriovenous shunt for dialysis
601	Endoileal rectal pouch
634	Ileal conduit or bladder
	Fracture-reduction, except facial bone, femur, and nose
713	Closed, except with internal fixation
711	with internal fixation
713	Open, except with internal fixation
712	with internal fixation
701	Facial bone, except closed reduction
700	Closed reduction
	Femur
710	Closed, except with internal fixation
708	with internal fixation
710	Open, except with internal fixation
709	with internal fixation
701	Mandible, except closed reduction
700	Closed reduction
701	Maxillofacial, except closed reduction
700	Closed reduction
544	Nose
552	Frenectomy (labial) (tongue)
557	Frenotomy (labial) (tongue)
721	Fusion, joint, except spinal
720	Spinal
508	Ganglionectomy, except of tendon
727	Tendon (of hand)
508	Gasserian ganglionectomy
593	Gastrectomy, except total
594	Total
589	Gastroscopy, except surgical approach
596	Surgical approach (transabdominal)
591	Gastrostomy
590	Gastrotomy
699	Genioplasty
758	G.I. series x-ray
549	Gingivectomy, gingivoplasty
523	Glaucoma operation
552	Glossectomy
	Graft
706	Bone, except facial and skull
702	Facial
503	Skull
749	Free, of skin
552	Lip
731	Muscle, except of hand
729	Hand
750	Pedicle, of skin
	Skin
749	Free
750	Pedicle
731	Tendon, except of hand
729	Hand
573	Heart catheterization
579	Heart-lung bypass
599	Hemicolectomy
580	Hemodialysis
612	Hemorrhoidectomy
615	Hepatectomy
	Herniorrhaphy
625	Diaphragmatic
624	Epigastric
622	Femoral
624	Incisional
	Inguinal
621	Bilateral
620	Unilateral
623	Umbilical
624	Ventral
723	Hip replacement, except total
722	Total
576	His bundle study
763	Hyperalimentation
760	Hyperthermia, except localized
763	Localized, for treatment of malignancy and other lesions
515	Hypophysectomy
671	Hysterectomy, except radical and vaginal
673	Radical
672	Vaginal
678	Hysteropexy
679	Hysteroscopy
670	Hysterotomy, except for termination of pregnancy
693	Termination of pregnancy
602	Ileostomy, except loop
600	Loop
634	Ileoureterostomy

OPERATION INDEX (continued)

Group No.	Title
	Implant, implantation
642	Artifical urinary sphincter
745	Breast
574	Cardiac pacemaker (electrodes) (pulse generator)
575	Cardioverter/defibrillator
539	Cochlear prosthetic device
740	Limb prosthesis
	Incision (and drainage)
626	Abdominal wall
610	Anal fistula
605	Appendix
683	Bartholin's gland or abscess
703	Bone, except facial
702	Facial
501	Brain
745	Breast
501	Cerebral meninges
569	Chest (wall)
522	Cornea
502	Cranial sinus
534	Ear, external
518	Eyelid
552	Floor of mouth
617	Gallbladder
549	Gingiva, gums
600	Intestine
716	Joint
519	Lacrimal gland or sac
614	Liver
582	Lymph nodes
539	Mastoid
	Meninges
501	Cerebral
506	Spinal
537	Middle ear
726	Muscle
	Nasal sinus — *see Sinusotomy*
726	Palmar space (hand)
618	Pancreas
613	Perianal tissue
	Perineum
683	Female
748	Male
607	Perirectal tissue
627	Peritoneum, except via cul-de-sac
682	Via cul-de-sac
746	Pilonidal cyst or sinus
569	Pleura
607	Rectovaginal septum
607	Rectum
626	Retroperitoneal abscess
651	Scrotum
	Sinus (nasal) — *see Sinusotomy*
748	Skin, except pilonidal cyst or sinus
746	Pilonidal cyst or sinus

Group No.	Title
	Incision (and drainage) (continued)
506	Spinal meninges
726	Tendon
569	Thorax
633	Ureter
682	Vagina
683	Vulva
690	Induction of labor (medical or surgical) for delivery
	Injection
694	Intra-amniotic, for termination of pregnancy
763	Therapeutic agent (drugs)
745	Breast
741	Bursa
741	Joint
741	Tendon
686	Insemination, artifical
	Insertion
706	Bone growth stimulator
574	Cardiac pacemaker (electrode) (pulse generator)
512	Catheter, spinal canal
596	Gastric balloon
748	Infusion pump
658	Penile prosthesis
645	Ureteral stent
751	Tissue expander, except breast
745	Breast
686	Intrauterine contraceptive device
679	Laminaria, uterus
666	Insufflation, fallopian tubes
694	Intra-amniotic injection for termination of pregnancy
758	Intravenous pyelogram (IVP)
764	Intubation, nonoperative
764	Irrigation, nonoperative
758	IVP (intravenous pyelogram)
	Laceration repair (suture) — *see Repair, by site*
506	Laminectomy, except for excision of intervertebral disc
717	Excision of intervertebral disc
628	Laparoscopy, except for tubal ligation
664	Tubal ligation
627	Laparotomy, exploratory
560	Laryngectomy, except partial
559	Partial
576	Laryngoscopy
562	Laryngotomy, except permanent
561	Permanent
706	Lengthening of bone
526	Lens extraction, except intracapsular
525	Intracapsular
	Ligation
665	Fallopian tubes (bilateral), except endoscopic approach
664	Endoscopic approach
612	Hemorrhoids

OPERATION INDEX (continued)

Group No. Title

Ligation (continued)
577 Varicose veins
655 Vas deferens
577 Ligation and stripping, varicose veins
Lithotripsy
638 Bladder
646 Extracorporeal shock wave
635 Kidney
646 Ultrasonic
635 Ureter
Lobectomy
501 Brain
615 Liver
566 Lung, except partial
565 Partial
687 Low forceps delivery
512 Lumbar puncture
Lysis, adhesions
630 Abdominal
741 Hand
524 Iris
716 Joint
731 Muscle, except hand
741 Hand
630 Pelvis
630 Peritoneum
731 Tendon, except of hand
741 Hand

758 Magnetic resonance imaging
745 Mammary augmentation
745 Mammectomy
758 Mammography
745 Mammoplasty, reduction
699 Mandibulectomy, except partial
698 Partial
699 Mandibulotomy
Mastectomy
743 Complete
743 Simple, except extended
744 Extended
742 Subtotal
744 Radical
743 Partial
538 Mastoidectomy, except revision
539 Revision
745 Mastotomy
Meatotomy
635 Ureteral
639 Urethral
690 Medical induction of labor
718 Meniscectomy, knee
686 Menstrual extraction or regulation
699 Mentoplasty
764 Monitoring, circulatory (CVP) (PCW)

Group No. Title

754 Myelography
670 Myomectomy, uterus
537 Myringotomy

631 Nephrectomy (complete)
632 Nephropexy
758 NMR (nuclear magnetic resonance imaging)

682 Obliteration, vagina or vaginal vault
751 Onychectomy
751 Onychoplasty
Oophorectomy
662 Bilateral
661 Unilateral
533 Ophthalmoscopy
652 Orchiectomy
653 Orchiopexy
654 Orchioplasty, except suspension
653 Suspension
705 Ostectomy, except facial bone
699 Facial bone, except partial
698 Partial
706 Osteoplasty, except facial bone
699 Facial bone
703 Osteotomy, except facial bone
699 Facial bone
540 Otoscopy

551 Palatoplasty
618 Pancreatectomy
618 Pancreatotomy
Paracentesis
626 Abdominal
524 Anterior chamber (eye)
576 Thoracic
514 Parathyroidectomy
550 Parotidectomy
673 Pelvic exenteration
581 Percutaneous transluminal angioplasty, except coronary
575 Coronary artery (PTCA)
575 Pericardiocentesis
629 Peritoneal dialysis
628 Peritoneoscopy
557 Pharyngoscopy
556 Pharyngotomy
757 Phlebography
540 Piercing, ear
576 Pleurocentesis
576 Pleurodesis, chemical
Plication
644 Urethral, urethrovesical
581 Vena cava
753 Pneumoencephalography
566 Pneumonectomy
659 Preputiotomy

OPERATION INDEX (continued)

Group No. Title

- 608 Proctectomy
- 609 Proctopexy
- 619 Proctosigmoidoscopy, except surgical approach
  - 609 Surgical approach (transabdominal)
- 607 Proctotomy
- 649 Prostatectomy, except transurethral approach
  - 648 Transurethral approach
- 761 Psychiatric testing and evaluation
- 761 Psychotherapy
- 575 PTCA (percutaneous transluminal coronary angioplasty)
- Puncture
  - 501 Cranial
  - 512 Lumbar
  - 501 Skull, for drainage
  - 512 Spinal
- 758 Pyelogram (intravenous) (retrograde)
- 636 Pyeloscopy
- 632 Pyelotomy
- 590 Pyloromyotomy
- 596 Pyloroplasty

- 759 Radiation therapy
- Radiography
  - 757 Arteries, except cerebral and coronary
    - 755 Cerebral
    - 756 Coronary
  - 758 Breast
  - 755 Cerebral
    - 755 Arteries
    - 753 Ventricles
  - 758 Chest
  - 758 Gallbladder
  - 758 Kidney
  - 758 Skeletal
  - 758 Spine, except myelogram
    - 754 Myelogram
  - 757 Veins
- Reattachment
  - 738 Extremity
  - 528 Retina
  - 731 Tendon, except of hand
    - 729 Hand
- 530 Recession, ocular muscle
- Reconstruction
  - 535 Ear ossicles
  - 699 Mandible
  - 729 Thumb
- 680 Rectocele repair
- Reduction
  - Dislocation, except temporomandibular
    - 714 Closed
    - 715 Open
    - 702 Temporomandibular (joint)

Group No. Title

- Reduction (continued)
  - Fracture, except facial bone, femur, and nose
    - 713 Closed, except with internal fixation
      - 711 with internal fixation
    - 713 Open, except with internal fixation
      - 712 with internal fixation
    - 701 Facial bone, except closed reduction
      - 700 Closed reduction
    - Femur
      - 710 Closed, except with internal fixation
        - 708 with internal fixation
      - 710 Open, except with internal fixation
        - 709 with internal fixation
    - 701 Mandible, except closed reduction
      - 700 Closed reduction
    - 701 Maxillofacial, except closed reduction
      - 700 Closed reduction
    - 544 Nose
  - 619 Hemorrhoids
  - Hernia —*see also Herniorrhaphy*
    - 764 Manual
  - 601 Intestinal torsion
  - 601 Intussusception, intestine
  - 745 Mammoplasty
  - 601 Volvulus, intestine
- Release
  - Adhesions — *see Lysis, adhesions*
  - 728 Dupuytren's contracture
  - 749 Scar contracture, skin
  - 642 Urethral stricture
- Removal
  - Calculus
    - 617 Biliary tract
    - 638 Bladder
    - 632 Kidney, except transurethral approach
      - 635 Transurethral approach
    - 519 Lacrimal tract (by incision)
      - 533 without incision
    - 633 Ureter, except transurethral approach
      - 635 Transurethral approach
  - 764 Catheter, nonoperatively
  - 764 Cholecystotomy tube
  - 693 Ectopic fetus
  - 707 Fixation device, internal
  - Foreign body
    - 762 Bronchus, except with incision
      - 563 with incision
    - 532 Eye, except as below
      - 524 Anterior chamber
      - 520 Conjunctiva
      - 524 Iris
      - 527 Lens
    - Prosthesis
      - 745 Breast
      - 716 Joint

OPERATION INDEX (continued)

Group No.	Title
	Removal (continued)
697	Retained placenta, manually
764	Sutures
764	T-tube, gallbladder
764	Therapeutic device, nonoperatively
529	Vitreous
580	Renal dialysis
	Repair
630	Abdominal wall
613	Anal fistula, except by excision
610	Excision
581	Aneurysm (arteriovenous)
638	Bladder, except obstetric laceration
697	Obstetric laceration
518	Blepharoptosis
581	Blood vessel
706	Bone, except facial
699	Facial
745	Breast
564	Bronchial fistula
704	Bunion
571	Cardiac septal defect
669	Cervix, except obstetric laceration
697	Obstetric laceration
570	Chest wall
551	Cleft palate
520	Conjunctiva
522	Cornea, except transplant
521	Transplant
680	Cystocele, vagina
730	Diastasis recti
534	Ear, external
518	Ectropion or entropion, eyelid
697	Episiotomy
518	Eyelid
	Fistula — *see Fistulectomy*
704	Hallux valgus
729	Hand
	Hernia — *see Herniorrhaphy*
723	Hip, except total replacement
722	Total replacement
	Hydrocephalus, by ventricular shunt
504	Extracranial
505	Intracranial (ventriculostomy)
601	Intestine
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
724	Knee (joint)
	Laceration — *see also Repair, by site*
697	Obstetric
562	Larynx
552	Lip
615	Liver
	Repair (continued)
568	Lung
731	Muscle, except extraocular and of hand
531	Extraocular
729	Hand
556	Nasopharyngeal atresia
542	Nose
663	Ovary
551	Palate
658	Penis
685	Perineum, female, except obstetric laceration
697	Obstetric laceration
509	Peripheral nerve
596	Pylorus, stomach
680	Rectocele, vagina
609	Rectum
528	Retinal detachment or tear
730	Rotator-cuff (shoulder)
503	Skull
507	Spina bifida
507	Spinal meningocele
596	Stomach
644	Stress incontinence, except urethral suspension
643	Urethral suspension
731	Tendon, except of hand
729	Hand
654	Testis
562	Trachea
635	Ureter
640	Urethra
679	Uterus, except obstetric laceration and supporting structures
697	Obstetric laceration
678	Supporting structures
681	Vagina, except for cystocele and rectocele, and obstetric laceration
680	Cystocele and rectocele
697	Obstetric laceration
552	Vestibular arch (mouth)
685	Vulva, except obstetric laceration
697	Obstetric laceration
	Replacement
574	Cardiac pacemaker
571	Heart valve
725	Joint, except hip and knee
723	Hip, except total replacement
722	Total replacement
724	Knee
647	Urinary catheter
	Resection
638	Bladder
581	Blood vessel
564	Bronchus
599	Large intestine
730	Muscle, except of hand

OPERATION INDEX (continued)

Group No.	Title
	Resection (continued)
728	Hand
541	Nasal septum, submucous
530	Ocular muscle
660	Ovary
608	Rectum (abdominoperineal) (pull-through)
549	Root of tooth
598	Small intestine
730	Tendon, except of hand
728	Hand
548	Restoration, tooth
758	Retrograde pyelogram
	Revision
739	Amputation stump
581	Arteriovenous shunt for dialysis
596	Gastric anastomosis
601	Intestinal anastomosis
539	Mastoidectomy
562	Tracheostomy
539	Tympanoplasty
505	Ventricular shunt
542	Rhinoplasty
751	Rhytidectomy, facial
549	Root canal therapy
549	Root resection (tooth)
690	Rupture of membranes for delivery
	Salpingectomy
665	Bilateral
666	Unilateral
	Salpingo-oophorectomy
662	Bilateral
661	Unilateral
730	Scalenectomy
726	Scalenotomy
	Scan
758	C.A.T. (computerized axial tomography)
758	Radioisotope
528	Sclera buckling, for retinal detachment
706	Shortening, bone
	Shunt — *see also Bypass*
504	Cerebral ventricles, except intracranial and revision
505	Intracranial
505	Revision
578	Peripheral vessels
630	Peritoneovenous
578	Systemic vessels
550	Sialoadenectomy
599	Sigmoidectomy
546	Sinusectomy, nasal
546	Sinusotomy, except radical maxillary
545	Radical maxillary
751	Size-reduction, skin tissue except breast
745	Breast
	Sphincterotomy
617	Ampullary (of Vater) (pancreas)
613	Anus
638	Bladder neck
	Spinal
720	Fusion
512	Tap or puncture
586	Splenectomy
721	Stabilization of joint, except foot and knee
725	Foot
724	Knee
535	Stapedectomy
535	Stapes mobilization
644	Stress incontinence repair, except by urethral suspension
643	Urethral suspension
	Stress test
764	Cardiac
764	Fetal
764	Uterine
541	Submucous nasal resection
690	Surgical induction of labor for delivery
	Suspension
643	Urethra, except with bladder neck
644	with bladder neck
644	Urethrovesical
	Suture — *see also Repair, by site*
730	Muscle, except of hand
729	Hand
748	Skin
730	Tendon, except of hand
729	Hand
510	Sympathectomy
719	Synovectomy
554	T and A
	Takedown — *see Closure*
730	Tenosynovectomy, except of hand
728	Hand
726	Tenotomy, except of hand
728	Hand
	Termination of pregnancy
676	Aspiration curettage
674	Dilation and curettage
691	Hysterotomy
694	Intra-amniotic injection
	Therapy
761	Behavior
763	Cancer (chemical)
761	Electroconvulsive (ECT)
760	Occupational
760	Physical
761	Psychiatric
759	Radiation

OPERATION INDEX (continued)

Group No.	Title
	Therapy (continued)
761	Shock (EST)
760	Speech
758	Thermography
576	Thoracentesis
570	Thoracoscopy, transpleural
569	Thoracotomy
515	Thymectomy
513	Thyroidectomy
552	Tongue-tie operation
553	Tonsillectomy, except with adenoidectomy
554	With adenoidectomy
548	Tooth restoration
562	Tracheostomy, except permanent
561	Permanent
760	Traction, skeletal, except with fracture-reduction
	With fracture-reduction — *see Reduction, fracture*
	Transfer — *see Transplant*
	Transfusion
763	Blood
763	Exchange, except intrauterine
696	Intrauterine
585	Bone marrow
763	Coagulation factor
763	Gamma globulin
763	Plasma
	Transplant, transplantation
585	Bone marrow
521	Corneal
571	Heart
632	Kidney
731	Muscle, except of hand
729	Hand
731	Tendon, except of hand
729	Hand

Group No.	Title
648	TUR of prostate
543	Turbinectomy, nasal
536	Tympanoplasty, except revision
539	Revision
537	Tympanotomy
758	Ultrasound, diagnostic
635	Ureterectomy
634	Ureterostomy
633	Ureterotomy
636	Urethroscopy
642	Urethrotomy
634	Urinary diversion
764	Uroflowmetry, uroflometry
763	Vaccination
689	Vacuum extraction for delivery
686	Vaginoscopy
595	Vagotomy
577	Varicose vein operation
655	Vasectomy
656	Vasoplasty
655	Vasotomy
656	Vasovasostomy
757	Venography
504	Ventricular shunt, except revision
505	Revision
753	Ventriculography
684	Vulvectomy
	X-ray — *see Radiography*
751	Z-plasty, skin